



LTE Band (EN_DC)	Exposure position	Ant.0	Ant4	n78	EN_DC Summed SAR	
		1	2	Ant.2		
				3	1+3	2+3
Band 5	Left cheek	0.554	/	0.502	1.056	/
	Left tilted	0.454	/	0.253	0.707	/
	Right cheek	0.766	/	0.143	0.909	/
	Right tilted	0.631	/	0.130	0.761	/
Band 7	Left cheek	/	0.182	0.502	/	0.684
	Left tilted	/	0.093	0.253	/	0.346
	Right cheek	/	0.492	0.143	/	0.635
	Right tilted	/	0.146	0.130	/	0.276

Body-worn:

Test position		SARmax (W/kg)				Summed SAR			
		Main	WiFi 2.4G	WiFi 5G	BT				
		1	2	3	4	1+2	1+3	1+4	1+3+4
GSM850	Front side	0.135	0.087	0.260	0.001	0.222	0.395	0.136	0.396
	Back side	0.157	0.163	0.714	0.008	0.320	0.871	0.165	0.879
GSM1900	Front side	0.142	0.087	0.260	0.001	0.229	0.402	0.143	0.403
	Back side	0.230	0.163	0.714	0.008	0.393	0.944	0.238	0.952
WCDMA B2	Front side	0.224	0.087	0.260	0.001	0.311	0.484	0.225	0.485
	Back side	0.339	0.163	0.714	0.008	0.502	1.053	0.347	1.061
WCDMA B5	Front side	0.186	0.087	0.260	0.001	0.273	0.446	0.187	0.447
	Back side	0.221	0.163	0.714	0.008	0.384	0.935	0.229	0.943
LTE Band 2	Front side	0.253	0.087	0.260	0.001	0.340	0.513	0.254	0.514
	Back side	0.341	0.163	0.714	0.008	0.504	1.055	0.349	1.063
LTE Band 4	Front side	0.219	0.087	0.260	0.001	0.306	0.479	0.220	0.480
	Back side	0.336	0.163	0.714	0.008	0.499	1.050	0.344	1.058
LTE Band 5	Front side	0.167	0.087	0.260	0.001	0.254	0.427	0.168	0.428
	Back side	0.195	0.163	0.714	0.008	0.358	0.909	0.203	0.917
LTE Band 7	Front side	0.163	0.087	0.260	0.001	0.250	0.423	0.164	0.424
	Back side	0.315	0.163	0.714	0.008	0.478	1.029	0.323	1.037
LTE Band 12(17)	Front side	0.240	0.087	0.260	0.001	0.327	0.500	0.241	0.501
	Back side	0.289	0.163	0.714	0.008	0.452	1.003	0.297	1.011
LTE Band 13	Front side	0.387	0.087	0.260	0.001	0.474	0.647	0.388	0.648
	Back side	0.466	0.163	0.714	0.008	0.629	1.180	0.474	1.188
LTE Band 48	Front side	0.261	0.087	0.260	0.001	0.348	0.521	0.262	0.522
	Back side	0.538	0.163	0.714	0.008	0.701	1.252	0.546	1.260
LTE Band 66	Front side	0.252	0.087	0.260	0.001	0.339	0.512	0.253	0.513
	Back side	0.334	0.163	0.714	0.008	0.497	1.048	0.342	1.056
NR Band n2	Front side	0.237	0.087	0.260	0.001	0.324	0.497	0.238	0.498
	Back side	0.374	0.163	0.714	0.008	0.537	1.088	0.382	1.096
NR Band n5	Front side	0.190	0.087	0.260	0.001	0.277	0.450	0.191	0.451
	Back side	0.285	0.163	0.714	0.008	0.448	0.999	0.293	1.007
NR Band n48	Front side	0.251	0.087	0.260	0.001	0.338	0.511	0.252	0.512
	Back side	0.508	0.163	0.714	0.008	0.671	1.222	0.516	1.230
NR Band n66	Front side	0.220	0.087	0.260	0.001	0.307	0.480	0.221	0.481
	Back side	0.322	0.163	0.714	0.008	0.485	1.036	0.330	1.044
NR Band n77_PC2(78)	Front side	0.143	0.087	0.260	0.001	0.230	0.403	0.144	0.404
	Back side	0.375	0.163	0.714	0.008	0.538	1.089	0.383	1.097

Test position		SARmax (W/kg)				Summed SAR			
		Inter-band UL CA	WiFi 2.4G	WiFi 5G	BT				
		1	2	3	4	1+2	1+3	1+4	1+3+4
CA_2A-4A	Front side	0.193	0.087	0.260	0.001	0.280	0.453	0.194	0.454
	Back side	0.329	0.163	0.714	0.008	0.492	1.043	0.337	1.051
CA_2A-5A	Front side	0.294	0.087	0.260	0.001	0.381	0.554	0.295	0.555
	Back side	0.366	0.163	0.714	0.008	0.529	1.080	0.374	1.088
CA_2A-13A	Front side	0.514	0.087	0.260	0.001	0.601	0.774	0.515	0.775
	Back side	0.637	0.163	0.714	0.008	0.800	1.351	0.645	1.359
CA_2A-66A	Front side	0.194	0.087	0.260	0.001	0.281	0.454	0.195	0.455
	Back side	0.329	0.163	0.714	0.008	0.492	1.043	0.337	1.051
CA_4A-5A	Front side	0.277	0.087	0.260	0.001	0.364	0.537	0.278	0.538
	Back side	0.364	0.163	0.714	0.008	0.527	1.078	0.372	1.086
CA_4A-13A	Front side	0.497	0.087	0.260	0.001	0.584	0.757	0.498	0.758
	Back side	0.635	0.163	0.714	0.008	0.798	1.349	0.643	1.357
CA_5A-66A	Front side	0.293	0.087	0.260	0.001	0.380	0.553	0.294	0.554
	Back side	0.363	0.163	0.714	0.008	0.526	1.077	0.371	1.085
CA_13A-66A	Front side	0.513	0.087	0.260	0.001	0.600	0.773	0.514	0.774
	Back side	0.634	0.163	0.714	0.008	0.797	1.348	0.642	1.356

Test position		SARmax (W/kg)				Summed SAR			
		EN-DC Max SAR	WiFi 2.4G	WiFi 5G	BT				
		1	2	3	4	1+2	1+3	1+4	1+3+4
DC_2A-n5A	Front side	0.317	0.087	0.260	0.001	0.404	0.577	0.318	0.578
	Back side	0.456	0.163	0.714	0.008	0.619	1.170	0.464	1.178
DC_2A-n66A	Front side	0.193	0.087	0.260	0.001	0.280	0.453	0.194	0.454
	Back side	0.334	0.163	0.714	0.008	0.497	1.048	0.342	1.056
DC_2A-n77A	Front side	0.229	0.087	0.260	0.001	0.316	0.489	0.230	0.490
	Back side	0.495	0.163	0.714	0.008	0.658	1.209	0.503	1.217
DC_5A-n2A	Front side	0.286	0.087	0.260	0.001	0.373	0.546	0.287	0.547
	Back side	0.383	0.163	0.714	0.008	0.546	1.097	0.391	1.105
DC_5A-n66A	Front side	0.278	0.087	0.260	0.001	0.365	0.538	0.279	0.539
	Back side	0.356	0.163	0.714	0.008	0.519	1.070	0.364	1.078
DC_5A-n77A	Front side	0.257	0.087	0.260	0.001	0.344	0.517	0.258	0.518
	Back side	0.432	0.163	0.714	0.008	0.595	1.146	0.440	1.154
DC_5A-n78A	Front side	0.257	0.087	0.260	0.001	0.344	0.517	0.258	0.518
	Back side	0.432	0.163	0.714	0.008	0.595	1.146	0.440	1.154
DC_7A-n66A	Front side	0.214	0.087	0.260	0.001	0.301	0.474	0.215	0.475
	Back side	0.360	0.163	0.714	0.008	0.523	1.074	0.368	1.082
DC_7A-n77A	Front side	0.193	0.087	0.260	0.001	0.280	0.453	0.194	0.454
	Back side	0.436	0.163	0.714	0.008	0.599	1.150	0.444	1.158
DC_7A-n78A	Front side	0.193	0.087	0.260	0.001	0.280	0.453	0.194	0.454
	Back side	0.436	0.163	0.714	0.008	0.599	1.150	0.444	1.158
DC_13A-n2A	Front side	0.506	0.087	0.260	0.001	0.593	0.766	0.507	0.767
	Back side	0.654	0.163	0.714	0.008	0.817	1.368	0.662	1.376
DC_13A-n66A	Front side	0.498	0.087	0.260	0.001	0.585	0.758	0.499	0.759
	Back side	0.627	0.163	0.714	0.008	0.790	1.341	0.635	1.349
DC_13A-n77A	Front side	0.477	0.087	0.260	0.001	0.564	0.737	0.478	0.738
	Back side	0.703	0.163	0.714	0.008	0.866	1.417	0.711	1.425
DC_48A-n5A	Front side	0.354	0.087	0.260	0.001	0.441	0.614	0.355	0.615
	Back side	0.624	0.163	0.714	0.008	0.787	1.338	0.632	1.346
DC_66A-n2A	Front side	0.186	0.087	0.260	0.001	0.273	0.446	0.187	0.447
	Back side	0.346	0.163	0.714	0.008	0.509	1.060	0.354	1.068
DC_66A-n5A	Front side	0.316	0.087	0.260	0.001	0.403	0.576	0.317	0.577
	Back side	0.453	0.163	0.714	0.008	0.616	1.167	0.461	1.175
DC_66A-n77A	Front side	0.157	0.087	0.260	0.001	0.244	0.417	0.158	0.418
	Back side	0.395	0.163	0.714	0.008	0.558	1.109	0.403	1.117

LTE Band ULCA	Exposure position	Ant.2	LTE B4	Inter-band CA Summed SAR
			Ant.1	
		1	2	1+2
LTE B2	Front side	0.127	0.066	0.193
	Back side	0.171	0.158	0.329

LTE Band ULCA	Exposure position	Ant.2	LTE B5	Inter-band CA Summed SAR
			Ant.0	
		1	2	1+2
LTE B2	Front side	0.127	0.167	0.294
	Back side	0.171	0.195	0.366
LTE B4	Front side	0.110	0.167	0.277
	Back side	0.169	0.195	0.364

LTE Band ULCA	Exposure position	Ant.2	LTE B13	Inter-band CA Summed SAR
			Ant.0	
		1	2	1+2
LTE B2	Front side	0.127	0.387	0.514
	Back side	0.171	0.466	0.637
LTE B4	Front side	0.110	0.387	0.497
	Back side	0.169	0.466	0.635

LTE Band ULCA	Exposure position	Ant.0	Ant.2	LTE B66		Inter-band CA Summed SAR	
				Ant.1	Ant.2		
		1	2	3	4	1+4	2+3
LTE B2	Front side	/	0.127	0.067	0.126	/	0.194
	Back side	/	0.171	0.158	0.168	/	0.329
LTE B5	Front side	0.167	/	0.067	0.126	0.293	/
	Back side	0.195	/	0.158	0.168	0.363	/
LTE B13	Front side	0.387	/	0.067	0.126	0.513	/
	Back side	0.466	/	0.158	0.168	0.634	/

LTE Band (EN_DC)	Exposure position	Ant.2	n5	EN_DC Summed SAR
		1	Ant.0	
			2	1+2
Band 2	Front side	0.127	0.190	0.317
	Back side	0.171	0.285	0.456
Band 48	Front side	0.164	0.190	0.317
	Back side	0.339	0.285	0.456
Band 66	Front side	0.126	0.190	0.317
	Back side	0.168	0.285	0.456

LTE Band (EN_DC)	Exposure position	Ant.0	Ant.2	Ant4	n66		EN_DC Summed SAR		
		1	2	3	Ant.1	Ant.2			
					4	5	1+5	2+4	3+5
Band 2	Front side	/	0.127	/	0.066	0.111	/	0.193	/
	Back side	/	0.171	/	0.163	0.161	/	0.334	/
Band 5	Front side	0.167	/	/	0.066	0.111	0.278	/	/
	Back side	0.195	/	/	0.163	0.161	0.356	/	/
Band 7	Front side	/	/	0.103	0.066	0.111	/	/	0.214
	Back side	/	/	0.199	0.163	0.161	/	/	0.360
Band 13	Front side	0.387	/	/	0.066	0.111	0.498	/	/
	Back side	0.466	/	/	0.163	0.161	0.627	/	/

LTE Band (EN_DC)	Exposure position	Ant.0	Ant.1	Ant4	n77	EN_DC Summed SAR		
		1	2	3	Ant.2			
					4	1+4	2+4	3+4
Band 2	Front side	/	0.139	/	0.090	/	0.229	/
	Back side	/	0.258	/	0.237	/	0.495	/
Band 5	Front side	0.167	/	/	0.090	0.257	/	/
	Back side	0.195	/	/	0.237	0.432	/	/
Band 7	Front side	/	/	0.103	0.090	/	/	0.193
	Back side	/	/	0.199	0.237	/	/	0.436
Band 13	Front side	0.387	/	/	0.090	0.477	/	/
	Back side	0.466	/	/	0.237	0.703	/	/
Band 66	Front side	/	0.067	/	0.090	/	0.157	/
	Back side	/	0.158	/	0.237	/	0.395	/

LTE Band (EN_DC)	Exposure position	Ant.0	Ant.1	n2	EN_DC Summed SAR	
		1	2	Ant.2		
				3	1+3	2+3
Band 5	Front side	0.167	/	0.119	0.286	/
	Back side	0.195	/	0.188	0.383	/
Band 13	Front side	0.387	/	0.119	0.506	/
	Back side	0.466	/	0.188	0.654	/
Band 66	Front side	/	0.067	0.119	/	0.186
	Back side	/	0.158	0.188	/	0.346

LTE Band (EN_DC)	Exposure position	Ant.0	Ant4	n78	EN_DC Summed SAR	
				Ant.2		
		1	2	3	1+3	2+3
Band 5	Front side	0.167	/	0.090	0.257	/
	Back side	0.195	/	0.237	0.432	/
Band 7	Front side	/	0.103	0.090	/	0.193
	Back side	/	0.199	0.237	/	0.436

Hotspot:

Test position		SARmax (W/kg)				Summed SAR			
		Main	WiFi 2.4G	WiFi 5G	BT				
		1	2	3	4	1+2	1+3	1+4	1+3+4
GSM850	Front side	0.212	0.019	0.112	0.001	0.231	0.324	0.213	0.325
	Back side	0.307	0.043	0.282	0.008	0.350	0.589	0.315	0.597
	Left side	0.195	0.001	0.119	0.003	0.196	0.314	0.198	0.317
	Right side	0.107	0.033	0.163	0.001	0.140	0.270	0.108	0.271
	Top side	0.274	0.011	0.425	0.001	0.285	0.699	0.275	0.700
	Bottom side	/	/	/	/	/	/	/	/
GSM1900	Front side	0.223	0.019	0.112	0.001	0.242	0.335	0.224	0.336
	Back side	0.388	0.043	0.282	0.008	0.431	0.670	0.396	0.678
	Left side	/	0.001	0.119	0.003	0.001	0.119	0.003	0.122
	Right side	0.256	0.033	0.163	0.001	0.289	0.419	0.257	0.420
	Top side	0.188	0.011	0.425	0.001	0.199	0.613	0.189	0.614
	Bottom side	/	/	/	/	/	/	/	/
WCDMA B2	Front side	0.430	0.019	0.112	0.001	0.449	0.542	0.431	0.543
	Back side	0.755	0.043	0.282	0.008	0.798	1.037	0.763	1.045
	Left side	/	0.001	0.119	0.003	0.001	0.119	0.003	0.122
	Right side	0.426	0.033	0.163	0.001	0.459	0.589	0.427	0.590
	Top side	0.375	0.011	0.425	0.001	0.386	0.800	0.376	0.801
	Bottom side	/	/	/	/	/	/	/	/
WCDMA B5	Front side	0.279	0.019	0.112	0.001	0.298	0.391	0.280	0.392
	Back side	0.424	0.043	0.282	0.008	0.467	0.706	0.432	0.714
	Left side	0.254	0.001	0.119	0.003	0.255	0.373	0.257	0.376
	Right side	0.129	0.033	0.163	0.001	0.162	0.292	0.130	0.293
	Top side	0.322	0.011	0.425	0.001	0.333	0.747	0.323	0.748
	Bottom side	/	/	/	/	/	/	/	/
LTE Band 2	Front side	0.401	0.019	0.112	0.001	0.420	0.513	0.402	0.514
	Back side	0.732	0.043	0.282	0.008	0.775	1.014	0.740	1.022
	Left side	0.053	0.001	0.119	0.003	0.054	0.172	0.056	0.175
	Right side	0.443	0.033	0.163	0.001	0.476	0.606	0.444	0.607
	Top side	0.333	0.011	0.425	0.001	0.344	0.758	0.334	0.759
	Bottom side	0.445	/	/	/	0.445	0.445	0.445	0.445
LTE Band 4	Front side	0.350	0.019	0.112	0.001	0.369	0.462	0.351	0.463
	Back side	0.583	0.043	0.282	0.008	0.626	0.865	0.591	0.873
	Left side	0.001	0.001	0.119	0.003	0.002	0.120	0.004	0.123
	Right side	0.443	0.033	0.163	0.001	0.476	0.606	0.444	0.607
	Top side	0.328	0.011	0.425	0.001	0.339	0.753	0.329	0.754
	Bottom side	0.274	/	/	/	0.274	0.274	0.274	0.274
LTE Band 5	Front side	0.306	0.019	0.112	0.001	0.325	0.418	0.307	0.419
	Back side	0.466	0.043	0.282	0.008	0.509	0.748	0.474	0.756
	Left side	0.252	0.001	0.119	0.003	0.253	0.371	0.255	0.374
	Right side	0.136	0.033	0.163	0.001	0.169	0.299	0.137	0.300
	Top side	0.359	0.011	0.425	0.001	0.370	0.784	0.360	0.785
	Bottom side	/	/	/	/	/	/	/	/
LTE Band 7	Front side	0.293	0.019	0.112	0.001	0.312	0.405	0.294	0.406
	Back side	0.779	0.043	0.282	0.008	0.822	1.061	0.787	1.069
	Left side	0.426	0.001	0.119	0.003	0.427	0.545	0.429	0.548
	Right side	0.001	0.033	0.163	0.001	0.034	0.164	0.002	0.165
	Top side	0.066	0.011	0.425	0.001	0.077	0.491	0.067	0.492
	Bottom side	/	/	/	/	/	/	/	/
LTE Band 12(17)	Front side	0.188	0.019	0.112	0.001	0.207	0.300	0.189	0.301
	Back side	0.290	0.043	0.282	0.008	0.333	0.572	0.298	0.580
	Left side	0.266	0.001	0.119	0.003	0.267	0.385	0.269	0.388
	Right side	0.150	0.033	0.163	0.001	0.183	0.313	0.151	0.314

	Top side	0.194	0.011	0.425	0.001	0.205	0.619	0.195	0.620
	Bottom side	/	/	/	/	/	/	/	/
LTE Band 13	Front side	0.414	0.019	0.112	0.001	0.433	0.526	0.415	0.527
	Back side	0.660	0.043	0.282	0.008	0.703	0.942	0.668	0.950
	Left side	0.537	0.001	0.119	0.003	0.538	0.656	0.540	0.659
	Right side	0.253	0.033	0.163	0.001	0.286	0.416	0.254	0.417
	Top side	0.470	0.011	0.425	0.001	0.481	0.895	0.471	0.896
	Bottom side	/	/	/	/	/	/	/	/
LTE Band 48	Front side	0.355	0.019	0.112	0.001	0.374	0.467	0.356	0.468
	Back side	0.796	0.043	0.282	0.008	0.839	1.078	0.804	1.086
	Left side	/	0.001	0.119	0.003	0.001	0.119	0.003	0.122
	Right side	0.949	0.033	0.163	0.001	0.982	1.112	0.950	1.113
	Top side	0.216	0.011	0.425	0.001	0.227	0.641	0.217	0.642
	Bottom side	/	/	/	/	/	/	/	/
LTE Band 66	Front side	0.349	0.019	0.112	0.001	0.368	0.461	0.350	0.462
	Back side	0.591	0.043	0.282	0.008	0.634	0.873	0.599	0.881
	Left side	0.001	0.001	0.119	0.003	0.002	0.120	0.004	0.123
	Right side	0.420	0.033	0.163	0.001	0.453	0.583	0.421	0.584
	Top side	0.317	0.011	0.425	0.001	0.328	0.742	0.318	0.743
	Bottom side	0.282	/	/	/	0.282	0.282	0.282	0.282
NR Band n2	Front side	0.423	0.019	0.112	0.001	0.442	0.535	0.424	0.536
	Back side	0.785	0.043	0.282	0.008	0.828	1.067	0.793	1.075
	Left side	/	0.001	0.119	0.003	0.001	0.119	0.003	0.122
	Right side	0.533	0.033	0.163	0.001	0.566	0.696	0.534	0.697
	Top side	0.343	0.011	0.425	0.001	0.354	0.768	0.344	0.769
	Bottom side	/	/	/	/	/	/	/	/
NR Band n5	Front side	0.524	0.019	0.112	0.001	0.543	0.636	0.525	0.637
	Back side	0.793	0.043	0.282	0.008	0.836	1.075	0.801	1.083
	Left side	0.381	0.001	0.119	0.003	0.382	0.500	0.384	0.503
	Right side	0.191	0.033	0.163	0.001	0.224	0.354	0.192	0.355
	Top side	0.737	0.011	0.425	0.001	0.748	1.162	0.738	1.163
	Bottom side	/	/	/	/	/	/	/	/
NR Band n48	Front side	0.318	0.019	0.112	0.001	0.337	0.430	0.319	0.431
	Back side	0.676	0.043	0.282	0.008	0.719	0.958	0.684	0.966
	Left side	/	0.001	0.119	0.003	0.001	0.119	0.003	0.122
	Right side	0.917	0.033	0.163	0.001	0.950	1.080	0.918	1.081
	Top side	0.201	0.011	0.425	0.001	0.212	0.626	0.202	0.627
	Bottom side	/	/	/	/	/	/	/	/
NR Band n66	Front side	0.364	0.019	0.112	0.001	0.383	0.476	0.365	0.477
	Back side	0.546	0.043	0.282	0.008	0.589	0.828	0.554	0.836
	Left side	0.001	0.001	0.119	0.003	0.002	0.120	0.004	0.123
	Right side	0.402	0.033	0.163	0.001	0.435	0.565	0.403	0.566
	Top side	0.390	0.011	0.425	0.001	0.401	0.815	0.391	0.816
	Bottom side	0.284	/	/	/	0.284	0.284	0.284	0.284
NR Band n77_PC2(78)	Front side	0.222	0.019	0.112	0.001	0.241	0.334	0.223	0.335
	Back side	0.658	0.043	0.282	0.008	0.701	0.940	0.666	0.948
	Left side	/	0.001	0.119	0.003	0.001	0.119	0.003	0.122
	Right side	0.730	0.033	0.163	0.001	0.763	0.893	0.731	0.894
	Top side	0.113	0.011	0.425	0.001	0.124	0.538	0.114	0.539
	Bottom side	/	/	/	/	/	/	/	/

Test position		SARmax (W/kg)				Summed SAR			
		Inter-band UL CA	WiFi 2.4G	WiFi 5G	BT				
		1	2	3	4	1+2	1+3	1+4	1+3+4
CA_2A-4A	Front side	0.291	0.019	0.112	0.001	0.310	0.403	0.292	0.404
	Back side	0.592	0.043	0.282	0.008	0.635	0.874	0.600	0.882
	Left side	0.001	0.001	0.119	0.003	0.002	0.120	0.004	0.123
	Right side	0.223	0.033	0.163	0.001	0.256	0.386	0.224	0.387
	Top side	0.167	0.011	0.425	0.001	0.178	0.592	0.168	0.593
	Bottom side	0.274	/	/	/	0.274	0.274	0.274	0.274
CA_2A-5A	Front side	0.507	0.019	0.112	0.001	0.526	0.619	0.508	0.620
	Back side	0.833	0.043	0.282	0.008	0.876	1.115	0.841	1.123
	Left side	0.252	0.001	0.119	0.003	0.253	0.371	0.255	0.374
	Right side	0.358	0.033	0.163	0.001	0.391	0.521	0.359	0.522
	Top side	0.526	0.011	0.425	0.001	0.537	0.951	0.527	0.952
	Bottom side	/	/	/	/	/	/	/	/
CA_2A-13A	Front side	0.615	0.019	0.112	0.001	0.634	0.727	0.616	0.728
	Back side	1.027	0.043	0.282	0.008	1.070	1.309	1.035	1.317
	Left side	0.537	0.001	0.119	0.003	0.538	0.656	0.540	0.659
	Right side	0.475	0.033	0.163	0.001	0.508	0.638	0.476	0.639
	Top side	0.637	0.011	0.425	0.001	0.648	1.062	0.638	1.063
	Bottom side	/	/	/	/	/	/	/	/
CA_2A-66A	Front side	0.299	0.019	0.112	0.001	0.318	0.411	0.300	0.412
	Back side	0.593	0.043	0.282	0.008	0.636	0.875	0.601	0.883
	Left side	0.001	0.001	0.119	0.003	0.002	0.120	0.004	0.123
	Right side	0.223	0.033	0.163	0.001	0.256	0.386	0.224	0.387
	Top side	0.167	0.011	0.425	0.001	0.178	0.592	0.168	0.593
	Bottom side	0.282	/	/	/	0.282	0.282	0.282	0.282
CA_4A-5A	Front side	0.481	0.019	0.112	0.001	0.500	0.593	0.482	0.594
	Back side	0.758	0.043	0.282	0.008	0.801	1.040	0.766	1.048
	Left side	0.252	0.001	0.119	0.003	0.253	0.371	0.255	0.374
	Right side	0.358	0.033	0.163	0.001	0.391	0.521	0.359	0.522
	Top side	0.524	0.011	0.425	0.001	0.535	0.949	0.525	0.950
	Bottom side	/	/	/	/	/	/	/	/
CA_4A-13A	Front side	0.589	0.019	0.112	0.001	0.608	0.701	0.590	0.702
	Back side	0.952	0.043	0.282	0.008	0.995	1.234	0.960	1.242
	Left side	0.537	0.001	0.119	0.003	0.538	0.656	0.540	0.659
	Right side	0.475	0.033	0.163	0.001	0.508	0.638	0.476	0.639
	Top side	0.635	0.011	0.425	0.001	0.646	1.060	0.636	1.061
	Bottom side	/	/	/	/	/	/	/	/
CA_5A-66A	Front side	0.481	0.019	0.112	0.001	0.500	0.593	0.482	0.594
	Back side	0.763	0.043	0.282	0.008	0.806	1.045	0.771	1.053
	Left side	0.252	0.001	0.119	0.003	0.253	0.371	0.255	0.374
	Right side	0.347	0.033	0.163	0.001	0.380	0.510	0.348	0.511
	Top side	0.518	0.011	0.425	0.001	0.529	0.943	0.519	0.944
	Bottom side	/	/	/	/	/	/	/	/
CA_13A-66A	Front side	0.589	0.019	0.112	0.001	0.608	0.701	0.590	0.702
	Back side	0.957	0.043	0.282	0.008	1.000	1.239	0.965	1.247
	Left side	0.537	0.001	0.119	0.003	0.538	0.656	0.540	0.659
	Right side	0.464	0.033	0.163	0.001	0.497	0.627	0.465	0.628
	Top side	0.629	0.011	0.425	0.001	0.640	1.054	0.630	1.055
	Bottom side	/	/	/	/	/	/	/	/

Test position		SARmax (W/kg)				Summed SAR			
		EN-DC Max SAR	WiFi 2.4G	WiFi 5G	BT				
		1	2	3	4	1+2	1+3	1+4	1+3+4
DC_2A-n5A	Front side	0.725	0.019	0.112	0.001	0.744	0.837	0.726	0.838
	Back side	1.160	0.043	0.282	0.008	1.203	1.442	1.168	1.450
	Left side	0.381	0.001	0.119	0.003	0.382	0.500	0.384	0.503
	Right side	0.413	0.033	0.163	0.001	0.446	0.576	0.414	0.577
	Top side	0.904	0.011	0.425	0.001	0.915	1.329	0.905	1.330
	Bottom side	/	/	/	/	/	/	/	/
DC_2A-n66A	Front side	0.287	0.019	0.112	0.001	0.306	0.399	0.288	0.400
	Back side	0.594	0.043	0.282	0.008	0.637	0.876	0.602	0.884
	Left side	0.001	0.001	0.119	0.003	0.002	0.120	0.004	0.123
	Right side	0.223	0.033	0.163	0.001	0.256	0.386	0.224	0.387
	Top side	0.167	0.011	0.425	0.001	0.178	0.592	0.168	0.593
	Bottom side	0.284	/	/	/	0.284	0.284	0.284	0.284
DC_2A-n77A	Front side	0.321	0.019	0.112	0.001	0.340	0.433	0.322	0.434
	Back side	0.761	0.043	0.282	0.008	0.804	1.043	0.769	1.051
	Left side	0.053	0.001	0.119	0.003	0.054	0.172	0.056	0.175
	Right side	0.539	0.033	0.163	0.001	0.572	0.702	0.540	0.703
	Top side	0.071	0.011	0.425	0.001	0.082	0.496	0.072	0.497
	Bottom side	0.445	/	/	/	0.445	0.445	0.445	0.445
DC_5A-n2A	Front side	0.518	0.019	0.112	0.001	0.537	0.630	0.519	0.631
	Back side	0.859	0.043	0.282	0.008	0.902	1.141	0.867	1.149
	Left side	0.252	0.001	0.119	0.003	0.253	0.371	0.255	0.374
	Right side	0.403	0.033	0.163	0.001	0.436	0.566	0.404	0.567
	Top side	0.531	0.011	0.425	0.001	0.542	0.956	0.532	0.957
	Bottom side	/	/	/	/	/	/	/	/
DC_5A-n66A	Front side	0.489	0.019	0.112	0.001	0.508	0.601	0.490	0.602
	Back side	0.740	0.043	0.282	0.008	0.783	1.022	0.748	1.030
	Left side	0.252	0.001	0.119	0.003	0.253	0.371	0.255	0.374
	Right side	0.338	0.033	0.163	0.001	0.371	0.501	0.339	0.502
	Top side	0.555	0.011	0.425	0.001	0.566	0.980	0.556	0.981
	Bottom side	/	/	/	/	/	/	/	/
DC_5A-n77A	Front side	0.446	0.019	0.112	0.001	0.465	0.558	0.447	0.559
	Back side	0.881	0.043	0.282	0.008	0.924	1.163	0.889	1.171
	Left side	0.252	0.001	0.119	0.003	0.253	0.371	0.255	0.374
	Right side	0.597	0.033	0.163	0.001	0.630	0.760	0.598	0.761
	Top side	0.430	0.011	0.425	0.001	0.441	0.855	0.431	0.856
	Bottom side	/	/	/	/	/	/	/	/
DC_5A-n78A	Front side	0.446	0.019	0.112	0.001	0.465	0.558	0.447	0.559
	Back side	0.881	0.043	0.282	0.008	0.924	1.163	0.889	1.171
	Left side	0.252	0.001	0.119	0.003	0.253	0.371	0.255	0.374
	Right side	0.597	0.033	0.163	0.001	0.630	0.760	0.598	0.761
	Top side	0.430	0.011	0.425	0.001	0.441	0.855	0.431	0.856
	Bottom side	/	/	/	/	/	/	/	/
DC_7A-n66A	Front side	0.368	0.019	0.112	0.001	0.387	0.480	0.369	0.481
	Back side	0.766	0.043	0.282	0.008	0.809	1.048	0.774	1.056
	Left side	0.269	0.001	0.119	0.003	0.270	0.388	0.272	0.391
	Right side	0.203	0.033	0.163	0.001	0.236	0.366	0.204	0.367
	Top side	0.237	0.011	0.425	0.001	0.248	0.662	0.238	0.663
	Bottom side	/	/	/	/	/	/	/	/
DC_7A-n77A	Front side	0.325	0.019	0.112	0.001	0.344	0.437	0.326	0.438
	Back side	0.907	0.043	0.282	0.008	0.950	1.189	0.915	1.197
	Left side	0.269	0.001	0.119	0.003	0.270	0.388	0.272	0.391
	Right side	0.462	0.033	0.163	0.001	0.495	0.625	0.463	0.626

	Top side	0.112	0.011	0.425	0.001	0.123	0.537	0.113	0.538
	Bottom side	/	/	/	/	/	/	/	/
DC_7A-n78A	Front side	0.325	0.019	0.112	0.001	0.344	0.437	0.326	0.438
	Back side	0.907	0.043	0.282	0.008	0.950	1.189	0.915	1.197
	Left side	0.269	0.001	0.119	0.003	0.270	0.388	0.272	0.391
	Right side	0.462	0.033	0.163	0.001	0.495	0.625	0.463	0.626
	Top side	0.112	0.011	0.425	0.001	0.123	0.537	0.113	0.538
	Bottom side	/	/	/	/	/	/	/	/
DC_13A-n2A	Front side	0.626	0.019	0.112	0.001	0.645	0.738	0.627	0.739
	Back side	1.053	0.043	0.282	0.008	1.096	1.335	1.061	1.343
	Left side	0.537	0.001	0.119	0.003	0.538	0.656	0.540	0.659
	Right side	0.520	0.033	0.163	0.001	0.553	0.683	0.521	0.684
	Top side	0.642	0.011	0.425	0.001	0.653	1.067	0.643	1.068
	Bottom side	/	/	/	/	/	/	/	/
DC_13A-n66A	Front side	0.597	0.019	0.112	0.001	0.616	0.709	0.598	0.710
	Back side	0.934	0.043	0.282	0.008	0.977	1.216	0.942	1.224
	Left side	0.537	0.001	0.119	0.003	0.538	0.656	0.540	0.659
	Right side	0.455	0.033	0.163	0.001	0.488	0.618	0.456	0.619
	Top side	0.666	0.011	0.425	0.001	0.677	1.091	0.667	1.092
	Bottom side	/	/	/	/	/	/	/	/
DC_13A-n77A	Front side	0.554	0.019	0.112	0.001	0.573	0.666	0.555	0.667
	Back side	1.075	0.043	0.282	0.008	1.118	1.357	1.083	1.365
	Left side	0.537	0.001	0.119	0.003	0.538	0.656	0.540	0.659
	Right side	0.714	0.033	0.163	0.001	0.747	0.877	0.715	0.878
	Top side	0.541	0.011	0.425	0.001	0.552	0.966	0.542	0.967
	Bottom side	/	/	/	/	/	/	/	/
DC_48A-n5A	Front side	0.748	0.019	0.112	0.001	0.767	0.860	0.749	0.861
	Back side	1.295	0.043	0.282	0.008	1.338	1.577	1.303	1.585
	Left side	0.381	0.001	0.119	0.003	0.382	0.500	0.384	0.503
	Right side	0.790	0.033	0.163	0.001	0.823	0.953	0.791	0.954
	Top side	0.873	0.011	0.425	0.001	0.884	1.298	0.874	1.299
	Bottom side	/	/	/	/	/	/	/	/
DC_66A-n2A	Front side	0.310	0.019	0.112	0.001	0.329	0.422	0.311	0.423
	Back side	0.619	0.043	0.282	0.008	0.662	0.901	0.627	0.909
	Left side	0.001	0.001	0.119	0.003	0.002	0.120	0.004	0.123
	Right side	0.268	0.033	0.163	0.001	0.301	0.431	0.269	0.432
	Top side	0.172	0.011	0.425	0.001	0.183	0.597	0.173	0.598
	Bottom side	0.282	/	/	/	0.282	0.282	0.282	0.282
DC_66A-n5A	Front side	0.699	0.019	0.112	0.001	0.718	0.811	0.700	0.812
	Back side	1.090	0.043	0.282	0.008	1.133	1.372	1.098	1.380
	Left side	0.381	0.001	0.119	0.003	0.382	0.500	0.384	0.503
	Right side	0.402	0.033	0.163	0.001	0.435	0.565	0.403	0.566
	Top side	0.896	0.011	0.425	0.001	0.907	1.321	0.897	1.322
	Bottom side	/	/	/	/	/	/	/	/
DC_66A-n77A	Front side	0.238	0.019	0.112	0.001	0.257	0.350	0.239	0.351
	Back side	0.641	0.043	0.282	0.008	0.684	0.923	0.649	0.931
	Left side	0.001	0.001	0.119	0.003	0.002	0.120	0.004	0.123
	Right side	0.462	0.033	0.163	0.001	0.495	0.625	0.463	0.626
	Top side	0.071	0.011	0.425	0.001	0.082	0.496	0.072	0.497
	Bottom side	0.282	/	/	/	0.282	0.282	0.282	0.282

LTE Band ULCA	Exposure position	Ant.2	LTE B4	Inter-band CA Summed SAR
			Ant.1	
		2	3	2+3
LTE B2	Front side	0.201	0.090	0.291
	Back side	0.367	0.225	0.592
	Left side	/	0.001	0.001
	Right side	0.222	0.001	0.223
	Top side	0.167	/	0.167
	Bottom side	/	0.274	0.274

LTE Band ULCA	Exposure position	Ant.2	LTE B5	Inter-band CA Summed SAR
			Ant.0	
		2	3	2+3
LTE B2	Front side	0.201	0.306	0.507
	Back side	0.367	0.466	0.833
	Left side	/	0.252	0.252
	Right side	0.222	0.136	0.358
	Top side	0.167	0.359	0.526
	Bottom side	/	/	/
LTE B4	Front side	0.175	0.306	0.481
	Back side	0.292	0.466	0.758
	Left side	/	0.252	0.252
	Right side	0.222	0.136	0.358
	Top side	0.165	0.359	0.524
	Bottom side	/	/	/

LTE Band ULCA	Exposure position	Ant.2	LTE B13	Inter-band CA Summed SAR
			Ant.0	
		2	3	2+3
LTE B2	Front side	0.201	0.414	0.615
	Back side	0.367	0.660	1.027
	Left side	/	0.537	0.537
	Right side	0.222	0.253	0.475
	Top side	0.167	0.470	0.637
	Bottom side	/	/	/
LTE B4	Front side	0.175	0.414	0.589
	Back side	0.292	0.660	0.952
	Left side	/	0.537	0.537
	Right side	0.222	0.253	0.475
	Top side	0.165	0.470	0.635
	Bottom side	/	/	/

LTE Band ULCA	Exposure position	Ant.0	Ant.2	LTE B66			
				Ant.1	Ant.2		
		1	2	3	4	1+4	2+3
LTE B2	Front side	/	0.201	0.098	0.175	/	0.299
	Back side	/	0.367	0.226	0.297	/	0.593
	Left side	/	/	0.001	/	/	0.001
	Right side	/	0.222	0.001	0.211	/	0.223
	Top side	/	0.167	/	0.159	/	0.167
	Bottom side	/	/	0.282	/	/	0.282
LTE B5	Front side	0.306	/	0.098	0.175	0.481	/
	Back side	0.466	/	0.226	0.297	0.763	/
	Left side	0.252	/	0.001	/	0.252	/
	Right side	0.136	/	0.001	0.211	0.347	/
	Top side	0.359	/	/	0.159	0.518	/
	Bottom side	/	/	0.282	/	/	/
LTE B13	Front side	0.414	/	0.098	0.175	0.589	/
	Back side	0.660	/	0.226	0.297	0.957	/
	Left side	0.537	/	0.001	/	0.537	/
	Right side	0.253	/	0.001	0.211	0.464	/
	Top side	0.470	/	/	0.159	0.629	/
	Bottom side	/	/	0.282	/	/	/

LTE Band (EN_DC)	Exposure position	Ant.2	n5	EN_DC Summed SAR
			Ant.0	
		1	2	1+2
Band 2	Front side	0.201	0.524	0.725
	Back side	0.367	0.793	1.160
	Left side	/	0.381	0.381
	Right side	0.222	0.191	0.413
	Top side	0.167	0.737	0.904
	Bottom side	/	/	/
Band 48	Front side	0.224	0.524	0.748
	Back side	0.502	0.793	1.295
	Left side	/	0.381	0.381
	Right side	0.599	0.191	0.790
	Top side	0.136	0.737	0.873
	Bottom side	/	/	/
Band 66	Front side	0.175	0.524	0.699
	Back side	0.297	0.793	1.090
	Left side	/	0.381	0.381
	Right side	0.211	0.191	0.402
	Top side	0.159	0.737	0.896
	Bottom side	/	/	/

LTE Band (EN_DC)	Exposure position	Ant.0	Ant.2	Ant4	n66		EN_DC Summed SAR		
					Ant.1	Ant.2	1+5	2+4	3+5
Band 2	Front side	/	0.201	/	0.086	0.183	/	0.287	/
	Back side	/	0.367	/	0.227	0.274	/	0.594	/
	Left side	/	/	/	0.001	/	/	0.001	/
	Right side	/	0.222	/	0.001	0.202	/	0.223	/
	Top side	/	0.167	/	/	0.196	/	0.167	/
	Bottom side	/	/	/	0.284	/	/	0.284	/
Band 5	Front side	0.306	/	/	0.086	0.183	0.489	/	/
	Back side	0.466	/	/	0.227	0.274	0.740	/	/
	Left side	0.252	/	/	0.001	/	0.252	/	/
	Right side	0.136	/	/	0.001	0.202	0.338	/	/
	Top side	0.359	/	/	/	0.196	0.555	/	/
	Bottom side	/	/	/	0.284	/	/	/	/
Band 7	Front side	/	/	0.185	0.086	0.183	/	/	0.368
	Back side	/	/	0.492	0.227	0.274	/	/	0.766
	Left side	/	/	0.269	0.001	/	/	/	0.269
	Right side	/	/	0.001	0.001	0.202	/	/	0.203
	Top side	/	/	0.041	/	0.196	/	/	0.237
	Bottom side	/	/	/	0.284	/	/	/	/
Band 13	Front side	0.414	/	/	0.086	0.183	0.597	/	/
	Back side	0.660	/	/	0.227	0.274	0.934	/	/
	Left side	0.537	/	/	0.001	/	0.537	/	/
	Right side	0.253	/	/	0.001	0.202	0.455	/	/
	Top side	0.470	/	/	/	0.196	0.666	/	/
	Bottom side	/	/	/	0.284	/	/	/	/

LTE Band (EN_DC)	Exposure position	Ant.0	Ant.1	Ant.4	n77	EN_DC Summed SAR		
					Ant.2			
		1	2	3	4	1+4	2+4	3+4
Band 2	Front side	/	0.181	/	0.140	/	0.321	/
	Back side	/	0.346	/	0.415	/	0.761	/
	Left side	/	0.053	/	/	/	0.053	/
	Right side	/	0.078	/	0.461	/	0.539	/
	Top side	/	/	/	0.071	/	0.071	/
	Bottom side	/	0.445	/	/	/	0.445	/
Band 5	Front side	0.306	/	/	0.140	0.446	/	/
	Back side	0.466	/	/	0.415	0.881	/	/
	Left side	0.252	/	/	/	0.252	/	/
	Right side	0.136	/	/	0.461	0.597	/	/
	Top side	0.359	/	/	0.071	0.430	/	/
	Bottom side	/	/	/	/	/	/	/
Band 7	Front side	/	/	0.185	0.140	/	/	0.325
	Back side	/	/	0.492	0.415	/	/	0.907
	Left side	/	/	0.269	/	/	/	0.269
	Right side	/	/	0.001	0.461	/	/	0.462
	Top side	/	/	0.041	0.071	/	/	0.112
	Bottom side	/	/	/	/	/	/	/
Band 13	Front side	0.414	/	/	0.140	0.554	/	/
	Back side	0.660	/	/	0.415	1.075	/	/
	Left side	0.537	/	/	/	0.537	/	/
	Right side	0.253	/	/	0.461	0.714	/	/
	Top side	0.470	/	/	0.071	0.541	/	/
	Bottom side	/	/	/	/	/	/	/
Band 66	Front side	/	0.098	/	0.140	/	0.238	/
	Back side	/	0.226	/	0.415	/	0.641	/
	Left side	/	0.001	/	/	/	0.001	/
	Right side	/	0.001	/	0.461	/	0.462	/
	Top side	/	/	/	0.071	/	0.071	/
	Bottom side	/	0.282	/	/	/	0.282	/

LTE Band (EN_DC)	Exposure position	Ant.0	Ant.1	n2	EN_DC Summed SAR	
		1	2	Ant.2		
				3	1+3	2+3
Band 5	Front side	0.306	/	0.212	0.518	/
	Back side	0.466	/	0.393	0.859	/
	Left side	0.252	/	/	0.252	/
	Right side	0.136	/	0.267	0.403	/
	Top side	0.359	/	0.172	0.531	/
	Bottom side	/	/	/	/	/
Band 13	Front side	0.414	/	0.212	0.626	/
	Back side	0.660	/	0.393	1.053	/
	Left side	0.537	/	/	0.537	/
	Right side	0.253	/	0.267	0.520	/
	Top side	0.470	/	0.172	0.642	/
	Bottom side	/	/	/	/	/
Band 66	Front side	/	0.098	0.212	/	0.310
	Back side	/	0.226	0.393	/	0.619
	Left side	/	0.001	/	/	0.001
	Right side	/	0.001	0.267	/	0.268
	Top side	/	/	0.172	/	0.172
	Bottom side	/	0.282	/	/	0.282

LTE Band (EN_DC)	Exposure position	Ant.0	Ant4	n78	EN_DC Summed SAR	
		1	2	Ant.2		
				3	1+3	2+3
Band 5	Front side	0.306	/	0.140	0.446	/
	Back side	0.466	/	0.415	0.881	/
	Left side	0.252	/	/	0.252	/
	Right side	0.136	/	0.461	0.597	/
	Top side	0.359	/	0.071	0.430	/
	Bottom side	/	/	/	/	/
Band 7	Front side	/	0.185	0.140	/	0.325
	Back side	/	0.492	0.415	/	0.907
	Left side	/	0.269	/	/	0.269
	Right side	/	0.001	0.461	/	0.462
	Top side	/	0.041	0.071	/	0.112
	Bottom side	/	/	/	/	/



Product Specific 10-g (0mm):

Test position	SARmax (W/kg)		Summed SAR
	WiFi 5G	NFC	
	1	2	1+2
Front side	0.619	0.000	0.619
Back side	0.507	0.007	0.514
Left side	0.030	0.000	0.030
Right side	0.361	0.000	0.361
Top side	0.919	0.000	0.919
Bottom side	/	0.000	0.000

9 Equipment list

Test Platform		SPEAG DASY Professional				
Software Reference		DASY52 52.10.4(1527); SEMCAD X 14.6.14(7483)				
		cDASY8 V16.4.0.5005				
Hardware Reference						
Equipment		Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration
☒	Twin Phantom	SPEAG	SAM3	1143	NCR	NCR
☒	Twin Phantom	SPEAG	Twin-SAM V8.0	2155	NCR	NCR
☒	DAE	SPEAG	DAE4	1245	2025-09-08	2026-09-07
☒	DAE	SPEAG	DAE4ip	1826	2025-02-17	2026-02-16
☒	E-Field Probe	SPEAG	EX3DV4	7767	2024-12-31	2025-12-30
☒	E-Field Probe	SPEAG	EX3DV4	7735	2025-01-29	2026-01-28
☒	Validation Kits	SPEAG	CLA13	1032	2023-02-09	2026-02-08
☒	Validation Kits	SPEAG	D750V3	1214	2025-04-01	2028-03-31
☒	Validation Kits	SPEAG	D835V2	4d161	2023-08-25	2026-08-24
☒	Validation Kits	SPEAG	D1750V2	1105	2023-11-03	2026-11-02
☒	Validation Kits	SPEAG	D1950V3	1218	2023-05-04	2026-05-03
☒	Validation Kits	SPEAG	D2450V2	922	2023-08-28	2026-08-27
☒	Validation Kits	SPEAG	D2600V2	1158	2025-03-31	2028-03-30
☒	Validation Kits	SPEAG	D3500V2	1067	2025-01-16	2028-01-15
☒	Validation Kits	SPEAG	D3700V2	1108	2025-04-02	2028-03-31
☒	Validation Kits	SPEAG	D3900V2	1083	2025-03-31	2028-03-30
☒	Validation Kits	SPEAG	D5GHzV2	1174	2023-08-23	2026-08-22
☒	Dielectric parameter probes	SPEAG	DAKS-3.5	1120	2025-08-25	2026-08-24
☒	Vector Network Analyzer and Vector Reflectometer	SPEAG	DAKS_VNA R140	50920	2025-08-25	2026-08-24
☒	Dielectric parameter probes	SPEAG	DAKS-12	1043	2025-09-22	2026-09-21
☒	Vector Network Analyzer and Vector Reflectometer	SPEAG	DAKS_VNA R60	21423005	2025-09-22	2026-09-21
☒	Universal Radio Communication Tester	R&S	CMW500	111637	2025-09-03	2026-09-02
☒	RF Bi-Directional Coupler	Agilent	86205-60001	MY31400031	NCR	NCR
☒	Signal Generator	R&S	SMB100A	182393	2025-02-05	2026-02-04
☒	Preamplifier	Qiji	YX28980933	202104001	NCR	NCR
☒	USB Average Power Sensor	Keysight	U2002H	MY5639004	2025-09-10	2026-09-09
☒	USB Average Power Sensor	Agilent	U2002H	MY48200110	2025-11-20	2026-11-19
☒	USB Power Sensor	KEYSIGHT	U8481A	MZ52460001	2025-06-16	2026-06-14
☒	USB Power Sensor	KEYSIGHT	U8481A	MZ52460007	2025-06-16	2026-06-14
☒	Attenuator	SHX	TS2-3dB	30704	NCR	NCR
☒	Coaxial low pass filter	Mini-Circuits	VLF-2500(+)	NA	NCR	NCR
☒	Coaxial low pass filter	Microlab Fxr	LA-F13	NA	NCR	NCR



☒	DC POWER SUPPLY	SAKO	SK1730SL5A	NA	NCR	NCR
☒	Speed reading thermometer	LKM	DTM3000	NA	2025-09-16	2026-09-15
☒	Humidity and Temperature Indicator	MingGao	MingGao	NA	2025-09-16	2026-09-15

Note: All the equipment are within the valid period when the tests are performed.



Report No.: SUCR251100112401
Page: 124 of 124

10 Calibration certificate

Please see the Appendix C

11 Photographs

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

Appendix E: Conducted RF Output Power

--- End of report ---