



n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3570MHz Edge 1RB Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3530.000	-43.14	-40	Pass
3530	3540	1	/	2	3538.000	-41.88	-25	Pass
3540	3549	1	/	3	3544.500	-39.63	-13	Pass
3549	3595	1	/	/	/	/	/	/
3595	3630	1	/	4	3596.500	-40.56	-13	Pass
3630	3720	1	/	5	3631.000	-47.76	-25	Pass
3720	37000	1	/	6	4222.500	-44.99	-40	Pass

n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3570MHz Edge 1RB Right Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.540	-49.70	-40	Pass
3530	3540	1	CHP	2	3532.315	-48.87	-25	Pass
3540	3549	1	CHP	3	3542.635	-49.32	-13	Pass
3549	3550	0.03	/	4	3549.640	-63.82	-13	Pass
3550	3590	0.03	/	/	/	/	/	/
3590	3591	0.03	/	5	3590.005	-33.54	-13	Pass
3591	3630	1	CHP	6	3591.505	-41.79	-13	Pass
3630	3720	1	CHP	7	3718.255	-48.38	-25	Pass
3720	3730	1	CHP	8	3725.170	-48.23	-40	Pass

n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3570MHz Outer Full Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.300	-43.12	-40	Pass
3530	3540	1	CHP	2	3538.000	-42.29	-25	Pass
3540	3549	1	CHP	3	3548.500	-35.37	-13	Pass
3549	3550	0.38702	CHP	4	3549.850	-33.20	-13	Pass
3550	3590	0.38702	CHP	/	/	/	/	/
3590	3591	0.38702	CHP	5	3590.050	-34.12	-13	Pass
3591	3630	1	CHP	6	3591.550	-34.85	-13	Pass
3630	3720	1	CHP	7	3631.150	-46.75	-25	Pass
3720	3730	1	CHP	8	3729.100	-48.24	-40	Pass

n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	914.600	-53.13	-40	Pass

n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3452.500	-46.80	-40	Pass
3530	3564.99	1	/	2	3549.500	-56.40	-25	Pass
3564.99	3603.99	1	/	3	3568.500	-31.75	-13	Pass
3603.99	3649.99	1	/	/	/	/	/	/
3649.99	3684.99	1	/	4	3662.500	-51.98	-13	Pass
3684.99	3720	1	/	5	3692.500	-55.85	-25	Pass
3720	37000	1	/	6	36386.500	-44.87	-40	Pass

n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3679.98MHz Edge 1RB Left Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.455	-49.84	-40	Pass
3530	3619.98	1	CHP	2	3608.050	-49.68	-25	Pass
3619.98	3658.98	1	CHP	3	3658.480	-39.38	-13	Pass
3658.98	3659.98	0.03	/	4	3659.965	-30.17	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.480	-62.74	-13	Pass
3700.98	3710	1	CHP	6	3709.225	-48.30	-13	Pass
3710	3720	1	CHP	7	3717.790	-47.35	-25	Pass
3720	3730	1	CHP	8	3728.800	-48.10	-40	Pass

n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3679.98MHz Edge 1RB Right Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.925	-49.84	-40	Pass
3530	3619.98	1	CHP	2	3545.185	-42.27	-25	Pass
3619.98	3658.98	1	CHP	3	3623.290	-47.10	-13	Pass
3658.98	3659.98	0.03	/	4	3659.485	-62.84	-13	Pass
3659.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-34.46	-13	Pass
3700.98	3710	1	CHP	6	3701.485	-40.45	-13	Pass
3710	3720	1	CHP	7	3710.005	-46.69	-25	Pass
3720	3730	1	CHP	8	3720.760	-47.58	-40	Pass

n48 30kHz SISO NTN 40MHz CP-OFDM QPSK 3679.98MHz Edge 1RB Right Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	899.050	-53.13	-40	Pass

n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3679.98MHz Edge 1RB Right Ant2



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.500	-46.13	-40	Pass
3530	3619.98	1	/	2	3545.000	-44.63	-25	Pass
3619.98	3658.98	1	/	3	3623.000	-50.65	-13	Pass
3658.98	3704.98	1	/	/	/	/	/	/
3704.98	3710	1	/	4	3705.000	-46.13	-13	Pass
3710	3720	1	/	5	3717.500	-50.24	-25	Pass
3720	37000	1	/	6	4220.500	-44.28	-40	Pass

n48 30kHz SISO NTV 40MHz CP-OFDM QPSK 3679.98MHz Outer Full Ant2



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.900	-49.66	-40	Pass
3530	3619.98	1	CHP	2	3618.850	-43.35	-25	Pass
3619.98	3658.98	1	CHP	3	3658.450	-32.07	-13	Pass
3658.98	3659.98	0.38702	CHP	4	3659.950	-31.63	-13	Pass
3659.98	3699.98	0.38702	CHP	/	/	/	/	/
3699.98	3700.98	0.38702	CHP	5	3700.000	-32.97	-13	Pass
3700.98	3710	1	CHP	6	3702.250	-34.37	-13	Pass
3710	3720	1	CHP	7	3711.700	-38.64	-25	Pass
3720	3730	1	CHP	8	3721.150	-40.91	-40	Pass

6. Adjacent Channel Leakage Ratio

6.1 Test Result

6.1.1 30_S_10M_NTNV

5G NR n48 SCS=30kHz SISO 10MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3694.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
CP-OFDM QPSK	3555	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass

	3624.99	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3694.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3555	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3694.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3555	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3694.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3555	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3694.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

6.1.2 30_S_20M_NTNV

5G NR n48 SCS=30kHz SISO 20MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass

[illegible]

	3690	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

6.1.3 30_S_30M_NTNV

5G NR n48 SCS=30kHz SISO 30MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3684.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3684.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3684.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3684.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3684.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
CP-OFDM QPSK	3565.02	Outer_Full	Refer To Test Graph		Pass

		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3684.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3565.02	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3684.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3565.02	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3684.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3565.02	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3684.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

6.1.4 30_S_40M_NTNV


5G NR n48 SCS=30kHz SISO 40MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass

[illegible]


	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

6.2 Test Graph

6.2.1 30_S_10M_NTNV




n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.52	/	/	/	/
Adjacent	-10	10.00	-28.52	-51.04	-30	21.04	Pass
Adjacent	10	10.00	-18.78	-41.30	-30	11.30	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	27.98	/	/	/	/
Adjacent	-10	10.00	-18.87	-46.85	-30	16.85	Pass
Adjacent	10	10.00	-17.59	-45.57	-30	15.57	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	28.35	/	/	/	/
Adjacent	-10	10.00	-12.75	-41.10	-30	11.10	Pass
Adjacent	10	10.00	-27.05	-55.40	-30	25.40	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.94	/	/	/	/
Adjacent	-10	10.00	-27.30	-53.24	-30	23.24	Pass
Adjacent	10	10.00	-17.02	-42.96	-30	12.96	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	26.10	/	/	/	/
Adjacent	-10	10.00	-17.08	-43.18	-30	13.18	Pass
Adjacent	10	10.00	-16.71	-42.81	-30	12.81	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.98	/	/	/	/
Adjacent	-10	10.00	-15.95	-39.93	-30	9.93	Pass
Adjacent	10	10.00	-24.12	-48.10	-30	18.10	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 3694.98MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	27.11	/	/	/	/
Adjacent	-10	10.00	-23.86	-50.97	-30	20.97	Pass
Adjacent	10	10.00	-14.55	-41.66	-30	11.66	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.38	/	/	/	/
Adjacent	-10	10.00	-20.50	-45.88	-30	15.88	Pass
Adjacent	10	10.00	-18.86	-44.24	-30	14.24	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.31	/	/	/	/
Adjacent	-10	10.00	-17.06	-41.37	-30	11.37	Pass
Adjacent	10	10.00	-28.41	-52.72	-30	22.72	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.25	/	/	/	/
Adjacent	-10	10.00	-28.35	-53.60	-30	23.60	Pass
Adjacent	10	10.00	-15.69	-40.94	-30	10.94	Pass

n48 30kHz SISO NTNv 10MHz DFT-s-OFDM QPSK 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	28.45	/	/	/	/
Adjacent	-10	10.00	-17.94	-46.39	-30	16.39	Pass
Adjacent	10	10.00	-15.46	-43.91	-30	13.91	Pass

n48 30kHz SISO NTNv 10MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	28.12	/	/	/	/
Adjacent	-10	10.00	-11.92	-40.04	-30	10.04	Pass
Adjacent	10	10.00	-27.17	-55.29	-30	25.29	Pass


n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Right Ant2



n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Outer Full Ant2




n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	28.83	/	/	/	/
Adjacent	-10	10.00	-14.62	-43.45	-30	13.45	Pass
Adjacent	10	10.00	-24.06	-52.89	-30	22.89	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 3694.98MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	29.06	/	/	/	/
Adjacent	-10	10.00	-23.88	-52.94	-30	22.94	Pass
Adjacent	10	10.00	-12.08	-41.14	-30	11.14	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3555MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.24	/	/	/	/
Adjacent	-10	10.00	-20.76	-44.00	-30	14.00	Pass
Adjacent	10	10.00	-21.47	-44.71	-30	14.71	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3555MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.36	/	/	/	/
Adjacent	-10	10.00	-18.93	-42.29	-30	12.29	Pass
Adjacent	10	10.00	-28.39	-51.75	-30	21.75	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.62	/	/	/	/
Adjacent	-10	10.00	-28.43	-52.05	-30	22.05	Pass
Adjacent	10	10.00	-17.54	-41.16	-30	11.16	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	27.53	/	/	/	/
Adjacent	-10	10.00	-18.65	-46.18	-30	16.18	Pass
Adjacent	10	10.00	-16.96	-44.49	-30	14.49	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.44	/	/	/	/
Adjacent	-10	10.00	-14.90	-40.34	-30	10.34	Pass
Adjacent	10	10.00	-27.36	-52.80	-30	22.80	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.91	/	/	/	/
Adjacent	-10	10.00	-27.33	-53.24	-30	23.24	Pass
Adjacent	10	10.00	-16.84	-42.75	-30	12.75	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3694.98MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	26.40	/	/	/	/
Adjacent	-10	10.00	-17.02	-43.42	-30	13.42	Pass
Adjacent	10	10.00	-16.65	-43.05	-30	13.05	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.99	/	/	/	/
Adjacent	-10	10.00	-14.72	-40.71	-30	10.71	Pass
Adjacent	10	10.00	-24.19	-50.18	-30	20.18	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 16 QAM 3694.98MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	26.69	/	/	/	/
Adjacent	-10	10.00	-23.82	-50.51	-30	20.51	Pass
Adjacent	10	10.00	-15.03	-41.72	-30	11.72	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3555MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.09	/	/	/	/
Adjacent	-10	10.00	-23.06	-47.15	-30	17.15	Pass
Adjacent	10	10.00	-20.87	-44.96	-30	14.96	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3555MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.01	/	/	/	/
Adjacent	-10	10.00	-18.26	-42.27	-30	12.27	Pass
Adjacent	10	10.00	-28.49	-52.50	-30	22.50	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.46	/	/	/	/
Adjacent	-10	10.00	-28.50	-51.96	-30	21.96	Pass
Adjacent	10	10.00	-18.63	-42.09	-30	12.09	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.16	/	/	/	/
Adjacent	-10	10.00	-22.07	-46.23	-30	16.23	Pass
Adjacent	10	10.00	-17.89	-42.05	-30	12.05	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.47	/	/	/	/
Adjacent	-10	10.00	-20.62	-41.09	-30	11.09	Pass
Adjacent	10	10.00	-27.16	-47.63	-30	17.63	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.76	/	/	/	/
Adjacent	-10	10.00	-27.48	-53.24	-30	23.24	Pass
Adjacent	10	10.00	-16.18	-41.94	-30	11.94	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3694.98MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	27.19	/	/	/	/
Adjacent	-10	10.00	-18.59	-45.78	-30	15.78	Pass
Adjacent	10	10.00	-15.52	-42.71	-30	12.71	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	26.71	/	/	/	/
Adjacent	-10	10.00	-13.41	-40.12	-30	10.12	Pass
Adjacent	10	10.00	-24.16	-50.87	-30	20.87	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 64 QAM 3694.98MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.31	/	/	/	/
Adjacent	-10	10.00	-23.93	-48.24	-30	18.24	Pass
Adjacent	10	10.00	-17.03	-41.34	-30	11.34	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 3555MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.57	/	/	/	/
Adjacent	-10	10.00	-22.06	-43.63	-30	13.63	Pass
Adjacent	10	10.00	-22.59	-44.16	-30	14.16	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 3555MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.40	/	/	/	/
Adjacent	-10	10.00	-20.10	-41.50	-30	11.50	Pass
Adjacent	10	10.00	-28.65	-50.05	-30	20.05	Pass

n48 30kHz SISO NTNV 10MHz DFT-s-OFDM 256 QAM 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.19	/	/	/	/
Adjacent	-10	10.00	-28.65	-49.84	-30	19.84	Pass
Adjacent	10	10.00	-20.47	-41.66	-30	11.66	Pass

n48 30kHz SISO NTNV 10MHz DFT-s-OFDM 256 QAM 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.32	/	/	/	/
Adjacent	-10	10.00	-21.08	-45.40	-30	15.40	Pass
Adjacent	10	10.00	-20.43	-44.75	-30	14.75	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.05	/	/	/	/
Adjacent	-10	10.00	-19.33	-41.38	-30	11.38	Pass
Adjacent	10	10.00	-27.44	-49.49	-30	19.49	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.14	/	/	/	/
Adjacent	-10	10.00	-27.53	-48.67	-30	18.67	Pass
Adjacent	10	10.00	-18.08	-39.22	-30	9.22	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 3694.98MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.20	/	/	/	/
Adjacent	-10	10.00	-19.57	-43.77	-30	13.77	Pass
Adjacent	10	10.00	-17.37	-41.57	-30	11.57	Pass

n48 30kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.65	/	/	/	/
Adjacent	-10	10.00	-15.93	-40.58	-30	10.58	Pass
Adjacent	10	10.00	-24.25	-48.90	-30	18.90	Pass

n48 30kHz SISO NTNv 10MHz DFT-s-OFDM 256 QAM 3694.98MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.71	/	/	/	/
Adjacent	-10	10.00	-23.95	-48.66	-30	18.66	Pass
Adjacent	10	10.00	-15.70	-40.41	-30	10.41	Pass

n48 30kHz SISO NTNv 10MHz CP-OFDM QPSK 3555MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.56	/	/	/	/
Adjacent	-10	10.00	-22.69	-45.25	-30	15.25	Pass
Adjacent	10	10.00	-21.07	-43.63	-30	13.63	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.45	/	/	/	/
Adjacent	-10	10.00	-18.41	-40.86	-30	10.86	Pass
Adjacent	10	10.00	-28.44	-50.89	-30	20.89	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.60	/	/	/	/
Adjacent	-10	10.00	-28.47	-49.07	-30	19.07	Pass
Adjacent	10	10.00	-20.77	-41.37	-30	11.37	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.07	/	/	/	/
Adjacent	-10	10.00	-20.56	-44.63	-30	14.63	Pass
Adjacent	10	10.00	-18.87	-42.94	-30	12.94	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.91	/	/	/	/
Adjacent	-10	10.00	-15.98	-40.89	-30	10.89	Pass
Adjacent	10	10.00	-27.27	-52.18	-30	22.18	Pass

n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	26.16	/	/	/	/
Adjacent	-10	10.00	-27.49	-53.65	-30	23.65	Pass
Adjacent	10	10.00	-14.90	-41.06	-30	11.06	Pass

n48 30kHz SISO NTV 10MHz CP-OFDM QPSK 3694.98MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.86	/	/	/	/
Adjacent	-10	10.00	-17.95	-41.81	-30	11.81	Pass
Adjacent	10	10.00	-18.53	-42.39	-30	12.39	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.74	/	/	/	/
Adjacent	-10	10.00	-16.59	-41.33	-30	11.33	Pass
Adjacent	10	10.00	-24.13	-48.87	-30	18.87	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM QPSK 3694.98MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.72	/	/	/	/
Adjacent	-10	10.00	-23.89	-47.61	-30	17.61	Pass
Adjacent	10	10.00	-18.11	-41.83	-30	11.83	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3555MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.22	/	/	/	/
Adjacent	-10	10.00	-21.63	-43.85	-30	13.85	Pass
Adjacent	10	10.00	-21.02	-43.24	-30	13.24	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3555MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.15	/	/	/	/
Adjacent	-10	10.00	-16.97	-40.12	-30	10.12	Pass
Adjacent	10	10.00	-28.46	-51.61	-30	21.61	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.48	/	/	/	/
Adjacent	-10	10.00	-28.51	-50.99	-30	20.99	Pass
Adjacent	10	10.00	-19.32	-41.80	-30	11.80	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	26.38	/	/	/	/
Adjacent	-10	10.00	-18.74	-45.12	-30	15.12	Pass
Adjacent	10	10.00	-17.88	-44.26	-30	14.26	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	24.12	/	/	/	/
Adjacent	-10	10.00	-16.72	-40.84	-30	10.84	Pass
Adjacent	10	10.00	-27.20	-51.32	-30	21.32	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	27.61	/	/	/	/
Adjacent	-10	10.00	-27.53	-55.14	-30	25.14	Pass
Adjacent	10	10.00	-14.30	-41.91	-30	11.91	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3694.98MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	26.20	/	/	/	/
Adjacent	-10	10.00	-17.60	-43.80	-30	13.80	Pass
Adjacent	10	10.00	-17.00	-43.20	-30	13.20	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	26.31	/	/	/	/
Adjacent	-10	10.00	-14.63	-40.94	-30	10.94	Pass
Adjacent	10	10.00	-24.20	-50.51	-30	20.51	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 16 QAM 3694.98MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.84	/	/	/	/
Adjacent	-10	10.00	-23.89	-49.73	-30	19.73	Pass
Adjacent	10	10.00	-16.21	-42.05	-30	12.05	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3555MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.57	/	/	/	/
Adjacent	-10	10.00	-22.31	-44.88	-30	14.88	Pass
Adjacent	10	10.00	-22.28	-44.85	-30	14.85	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3555MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.06	/	/	/	/
Adjacent	-10	10.00	-18.34	-40.40	-30	10.40	Pass
Adjacent	10	10.00	-28.53	-50.59	-30	20.59	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	20.64	/	/	/	/
Adjacent	-10	10.00	-28.57	-49.21	-30	19.21	Pass
Adjacent	10	10.00	-21.77	-42.41	-30	12.41	Pass


n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3624.99MHz Outer Full Ant2




n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3624.99MHz Edge 1RB Left Ant2




n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3624.99MHz Edge 1RB Right Ant2



n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3694.98MHz Outer Full Ant2




n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	25.05	/	/	/	/
Adjacent	-10	10.00	-16.53	-41.58	-30	11.58	Pass
Adjacent	10	10.00	-24.13	-49.18	-30	19.18	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 64 QAM 3694.98MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.70	/	/	/	/
Adjacent	-10	10.00	-23.95	-47.65	-30	17.65	Pass
Adjacent	10	10.00	-15.68	-39.38	-30	9.38	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 256 QAM 3555MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.85	/	/	/	/
Adjacent	-10	10.00	-24.89	-43.74	-30	13.74	Pass
Adjacent	10	10.00	-25.12	-43.97	-30	13.97	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 256 QAM 3555MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.26	/	/	/	/
Adjacent	-10	10.00	-20.57	-39.83	-30	9.83	Pass
Adjacent	10	10.00	-28.64	-47.90	-30	17.90	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 256 QAM 3555MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.00	/	/	/	/
Adjacent	-10	10.00	-28.67	-47.67	-30	17.67	Pass
Adjacent	10	10.00	-23.51	-42.51	-30	12.51	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 256 QAM 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.14	/	/	/	/
Adjacent	-10	10.00	-23.31	-44.45	-30	14.45	Pass
Adjacent	10	10.00	-22.71	-43.85	-30	13.85	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 256 QAM 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	21.66	/	/	/	/
Adjacent	-10	10.00	-17.94	-39.60	-30	9.60	Pass
Adjacent	10	10.00	-27.59	-49.25	-30	19.25	Pass

n48 30kHz SISO NTN 10MHz CP-OFDM 256 QAM 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.25	/	/	/	/
Adjacent	-10	10.00	-27.70	-49.95	-30	19.95	Pass
Adjacent	10	10.00	-20.95	-43.20	-30	13.20	Pass

n48 30kHz SISO NTNv 10MHz CP-OFDM 256 QAM 3694.98MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.11	/	/	/	/
Adjacent	-10	10.00	-21.46	-44.57	-30	14.57	Pass
Adjacent	10	10.00	-21.00	-44.11	-30	14.11	Pass

n48 30kHz SISO NTNv 10MHz CP-OFDM 256 QAM 3694.98MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	23.45	/	/	/	/
Adjacent	-10	10.00	-16.59	-40.04	-30	10.04	Pass
Adjacent	10	10.00	-24.33	-47.78	-30	17.78	Pass




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	22.00	/	/	/	/
Adjacent	-10	10.00	-24.02	-46.02	-30	16.02	Pass
Adjacent	10	10.00	-18.78	-40.78	-30	10.78	Pass

6.2.2 30_S_20M_NTNV




n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3560.01MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	23.43	/	/	/	/
Adjacent	-20	20.00	-26.05	-49.48	-30	19.48	Pass
Adjacent	20	20.00	-18.82	-42.25	-30	12.25	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	24.18	/	/	/	/
Adjacent	-20	20.00	-16.30	-40.48	-30	10.48	Pass
Adjacent	20	20.00	-16.01	-40.19	-30	10.19	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	24.80	/	/	/	/
Adjacent	-20	20.00	-16.50	-41.30	-30	11.30	Pass
Adjacent	20	20.00	-24.47	-49.27	-30	19.27	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.55	/	/	/	/
Adjacent	-20	20.00	-24.82	-51.37	-30	21.37	Pass
Adjacent	20	20.00	-17.25	-43.80	-30	13.80	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.45	/	/	/	/
Adjacent	-20	20.00	-14.90	-40.35	-30	10.35	Pass
Adjacent	20	20.00	-15.17	-40.62	-30	10.62	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.52	/	/	/	/
Adjacent	-20	20.00	-14.47	-39.99	-30	9.99	Pass
Adjacent	20	20.00	-21.53	-47.05	-30	17.05	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM PI/2 BPSK 3690MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.79	/	/	/	/
Adjacent	-20	20.00	-21.03	-46.82	-30	16.82	Pass
Adjacent	20	20.00	-15.45	-41.24	-30	11.24	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3560.01MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.40	/	/	/	/
Adjacent	-20	20.00	-21.19	-46.59	-30	16.59	Pass
Adjacent	20	20.00	-21.05	-46.45	-30	16.45	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.22	/	/	/	/
Adjacent	-20	20.00	-16.30	-41.52	-30	11.52	Pass
Adjacent	20	20.00	-25.12	-50.34	-30	20.34	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3560.01MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.32	/	/	/	/
Adjacent	-20	20.00	-26.00	-51.32	-30	21.32	Pass
Adjacent	20	20.00	-16.75	-42.07	-30	12.07	Pass

n48 30kHz SISO NTNv 20MHz DFT-s-OFDM QPSK 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.57	/	/	/	/
Adjacent	-20	20.00	-18.15	-44.72	-30	14.72	Pass
Adjacent	20	20.00	-19.94	-46.51	-30	16.51	Pass

n48 30kHz SISO NTNv 20MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.26	/	/	/	/
Adjacent	-20	20.00	-15.51	-41.77	-30	11.77	Pass
Adjacent	20	20.00	-24.40	-50.66	-30	20.66	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.52	/	/	/	/
Adjacent	-20	20.00	-24.74	-51.26	-30	21.26	Pass
Adjacent	20	20.00	-16.76	-43.28	-30	13.28	Pass

n48 30kHz SISO NTV 20MHz DFT-s-OFDM QPSK 3690MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	27.17	/	/	/	/
Adjacent	-20	20.00	-16.41	-43.58	-30	13.58	Pass
Adjacent	20	20.00	-17.38	-44.55	-30	14.55	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.99	/	/	/	/
Adjacent	-20	20.00	-14.79	-41.78	-30	11.78	Pass
Adjacent	20	20.00	-21.43	-48.42	-30	18.42	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3690MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.91	/	/	/	/
Adjacent	-20	20.00	-21.05	-47.96	-30	17.96	Pass
Adjacent	20	20.00	-14.56	-41.47	-30	11.47	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3560.01MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	24.75	/	/	/	/
Adjacent	-20	20.00	-22.86	-47.61	-30	17.61	Pass
Adjacent	20	20.00	-22.48	-47.23	-30	17.23	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3560.01MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	24.17	/	/	/	/
Adjacent	-20	20.00	-18.32	-42.49	-30	12.49	Pass
Adjacent	20	20.00	-25.20	-49.37	-30	19.37	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3560.01MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	24.73	/	/	/	/
Adjacent	-20	20.00	-26.03	-50.76	-30	20.76	Pass
Adjacent	20	20.00	-16.09	-40.82	-30	10.82	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3624.99MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.55	/	/	/	/
Adjacent	-20	20.00	-20.98	-46.53	-30	16.53	Pass
Adjacent	20	20.00	-20.82	-46.37	-30	16.37	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3624.99MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	24.91	/	/	/	/
Adjacent	-20	20.00	-17.42	-42.33	-30	12.33	Pass
Adjacent	20	20.00	-24.43	-49.34	-30	19.34	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.32	/	/	/	/
Adjacent	-20	20.00	-24.80	-51.12	-30	21.12	Pass
Adjacent	20	20.00	-16.32	-42.64	-30	12.64	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3690MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.66	/	/	/	/
Adjacent	-20	20.00	-18.20	-44.86	-30	14.86	Pass
Adjacent	20	20.00	-18.55	-45.21	-30	15.21	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3690MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	26.56	/	/	/	/
Adjacent	-20	20.00	-14.68	-41.24	-30	11.24	Pass
Adjacent	20	20.00	-21.44	-48.00	-30	18.00	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 16 QAM 3690MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	27.34	/	/	/	/
Adjacent	-20	20.00	-21.05	-48.39	-30	18.39	Pass
Adjacent	20	20.00	-15.68	-43.02	-30	13.02	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3560.01MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	24.56	/	/	/	/
Adjacent	-20	20.00	-23.08	-47.64	-30	17.64	Pass
Adjacent	20	20.00	-23.18	-47.74	-30	17.74	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3560.01MHz Edge 1RB Left Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	23.41	/	/	/	/
Adjacent	-20	20.00	-17.84	-41.25	-30	11.25	Pass
Adjacent	20	20.00	-25.26	-48.67	-30	18.67	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3560.01MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	24.29	/	/	/	/
Adjacent	-20	20.00	-26.03	-50.32	-30	20.32	Pass
Adjacent	20	20.00	-19.68	-43.97	-30	13.97	Pass


n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3624.99MHz Outer Full Ant2



n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3624.99MHz Edge 1RB Left Ant2




n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3624.99MHz Edge 1RB Right Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.24	/	/	/	/
Adjacent	-20	20.00	-24.80	-50.04	-30	20.04	Pass
Adjacent	20	20.00	-16.88	-42.12	-30	12.12	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3690MHz Outer Full Ant2




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.75	/	/	/	/
Adjacent	-20	20.00	-18.97	-44.72	-30	14.72	Pass
Adjacent	20	20.00	-18.96	-44.71	-30	14.71	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3690MHz Edge 1RB Left Ant2



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.00	/	/	/	/
Adjacent	-20	20.00	-15.86	-40.86	-30	10.86	Pass
Adjacent	20	20.00	-21.50	-46.50	-30	16.50	Pass

n48 30kHz SISO NTN 20MHz DFT-s-OFDM 64 QAM 3690MHz Edge 1RB Right Ant2



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	25.12	/	/	/	/
Adjacent	-20	20.00	-21.09	-46.21	-30	16.21	Pass
Adjacent	20	20.00	-16.29	-41.41	-30	11.41	Pass