

LTE Band 2-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3702.0	-58.53	-13	-45.53	-62.79	4.18	8.44	Horizontal	Pass
5553.0	-55.53	-13	-42.53	-60.6	5.38	10.45	Horizontal	Pass
7404.0	-55.18	-13	-42.18	-61.18	5.62	11.62	Horizontal	Pass
3702.0	-58.59	-13	-45.59	-62.85	4.18	8.44	Vertical	Pass
5553.0	-54.97	-13	-41.97	-60.04	5.38	10.45	Vertical	Pass
7404.0	-56.38	-13	-43.38	-62.38	5.62	11.62	Vertical	Pass

LTE Band 2-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3742.0	-60.49	-13	-47.49	-64.81	4.17	8.49	Horizontal	Pass
5613.0	-57.15	-13	-44.15	-62.24	5.36	10.45	Horizontal	Pass
7484.0	-56.65	-13	-43.65	-62.74	5.63	11.72	Horizontal	Pass
3742.0	-58.67	-13	-45.67	-62.99	4.17	8.49	Vertical	Pass
5613.0	-57.7	-13	-44.7	-62.79	5.36	10.45	Vertical	Pass
7484.0	-57.81	-13	-44.81	-63.9	5.63	11.72	Vertical	Pass

LTE Band 2-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3782.0	-59.26	-13	-46.26	-63.65	4.16	8.55	Horizontal	Pass
5673.0	-54.81	-13	-41.81	-59.93	5.33	10.45	Horizontal	Pass
7564.0	-57.55	-13	-44.55	-63.74	5.63	11.82	Horizontal	Pass
3782.0	-59.93	-13	-46.93	-64.32	4.16	8.55	Vertical	Pass
5673.0	-55.41	-13	-42.41	-60.53	5.33	10.45	Vertical	Pass
7564.0	-55.83	-13	-42.83	-62.02	5.63	11.82	Vertical	Pass

LTE Band 4-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3422.0	-59.1	-13	-46.1	-62.98	4.1	7.98	Horizontal	Pass
5133.0	-54.75	-13	-41.75	-59.74	5.23	10.22	Horizontal	Pass
6844.0	-57.88	-13	-44.88	-63.27	5.54	10.93	Horizontal	Pass
3422.0	-59.35	-13	-46.35	-63.23	4.1	7.98	Vertical	Pass
5133.0	-54.93	-13	-41.93	-59.92	5.23	10.22	Vertical	Pass
6844.0	-55.77	-13	-42.77	-61.16	5.54	10.93	Vertical	Pass

LTE Band 4-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3447.0	-59.46	-13	-46.46	-63.36	4.14	8.04	Horizontal	Pass
5170.5	-53.19	-13	-40.19	-58.19	5.25	10.25	Horizontal	Pass
6894.0	-55.26	-13	-42.26	-60.7	5.55	10.99	Horizontal	Pass
3447.0	-60.7	-13	-47.7	-64.6	4.14	8.04	Vertical	Pass
5170.5	-54.29	-13	-41.29	-59.29	5.25	10.25	Vertical	Pass
6894.0	-55.94	-13	-42.94	-61.38	5.55	10.99	Vertical	Pass

LTE Band 4-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3472.0	-60.28	-13	-47.28	-64.2	4.18	8.1	Horizontal	Pass
5208.0	-54.5	-13	-41.5	-59.5	5.27	10.27	Horizontal	Pass
6944.0	-55.81	-13	-42.81	-61.31	5.56	11.06	Horizontal	Pass
3472.0	-59.19	-13	-46.19	-63.11	4.18	8.1	Vertical	Pass
5208.0	-54.7	-13	-41.7	-59.7	5.27	10.27	Vertical	Pass
6944.0	-55.63	-13	-42.63	-61.13	5.56	11.06	Vertical	Pass

LTE Band 5-Low channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1649.0	-59.8	-13	-46.8	-61.99	3.31	5.5	Horizontal	Pass
2473.5	-61.51	-13	-48.51	-63.84	3.43	5.76	Horizontal	Pass
3298.0	-58.73	-13	-45.73	-62.48	3.91	7.66	Horizontal	Pass
1649.0	-63.04	-13	-50.04	-65.23	3.31	5.5	Vertical	Pass
2473.5	-61.8	-13	-48.8	-64.13	3.43	5.76	Vertical	Pass
3298.0	-58.43	-13	-45.43	-62.18	3.91	7.66	Vertical	Pass

LTE Band 5-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1664.0	-61.35	-13	-48.35	-63.51	3.31	5.47	Horizontal	Pass
2496.0	-61.76	-13	-48.76	-64.13	3.44	5.81	Horizontal	Pass
3328.0	-58.8	-13	-45.8	-62.58	3.96	7.74	Horizontal	Pass
1664.0	-62.6	-13	-49.6	-64.76	3.31	5.47	Vertical	Pass
2496.0	-62.45	-13	-49.45	-64.82	3.44	5.81	Vertical	Pass
3328.0	-58.91	-13	-45.91	-62.69	3.96	7.74	Vertical	Pass

LTE Band 5-High channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1679.0	-61.19	-13	-48.19	-63.31	3.31	5.43	Horizontal	Pass
2518.5	-60.46	-13	-47.46	-62.88	3.44	5.86	Horizontal	Pass
3358.0	-59.57	-13	-46.57	-63.39	4.0	7.82	Horizontal	Pass
1679.0	-63.07	-13	-50.07	-65.19	3.31	5.43	Vertical	Pass
2518.5	-62.6	-13	-49.6	-65.02	3.44	5.86	Vertical	Pass
3358.0	-57.89	-13	-44.89	-61.71	4.0	7.82	Vertical	Pass

LTE Band 7-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5002.0	-55.12	-25	-30.12	-60.09	5.17	10.14	Horizontal	Pass
7503.0	-57.0	-25	-32.0	-63.11	5.63	11.74	Horizontal	Pass
10004.0	-53.74	-25	-28.74	-60.97	5.8	13.03	Horizontal	Pass
5002.0	-54.14	-25	-29.14	-59.11	5.17	10.14	Vertical	Pass
7503.0	-55.38	-25	-30.38	-61.49	5.63	11.74	Vertical	Pass
10004.0	-55.26	-25	-30.26	-62.49	5.8	13.03	Vertical	Pass

LTE Band 7-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5052.0	-53.5	-25	-28.5	-58.48	5.19	10.17	Horizontal	Pass
7578.0	-56.14	-25	-31.14	-62.34	5.63	11.83	Horizontal	Pass
10104.0	-53.98	-25	-28.98	-61.13	5.9	13.05	Horizontal	Pass
5052.0	-54.36	-25	-29.36	-59.34	5.19	10.17	Vertical	Pass
7578.0	-58.93	-25	-33.93	-65.13	5.63	11.83	Vertical	Pass
10104.0	-55.8	-25	-30.8	-62.95	5.9	13.05	Vertical	Pass

LTE Band 7-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5102.0	-53.93	-25	-28.93	-58.91	5.22	10.2	Horizontal	Pass
7653.0	-56.16	-25	-31.16	-62.45	5.63	11.92	Horizontal	Pass
10204.0	-53.43	-25	-28.43	-60.5	6.0	13.07	Horizontal	Pass
5102.0	-53.09	-25	-28.09	-58.07	5.22	10.2	Vertical	Pass
7653.0	-55.77	-25	-30.77	-62.06	5.63	11.92	Vertical	Pass
10204.0	-51.71	-25	-26.71	-58.78	6.0	13.07	Vertical	Pass

LTE Band 12-Low channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1399.0	-63.44	-13	-50.44	-65.49	3.19	5.24	Horizontal	Pass
2098.5	-60.76	-13	-47.76	-62.27	3.35	4.86	Horizontal	Pass
2798.0	-60.59	-13	-47.59	-63.62	3.45	6.48	Horizontal	Pass
1399.0	-64.86	-13	-51.86	-66.91	3.19	5.24	Vertical	Pass
2098.5	-61.94	-13	-48.94	-63.45	3.35	4.86	Vertical	Pass
2798.0	-60.55	-13	-47.55	-63.58	3.45	6.48	Vertical	Pass

LTE Band 12-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1406.0	-64.88	-13	-51.88	-66.96	3.2	5.28	Horizontal	Pass
2109.0	-62.33	-13	-49.33	-63.86	3.35	4.88	Horizontal	Pass
2812.0	-59.6	-13	-46.6	-62.66	3.45	6.51	Horizontal	Pass
1406.0	-65.42	-13	-52.42	-67.5	3.2	5.28	Vertical	Pass
2109.0	-60.22	-13	-47.22	-61.75	3.35	4.88	Vertical	Pass
2812.0	-60.93	-13	-47.93	-63.99	3.45	6.51	Vertical	Pass

LTE Band 12-High channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1413.0	-63.72	-13	-50.72	-65.84	3.21	5.33	Horizontal	Pass
2119.5	-60.64	-13	-47.64	-62.19	3.36	4.91	Horizontal	Pass
2826.0	-59.57	-13	-46.57	-62.66	3.45	6.54	Horizontal	Pass
1413.0	-64.51	-13	-51.51	-66.63	3.21	5.33	Vertical	Pass
2119.5	-60.18	-13	-47.18	-61.73	3.36	4.91	Vertical	Pass
2826.0	-61.08	-13	-48.08	-64.17	3.45	6.54	Vertical	Pass

LTE Band 13-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1584.5	-62.53	-40	-22.53	-64.89	3.31	5.67	Horizontal	Pass
2332.5	-61.91	-13	-48.91	-63.93	3.4	5.42	Horizontal	Pass
3110.0	-59.94	-13	-46.94	-63.51	3.63	7.2	Horizontal	Pass
1584.5	-62.72	-40	-22.72	-65.08	3.31	5.67	Vertical	Pass
2332.5	-61.32	-13	-48.32	-63.34	3.4	5.42	Vertical	Pass
3110.0	-60.71	-13	-47.71	-64.28	3.63	7.2	Vertical	Pass

LTE Band 17-Low channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1409.0	-65.19	-13	-52.19	-67.28	3.21	5.3	Horizontal	Pass
2113.5	-61.61	-13	-48.61	-63.15	3.35	4.89	Horizontal	Pass
2818.0	-59.7	-13	-46.7	-62.77	3.45	6.52	Horizontal	Pass
1409.0	-63.36	-13	-50.36	-65.45	3.21	5.3	Vertical	Pass
2113.5	-60.69	-13	-47.69	-62.23	3.35	4.89	Vertical	Pass
2818.0	-60.63	-13	-47.63	-63.7	3.45	6.52	Vertical	Pass

LTE Band 17-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1411.0	-64.48	-13	-51.48	-66.59	3.21	5.32	Horizontal	Pass
2116.5	-61.36	-13	-48.36	-62.9	3.36	4.9	Horizontal	Pass
2822.0	-61.6	-13	-48.6	-64.68	3.45	6.53	Horizontal	Pass
1411.0	-65.03	-13	-52.03	-67.14	3.21	5.32	Vertical	Pass
2116.5	-60.99	-13	-47.99	-62.53	3.36	4.9	Vertical	Pass
2822.0	-60.2	-13	-47.2	-63.28	3.45	6.53	Vertical	Pass

LTE Band 17-High channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1413.0	-64.77	-13	-51.77	-66.89	3.21	5.33	Horizontal	Pass
2119.5	-61.9	-13	-48.9	-63.45	3.36	4.91	Horizontal	Pass
2826.0	-60.01	-13	-47.01	-63.1	3.45	6.54	Horizontal	Pass
1413.0	-64.66	-13	-51.66	-66.78	3.21	5.33	Vertical	Pass
2119.5	-60.82	-13	-47.82	-62.37	3.36	4.91	Vertical	Pass
2826.0	-60.53	-13	-47.53	-63.62	3.45	6.54	Vertical	Pass

LTE Band 26a(814-824MHz)-Middle channel, Modulation: QPSK, Bandwidth:10MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1629.0	-61.94	-13	-48.94	-64.18	3.31	5.55	Horizontal	Pass
2443.5	-60.29	-13	-47.29	-62.54	3.43	5.68	Horizontal	Pass
3258.0	-58.04	-13	-45.04	-61.75	3.85	7.56	Horizontal	Pass
1629.0	-62.54	-13	-49.54	-64.78	3.31	5.55	Vertical	Pass
2443.5	-61.17	-13	-48.17	-63.42	3.43	5.68	Vertical	Pass
3258.0	-59.21	-13	-46.21	-62.92	3.85	7.56	Vertical	Pass

LTE Band 26b(824-849MHz)-Low channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1649.5	-64.4	-13	-51.4	-66.59	3.31	5.5	Horizontal	Pass
2474.25	-61.37	-13	-48.37	-63.7	3.43	5.76	Horizontal	Pass
3299.0	-57.99	-13	-44.99	-61.75	3.91	7.67	Horizontal	Pass
1649.5	-64.79	-13	-51.79	-66.98	3.31	5.5	Vertical	Pass
2474.25	-62.38	-13	-49.38	-64.71	3.43	5.76	Vertical	Pass
3299.0	-60.55	-13	-47.55	-64.31	3.91	7.67	Vertical	Pass

LTE Band 26b(824-849MHz)-Middle channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1659.5	-64.35	-13	-51.35	-66.52	3.31	5.48	Horizontal	Pass
2489.25	-61.78	-13	-48.78	-64.13	3.44	5.79	Horizontal	Pass
3319.0	-60.03	-13	-47.03	-63.81	3.94	7.72	Horizontal	Pass
1659.5	-64.76	-13	-51.76	-66.93	3.31	5.48	Vertical	Pass
2489.25	-61.87	-13	-48.87	-64.22	3.44	5.79	Vertical	Pass
3319.0	-60.5	-13	-47.5	-64.28	3.94	7.72	Vertical	Pass

LTE Band 26b(824-849MHz)-High channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1669.5	-61.43	-13	-48.43	-63.57	3.31	5.45	Horizontal	Pass
2504.25	-63.82	-13	-50.82	-66.21	3.44	5.83	Horizontal	Pass
3339.0	-57.57	-13	-44.57	-61.36	3.98	7.77	Horizontal	Pass
1669.5	-64.57	-13	-51.57	-66.71	3.31	5.45	Vertical	Pass
2504.25	-62.7	-13	-49.7	-65.09	3.44	5.83	Vertical	Pass
3339.0	-58.89	-13	-45.89	-62.68	3.98	7.77	Vertical	Pass

LTE Band 38-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5172.0	-54.69	-25	-29.69	-59.69	5.25	10.25	Horizontal	Pass
7758.0	-56.14	-25	-31.14	-62.55	5.63	12.04	Horizontal	Pass
10344.0	-54.52	-25	-29.52	-61.47	6.14	13.09	Horizontal	Pass
5172.0	-55.27	-25	-30.27	-60.27	5.25	10.25	Vertical	Pass
7758.0	-57.41	-25	-32.41	-63.82	5.63	12.04	Vertical	Pass
10344.0	-55.39	-25	-30.39	-62.34	6.14	13.09	Vertical	Pass

LTE Band 38-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5202.0	-54.0	-25	-29.0	-59.01	5.26	10.27	Horizontal	Pass
7803.0	-54.43	-25	-29.43	-60.9	5.63	12.1	Horizontal	Pass
10404.0	-55.58	-25	-30.58	-62.48	6.2	13.1	Horizontal	Pass
5202.0	-54.94	-25	-29.94	-59.95	5.26	10.27	Vertical	Pass
7803.0	-53.8	-25	-28.8	-60.27	5.63	12.1	Vertical	Pass
10404.0	-55.37	-25	-30.37	-62.27	6.2	13.1	Vertical	Pass

LTE Band 41-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4994.0	-52.37	-25	-27.37	-57.33	5.17	10.13	Horizontal	Pass
7491.0	-55.95	-25	-30.95	-62.05	5.63	11.73	Horizontal	Pass
9988.0	-55.52	-25	-30.52	-62.76	5.8	13.04	Horizontal	Pass
4994.0	-55.13	-25	-30.13	-60.09	5.17	10.13	Vertical	Pass
7491.0	-56.01	-25	-31.01	-62.11	5.63	11.73	Vertical	Pass
9988.0	-53.57	-25	-28.57	-60.81	5.8	13.04	Vertical	Pass

LTE Band 41-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5168.0	-54.68	-25	-29.68	-59.67	5.25	10.24	Horizontal	Pass
7752.0	-56.2	-25	-31.2	-62.61	5.63	12.04	Horizontal	Pass
10336.0	-53.66	-25	-28.66	-60.61	6.14	13.09	Horizontal	Pass
5168.0	-52.96	-25	-27.96	-57.95	5.25	10.24	Vertical	Pass
7752.0	-58.03	-25	-33.03	-64.44	5.63	12.04	Vertical	Pass
10336.0	-54.01	-25	-29.01	-60.96	6.14	13.09	Vertical	Pass

LTE Band 41-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5342.0	-54.22	-25	-29.22	-59.24	5.33	10.35	Horizontal	Pass
8013.0	-59.33	-25	-34.33	-66.05	5.63	12.35	Horizontal	Pass
10684.0	-54.96	-25	-29.96	-61.84	6.3	13.18	Horizontal	Pass
5342.0	-54.44	-25	-29.44	-59.46	5.33	10.35	Vertical	Pass
8013.0	-55.93	-25	-30.93	-62.65	5.63	12.35	Vertical	Pass
10684.0	-54.36	-25	-29.36	-61.24	6.3	13.18	Vertical	Pass

LTE Band 66-Low channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3422.0	-59.04	-13	-46.04	-62.92	4.1	7.98	Horizontal	Pass
5133.0	-55.0	-13	-42.0	-59.99	5.23	10.22	Horizontal	Pass
6844.0	-56.36	-13	-43.36	-61.75	5.54	10.93	Horizontal	Pass
3422.0	-60.24	-13	-47.24	-64.12	4.1	7.98	Vertical	Pass
5133.0	-55.22	-13	-42.22	-60.21	5.23	10.22	Vertical	Pass
6844.0	-57.97	-13	-44.97	-63.36	5.54	10.93	Vertical	Pass

LTE Band 66-Middle channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3472.0	-58.32	-13	-45.32	-62.24	4.18	8.1	Horizontal	Pass
5208.0	-53.78	-13	-40.78	-58.78	5.27	10.27	Horizontal	Pass
6944.0	-55.7	-13	-42.7	-61.2	5.56	11.06	Horizontal	Pass
3472.0	-58.45	-13	-45.45	-62.37	4.18	8.1	Vertical	Pass
5208.0	-55.41	-13	-42.41	-60.41	5.27	10.27	Vertical	Pass
6944.0	-55.81	-13	-42.81	-61.31	5.56	11.06	Vertical	Pass

LTE Band 66-High channel, Modulation: QPSK, Bandwidth:20MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3522.0	-58.07	-13	-45.07	-62.05	4.22	8.2	Horizontal	Pass
5283.0	-55.37	-13	-42.37	-60.39	5.3	10.32	Horizontal	Pass
7044.0	-58.06	-13	-45.06	-63.66	5.58	11.18	Horizontal	Pass
3522.0	-57.93	-13	-44.93	-61.91	4.22	8.2	Vertical	Pass
5283.0	-54.5	-13	-41.5	-59.52	5.3	10.32	Vertical	Pass
7044.0	-57.41	-13	-44.41	-63.01	5.58	11.18	Vertical	Pass

- End of the Appendix -