


Test Graphs




Maximum conducted output power Test Result

TestMode	Frequency [MHz]	Conducted Average Power[dBm]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	2402	7.707	7.972	≤30	PASS
BLE_1M	2440	8.129	8.371	≤30	PASS
BLE_1M	2480	7.821	8.075	≤30	PASS
BLE_2M	2404	6.678	7.144	≤30	PASS
BLE_2M	2440	7.243	7.653	≤30	PASS
BLE_2M	2478	6.93	7.371	≤30	PASS

Maximum power spectral density Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant0	2402	-7.62	≤8.00	PASS
BLE_1M	Ant0	2440	-7.04	≤8.00	PASS
BLE_1M	Ant0	2480	-7.63	≤8.00	PASS
BLE_2M	Ant0	2404	-10.03	≤8.00	PASS
BLE_2M	Ant0	2440	-9.48	≤8.00	PASS
BLE_2M	Ant0	2478	-10.17	≤8.00	PASS

Test Graphs



Band edge measurements

Test Result

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant0	Low	2402	7.01	-50.53	≤-12.99	PASS
BLE_1M	Ant0	High	2480	7.49	-53.38	≤-12.52	PASS
BLE_2M	Ant0	Low	2404	6.12	-51.92	≤-13.88	PASS
BLE_2M	Ant0	High	2478	6.67	-53.92	≤-13.33	PASS

Test Graphs




Conducted Spurious Emission Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE 1M	Ant0	2402	0~Reference	7.46	7.46	---	PASS
BLE 1M	Ant0	2402	30~1000	7.46	-59.58	≤-12.54	PASS
BLE 1M	Ant0	2402	1000~26500	7.46	-43.53	≤-12.54	PASS
BLE 1M	Ant0	2440	0~Reference	7.70	7.70	---	PASS
BLE 1M	Ant0	2440	30~1000	7.70	-60.33	≤-12.3	PASS
BLE 1M	Ant0	2440	1000~26500	7.70	-43.05	≤-12.3	PASS
BLE 1M	Ant0	2480	0~Reference	7.38	7.38	---	PASS
BLE 1M	Ant0	2480	30~1000	7.38	-59.74	≤-12.62	PASS
BLE 1M	Ant0	2480	1000~26500	7.38	-43.66	≤-12.62	PASS
BLE 2M	Ant0	2404	0~Reference	6.15	6.15	---	PASS
BLE 2M	Ant0	2404	30~1000	6.15	-59.67	≤-13.85	PASS
BLE 2M	Ant0	2404	1000~26500	6.15	-46.02	≤-13.85	PASS
BLE 2M	Ant0	2440	0~Reference	6.40	6.40	---	PASS
BLE 2M	Ant0	2440	30~1000	6.40	-60.74	≤-13.6	PASS
BLE 2M	Ant0	2440	1000~26500	6.40	-43.68	≤-13.6	PASS
BLE 2M	Ant0	2478	0~Reference	6.49	6.49	---	PASS
BLE 2M	Ant0	2478	30~1000	6.49	-60.43	≤-13.51	PASS
BLE 2M	Ant0	2478	1000~26500	6.49	-45.12	≤-13.51	PASS

Test Graphs







Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant0	2402	0.39	0.63	61.90	2.08
BLE_1M	Ant0	2440	0.39	0.63	61.90	2.08
BLE_1M	Ant0	2480	0.39	0.63	61.90	2.08
BLE_2M	Ant0	2404	0.21	0.63	33.33	4.77
BLE_2M	Ant0	2440	0.21	0.63	33.33	4.77
BLE_2M	Ant0	2478	0.21	0.63	33.33	4.77

Test Graphs




Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	19
SN:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	40.72	41.50	-23.68	17.82	40.00	22.18	Horizontal	PASS
2	46.49	40.78	-23.35	17.43	40.00	22.57	Horizontal	PASS
3	388.22	39.34	-14.27	25.07	47.00	21.93	Horizontal	PASS
4	447.83	37.77	-8.69	29.08	47.00	17.92	Horizontal	PASS
5	486.00	37.83	-8.51	29.32	47.00	17.68	Horizontal	PASS
6	996.65	36.42	-5.67	30.75	54.00	23.25	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	19
SN:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	40.67	46.47	-23.28	23.19	40.00	16.81	Vertical	PASS
2	149.99	48.72	-26.48	22.24	43.50	21.26	Vertical	PASS
3	439.87	37.50	-8.73	28.77	47.00	18.23	Vertical	PASS
4	477.51	37.75	-8.73	29.02	47.00	17.98	Vertical	PASS
5	501.95	37.75	-8.76	28.99	47.00	18.01	Vertical	PASS
6	949.71	36.52	-5.89	30.63	47.00	16.37	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	42.47	2.22	44.69	-	-	Horizontal	NA
2	4804.00	46.48	-7.58	38.90	54.00	15.10	Horizontal	PASS
3	7008.50	36.56	-1.82	34.74	54.00	19.26	Horizontal	PASS
4	17352.00	32.20	12.78	44.98	54.00	9.02	Horizontal	PASS
5	2401.80	46.89	2.22	49.11	-	-	Horizontal	NA
6	4803.50	50.25	-7.58	42.67	74.00	31.33	Horizontal	PASS
7	7960.50	43.35	-0.07	43.28	74.00	30.72	Horizontal	PASS
8	17330.50	40.78	11.97	52.75	74.00	21.25	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	38.14	2.22	40.36	-	-	Vertical	NA
2	4804.50	40.39	-7.59	32.80	54.00	21.20	Vertical	PASS
3	8131.50	35.93	0.57	36.50	54.00	17.50	Vertical	PASS
4	17336.00	31.71	12.22	43.93	54.00	10.07	Vertical	PASS
5	2401.80	43.33	2.22	45.55	-	-	Vertical	NA
6	4804.00	46.45	-7.58	38.87	74.00	35.13	Vertical	PASS
7	8140.00	43.44	0.63	44.07	74.00	29.93	Vertical	PASS
8	17358.50	39.03	12.53	51.56	74.00	22.44	Vertical	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2440.20	47.90	2.29	50.19	-	-	Horizontal	NA
2	4880.50	41.95	-8.05	33.90	54.00	20.10	Horizontal	PASS
3	8819.00	35.04	2.40	37.44	54.00	16.56	Horizontal	PASS
4	17351.50	31.96	12.80	44.76	54.00	9.24	Horizontal	PASS
5	2439.80	50.21	2.29	52.50	-	-	Horizontal	NA
6	4880.00	47.00	-8.05	38.95	74.00	35.05	Horizontal	PASS
7	9038.00	43.00	2.25	45.25	74.00	28.75	Horizontal	PASS
8	17343.50	39.55	12.56	52.11	74.00	21.89	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2440.20	42.74	2.29	45.03	-	-	Vertical	NA
2	4880.50	41.10	-8.05	33.05	54.00	20.95	Vertical	PASS
3	8468.50	35.56	1.13	36.69	54.00	17.31	Vertical	PASS
4	17341.50	32.20	12.47	44.67	54.00	9.33	Vertical	PASS
5	2439.60	45.72	2.29	48.01	-	-	Vertical	NA
6	4880.00	46.73	-8.05	38.68	74.00	35.32	Vertical	PASS
7	8482.50	43.07	1.13	44.20	74.00	29.80	Vertical	PASS
8	17859.00	40.35	12.70	53.05	74.00	20.95	Vertical	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	46.72	2.37	49.09	-	-	Horizontal	NA
2	4960.00	40.91	-7.55	33.36	54.00	20.64	Horizontal	PASS
3	8851.50	34.77	2.68	37.45	54.00	16.55	Horizontal	PASS
4	17350.50	32.25	12.84	45.09	54.00	8.91	Horizontal	PASS
5	2479.80	48.64	2.37	51.01	-	-	Horizontal	NA
6	4960.50	47.39	-7.55	39.84	74.00	34.16	Horizontal	PASS
7	9462.00	43.42	1.96	45.38	74.00	28.62	Horizontal	PASS
8	17330.50	39.47	11.97	51.44	74.00	22.56	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	42.25	2.37	44.62	-	-	Vertical	NA
2	4960.00	40.02	-7.55	32.47	54.00	21.53	Vertical	PASS
3	8828.00	35.17	2.49	37.66	54.00	16.34	Vertical	PASS
4	17356.50	31.53	12.61	44.14	54.00	9.86	Vertical	PASS
5	2480.20	44.99	2.37	47.36	-	-	Vertical	NA
6	4967.00	45.56	-7.56	38.00	74.00	36.00	Vertical	PASS
7	8441.50	42.86	1.01	43.87	74.00	30.13	Vertical	PASS
8	17345.50	39.70	12.66	52.36	74.00	21.64	Vertical	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	46.14	2.22	48.36	-	-	Horizontal	NA
2	4804.50	51.05	-7.59	43.46	54.00	10.54	Horizontal	PASS
3	8119.00	35.81	0.48	36.29	54.00	17.71	Horizontal	PASS
4	17994.00	32.55	12.75	45.30	54.00	8.70	Horizontal	PASS
5	2401.80	49.37	2.22	51.59	-	-	Horizontal	NA
6	4804.50	54.28	-7.59	46.69	74.00	27.31	Horizontal	PASS
7	9075.00	43.58	2.08	45.66	74.00	28.34	Horizontal	PASS
8	17367.00	40.06	12.20	52.26	74.00	21.74	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.00	41.88	2.22	44.10	-	-	Vertical	NA
2	4804.00	54.17	-7.58	46.59	54.00	7.41	Vertical	PASS
3	7409.00	36.95	-1.16	35.79	54.00	18.21	Vertical	PASS
4	17349.50	31.96	12.84	44.80	54.00	9.20	Vertical	PASS
5	2402.00	45.30	2.22	47.52	-	-	Vertical	NA
6	4803.50	56.98	-7.58	49.40	74.00	24.60	Vertical	PASS
7	8089.50	43.51	0.25	43.76	74.00	30.24	Vertical	PASS
8	17345.00	39.85	12.64	52.49	74.00	21.51	Vertical	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2440.20	48.08	2.29	50.37	-	-	Horizontal	NA
2	4880.50	51.99	-8.05	43.94	54.00	10.06	Horizontal	PASS
3	8465.00	35.45	1.13	36.58	54.00	17.42	Horizontal	PASS
4	17349.50	32.04	12.84	44.88	54.00	9.12	Horizontal	PASS
5	2439.80	50.77	2.29	53.06	-	-	Horizontal	NA
6	4879.50	55.73	-8.05	47.68	74.00	26.32	Horizontal	PASS
7	8133.00	43.74	0.58	44.32	74.00	29.68	Horizontal	PASS
8	17360.50	40.09	12.45	52.54	74.00	21.46	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2440.20	44.98	2.29	47.27	-	-	Vertical	NA
2	4880.00	54.55	-8.05	46.50	54.00	7.50	Vertical	PASS
3	7446.00	37.67	-1.73	35.94	54.00	18.06	Vertical	PASS
4	17353.50	31.63	12.72	44.35	54.00	9.65	Vertical	PASS
5	2439.80	48.12	2.29	50.41	-	-	Vertical	NA
6	4879.50	59.91	-8.05	51.86	74.00	22.14	Vertical	PASS
7	8000.00	43.23	-0.15	43.08	74.00	30.92	Vertical	PASS
8	17350.00	39.20	12.86	52.06	74.00	21.94	Vertical	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	47.68	2.37	50.05	-	-	Horizontal	NA
2	4960.50	48.86	-7.55	41.31	54.00	12.69	Horizontal	PASS
3	7393.00	36.24	-1.09	35.15	54.00	18.85	Horizontal	PASS
4	17346.50	32.53	12.70	45.23	54.00	8.77	Horizontal	PASS
5	2480.20	50.43	2.37	52.80	-	-	Horizontal	NA
6	4960.00	52.58	-7.55	45.03	74.00	28.97	Horizontal	PASS
7	7193.50	44.74	-1.57	43.17	74.00	30.83	Horizontal	PASS
8	17355.50	39.11	12.65	51.76	74.00	22.24	Horizontal	PASS

Project Information

Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	45.04	2.37	47.41	-	-	Vertical	NA
2	4960.00	55.57	-7.55	48.02	54.00	5.98	Vertical	PASS
3	9503.00	35.68	2.67	38.35	54.00	15.65	Vertical	PASS
4	17351.50	32.53	12.80	45.33	54.00	8.67	Vertical	PASS
5	2480.00	47.62	2.37	49.99	-	-	Vertical	NA
6	4959.50	58.06	-7.55	50.51	74.00	23.49	Vertical	PASS
7	9604.50	43.56	2.84	46.40	74.00	27.60	Vertical	PASS
8	17323.50	40.27	11.64	51.91	74.00	22.09	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	BLE_1M	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	L Power 2		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2332.35	29.40	1.30	30.70	54.00	23.30	Horizontal	PASS
2	2369.90	30.17	1.44	31.61	54.00	22.39	Horizontal	PASS
3	2387.45	30.04	1.42	31.46	54.00	22.54	Horizontal	PASS
4	2333.88	41.05	1.31	42.36	74.00	31.64	Horizontal	PASS
5	2369.43	40.81	1.44	42.25	74.00	31.75	Horizontal	PASS
6	2388.27	41.80	1.43	43.23	74.00	30.77	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	L Power 2		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2343.13	29.21	1.39	30.60	54.00	23.40	Vertical	PASS
2	2370.15	29.89	1.44	31.33	54.00	22.67	Vertical	PASS
3	2389.02	30.45	1.43	31.88	54.00	22.12	Vertical	PASS
4	2340.50	40.66	1.37	42.03	74.00	31.97	Vertical	PASS
5	2372.53	40.77	1.44	42.21	74.00	31.79	Vertical	PASS
6	2389.11	41.40	1.43	42.83	74.00	31.17	Vertical	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	L Power 2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.68	37.21	1.86	39.07	54.00	14.93	Horizontal	PASS
2	2485.97	34.47	1.88	36.35	54.00	17.65	Horizontal	PASS
3	2489.09	32.84	1.92	34.76	54.00	19.24	Horizontal	PASS
4	2483.72	50.37	1.86	52.23	74.00	21.77	Horizontal	PASS
5	2486.29	48.68	1.89	50.57	74.00	23.43	Horizontal	PASS
6	2489.46	45.06	1.92	46.98	74.00	27.02	Horizontal	PASS


Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	L Power 2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	33.96	1.86	35.82	54.00	18.18	Vertical	PASS
2	2486.41	31.57	1.89	33.46	54.00	20.54	Vertical	PASS
3	2491.31	30.29	1.94	32.23	54.00	21.77	Vertical	PASS
4	2483.79	47.02	1.87	48.89	74.00	25.11	Vertical	PASS
5	2486.74	43.97	1.90	45.87	74.00	28.13	Vertical	PASS
6	2491.36	41.49	1.94	43.43	74.00	30.57	Vertical	PASS


Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	L Power 2		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2339.90	30.02	1.36	31.38	54.00	22.62	Horizontal	PASS
2	2371.88	30.45	1.43	31.88	54.00	22.12	Horizontal	PASS
3	2389.00	30.12	1.43	31.55	54.00	22.45	Horizontal	PASS
4	2338.84	40.76	1.35	42.11	74.00	31.89	Horizontal	PASS
5	2370.40	40.52	1.44	41.96	74.00	32.04	Horizontal	PASS
6	2388.27	41.91	1.43	43.34	74.00	30.66	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	L Power 2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2344.92	29.39	1.41	30.80	54.00	23.20	Vertical	PASS
2	2371.88	29.47	1.43	30.90	54.00	23.10	Vertical	PASS
3	2389.13	29.58	1.43	31.01	54.00	22.99	Vertical	PASS
4	2344.89	40.56	1.41	41.97	74.00	32.03	Vertical	PASS
5	2371.91	40.20	1.43	41.63	74.00	32.37	Vertical	PASS
6	2388.62	41.04	1.43	42.47	74.00	31.53	Vertical	PASS