





Test Graphs













Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant0	2402	2.89	3.75	77.07	1.13
DH5	Ant0	2441	2.89	3.75	77.07	1.13
DH5	Ant0	2480	2.89	3.75	77.07	1.13
2DH5	Ant0	2402	2.89	3.75	77.07	1.13
2DH5	Ant0	2441	2.89	3.75	77.07	1.13
2DH5	Ant0	2480	2.90	3.76	77.13	1.13
3DH5	Ant0	2402	2.90	3.75	77.33	1.12
3DH5	Ant0	2441	2.89	3.74	77.27	1.12
3DH5	Ant0	2480	2.90	3.76	77.13	1.13

Test Graphs






Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	BT	Band:	-
Bandwidth	-	Channel	39
SN:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	40.67	42.32	-23.68	18.64	40.00	21.36	Horizontal	PASS
2	109.88	38.32	-22.09	16.23	43.50	27.27	Horizontal	PASS
3	448.60	38.26	-8.65	29.61	47.00	17.39	Horizontal	PASS
4	480.27	37.42	-8.32	29.10	47.00	17.90	Horizontal	PASS
5	920.12	37.50	-7.15	30.35	47.00	16.65	Horizontal	PASS
6	995.39	36.46	-5.56	30.90	54.00	23.10	Horizontal	PASS

Project Information

Mode:	BT	Band:	-
Bandwidth	-	Channel	39
SN:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	40.67	47.14	-23.28	23.86	40.00	16.14	Vertical	PASS
2	149.99	49.18	-26.48	22.70	43.50	20.80	Vertical	PASS
3	441.52	37.46	-8.80	28.66	47.00	18.34	Vertical	PASS
4	488.42	37.42	-8.69	28.73	47.00	18.27	Vertical	PASS
5	755.27	37.18	-10.29	26.89	47.00	20.11	Vertical	PASS
6	951.40	36.53	-6.14	30.39	47.00	16.61	Vertical	PASS

Test Result Above 1GHz

Project Information			
Mode:	DH5	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	45.71	2.22	47.93	-	-	Horizontal	NA
2	4804.50	52.86	-7.59	45.27	54.00	8.73	Horizontal	PASS
3	9031.50	35.75	2.21	37.96	54.00	16.04	Horizontal	PASS
4	17348.50	31.47	12.79	44.26	54.00	9.74	Horizontal	PASS
5	2402.00	47.85	2.22	50.07	-	-	Horizontal	NA
6	4804.00	54.97	-7.58	47.39	74.00	26.61	Horizontal	PASS
7	8119.00	43.64	0.48	44.12	74.00	29.88	Horizontal	PASS
8	17346.50	39.05	12.70	51.75	74.00	22.25	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	41.32	2.22	43.54	-	-	Vertical	NA
2	4804.50	50.00	-7.59	42.41	54.00	11.59	Vertical	PASS
3	9485.50	35.72	2.40	38.12	54.00	15.88	Vertical	PASS
4	17351.50	31.81	12.80	44.61	54.00	9.39	Vertical	PASS
5	2402.00	44.34	2.22	46.56	-	-	Vertical	NA
6	4804.00	52.56	-7.58	44.98	74.00	29.02	Vertical	PASS
7	9508.00	43.09	2.65	45.74	74.00	28.26	Vertical	PASS
8	17362.50	40.48	12.37	52.85	74.00	21.15	Vertical	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.00	45.29	2.29	47.58	-	-	Horizontal	NA
2	4882.50	48.43	-8.04	40.39	54.00	13.61	Horizontal	PASS
3	10312.50	34.23	3.79	38.02	54.00	15.98	Horizontal	PASS
4	17349.00	32.02	12.82	44.84	54.00	9.16	Horizontal	PASS
5	2440.80	48.07	2.29	50.36	-	-	Horizontal	NA
6	4882.00	50.90	-8.04	42.86	74.00	31.14	Horizontal	PASS
7	9567.00	42.95	2.64	45.59	74.00	28.41	Horizontal	PASS
8	17337.00	39.55	12.27	51.82	74.00	22.18	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.00	40.38	2.29	42.67	-	-	Vertical	NA
2	4882.50	45.13	-8.04	37.09	54.00	16.91	Vertical	PASS
3	8469.00	35.31	1.13	36.44	54.00	17.56	Vertical	PASS
4	17357.50	31.89	12.57	44.46	54.00	9.54	Vertical	PASS
5	2440.80	43.87	2.29	46.16	-	-	Vertical	NA
6	4882.00	48.77	-8.04	40.73	74.00	33.27	Vertical	PASS
7	9000.00	43.22	2.03	45.25	74.00	28.75	Vertical	PASS
8	17351.00	39.16	12.82	51.98	74.00	22.02	Vertical	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	49.46	2.37	51.83	-	-	Horizontal	NA
2	4960.50	39.52	-7.55	31.97	54.00	22.03	Horizontal	PASS
3	7440.50	37.29	-1.65	35.64	54.00	18.36	Horizontal	PASS
4	17378.00	32.46	11.76	44.22	54.00	9.78	Horizontal	PASS
5	2480.20	51.32	2.37	53.69	-	-	Horizontal	NA
6	4937.00	45.78	-7.66	38.12	74.00	35.88	Horizontal	PASS
7	7440.50	44.35	-1.65	42.70	74.00	31.30	Horizontal	PASS
8	17349.50	38.99	12.84	51.83	74.00	22.17	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	46.70	2.37	49.07	-	-	Vertical	NA
2	4960.50	37.85	-7.55	30.30	54.00	23.70	Vertical	PASS
3	9524.00	35.57	2.60	38.17	54.00	15.83	Vertical	PASS
4	17351.50	31.68	12.80	44.48	54.00	9.52	Vertical	PASS
5	2480.00	48.31	2.37	50.68	-	-	Vertical	NA
6	4927.00	44.78	-7.74	37.04	74.00	36.96	Vertical	PASS
7	9159.00	42.24	3.18	45.42	74.00	28.58	Vertical	PASS
8	17340.00	39.22	12.40	51.62	74.00	22.38	Vertical	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	46.03	2.22	48.25	-	-	Horizontal	NA
2	4804.50	38.15	-7.59	30.56	54.00	23.44	Horizontal	PASS
3	7206.50	35.35	-1.37	33.98	54.00	20.02	Horizontal	PASS
4	17335.00	31.91	12.18	44.09	54.00	9.91	Horizontal	PASS
5	2401.80	48.50	2.22	50.72	-	-	Horizontal	NA
6	4804.00	44.08	-7.58	36.50	74.00	37.50	Horizontal	PASS
7	7024.00	43.65	-1.94	41.71	74.00	32.29	Horizontal	PASS
8	17352.50	39.13	12.76	51.89	74.00	22.11	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	43.95	2.22	46.17	-	-	Vertical	NA
2	4804.50	40.82	-7.59	33.23	54.00	20.77	Vertical	PASS
3	9522.50	35.75	2.61	38.36	54.00	15.64	Vertical	PASS
4	17335.50	32.25	12.20	44.45	54.00	9.55	Vertical	PASS
5	2401.80	46.63	2.22	48.85	-	-	Vertical	NA
6	4804.00	46.31	-7.58	38.73	74.00	35.27	Vertical	PASS
7	9455.50	43.56	1.83	45.39	74.00	28.61	Vertical	PASS
8	17333.00	40.07	12.08	52.15	74.00	21.85	Vertical	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	45.52	2.29	47.81	-	-	Horizontal	NA
2	4882.50	42.48	-8.04	34.44	54.00	19.56	Horizontal	PASS
3	9512.00	36.08	2.63	38.71	54.00	15.29	Horizontal	PASS
4	17348.50	31.67	12.79	44.46	54.00	9.54	Horizontal	PASS
5	2440.80	48.17	2.29	50.46	-	-	Horizontal	NA
6	4882.00	45.75	-8.04	37.71	74.00	36.29	Horizontal	PASS
7	9063.50	43.06	2.20	45.26	74.00	28.74	Horizontal	PASS
8	17806.50	39.61	12.16	51.77	74.00	22.23	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Mid
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.00	39.94	2.29	42.23	-	-	Vertical	NA
2	4882.50	42.10	-8.04	34.06	54.00	19.94	Vertical	PASS
3	5179.00	42.27	-6.84	35.43	54.00	18.57	Vertical	PASS
4	17343.00	32.51	12.54	45.05	54.00	8.95	Vertical	PASS
5	2440.60	43.96	2.29	46.25	-	-	Vertical	NA
6	4882.00	47.03	-8.04	38.99	74.00	35.01	Vertical	PASS
7	5179.00	47.52	-6.84	40.68	74.00	33.32	Vertical	PASS
8	17350.50	39.03	12.84	51.87	74.00	22.13	Vertical	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	49.31	2.37	51.68	-	-	Horizontal	NA
2	4960.50	41.40	-7.55	33.85	54.00	20.15	Horizontal	PASS
3	7440.00	38.34	-1.64	36.70	54.00	17.30	Horizontal	PASS
4	17358.00	32.27	12.55	44.82	54.00	9.18	Horizontal	PASS
5	2480.20	50.85	2.37	53.22	-	-	Horizontal	NA
6	4960.00	47.72	-7.55	40.17	74.00	33.83	Horizontal	PASS
7	7440.00	45.38	-1.64	43.74	74.00	30.26	Horizontal	PASS
8	17848.50	38.94	12.78	51.72	74.00	22.28	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	R		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	47.04	2.37	49.41	-	-	Vertical	NA
2	4960.50	45.39	-7.55	37.84	54.00	16.16	Vertical	PASS
3	7197.50	36.43	-1.43	35.00	54.00	19.00	Vertical	PASS
4	17349.00	31.24	12.82	44.06	54.00	9.94	Vertical	PASS
5	2480.20	49.29	2.37	51.66	-	-	Vertical	NA
6	4960.00	48.01	-7.55	40.46	74.00	33.54	Vertical	PASS
7	6978.50	43.94	-2.12	41.82	74.00	32.18	Vertical	PASS
8	17355.00	39.37	12.67	52.04	74.00	21.96	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2337.99	31.63	1.35	32.98	54.00	21.02	Horizontal	PASS
2	2369.90	36.40	1.44	37.84	54.00	16.16	Horizontal	PASS
3	2389.61	31.34	1.43	32.77	54.00	21.23	Horizontal	PASS
4	2337.24	41.42	1.34	42.76	74.00	31.24	Horizontal	PASS
5	2369.84	43.15	1.44	44.59	74.00	29.41	Horizontal	PASS
6	2389.27	46.20	1.43	47.63	74.00	26.37	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	0
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.02	30.66	1.35	32.01	54.00	21.99	Vertical	PASS
2	2370.09	34.71	1.44	36.15	54.00	17.85	Vertical	PASS
3	2387.86	30.60	1.43	32.03	54.00	21.97	Vertical	PASS
4	2337.61	41.38	1.34	42.72	74.00	31.28	Vertical	PASS
5	2370.09	42.93	1.44	44.37	74.00	29.63	Vertical	PASS
6	2389.14	42.57	1.43	44.00	74.00	30.00	Vertical	PASS
7	2402.18	100.78	1.43	102.21	-	-	Vertical	NA

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.98	36.08	1.87	37.95	54.00	16.05	Horizontal	PASS
2	2485.70	34.02	1.88	35.90	54.00	18.10	Horizontal	PASS
3	2488.36	32.24	1.91	34.15	54.00	19.85	Horizontal	PASS
4	2483.59	52.93	1.85	54.78	74.00	19.22	Horizontal	PASS
5	2485.57	51.52	1.88	53.40	74.00	20.60	Horizontal	PASS
6	2488.55	49.38	1.91	51.29	74.00	22.71	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.95	36.43	1.87	38.30	54.00	15.70	Vertical	PASS
2	2486.19	33.96	1.88	35.84	54.00	18.16	Vertical	PASS
3	2489.64	32.50	1.92	34.42	54.00	19.58	Vertical	PASS
4	2483.83	53.10	1.87	54.97	74.00	19.03	Vertical	PASS
5	2485.91	50.77	1.88	52.65	74.00	21.35	Vertical	PASS
6	2489.63	48.44	1.92	50.36	74.00	23.64	Vertical	PASS

Project Information

Mode:	2DH5	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2346.14	29.99	1.42	31.41	54.00	22.59	Horizontal	PASS
2	2369.96	31.81	1.44	33.25	54.00	20.75	Horizontal	PASS
3	2389.39	33.67	1.43	35.10	54.00	18.90	Horizontal	PASS
4	2344.45	41.30	1.40	42.70	74.00	31.30	Horizontal	PASS
5	2369.55	42.70	1.44	44.14	74.00	29.86	Horizontal	PASS
6	2389.39	43.95	1.43	45.38	74.00	28.62	Horizontal	PASS

Project Information

Mode:	2DH5	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2345.29	29.78	1.41	31.19	54.00	22.81	Vertical	PASS
2	2369.90	31.24	1.44	32.68	54.00	21.32	Vertical	PASS
3	2389.52	32.19	1.43	33.62	54.00	20.38	Vertical	PASS
4	2342.53	40.54	1.39	41.93	74.00	32.07	Vertical	PASS
5	2371.25	40.84	1.43	42.27	74.00	31.73	Vertical	PASS
6	2389.30	43.16	1.43	44.59	74.00	29.41	Vertical	PASS

Project Information

Mode:	2DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.78	38.26	1.87	40.13	54.00	13.87	Horizontal	PASS
2	2485.51	36.81	1.88	38.69	54.00	15.31	Horizontal	PASS
3	2488.40	35.43	1.91	37.34	54.00	16.66	Horizontal	PASS
4	2483.56	52.63	1.85	54.48	74.00	19.52	Horizontal	PASS
5	2485.55	48.50	1.88	50.38	74.00	23.62	Horizontal	PASS
6	2488.28	46.20	1.90	48.10	74.00	25.90	Horizontal	PASS

Project Information

Mode:	2DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	38.61	1.86	40.47	54.00	13.53	Vertical	PASS
2	2486.11	37.25	1.88	39.13	54.00	14.87	Vertical	PASS
3	2490.38	34.92	1.93	36.85	54.00	17.15	Vertical	PASS
4	2483.57	52.36	1.85	54.21	74.00	19.79	Vertical	PASS
5	2485.82	50.19	1.88	52.07	74.00	21.93	Vertical	PASS
6	2490.79	45.57	1.93	47.50	74.00	26.50	Vertical	PASS

Project Information

Mode:	3DH5	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2346.01	29.99	1.42	31.41	54.00	22.59	Horizontal	PASS
2	2369.93	31.84	1.44	33.28	54.00	20.72	Horizontal	PASS
3	2385.88	32.28	1.43	33.71	54.00	20.29	Horizontal	PASS
4	2345.36	41.65	1.41	43.06	74.00	30.94	Horizontal	PASS
5	2372.06	41.27	1.43	42.70	74.00	31.30	Horizontal	PASS
6	2386.95	43.11	1.42	44.53	74.00	29.47	Horizontal	PASS

Project Information

Mode:	3DH5	Band:	-
Bandwidth	-	Channel	Low
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2340.78	29.77	1.37	31.14	54.00	22.86	Vertical	PASS
2	2369.96	30.89	1.44	32.33	54.00	21.67	Vertical	PASS
3	2388.92	31.80	1.43	33.23	54.00	20.77	Vertical	PASS
4	2342.66	41.06	1.39	42.45	74.00	31.55	Vertical	PASS
5	2369.96	41.16	1.44	42.60	74.00	31.40	Vertical	PASS
6	2388.70	42.28	1.43	43.71	74.00	30.29	Vertical	PASS