


Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	L Power 2		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	34.65	1.87	36.52	54.00	17.48	Horizontal	PASS
2	2485.40	33.53	1.88	35.41	54.00	18.59	Horizontal	PASS
3	2487.61	32.23	1.90	34.13	54.00	19.87	Horizontal	PASS
4	2483.72	48.59	1.86	50.45	74.00	23.55	Horizontal	PASS
5	2485.30	46.57	1.88	48.45	74.00	25.55	Horizontal	PASS
6	2487.59	45.99	1.90	47.89	74.00	26.11	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	L Power 2		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.77	32.05	1.87	33.92	54.00	20.08	Vertical	PASS
2	2485.27	31.04	1.88	32.92	54.00	21.08	Vertical	PASS
3	2486.63	30.73	1.89	32.62	54.00	21.38	Vertical	PASS
4	2483.94	44.15	1.87	46.02	74.00	27.98	Vertical	PASS
5	2485.05	42.91	1.87	44.78	74.00	29.22	Vertical	PASS
6	2486.59	42.67	1.89	44.56	74.00	29.44	Vertical	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 2		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.05	34.12	1.35	35.47	54.00	18.53	Horizontal	PASS
2	2370.02	36.06	1.44	37.50	54.00	16.50	Horizontal	PASS
3	2386.26	31.88	1.43	33.31	54.00	20.69	Horizontal	PASS
4	2338.52	41.72	1.35	43.07	74.00	30.93	Horizontal	PASS
5	2370.34	43.33	1.44	44.77	74.00	29.23	Horizontal	PASS
6	2389.77	42.68	1.43	44.11	74.00	29.89	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 2		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2337.93	32.05	1.35	33.40	54.00	20.60	Vertical	PASS
2	2370.02	33.66	1.44	35.10	54.00	18.90	Vertical	PASS
3	2386.26	30.64	1.43	32.07	54.00	21.93	Vertical	PASS
4	2338.02	41.50	1.35	42.85	74.00	31.15	Vertical	PASS
5	2369.74	41.49	1.44	42.93	74.00	31.07	Vertical	PASS
6	2388.61	41.68	1.43	43.11	74.00	30.89	Vertical	PASS

Project Information

Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 2		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.04	35.46	1.87	37.33	54.00	16.67	Horizontal	PASS
2	2486.06	32.57	1.88	34.45	54.00	19.55	Horizontal	PASS
3	2488.85	30.91	1.92	32.83	54.00	21.17	Horizontal	PASS
4	2483.58	48.50	1.85	50.35	74.00	23.65	Horizontal	PASS
5	2486.31	45.10	1.89	46.99	74.00	27.01	Horizontal	PASS
6	2488.66	42.73	1.91	44.64	74.00	29.36	Horizontal	PASS

Project Information			
Mode:	BLE 1M	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 2		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.72	36.61	1.86	38.47	54.00	15.53	Vertical	PASS
2	2487.33	32.15	1.90	34.05	54.00	19.95	Vertical	PASS
3	2490.40	30.91	1.93	32.84	54.00	21.16	Vertical	PASS
4	2483.77	49.10	1.87	50.97	74.00	23.03	Vertical	PASS
5	2487.07	46.67	1.90	48.57	74.00	25.43	Vertical	PASS
6	2490.55	43.89	1.93	45.82	74.00	28.18	Vertical	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2340.19	33.33	1.37	34.70	54.00	19.30	Horizontal	PASS
2	2372.00	36.09	1.43	37.52	54.00	16.48	Horizontal	PASS
3	2388.01	31.95	1.43	33.38	54.00	20.62	Horizontal	PASS
4	2339.74	41.66	1.36	43.02	74.00	30.98	Horizontal	PASS
5	2372.36	42.99	1.43	44.42	74.00	29.58	Horizontal	PASS
6	2389.42	44.30	1.43	45.73	74.00	28.27	Horizontal	PASS


Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2339.87	31.59	1.36	32.95	54.00	21.05	Vertical	PASS
2	2371.84	33.75	1.43	35.18	54.00	18.82	Vertical	PASS
3	2388.04	30.25	1.43	31.68	54.00	22.32	Vertical	PASS
4	2340.09	40.90	1.36	42.26	74.00	31.74	Vertical	PASS
5	2371.78	42.44	1.43	43.87	74.00	30.13	Vertical	PASS
6	2387.63	42.18	1.43	43.61	74.00	30.39	Vertical	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 2		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.97	32.59	1.87	34.46	54.00	19.54	Horizontal	PASS
2	2485.66	31.34	1.88	33.22	54.00	20.78	Horizontal	PASS
3	2487.12	31.00	1.90	32.90	54.00	21.10	Horizontal	PASS
4	2483.76	47.33	1.87	49.20	74.00	24.80	Horizontal	PASS
5	2485.53	44.63	1.88	46.51	74.00	27.49	Horizontal	PASS
6	2487.13	43.56	1.90	45.46	74.00	28.54	Horizontal	PASS

Project Information			
Mode:	BLE 2M	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.71	33.43	1.86	35.29	54.00	18.71	Vertical	PASS
2	2487.17	31.81	1.90	33.71	54.00	20.29	Vertical	PASS
3	2491.06	30.62	1.93	32.55	54.00	21.45	Vertical	PASS
4	2483.61	47.95	1.86	49.81	74.00	24.19	Vertical	PASS
5	2486.95	46.52	1.90	48.42	74.00	25.58	Vertical	PASS
6	2491.20	43.54	1.93	45.47	74.00	28.53	Vertical	PASS

~The End~