


Project Information

Mode:	3DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.83	37.47	1.87	39.34	54.00	14.66	Horizontal	PASS
2	2488.70	34.46	1.91	36.37	54.00	17.63	Horizontal	PASS
3	2493.74	32.59	1.96	34.55	54.00	19.45	Horizontal	PASS
4	2483.87	48.27	1.87	50.14	74.00	23.86	Horizontal	PASS
5	2488.99	45.02	1.92	46.94	74.00	27.06	Horizontal	PASS
6	2493.47	43.26	1.96	45.22	74.00	28.78	Horizontal	PASS

Project Information

Mode:	3DH5	Band:	-
Bandwidth	-	Channel	High
IMEI:	-	Engineer:	Tian Shuo
Remark:	L Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.59	37.85	1.85	39.70	54.00	14.30	Vertical	PASS
2	2489.37	34.87	1.92	36.79	54.00	17.21	Vertical	PASS
3	2494.37	32.92	1.97	34.89	54.00	19.11	Vertical	PASS
4	2483.81	48.98	1.87	50.85	74.00	23.15	Vertical	PASS
5	2489.09	46.23	1.92	48.15	74.00	25.85	Vertical	PASS
6	2494.42	43.61	1.97	45.58	74.00	28.42	Vertical	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.08	33.66	1.35	35.01	54.00	18.99	Horizontal	PASS
2	2370.18	38.34	1.44	39.78	54.00	14.22	Horizontal	PASS
3	2389.11	33.76	1.43	35.19	54.00	18.81	Horizontal	PASS
4	2338.33	41.19	1.35	42.54	74.00	31.46	Horizontal	PASS
5	2369.87	44.30	1.44	45.74	74.00	28.26	Horizontal	PASS
6	2389.21	44.96	1.43	46.39	74.00	27.61	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.02	31.53	1.35	32.88	54.00	21.12	Vertical	PASS
2	2369.99	36.41	1.44	37.85	54.00	16.15	Vertical	PASS
3	2387.98	31.35	1.43	32.78	54.00	21.22	Vertical	PASS
4	2338.05	40.99	1.35	42.34	74.00	31.66	Vertical	PASS
5	2369.93	43.05	1.44	44.49	74.00	29.51	Vertical	PASS
6	2388.58	43.27	1.43	44.70	74.00	29.30	Vertical	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	35.65	1.85	37.50	54.00	16.50	Horizontal	PASS
2	2484.96	33.64	1.87	35.51	54.00	18.49	Horizontal	PASS
3	2486.14	32.32	1.88	34.20	54.00	19.80	Horizontal	PASS
4	2483.52	49.77	1.85	51.62	74.00	22.38	Horizontal	PASS
5	2484.94	47.34	1.87	49.21	74.00	24.79	Horizontal	PASS
6	2486.30	45.45	1.89	47.34	74.00	26.66	Horizontal	PASS

Project Information

Mode:	DH5	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	36.14	1.86	38.00	54.00	16.00	Vertical	PASS
2	2485.51	34.22	1.88	36.10	54.00	17.90	Vertical	PASS
3	2487.37	33.64	1.90	35.54	54.00	18.46	Vertical	PASS
4	2483.80	49.67	1.87	51.54	74.00	22.46	Vertical	PASS
5	2485.22	49.38	1.88	51.26	74.00	22.74	Vertical	PASS
6	2487.35	48.81	1.90	50.71	74.00	23.29	Vertical	PASS

Project Information

Mode:	2DH5	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.18	33.23	1.35	34.58	54.00	19.42	Horizontal	PASS
2	2369.84	34.68	1.44	36.12	54.00	17.88	Horizontal	PASS
3	2389.02	35.41	1.43	36.84	54.00	17.16	Horizontal	PASS
4	2338.33	42.29	1.35	43.64	74.00	30.36	Horizontal	PASS
5	2369.27	42.53	1.44	43.97	74.00	30.03	Horizontal	PASS
6	2386.98	47.07	1.42	48.49	74.00	25.51	Horizontal	PASS

Project Information

Mode:	2DH5	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.24	31.38	1.35	32.73	54.00	21.27	Vertical	PASS
2	2369.71	31.93	1.44	33.37	54.00	20.63	Vertical	PASS
3	2388.33	32.80	1.43	34.23	54.00	19.77	Vertical	PASS
4	2337.39	42.06	1.34	43.40	74.00	30.60	Vertical	PASS
5	2369.84	41.70	1.44	43.14	74.00	30.86	Vertical	PASS
6	2388.11	43.96	1.43	45.39	74.00	28.61	Vertical	PASS

Project Information

Mode:	2DH5	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.81	36.79	1.87	38.66	54.00	15.34	Horizontal	PASS
2	2485.24	35.90	1.88	37.78	54.00	16.22	Horizontal	PASS
3	2486.95	34.34	1.90	36.24	54.00	17.76	Horizontal	PASS
4	2483.94	47.86	1.87	49.73	74.00	24.27	Horizontal	PASS
5	2485.22	46.84	1.88	48.72	74.00	25.28	Horizontal	PASS
6	2487.04	44.96	1.90	46.86	74.00	27.14	Horizontal	PASS

Project Information

Mode:	2DH5	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.76	38.33	1.87	40.20	54.00	13.80	Vertical	PASS
2	2485.20	36.94	1.88	38.82	54.00	15.18	Vertical	PASS
3	2486.62	36.05	1.89	37.94	54.00	16.06	Vertical	PASS
4	2483.91	48.65	1.87	50.52	74.00	23.48	Vertical	PASS
5	2485.47	48.39	1.88	50.27	74.00	23.73	Vertical	PASS
6	2486.79	47.91	1.90	49.81	74.00	24.19	Vertical	PASS

Project Information

Mode:	3DH5	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.05	32.95	1.35	34.30	54.00	19.70	Horizontal	PASS
2	2370.18	32.84	1.44	34.28	54.00	19.72	Horizontal	PASS
3	2388.23	34.92	1.43	36.35	54.00	17.65	Horizontal	PASS
4	2335.48	41.50	1.33	42.83	74.00	31.17	Horizontal	PASS
5	2369.62	43.41	1.44	44.85	74.00	29.15	Horizontal	PASS
6	2388.70	44.89	1.43	46.32	74.00	27.68	Horizontal	PASS

Project Information

Mode:	3DH5	Band:	-
Bandwidth	-	Channel	Low
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2337.80	31.02	1.35	32.37	54.00	21.63	Vertical	PASS
2	2369.71	30.73	1.44	32.17	54.00	21.83	Vertical	PASS
3	2388.14	32.45	1.43	33.88	54.00	20.12	Vertical	PASS
4	2336.20	41.21	1.33	42.54	74.00	31.46	Vertical	PASS
5	2370.34	41.00	1.44	42.44	74.00	31.56	Vertical	PASS
6	2388.55	42.53	1.43	43.96	74.00	30.04	Vertical	PASS

Project Information

Mode:	3DH5	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.12	35.34	1.87	37.21	54.00	16.79	Horizontal	PASS
2	2485.63	34.10	1.88	35.98	54.00	18.02	Horizontal	PASS
3	2487.93	33.03	1.90	34.93	54.00	19.07	Horizontal	PASS
4	2483.58	46.23	1.85	48.08	74.00	25.92	Horizontal	PASS
5	2485.87	44.92	1.88	46.80	74.00	27.20	Horizontal	PASS
6	2488.06	43.65	1.90	45.55	74.00	28.45	Horizontal	PASS

Project Information

Mode:	3DH5	Band:	-
Bandwidth	-	Channel	High
SN:		Engineer:	Tian Shuo
Remark:	R Power 3		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.63	37.03	1.86	38.89	54.00	15.11	Vertical	PASS
2	2485.74	35.70	1.88	37.58	54.00	16.42	Vertical	PASS
3	2488.44	34.20	1.91	36.11	54.00	17.89	Vertical	PASS
4	2483.93	47.71	1.87	49.58	74.00	24.42	Vertical	PASS
5	2486.06	46.09	1.88	47.97	74.00	26.03	Vertical	PASS
6	2488.22	44.61	1.90	46.51	74.00	27.49	Vertical	PASS

~The End~