

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_ERP

5G NR n14 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	790.5	Edge_1RB_Left	21.12	/	/	17.77	/	/	<=34.77	Pass
		Edge_1RB_Right	20.42	/	/	17.07	/	/	<=34.77	Pass
		Outer_Full	23.34	/	/	19.99	/	/	<=34.77	Pass
		Inner_Full	21.82	/	/	18.47	/	/	<=34.77	Pass
		Inner_1RB_Left	22.16	/	/	18.81	/	/	<=34.77	Pass
		Inner_1RB_Right	21.78	/	/	18.43	/	/	<=34.77	Pass
	793	Edge_1RB_Left	23.39	/	/	20.04	/	/	<=34.77	Pass
		Edge_1RB_Right	23.04	/	/	19.69	/	/	<=34.77	Pass
		Outer_Full	23.50	/	/	20.16	/	/	<=34.77	Pass
		Inner_Full	23.56	/	/	20.21	/	/	<=34.77	Pass
		Inner_1RB_Left	23.81	/	/	20.46	/	/	<=34.77	Pass
		Inner_1RB_Right	23.50	/	/	20.15	/	/	<=34.77	Pass
	795.5	Edge_1RB_Left	23.38	/	/	20.03	/	/	<=34.77	Pass
		Edge_1RB_Right	23.08	/	/	19.73	/	/	<=34.77	Pass
		Outer_Full	23.55	/	/	20.2	/	/	<=34.77	Pass
		Inner_Full	23.49	/	/	20.14	/	/	<=34.77	Pass
		Inner_1RB_Left	23.70	/	/	20.35	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	790.5	Edge_1RB_Left	22.92	/	/	19.57	/	/	<=34.77	Pass
		Edge_1RB_Right	22.52	/	/	19.17	/	/	<=34.77	Pass
		Outer_Full	22.91	/	/	19.56	/	/	<=34.77	Pass
		Inner_Full	23.58	/	/	20.23	/	/	<=34.77	Pass
		Inner_1RB_Left	23.85	/	/	20.5	/	/	<=34.77	Pass
		Inner_1RB_Right	23.46	/	/	20.11	/	/	<=34.77	Pass
	793	Edge_1RB_Left	22.85	/	/	19.5	/	/	<=34.77	Pass
		Edge_1RB_Right	22.43	/	/	19.08	/	/	<=34.77	Pass
		Outer_Full	23.00	/	/	19.65	/	/	<=34.77	Pass
		Inner_Full	23.49	/	/	20.14	/	/	<=34.77	Pass
		Inner_1RB_Left	23.75	/	/	20.4	/	/	<=34.77	Pass
		Inner_1RB_Right	23.44	/	/	20.09	/	/	<=34.77	Pass
	795.5	Edge_1RB_Left	20.72	/	/	17.37	/	/	<=34.77	Pass
		Edge_1RB_Right	20.43	/	/	17.08	/	/	<=34.77	Pass
		Outer_Full	20.91	/	/	17.56	/	/	<=34.77	Pass
		Inner_Full	21.80	/	/	18.45	/	/	<=34.77	Pass
		Inner_1RB_Left	22.03	/	/	18.68	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	790.5	Inner_1RB_Right	21.87	/	/	18.52	/	/	<=34.77	Pass
		Edge_1RB_Left	21.64	/	/	18.29	/	/	<=34.77	Pass
		Edge_1RB_Right	21.18	/	/	17.83	/	/	<=34.77	Pass
		Outer_Full	21.60	/	/	18.25	/	/	<=34.77	Pass
		Inner_Full	22.30	/	/	18.95	/	/	<=34.77	Pass
		Inner_1RB_Left	22.55	/	/	19.2	/	/	<=34.77	Pass
	793	Inner_1RB_Right	22.10	/	/	18.75	/	/	<=34.77	Pass
		Edge_1RB_Left	21.54	/	/	18.19	/	/	<=34.77	Pass
		Edge_1RB_Right	21.23	/	/	17.89	/	/	<=34.77	Pass
		Outer_Full	21.54	/	/	18.19	/	/	<=34.77	Pass
		Inner_Full	22.62	/	/	19.27	/	/	<=34.77	Pass
		Inner_1RB_Left	22.88	/	/	19.53	/	/	<=34.77	Pass
		Inner_1RB_Right	22.51	/	/	19.16	/	/	<=34.77	Pass

	795.5	Edge_1RB_Left	20.29	/	/	16.94	/	/	<=34.77	Pass
		Edge_1RB_Right	20.49	/	/	17.14	/	/	<=34.77	Pass
		Outer_Full	20.30	/	/	16.95	/	/	<=34.77	Pass
		Inner_Full	21.21	/	/	17.86	/	/	<=34.77	Pass
		Inner_1RB_Left	21.25	/	/	17.9	/	/	<=34.77	Pass
		Inner_1RB_Right	21.15	/	/	17.8	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	790.5	Edge_1RB_Left	21.25	/	/	17.91	/	/	<=34.77	Pass
		Edge_1RB_Right	20.76	/	/	17.41	/	/	<=34.77	Pass
		Outer_Full	20.90	/	/	17.55	/	/	<=34.77	Pass
		Inner_Full	20.82	/	/	17.47	/	/	<=34.77	Pass
		Inner_1RB_Left	21.23	/	/	17.88	/	/	<=34.77	Pass
		Inner_1RB_Right	20.82	/	/	17.47	/	/	<=34.77	Pass
	793	Edge_1RB_Left	21.44	/	/	18.09	/	/	<=34.77	Pass
		Edge_1RB_Right	21.12	/	/	17.77	/	/	<=34.77	Pass
		Outer_Full	21.16	/	/	17.81	/	/	<=34.77	Pass
		Inner_Full	21.06	/	/	17.71	/	/	<=34.77	Pass
		Inner_1RB_Left	21.41	/	/	18.06	/	/	<=34.77	Pass
		Inner_1RB_Right	21.16	/	/	17.81	/	/	<=34.77	Pass
	795.5	Edge_1RB_Left	19.90	/	/	16.55	/	/	<=34.77	Pass
		Edge_1RB_Right	19.78	/	/	16.43	/	/	<=34.77	Pass
		Outer_Full	19.70	/	/	16.35	/	/	<=34.77	Pass
		Inner_Full	19.67	/	/	16.32	/	/	<=34.77	Pass
		Inner_1RB_Left	19.90	/	/	16.55	/	/	<=34.77	Pass
		Inner_1RB_Right	19.77	/	/	16.42	/	/	<=34.77	Pass
DFT-s-OFDM 256 QAM	790.5	Edge_1RB_Left	19.52	/	/	16.17	/	/	<=34.77	Pass
		Edge_1RB_Right	19.04	/	/	15.69	/	/	<=34.77	Pass
		Outer_Full	19.32	/	/	15.97	/	/	<=34.77	Pass
		Inner_Full	19.01	/	/	15.66	/	/	<=34.77	Pass
		Inner_1RB_Left	19.44	/	/	16.09	/	/	<=34.77	Pass
		Inner_1RB_Right	19.05	/	/	15.7	/	/	<=34.77	Pass
	793	Edge_1RB_Left	19.37	/	/	16.02	/	/	<=34.77	Pass
		Edge_1RB_Right	18.98	/	/	15.63	/	/	<=34.77	Pass
		Outer_Full	19.20	/	/	15.85	/	/	<=34.77	Pass
		Inner_Full	18.91	/	/	15.56	/	/	<=34.77	Pass
		Inner_1RB_Left	19.30	/	/	15.95	/	/	<=34.77	Pass
		Inner_1RB_Right	19.00	/	/	15.66	/	/	<=34.77	Pass
	795.5	Edge_1RB_Left	19.51	/	/	16.16	/	/	<=34.77	Pass
		Edge_1RB_Right	19.22	/	/	15.87	/	/	<=34.77	Pass
		Outer_Full	19.37	/	/	16.02	/	/	<=34.77	Pass
		Inner_Full	19.02	/	/	15.67	/	/	<=34.77	Pass
		Inner_1RB_Left	19.39	/	/	16.04	/	/	<=34.77	Pass
		Inner_1RB_Right	19.18	/	/	15.83	/	/	<=34.77	Pass
CP-OFDM QPSK	790.5	Edge_1RB_Left	20.90	/	/	17.55	/	/	<=34.77	Pass
		Edge_1RB_Right	20.49	/	/	17.14	/	/	<=34.77	Pass
		Outer_Full	20.76	/	/	17.41	/	/	<=34.77	Pass
		Inner_Full	21.73	/	/	18.38	/	/	<=34.77	Pass
		Inner_1RB_Left	22.05	/	/	18.7	/	/	<=34.77	Pass
		Inner_1RB_Right	21.69	/	/	18.34	/	/	<=34.77	Pass
	793	Edge_1RB_Left	20.72	/	/	17.37	/	/	<=34.77	Pass
		Edge_1RB_Right	20.50	/	/	17.15	/	/	<=34.77	Pass
		Outer_Full	20.64	/	/	17.29	/	/	<=34.77	Pass
		Inner_Full	22.11	/	/	18.76	/	/	<=34.77	Pass
		Inner_1RB_Left	22.46	/	/	19.12	/	/	<=34.77	Pass
		Inner_1RB_Right	22.17	/	/	18.82	/	/	<=34.77	Pass
	795.5	Edge_1RB_Left	20.86	/	/	17.51	/	/	<=34.77	Pass
		Edge_1RB_Right	20.61	/	/	17.27	/	/	<=34.77	Pass
		Outer_Full	20.80	/	/	17.45	/	/	<=34.77	Pass
		Inner_Full	21.72	/	/	18.37	/	/	<=34.77	Pass
		Inner_1RB_Left	21.91	/	/	18.56	/	/	<=34.77	Pass

		Inner_1RB_Right	21.75	/	/	18.4	/	/	<=34.77	Pass
CP-OFDM 16 QAM	790.5	Edge_1RB_Left	20.38	/	/	17.03	/	/	<=34.77	Pass
		Edge_1RB_Right	19.97	/	/	16.62	/	/	<=34.77	Pass
		Outer_Full	20.29	/	/	16.94	/	/	<=34.77	Pass
		Inner_Full	21.25	/	/	17.91	/	/	<=34.77	Pass
		Inner_1RB_Left	21.39	/	/	18.04	/	/	<=34.77	Pass
		Inner_1RB_Right	21.04	/	/	17.69	/	/	<=34.77	Pass
	793	Edge_1RB_Left	20.64	/	/	17.29	/	/	<=34.77	Pass
		Edge_1RB_Right	20.39	/	/	17.04	/	/	<=34.77	Pass
		Outer_Full	20.65	/	/	17.3	/	/	<=34.77	Pass
		Inner_Full	17.82	/	/	14.47	/	/	<=34.77	Pass
		Inner_1RB_Left	21.58	/	/	18.23	/	/	<=34.77	Pass
		Inner_1RB_Right	21.36	/	/	18.02	/	/	<=34.77	Pass
	795.5	Edge_1RB_Left	20.51	/	/	17.16	/	/	<=34.77	Pass
		Edge_1RB_Right	20.08	/	/	16.73	/	/	<=34.77	Pass
		Outer_Full	20.24	/	/	16.89	/	/	<=34.77	Pass
		Inner_Full	21.21	/	/	17.86	/	/	<=34.77	Pass
		Inner_1RB_Left	21.21	/	/	17.86	/	/	<=34.77	Pass
		Inner_1RB_Right	21.10	/	/	17.75	/	/	<=34.77	Pass
CP-OFDM 64 QAM	790.5	Edge_1RB_Left	20.18	/	/	16.83	/	/	<=34.77	Pass
		Edge_1RB_Right	19.75	/	/	16.4	/	/	<=34.77	Pass
		Outer_Full	19.83	/	/	16.48	/	/	<=34.77	Pass
		Inner_Full	19.67	/	/	16.32	/	/	<=34.77	Pass
		Inner_1RB_Left	20.15	/	/	16.8	/	/	<=34.77	Pass
		Inner_1RB_Right	19.77	/	/	16.42	/	/	<=34.77	Pass
	793	Edge_1RB_Left	20.42	/	/	17.07	/	/	<=34.77	Pass
		Edge_1RB_Right	20.47	/	/	17.12	/	/	<=34.77	Pass
		Outer_Full	16.73	/	/	13.38	/	/	<=34.77	Pass
		Inner_Full	20.16	/	/	16.81	/	/	<=34.77	Pass
		Inner_1RB_Left	20.68	/	/	17.33	/	/	<=34.77	Pass
		Inner_1RB_Right	20.41	/	/	17.06	/	/	<=34.77	Pass
	795.5	Edge_1RB_Left	19.97	/	/	16.62	/	/	<=34.77	Pass
		Edge_1RB_Right	19.85	/	/	16.5	/	/	<=34.77	Pass
		Outer_Full	19.75	/	/	16.4	/	/	<=34.77	Pass
		Inner_Full	19.65	/	/	16.3	/	/	<=34.77	Pass
		Inner_1RB_Left	19.97	/	/	16.62	/	/	<=34.77	Pass
		Inner_1RB_Right	19.86	/	/	16.51	/	/	<=34.77	Pass
CP-OFDM 256 QAM	790.5	Edge_1RB_Left	17.51	/	/	14.16	/	/	<=34.77	Pass
		Edge_1RB_Right	17.05	/	/	13.71	/	/	<=34.77	Pass
		Outer_Full	17.30	/	/	13.95	/	/	<=34.77	Pass
		Inner_Full	17.05	/	/	13.7	/	/	<=34.77	Pass
		Inner_1RB_Left	17.45	/	/	14.1	/	/	<=34.77	Pass
		Inner_1RB_Right	17.06	/	/	13.71	/	/	<=34.77	Pass
	793	Edge_1RB_Left	17.39	/	/	14.04	/	/	<=34.77	Pass
		Edge_1RB_Right	17.09	/	/	13.74	/	/	<=34.77	Pass
		Outer_Full	17.23	/	/	13.89	/	/	<=34.77	Pass
		Inner_Full	16.98	/	/	13.63	/	/	<=34.77	Pass
		Inner_1RB_Left	17.38	/	/	14.03	/	/	<=34.77	Pass
		Inner_1RB_Right	17.08	/	/	13.73	/	/	<=34.77	Pass
	795.5	Edge_1RB_Left	17.43	/	/	14.08	/	/	<=34.77	Pass
		Edge_1RB_Right	17.14	/	/	13.79	/	/	<=34.77	Pass
		Outer_Full	17.34	/	/	13.99	/	/	<=34.77	Pass
Inner_Full		17.05	/	/	13.7	/	/	<=34.77	Pass	
Inner_1RB_Left		17.38	/	/	14.03	/	/	<=34.77	Pass	
		Inner_1RB_Right	17.00	/	/	13.66	/	/	<=34.77	Pass
Note1: Antenna Gain: Ant0: -1.20dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.2 15_S_10M_NTNV_ERP

5G NR n14 SCS=15kHz SISO 10MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	793	Edge_1RB_Left	23.24	/	/	19.89	/	/	<=34.77	Pass
		Edge_1RB_Right	23.08	/	/	19.73	/	/	<=34.77	Pass
		Outer_Full	23.43	/	/	20.08	/	/	<=34.77	Pass
		Inner_Full	23.51	/	/	20.16	/	/	<=34.77	Pass
		Inner_1RB_Left	23.64	/	/	20.29	/	/	<=34.77	Pass
		Inner_1RB_Right	23.43	/	/	20.08	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	793	Edge_1RB_Left	22.25	/	/	18.9	/	/	<=34.77	Pass
		Edge_1RB_Right	22.27	/	/	18.92	/	/	<=34.77	Pass
		Outer_Full	20.87	/	/	17.52	/	/	<=34.77	Pass
		Inner_Full	23.22	/	/	19.87	/	/	<=34.77	Pass
		Inner_1RB_Left	23.23	/	/	19.88	/	/	<=34.77	Pass
		Inner_1RB_Right	13.87	/	/	10.52	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	793	Edge_1RB_Left	13.92	/	/	10.57	/	/	<=34.77	Pass
		Edge_1RB_Right	21.07	/	/	17.72	/	/	<=34.77	Pass
		Outer_Full	13.90	/	/	10.55	/	/	<=34.77	Pass
		Inner_Full	22.24	/	/	18.89	/	/	<=34.77	Pass
		Inner_1RB_Left	22.23	/	/	18.88	/	/	<=34.77	Pass
		Inner_1RB_Right	22.12	/	/	18.77	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	793	Edge_1RB_Left	20.98	/	/	17.63	/	/	<=34.77	Pass
		Edge_1RB_Right	13.80	/	/	10.45	/	/	<=34.77	Pass
		Outer_Full	13.82	/	/	10.47	/	/	<=34.77	Pass
		Inner_Full	20.81	/	/	17.46	/	/	<=34.77	Pass
		Inner_1RB_Left	21.02	/	/	17.67	/	/	<=34.77	Pass
		Inner_1RB_Right	20.97	/	/	17.62	/	/	<=34.77	Pass
DFT-s-OFDM 256 QAM	793	Edge_1RB_Left	19.33	/	/	15.98	/	/	<=34.77	Pass
		Edge_1RB_Right	19.18	/	/	15.83	/	/	<=34.77	Pass
		Outer_Full	19.39	/	/	16.04	/	/	<=34.77	Pass
		Inner_Full	19.09	/	/	15.74	/	/	<=34.77	Pass
		Inner_1RB_Left	19.25	/	/	15.91	/	/	<=34.77	Pass
		Inner_1RB_Right	19.16	/	/	15.81	/	/	<=34.77	Pass
CP-OFDM QPSK	793	Edge_1RB_Left	20.72	/	/	17.37	/	/	<=34.77	Pass
		Edge_1RB_Right	20.59	/	/	17.24	/	/	<=34.77	Pass
		Outer_Full	20.75	/	/	17.4	/	/	<=34.77	Pass
		Inner_Full	21.85	/	/	18.5	/	/	<=34.77	Pass
		Inner_1RB_Left	21.99	/	/	18.64	/	/	<=34.77	Pass
		Inner_1RB_Right	21.91	/	/	18.56	/	/	<=34.77	Pass
CP-OFDM 16 QAM	793	Edge_1RB_Left	20.61	/	/	17.26	/	/	<=34.77	Pass
		Edge_1RB_Right	20.26	/	/	16.91	/	/	<=34.77	Pass
		Outer_Full	20.41	/	/	17.06	/	/	<=34.77	Pass
		Inner_Full	21.34	/	/	17.99	/	/	<=34.77	Pass
		Inner_1RB_Left	21.73	/	/	18.38	/	/	<=34.77	Pass
		Inner_1RB_Right	21.26	/	/	17.91	/	/	<=34.77	Pass
CP-OFDM 64 QAM	793	Edge_1RB_Left	14.09	/	/	10.74	/	/	<=34.77	Pass
		Edge_1RB_Right	14.09	/	/	10.74	/	/	<=34.77	Pass
		Outer_Full	13.99	/	/	10.64	/	/	<=34.77	Pass
		Inner_Full	19.82	/	/	16.47	/	/	<=34.77	Pass
		Inner_1RB_Left	14.09	/	/	10.74	/	/	<=34.77	Pass
		Inner_1RB_Right	20.04	/	/	16.69	/	/	<=34.77	Pass

CP-OFDM 256 QAM	793	Edge_1RB_Left	17.30	/	/	13.95	/	/	<=34.77	Pass
		Edge_1RB_Right	17.10	/	/	13.75	/	/	<=34.77	Pass
		Outer_Full	17.37	/	/	14.02	/	/	<=34.77	Pass
		Inner_Full	17.01	/	/	13.66	/	/	<=34.77	Pass
		Inner_1RB_Left	17.25	/	/	13.9	/	/	<=34.77	Pass
		Inner_1RB_Right	17.08	/	/	13.73	/	/	<=34.77	Pass

Note1: Antenna Gain: Ant0: -1.20dBi;

Note2: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_10M

5G NR n14 SCS=15kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	793	Outer_Full	20	LV	552.78	0.6971	>=-2.5 & <=2.5	Pass
				HV	-228.51	-0.2882	>=-2.5 & <=2.5	Pass
			-30	NV	-438.69	-0.5532	>=-2.5 & <=2.5	Pass
			-20	NV	1.79	0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	250.28	0.3156	>=-2.5 & <=2.5	Pass
			0	NV	-258.84	-0.3264	>=-2.5 & <=2.5	Pass
			10	NV	-593.69	-0.7487	>=-2.5 & <=2.5	Pass
			20	NV	-70.83	-0.0893	>=-2.5 & <=2.5	Pass
			30	NV	-655.86	-0.8271	>=-2.5 & <=2.5	Pass
			40	NV	269.79	0.3402	>=-2.5 & <=2.5	Pass
			50	NV	258.62	0.3261	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV


5G NR n14 SCS=15kHz SISO 5MHz NTNV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	793	Outer_Full	4.54	4.98	/	Pass
DFT-s-OFDM QPSK	793	Outer_Full	4.53	5.02	/	Pass
DFT-s-OFDM 16 QAM	793	Outer_Full	4.54	4.99	/	Pass
DFT-s-OFDM 64 QAM	793	Outer_Full	4.56	4.96	/	Pass
DFT-s-OFDM 256 QAM	793	Outer_Full	4.52	4.95	/	Pass
CP-OFDM QPSK	793	Outer_Full	4.52	5.00	/	Pass
CP-OFDM 16 QAM	793	Outer_Full	4.52	4.94	/	Pass
CP-OFDM 64 QAM	793	Outer_Full	4.51	4.93	/	Pass
CP-OFDM 256 QAM	793	Outer_Full	4.52	4.92	/	Pass

3.1.2 15_S_10M_NTNV


5G NR n14 SCS=15kHz SISO 10MHz NTNV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	793	Outer_Full	9.04	9.63	/	Pass
DFT-s-OFDM QPSK	793	Outer_Full	9.03	9.66	/	Pass
DFT-s-OFDM 16 QAM	793	Outer_Full	9.01	9.69	/	Pass
DFT-s-OFDM 64 QAM	793	Outer_Full	9.05	9.70	/	Pass
DFT-s-OFDM 256 QAM	793	Outer_Full	9.05	9.67	/	Pass
CP-OFDM QPSK	793	Outer_Full	9.34	10.03	/	Pass
CP-OFDM 16 QAM	793	Outer_Full	9.38	10.02	/	Pass
CP-OFDM 64 QAM	793	Outer_Full	9.35	10.01	/	Pass
CP-OFDM 256 QAM	793	Outer_Full	9.32	10.04	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_793MHz_Outer_Full_Ant0




3.2.2 15_S_10M_NTNV




n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM 793MHz_Outer_Full_Ant0



n14_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM 793MHz_Outer_Full_Ant0



n14_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_793MHz_Outer_Full_Ant0



4. Peak-Average Ratio


4.1 Test Result

4.1.1 15_S_10M_NTNV


5G NR n14 SCS=15kHz SISO 10MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	793	Outer_Full	3.98	/	/	<=13	Pass
DFT-s-OFDM QPSK	793	Outer_Full	6.06	/	/	<=13	Pass
CP-OFDM QPSK	793	Outer_Full	8.82	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_10M_NTNV



n14_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Outer_Full_Ant0



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV


5G NR n14 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	790.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	793	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	795.5	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	790.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	793	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	795.5	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	790.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	793	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	795.5	Outer_Full	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.2 15_S_10M_NTNV


5G NR n14 SCS=15kHz SISO 10MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	793	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	793	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	793	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-64.65	-13	Pass
1000	7980	1	/	2	1577.500	-45.76	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_790.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.554	-73.65	-13	Pass
769	775	0.00625	CHP	2	772.312	-83.67	-35	Pass
775	787.9	0.1	CHP	3	787.847	-36.78	-13	Pass
787.9	788	0.03	CHP	4	787.995	-34.72	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	767.700	-70.21	-13	Pass
769	775	0.1	/	2	773.200	-70.89	-35	Pass
775	787.9	0.1	/	3	782.450	-45.50	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.100	-68.05	-35	Pass
805	1000	0.1	/	5	807.050	-69.00	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-64.30	-13	Pass
1000	7980	1	/	2	1582.500	-43.75	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.003	-26.20	-13	Pass
798.1	799	0.1	CHP	2	798.152	-36.56	-13	Pass
799	805	0.00625	CHP	3	799.755	-59.24	-35	Pass
805	810	0.1	CHP	4	806.221	-51.29	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	732.850	-70.00	-13	Pass
769	775	0.1	/	2	773.400	-70.99	-35	Pass
775	787.9	0.1	/	3	782.750	-67.39	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.900	-60.42	-35	Pass
805	1000	0.1	/	5	806.250	-49.74	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-68.78	-13	Pass
1000	7980	1	/	2	2393.500	-44.45	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_795.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-38.27	-13	Pass
798.1	799	0.1	CHP	2	798.212	-35.28	-13	Pass
799	805	0.00625	CHP	3	799.549	-47.78	-35	Pass
805	810	0.1	CHP	4	805.564	-52.32	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.654	-74.60	-13	Pass
769	775	0.00625	CHP	2	769.521	-84.81	-35	Pass
775	787.9	0.1	CHP	3	787.848	-32.28	-13	Pass
787.9	788	0.03	CHP	4	787.999	-24.50	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	762.400	-69.96	-13	Pass
769	775	0.1	/	2	771.250	-69.90	-35	Pass
775	787.9	0.1	/	3	779.650	-47.12	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.200	-69.40	-35	Pass
805	1000	0.1	/	5	806.550	-69.18	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-67.25	-13	Pass
1000	7980	1	/	2	1577.500	-45.76	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_790.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	764.982	-74.63	-13	Pass
769	775	0.00625	CHP	2	772.678	-84.83	-35	Pass
775	787.9	0.1	CHP	3	787.713	-34.50	-13	Pass
787.9	788	0.03	CHP	4	787.995	-34.87	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	752.800	-70.00	-13	Pass
769	775	0.1	/	2	774.050	-71.13	-35	Pass
775	787.9	0.1	/	3	782.200	-43.37	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.550	-67.61	-35	Pass
805	1000	0.1	/	5	807.200	-69.07	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-67.78	-13	Pass
1000	7980	1	/	2	1582.500	-45.17	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK 795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.006	-23.94	-13	Pass
798.1	799	0.1	CHP	2	798.152	-34.05	-13	Pass
799	805	0.00625	CHP	3	799.787	-55.69	-35	Pass
805	810	0.1	CHP	4	806.298	-47.54	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK 795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	767.300	-69.98	-13	Pass
769	775	0.1	/	2	771.250	-70.79	-35	Pass
775	787.9	0.1	/	3	780.350	-67.26	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.500	-60.37	-35	Pass
805	1000	0.1	/	5	806.300	-46.23	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK 795.5MHz_Edge 1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-66.40	-13	Pass
1000	7980	1	/	2	1596.000	-44.26	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK 795.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-37.25	-13	Pass
798.1	799	0.1	CHP	2	798.328	-35.41	-13	Pass
799	805	0.00625	CHP	3	800.283	-46.55	-35	Pass
805	810	0.1	CHP	4	805.634	-48.42	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.663	-74.86	-13	Pass
769	775	0.00625	CHP	2	772.253	-85.22	-35	Pass
775	787.9	0.1	CHP	3	787.848	-33.96	-13	Pass
787.9	788	0.03	CHP	4	787.999	-24.09	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	759.900	-70.20	-13	Pass
769	775	0.1	/	2	769.550	-71.29	-35	Pass
775	787.9	0.1	/	3	779.650	-46.61	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	804.300	-70.17	-35	Pass
805	1000	0.1	/	5	805.100	-69.43	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-66.76	-13	Pass
1000	7980	1	/	2	1577.500	-47.32	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_790.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.866	-74.53	-13	Pass
769	775	0.00625	CHP	2	774.652	-85.18	-35	Pass
775	787.9	0.1	CHP	3	787.844	-32.18	-13	Pass
787.9	788	0.03	CHP	4	787.999	-34.19	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	761.000	-69.74	-13	Pass
769	775	0.1	/	2	772.700	-70.34	-35	Pass
775	787.9	0.1	/	3	782.000	-49.74	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.550	-68.05	-35	Pass
805	1000	0.1	/	5	806.700	-68.50	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-64.78	-13	Pass
1000	7980	1	/	2	1582.000	-49.70	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-26.02	-13	Pass
798.1	799	0.1	CHP	2	798.152	-35.84	-13	Pass
799	805	0.00625	CHP	3	799.788	-58.26	-35	Pass
805	810	0.1	CHP	4	806.223	-50.93	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_795.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	748.900	-69.68	-13	Pass
769	775	0.1	/	2	770.150	-70.76	-35	Pass
775	787.9	0.1	/	3	782.750	-58.20	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.400	-60.59	-35	Pass
805	1000	0.1	/	5	806.300	-52.70	-13	Pass

n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_795.5MHz_Edge_1RB_Right_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-67.33	-13	Pass
1000	7980	1	/	2	1596.000	-47.67	-13	Pass


n14_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_795.5MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-38.50	-13	Pass
798.1	799	0.1	CHP	2	798.215	-35.10	-13	Pass
799	805	0.00625	CHP	3	799.176	-47.43	-35	Pass
805	810	0.1	CHP	4	805.179	-50.76	-13	Pass


5.2.2 15_S_10M_NTNV

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.002	-74.26	-13	Pass
769	775	0.00625	CHP	2	773.736	-85.69	-35	Pass
775	787.9	0.1	CHP	3	787.775	-43.48	-13	Pass
787.9	788	0.03	CHP	4	787.995	-35.87	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.068	-59.49	-13	Pass
798.1	799	0.1	CHP	6	798.914	-55.16	-13	Pass
799	803	0.00625	CHP	7	802.991	-59.75	-35	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	761.250	-67.93	-13	Pass
769	775	0.1	/	2	774.200	-68.80	-35	Pass
775	787.9	0.1	/	3	778.700	-55.91	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.050	-41.72	-35	Pass
805	1000	0.1	/	5	806.650	-31.33	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-67.22	-13	Pass
1000	7980	1	/	2	1577.500	-45.57	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.471	-74.11	-13	Pass
769	775	0.00625	CHP	2	774.072	-85.19	-35	Pass
775	787.9	0.1	CHP	3	787.751	-43.73	-13	Pass
787.9	788	0.03	CHP	4	787.951	-47.69	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.037	-47.71	-13	Pass
798.1	799	0.1	CHP	6	798.253	-44.21	-13	Pass
799	803	0.00625	CHP	7	801.684	-53.77	-35	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	764.542	-73.61	-13	Pass
769	775	0.00625	CHP	2	770.230	-83.84	-35	Pass
775	787.9	0.1	CHP	3	787.847	-36.23	-13	Pass
787.9	788	0.03	CHP	4	787.999	-30.66	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.039	-53.53	-13	Pass
798.1	799	0.1	CHP	6	798.894	-48.31	-13	Pass
799	803	0.00625	CHP	7	802.991	-54.67	-35	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	727.500	-67.71	-13	Pass
769	775	0.1	/	2	770.150	-69.99	-35	Pass
775	787.9	0.1	/	3	778.650	-55.38	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.050	-42.02	-35	Pass
805	1000	0.1	/	5	806.750	-35.19	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-64.34	-13	Pass
1000	7980	1	/	2	1577.500	-45.19	-13	Pass

n14_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_793MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.787	-73.71	-13	Pass
769	775	0.00625	CHP	2	769.177	-85.25	-35	Pass
775	787.9	0.1	CHP	3	787.601	-45.35	-13	Pass
787.9	788	0.03	CHP	4	787.953	-48.60	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.013	-49.33	-13	Pass
798.1	799	0.1	CHP	6	798.485	-44.77	-13	Pass
799	803	0.00625	CHP	7	799.107	-54.09	-35	Pass

n14 15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.256	-73.50	-13	Pass
769	775	0.00625	CHP	2	773.538	-83.99	-35	Pass
775	787.9	0.1	CHP	3	787.848	-38.78	-13	Pass
787.9	788	0.03	CHP	4	787.999	-30.86	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.071	-56.94	-13	Pass
798.1	799	0.1	CHP	6	798.907	-51.14	-13	Pass
799	803	0.00625	CHP	7	802.973	-54.91	-35	Pass

n14 15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	769	0.1	/	1	756.200	-68.25	-13	Pass
769	775	0.1	/	2	770.350	-68.27	-35	Pass
775	787.9	0.1	/	3	778.650	-56.52	-13	Pass
787.9	803	0.1	/	/	/	/	/	/
803	805	0.1	/	4	803.050	-45.54	-35	Pass
805	1000	0.1	/	5	806.850	-36.29	-13	Pass

n14 15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Edge_1RB_Left_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1000	1	/	1	1000.000	-66.79	-13	Pass
1000	7980	1	/	2	2366.000	-48.26	-13	Pass

n14 15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_793MHz_Outer_Full_Ant0



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.173	-73.58	-13	Pass
769	775	0.00625	CHP	2	771.959	-83.38	-35	Pass
775	787.9	0.1	CHP	3	787.460	-36.66	-13	Pass
787.9	788	0.03	CHP	4	787.967	-40.67	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.035	-42.01	-13	Pass
798.1	799	0.1	CHP	6	798.263	-36.72	-13	Pass
799	803	0.00625	CHP	7	799.120	-48.00	-35	Pass

6. Emission Mask

6.1 Test Result

6.1.1 15_S_5M_NTNV

5G NR n14 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Freq. (MHz)		Emission Mask (dBm)		Verdict
			Start	Stop	Result	Limit	
DFT-s-OFDM PI/2 BPSK	790.5	Outer_Full	785.5	787.95	-34.58	-15.95	Pass
			793.05	795.5	-29.71	-15.95	Pass
			803	808	-56.82	-13	Pass
			787.95	793.05	9.05	9.05	Pass
			795.5	803	-39.38	-25.95	Pass
			778	785.5	-43.05	-25.95	Pass
			773	778	-58.22	-13	Pass
		Edge_1RB_Left	778	785.5	-43.34	-13.52	Pass
			803	808	-61.55	-13	Pass
			773	778	-61.30	-13	Pass
			787.95	793.05	21.48	21.48	Pass
			793.05	795.5	-45.75	-3.52	Pass
			785.5	787.95	-20.16	-3.52	Pass
			795.5	803	-33.87	-13.52	Pass
		Edge_1RB_Right	803	808	-61.25	-13	Pass
			785.5	787.95	-44.41	-3.53	Pass
			795.5	803	-46.11	-13.53	Pass
			793.05	795.5	-23.17	-3.53	Pass
			787.95	793.05	21.47	21.47	Pass
			778	785.5	-34.31	-13.53	Pass
			773	778	-60.75	-13	Pass
	793	Outer_Full	788	790.45	-32.07	-16.24	Pass
			780.5	788	-41.18	-26.24	Pass
			790.45	795.55	8.76	8.76	Pass
			798	805.5	-40.39	-26.24	Pass
			805.5	810.5	-56.90	-13	Pass
			795.55	798	-30.93	-16.24	Pass
			775.5	780.5	-56.11	-13	Pass
		Edge_1RB_Left	780.5	788	-43.82	-13.82	Pass
			795.55	798	-46.83	-3.82	Pass
			798	805.5	-34.41	-13.82	Pass
			788	790.45	-21.01	-3.82	Pass
			805.5	810.5	-61.22	-13	Pass
			790.45	795.55	21.18	21.18	Pass
			775.5	780.5	-60.79	-13	Pass
		Edge_1RB_Right	780.5	788	-37.18	-13.69	Pass
			805.5	810.5	-60.71	-13	Pass
			790.45	795.55	21.31	21.31	Pass
			788	790.45	-44.57	-3.69	Pass
			775.5	780.5	-60.86	-13	Pass
			798	805.5	-49.48	-13.69	Pass
			795.55	798	-22.23	-3.69	Pass
	795.5	Outer_Full	800.5	808	-40.88	-28.39	Pass
			783	790.5	-38.40	-28.39	Pass
			808	813	-55.07	-13	Pass
			790.5	792.95	-32.26	-18.39	Pass
			792.95	798.05	6.61	6.61	Pass
			778	783	-55.34	-13	Pass

			798.05	800.5	-33.31	-18.39	Pass
		Edge_1RB_Left	798.05	800.5	-35.23	-6.58	Pass
			778	783	-60.77	-13	Pass
			808	813	-61.21	-13	Pass
			790.5	792.95	-21.85	-6.58	Pass
			783	790.5	-48.28	-16.58	Pass
			800.5	808	-38.46	-16.58	Pass
			792.95	798.05	18.42	18.42	Pass
		Edge_1RB_Right	808	813	-61.17	-13	Pass
			798.05	800.5	-21.73	-6.4	Pass
			790.5	792.95	-47.04	-6.4	Pass
			800.5	808	-50.73	-16.4	Pass
			792.95	798.05	18.60	18.6	Pass
			783	790.5	-40.21	-16.4	Pass
			778	783	-60.76	-13	Pass
DFT-s-OFDM QPSK	790.5	Outer_Full	793.05	795.5	-30.61	-16.54	Pass
			778	785.5	-38.68	-26.54	Pass
			785.5	787.95	-32.15	-16.54	Pass
			803	808	-54.45	-13	Pass
			773	778	-54.69	-13	Pass
			795.5	803	-36.04	-26.54	Pass
			787.95	793.05	8.46	8.46	Pass
		Edge_1RB_Left	787.95	793.05	21.02	21.02	Pass
			793.05	795.5	-46.07	-3.98	Pass
			773	778	-60.89	-13	Pass
			785.5	787.95	-22.82	-3.98	Pass
			778	785.5	-47.26	-13.98	Pass
			803	808	-61.17	-13	Pass
			795.5	803	-36.79	-13.98	Pass
		Edge_1RB_Right	773	778	-60.96	-13	Pass
			785.5	787.95	-45.40	-4.35	Pass
			795.5	803	-50.05	-14.35	Pass
			803	808	-60.31	-13	Pass
			787.95	793.05	20.65	20.65	Pass
			793.05	795.5	-23.76	-4.35	Pass
			778	785.5	-38.19	-14.35	Pass
	793	Outer_Full	805.5	810.5	-58.75	-13	Pass
			775.5	780.5	-58.43	-13	Pass
			798	805.5	-45.10	-34.21	Pass
			788	790.45	-40.95	-24.21	Pass
			795.55	798	-36.82	-24.21	Pass
			790.45	795.55	0.79	0.79	Pass
			780.5	788	-46.69	-34.21	Pass
		Edge_1RB_Left	788	790.45	-22.14	-3.76	Pass
			795.55	798	-46.52	-3.76	Pass
			790.45	795.55	21.24	21.24	Pass
			775.5	780.5	-61.12	-13	Pass
			780.5	788	-44.47	-13.76	Pass
			798	805.5	-35.65	-13.76	Pass
			805.5	810.5	-61.02	-13	Pass
		Edge_1RB_Right	798	805.5	-50.16	-14.53	Pass
			805.5	810.5	-60.69	-13	Pass
			790.45	795.55	20.47	20.47	Pass
			775.5	780.5	-60.65	-13	Pass
			795.55	798	-24.52	-4.53	Pass
			780.5	788	-37.93	-14.53	Pass
			788	790.45	-44.52	-4.53	Pass
	795.5	Outer_Full	800.5	808	-38.95	-26.05	Pass
			778	783	-52.32	-13	Pass

			808	813	-52.50	-13	Pass
			783	790.5	-35.74	-26.05	Pass
			798.05	800.5	-32.37	-16.05	Pass
			792.95	798.05	8.95	8.95	Pass
			790.5	792.95	-31.00	-16.05	Pass
		Edge_1RB_Left	798.05	800.5	-47.16	-4.15	Pass
			783	790.5	-46.79	-14.15	Pass
			808	813	-61.38	-13	Pass
			792.95	798.05	20.85	20.85	Pass
			790.5	792.95	-21.23	-4.15	Pass
		Edge_1RB_Right	800.5	808	-37.22	-14.15	Pass
			778	783	-61.01	-13	Pass
			792.95	798.05	20.95	20.95	Pass
			790.5	792.95	-44.35	-4.05	Pass
			800.5	808	-47.00	-14.05	Pass
			808	813	-60.92	-13	Pass
			778	783	-60.64	-13	Pass
			798.05	800.5	-21.76	-4.05	Pass
			783	790.5	-37.21	-14.05	Pass
DFT-s-OFDM 16 QAM	790.5	Outer_Full	785.5	787.95	-33.96	-17.26	Pass
			773	778	-54.94	-13	Pass
			787.95	793.05	7.74	7.74	Pass
			795.5	803	-38.18	-27.26	Pass
			778	785.5	-40.16	-27.26	Pass
			793.05	795.5	-31.93	-17.26	Pass
		Edge_1RB_Left	803	808	-56.49	-13	Pass
			785.5	787.95	-22.79	-4.79	Pass
			787.95	793.05	20.21	20.21	Pass
			778	785.5	-48.23	-14.79	Pass
			803	808	-61.30	-13	Pass
			773	778	-61.04	-13	Pass
		Edge_1RB_Right	793.05	795.5	-46.37	-4.79	Pass
			795.5	803	-37.50	-14.79	Pass
			787.95	793.05	19.42	19.42	Pass
			773	778	-60.45	-13	Pass
			795.5	803	-50.08	-15.58	Pass
			803	808	-61.17	-13	Pass
	793	Outer_Full	785.5	787.95	-46.10	-5.58	Pass
			793.05	795.5	-21.96	-5.58	Pass
			778	785.5	-38.89	-15.58	Pass
			775.5	780.5	-53.62	-13	Pass
			795.55	798	-32.38	-17.31	Pass
			790.45	795.55	7.69	7.69	Pass
		Edge_1RB_Left	798	805.5	-38.68	-27.31	Pass
			780.5	788	-39.70	-27.31	Pass
			788	790.45	-32.54	-17.31	Pass
			805.5	810.5	-54.54	-13	Pass
			805.5	810.5	-60.86	-13	Pass
			775.5	780.5	-60.56	-13	Pass
		Edge_1RB_Right	795.55	798	-36.40	-5.65	Pass
			788	790.45	-20.96	-5.65	Pass
			798	805.5	-36.71	-15.65	Pass
			790.45	795.55	19.35	19.35	Pass
			780.5	788	-44.96	-15.65	Pass
			805.5	810.5	-59.76	-13	Pass
		Edge_1RB_Right	775.5	780.5	-60.29	-13	Pass
			795.55	798	-23.70	-5.35	Pass
			790.45	795.55	19.65	19.65	Pass
			788	790.45	-45.75	-5.35	Pass

			780.5	788	-39.03	-15.35	Pass
			798	805.5	-50.47	-15.35	Pass
	795.5	Outer_Full	790.5	792.95	-32.26	-17.17	Pass
			778	783	-53.03	-13	Pass
			800.5	808	-40.29	-27.17	Pass
			792.95	798.05	7.83	7.83	Pass
			783	790.5	-37.95	-27.17	Pass
			808	813	-54.10	-13	Pass
			798.05	800.5	-33.57	-17.17	Pass
			778	783	-61.05	-13	Pass
		Edge_1RB_Left	798.05	800.5	-41.17	-4.72	Pass
			800.5	808	-38.44	-14.72	Pass
			783	790.5	-47.85	-14.72	Pass
			792.95	798.05	20.28	20.28	Pass
			808	813	-60.67	-13	Pass
			790.5	792.95	-22.15	-4.72	Pass
		Edge_1RB_Right	800.5	808	-49.83	-15.3	Pass
			783	790.5	-38.48	-15.3	Pass
			792.95	798.05	19.70	19.7	Pass
			808	813	-61.19	-13	Pass
			778	783	-61.21	-13	Pass
			790.5	792.95	-44.32	-5.3	Pass
			798.05	800.5	-22.20	-5.3	Pass
DFT-s-OFDM 64 QAM	790.5	Outer_Full	785.5	787.95	-30.61	-18.26	Pass
			795.5	803	-39.07	-28.26	Pass
			793.05	795.5	-32.39	-18.26	Pass
			803	808	-56.86	-13	Pass
			787.95	793.05	6.74	6.74	Pass
			778	785.5	-41.23	-28.26	Pass
			773	778	-55.77	-13	Pass
			778	785.5	-50.20	-15.64	Pass
		Edge_1RB_Left	785.5	787.95	-22.84	-5.64	Pass
			787.95	793.05	19.36	19.36	Pass
			773	778	-60.81	-13	Pass
			793.05	795.5	-47.27	-5.64	Pass
			803	808	-60.90	-13	Pass
			795.5	803	-38.26	-15.64	Pass
			773	778	-61.81	-13	Pass
		Edge_1RB_Right	778	785.5	-39.28	-15.66	Pass
			803	808	-60.91	-13	Pass
			795.5	803	-51.13	-15.66	Pass
			785.5	787.95	-46.93	-5.66	Pass
			787.95	793.05	19.34	19.34	Pass
			793.05	795.5	-22.06	-5.66	Pass
	793	Outer_Full	790.45	795.55	6.81	6.81	Pass
			805.5	810.5	-55.38	-13	Pass
			798	805.5	-40.09	-28.19	Pass
			795.55	798	-33.59	-18.19	Pass
			780.5	788	-41.25	-28.19	Pass
			775.5	780.5	-54.36	-13	Pass
			788	790.45	-33.14	-18.19	Pass
		Edge_1RB_Left	780.5	788	-46.57	-15.21	Pass
			798	805.5	-37.65	-15.21	Pass
			790.45	795.55	19.79	19.79	Pass
			805.5	810.5	-60.98	-13	Pass
			795.55	798	-48.29	-5.21	Pass
			775.5	780.5	-61.34	-13	Pass
			788	790.45	-21.22	-5.21	Pass
		Edge_1RB_Right	780.5	788	-38.77	-15.73	Pass

			798	805.5	-51.67	-15.73	Pass	
			790.45	795.55	19.27	19.27	Pass	
			775.5	780.5	-60.59	-13	Pass	
			805.5	810.5	-61.04	-13	Pass	
			795.55	798	-22.68	-5.73	Pass	
			788	790.45	-45.08	-5.73	Pass	
			800.5	808	-40.75	-27.5	Pass	
			790.5	792.95	-32.05	-17.5	Pass	
			792.95	798.05	7.50	7.5	Pass	
			778	783	-53.81	-13	Pass	
	795.5	Outer_Full	798.05	800.5	-34.23	-17.5	Pass	
			808	813	-54.10	-13	Pass	
			783	790.5	-38.55	-27.5	Pass	
			783	790.5	-49.89	-14.96	Pass	
			790.5	792.95	-25.76	-4.96	Pass	
			808	813	-60.69	-13	Pass	
			792.95	798.05	20.04	20.04	Pass	
			798.05	800.5	-47.06	-4.96	Pass	
		Edge_1RB_Left	778	783	-60.27	-13	Pass	
			800.5	808	-39.27	-14.96	Pass	
			798.05	800.5	-22.06	-5.23	Pass	
			800.5	808	-50.19	-15.23	Pass	
			808	813	-61.56	-13	Pass	
			783	790.5	-37.88	-15.23	Pass	
			778	783	-61.15	-13	Pass	
			790.5	792.95	-45.22	-5.23	Pass	
		Edge_1RB_Right	792.95	798.05	19.77	19.77	Pass	
			803	808	-58.23	-13	Pass	
			785.5	787.95	-36.33	-20.11	Pass	
			773	778	-57.44	-13	Pass	
			793.05	795.5	-33.99	-20.11	Pass	
			795.5	803	-42.52	-30.11	Pass	
787.95			793.05	4.89	4.89	Pass		
778			785.5	-44.32	-30.11	Pass		
DFT-s-OFDM 256 QAM		790.5	Outer_Full	793.05	795.5	-49.17	-7.96	Pass
				787.95	793.05	17.04	17.04	Pass
	795.5			803	-39.72	-17.96	Pass	
	803			808	-61.27	-13	Pass	
	778			785.5	-52.63	-17.96	Pass	
	785.5			787.95	-26.77	-7.96	Pass	
	Edge_1RB_Left		773	778	-61.44	-13	Pass	
			773	778	-61.56	-13	Pass	
			793.05	795.5	-25.12	-7.32	Pass	
			787.95	793.05	17.68	17.68	Pass	
			778	785.5	-41.29	-17.32	Pass	
			785.5	787.95	-48.20	-7.32	Pass	
	Edge_1RB_Right		803	808	-61.39	-13	Pass	
			795.5	803	-54.08	-17.32	Pass	
			775.5	780.5	-56.72	-13	Pass	
			788	790.45	-35.31	-20.14	Pass	
			790.45	795.55	4.86	4.86	Pass	
	793	Outer_Full	795.55	798	-35.83	-20.14	Pass	
			805.5	810.5	-58.18	-13	Pass	
			780.5	788	-43.37	-30.14	Pass	
			798	805.5	-42.55	-30.14	Pass	
			780.5	788	-54.19	-17.64	Pass	
			805.5	810.5	-60.70	-13	Pass	
		Edge_1RB_Left	798	805.5	-41.92	-17.64	Pass	
			775.5	780.5	-61.62	-13	Pass	

			790.45	795.55	17.36	17.36	Pass	
			795.55	798	-49.61	-7.64	Pass	
			788	790.45	-22.34	-7.64	Pass	
		Edge_1RB_Right	790.45	795.55	17.19	17.19	Pass	
			788	790.45	-47.68	-7.81	Pass	
			780.5	788	-40.98	-17.81	Pass	
			798	805.5	-53.62	-17.81	Pass	
			795.55	798	-24.48	-7.81	Pass	
			775.5	780.5	-60.99	-13	Pass	
			805.5	810.5	-60.89	-13	Pass	
		795.5	Outer_Full	790.5	792.95	-35.41	-19.87	Pass
				792.95	798.05	5.13	5.13	Pass
				800.5	808	-42.02	-29.87	Pass
				778	783	-55.29	-13	Pass
	783			790.5	-41.49	-29.87	Pass	
	798.05			800.5	-35.86	-19.87	Pass	
	Edge_1RB_Left		808	813	-55.69	-13	Pass	
			783	790.5	-52.26	-17.97	Pass	
			808	813	-60.80	-13	Pass	
			800.5	808	-41.45	-17.97	Pass	
			798.05	800.5	-40.21	-7.97	Pass	
			778	783	-61.47	-13	Pass	
			790.5	792.95	-23.02	-7.97	Pass	
			792.95	798.05	17.03	17.03	Pass	
	Edge_1RB_Right		783	790.5	-40.19	-17.21	Pass	
			790.5	792.95	-46.77	-7.21	Pass	
			798.05	800.5	-23.68	-7.21	Pass	
		808	813	-60.96	-13	Pass		
		800.5	808	-51.53	-17.21	Pass		
792.95		798.05	17.79	17.79	Pass			
CP-OFDM QPSK	790.5	Outer_Full	778	783	-60.79	-13	Pass	
			793.05	795.5	-30.19	-18.93	Pass	
			787.95	793.05	6.07	6.07	Pass	
			795.5	803	-36.30	-28.93	Pass	
			785.5	787.95	-29.45	-18.93	Pass	
			778	785.5	-37.50	-28.93	Pass	
		Edge_1RB_Left	773	778	-57.29	-13	Pass	
			803	808	-57.05	-13	Pass	
			795.5	803	-37.95	-16.23	Pass	
			773	778	-61.18	-13	Pass	
			803	808	-60.78	-13	Pass	
			778	785.5	-48.62	-16.23	Pass	
			793.05	795.5	-48.24	-6.23	Pass	
			785.5	787.95	-21.26	-6.23	Pass	
		Edge_1RB_Right	787.95	793.05	18.77	18.77	Pass	
			795.5	803	-50.06	-15.31	Pass	
			803	808	-61.12	-13	Pass	
			785.5	787.95	-47.74	-5.31	Pass	
			778	785.5	-39.34	-15.31	Pass	
			793.05	795.5	-21.37	-5.31	Pass	
		793	Outer_Full	773	778	-60.69	-13	Pass
	787.95			793.05	19.69	19.69	Pass	
	805.5			810.5	-56.21	-13	Pass	
	780.5			788	-38.17	-28.89	Pass	
	798			805.5	-38.73	-28.89	Pass	
	788			790.45	-31.86	-18.89	Pass	
	790.45			795.55	6.11	6.11	Pass	
	775.5			780.5	-54.64	-13	Pass	
			795.55	798	-32.12	-18.89	Pass	

		Edge_1RB_Left	788	790.45	-25.56	-5.89	Pass
			805.5	810.5	-60.55	-13	Pass
			780.5	788	-48.58	-15.89	Pass
			795.55	798	-49.26	-5.89	Pass
			798	805.5	-39.18	-15.89	Pass
			775.5	780.5	-61.27	-13	Pass
			790.45	795.55	19.11	19.11	Pass
		Edge_1RB_Right	805.5	810.5	-60.84	-13	Pass
			790.45	795.55	19.48	19.48	Pass
			780.5	788	-38.56	-15.52	Pass
			798	805.5	-50.34	-15.52	Pass
			795.55	798	-23.15	-5.52	Pass
			775.5	780.5	-61.08	-13	Pass
			788	790.45	-47.21	-5.52	Pass
	795.5	Outer_Full	792.95	798.05	8.16	8.16	Pass
			790.5	792.95	-32.37	-16.84	Pass
			808	813	-54.92	-13	Pass
			800.5	808	-40.02	-26.84	Pass
			798.05	800.5	-32.53	-16.84	Pass
			778	783	-55.85	-13	Pass
			783	790.5	-36.99	-26.84	Pass
		Edge_1RB_Left	783	790.5	-48.65	-16.6	Pass
			790.5	792.95	-24.77	-6.6	Pass
			778	783	-60.59	-13	Pass
			808	813	-60.60	-13	Pass
			798.05	800.5	-49.45	-6.6	Pass
			800.5	808	-39.56	-16.6	Pass
			792.95	798.05	18.40	18.4	Pass
		Edge_1RB_Right	783	790.5	-37.39	-15.44	Pass
			808	813	-60.49	-13	Pass
			798.05	800.5	-21.18	-5.44	Pass
			778	783	-60.73	-13	Pass
			800.5	808	-48.55	-15.44	Pass
			792.95	798.05	19.56	19.56	Pass
			790.5	792.95	-46.05	-5.44	Pass
CP-OFDM 16 QAM	790.5	Outer_Full	793.05	795.5	-29.56	-18.74	Pass
			773	778	-57.06	-13	Pass
			785.5	787.95	-30.92	-18.74	Pass
			787.95	793.05	6.26	6.26	Pass
			795.5	803	-36.45	-28.74	Pass
			778	785.5	-38.73	-28.74	Pass
			803	808	-57.23	-13	Pass
		Edge_1RB_Left	787.95	793.05	19.45	19.45	Pass
			785.5	787.95	-22.23	-5.55	Pass
			778	785.5	-47.24	-15.55	Pass
			793.05	795.5	-47.95	-5.55	Pass
			773	778	-61.25	-13	Pass
			803	808	-61.10	-13	Pass
			795.5	803	-37.58	-15.55	Pass
		Edge_1RB_Right	795.5	803	-51.55	-15.96	Pass
			793.05	795.5	-23.07	-5.96	Pass
			787.95	793.05	19.04	19.04	Pass
			773	778	-60.70	-13	Pass
			803	808	-61.67	-13	Pass
			785.5	787.95	-47.14	-5.96	Pass
			778	785.5	-39.38	-15.96	Pass
	793	Outer_Full	788	790.45	-32.06	-18.84	Pass
			775.5	780.5	-56.04	-13	Pass
			798	805.5	-39.35	-28.84	Pass

	795.5		780.5	788	-38.49	-28.84	Pass
			805.5	810.5	-56.24	-13	Pass
			790.45	795.55	6.16	6.16	Pass
			795.55	798	-32.40	-18.84	Pass
		Edge_1RB_Left	795.55	798	-48.88	-6.07	Pass
			805.5	810.5	-60.69	-13	Pass
			780.5	788	-48.93	-16.07	Pass
			790.45	795.55	18.93	18.93	Pass
			775.5	780.5	-60.54	-13	Pass
			788	790.45	-24.89	-6.07	Pass
			798	805.5	-39.64	-16.07	Pass
		Edge_1RB_Right	805.5	810.5	-61.19	-13	Pass
			780.5	788	-37.84	-16.36	Pass
			798	805.5	-50.77	-16.36	Pass
			790.45	795.55	18.64	18.64	Pass
			788	790.45	-46.80	-6.36	Pass
			795.55	798	-24.79	-6.36	Pass
			775.5	780.5	-61.01	-13	Pass
		Outer_Full	792.95	798.05	7.41	7.41	Pass
			778	783	-55.24	-13	Pass
			783	790.5	-38.16	-27.59	Pass
			800.5	808	-40.52	-27.59	Pass
			798.05	800.5	-34.14	-17.59	Pass
			808	813	-55.47	-13	Pass
		Edge_1RB_Left	790.5	792.95	-27.83	-17.59	Pass
			783	790.5	-47.46	-16.23	Pass
			808	813	-61.39	-13	Pass
			792.95	798.05	18.77	18.77	Pass
			798.05	800.5	-49.09	-6.23	Pass
			790.5	792.95	-24.73	-6.23	Pass
		Edge_1RB_Right	778	783	-60.80	-13	Pass
			790.5	792.95	-46.52	-5.92	Pass
			808	813	-61.07	-13	Pass
			800.5	808	-50.14	-15.92	Pass
			798.05	800.5	-22.25	-5.92	Pass
			783	790.5	-38.52	-15.92	Pass
CP-OFDM 64 QAM	790.5	Outer_Full	792.95	798.05	19.08	19.08	Pass
			785.5	787.95	-33.18	-19.21	Pass
			787.95	793.05	5.79	5.79	Pass
			778	785.5	-39.85	-29.21	Pass
			803	808	-56.82	-13	Pass
			773	778	-57.17	-13	Pass
		Edge_1RB_Left	795.5	803	-38.63	-29.21	Pass
			793.05	795.5	-31.85	-19.21	Pass
			778	785.5	-50.42	-16.32	Pass
			803	808	-61.06	-13	Pass
			773	778	-60.86	-13	Pass
			793.05	795.5	-48.55	-6.32	Pass
		Edge_1RB_Right	787.95	793.05	18.68	18.68	Pass
			785.5	787.95	-25.03	-6.32	Pass
			795.5	803	-38.43	-16.32	Pass
			773	778	-61.21	-13	Pass
			787.95	793.05	18.96	18.96	Pass
			785.5	787.95	-35.55	-6.04	Pass
			793.05	795.5	-22.68	-6.04	Pass
			778	785.5	-40.26	-16.04	Pass
			803	808	-60.54	-13	Pass

	793	Outer_Full	795.5	803	-50.82	-16.04	Pass
			798	805.5	-41.17	-30.83	Pass
			795.55	798	-35.98	-20.83	Pass
			790.45	795.55	4.17	4.17	Pass
			775.5	780.5	-56.82	-13	Pass
			780.5	788	-41.68	-30.83	Pass
			788	790.45	-34.71	-20.83	Pass
			805.5	810.5	-57.71	-13	Pass
		Edge_1RB_Left	798	805.5	-40.06	-16.66	Pass
			805.5	810.5	-60.95	-13	Pass
			788	790.45	-24.10	-6.66	Pass
			790.45	795.55	18.34	18.34	Pass
			775.5	780.5	-61.38	-13	Pass
			795.55	798	-48.97	-6.66	Pass
			780.5	788	-51.37	-16.66	Pass
		Edge_1RB_Right	775.5	780.5	-61.09	-13	Pass
			780.5	788	-38.98	-16.99	Pass
			788	790.45	-47.11	-6.99	Pass
			790.45	795.55	18.01	18.01	Pass
			798	805.5	-52.15	-16.99	Pass
			805.5	810.5	-61.15	-13	Pass
			795.55	798	-25.18	-6.99	Pass
	795.5	Outer_Full	783	790.5	-39.63	-28.51	Pass
			808	813	-56.16	-13	Pass
			798.05	800.5	-35.22	-18.51	Pass
			792.95	798.05	6.49	6.49	Pass
			800.5	808	-41.25	-28.51	Pass
			790.5	792.95	-32.76	-18.51	Pass
			778	783	-55.28	-13	Pass
		Edge_1RB_Left	790.5	792.95	-22.17	-6.64	Pass
			798.05	800.5	-49.41	-6.64	Pass
			792.95	798.05	18.36	18.36	Pass
			800.5	808	-40.96	-16.64	Pass
			778	783	-60.11	-13	Pass
			808	813	-61.29	-13	Pass
			783	790.5	-50.95	-16.64	Pass
		Edge_1RB_Right	792.95	798.05	18.96	18.96	Pass
			798.05	800.5	-26.53	-6.04	Pass
			783	790.5	-39.45	-16.04	Pass
			790.5	792.95	-46.02	-6.04	Pass
			778	783	-60.90	-13	Pass
			808	813	-61.58	-13	Pass
			800.5	808	-50.96	-16.04	Pass
CP-OFDM 256 QAM	790.5	Outer_Full	787.95	793.05	6.28	6.28	Pass
			803	808	-60.29	-13	Pass
			778	785.5	-45.68	-28.72	Pass
			773	778	-59.84	-13	Pass
			785.5	787.95	-36.59	-18.72	Pass
			795.5	803	-44.94	-28.72	Pass
			793.05	795.5	-36.54	-18.72	Pass
		Edge_1RB_Left	773	778	-61.18	-13	Pass
			778	785.5	-54.99	-20	Pass
			793.05	795.5	-50.66	-10	Pass
			787.95	793.05	15.00	15	Pass
			785.5	787.95	-29.46	-10	Pass
			795.5	803	-42.61	-20	Pass
			803	808	-61.05	-13	Pass
		Edge_1RB_Right	793.05	795.5	-26.66	-9.48	Pass
			778	785.5	-43.77	-19.48	Pass

			795.5	803	-52.48	-19.48	Pass
			773	778	-61.40	-13	Pass
			803	808	-60.57	-13	Pass
			785.5	787.95	-50.24	-9.48	Pass
			787.95	793.05	15.52	15.52	Pass
	793	Outer_Full	788	790.45	-37.33	-22.38	Pass
			795.55	798	-36.81	-22.38	Pass
			805.5	810.5	-59.08	-13	Pass
			790.45	795.55	2.62	2.62	Pass
			780.5	788	-44.18	-32.38	Pass
			775.5	780.5	-59.64	-13	Pass
			798	805.5	-44.20	-32.38	Pass
		Edge_1RB_Left	795.55	798	-52.21	-9.7	Pass
			790.45	795.55	15.30	15.3	Pass
			805.5	810.5	-60.99	-13	Pass
			788	790.45	-25.01	-9.7	Pass
			775.5	780.5	-60.84	-13	Pass
			798	805.5	-42.77	-19.7	Pass
			780.5	788	-55.54	-19.7	Pass
		Edge_1RB_Right	805.5	810.5	-61.05	-13	Pass
			780.5	788	-42.04	-20.15	Pass
			788	790.45	-49.86	-10.15	Pass
			798	805.5	-52.54	-20.15	Pass
			775.5	780.5	-60.84	-13	Pass
			790.45	795.55	14.85	14.85	Pass
			795.55	798	-23.51	-10.15	Pass
	795.5	Outer_Full	808	813	-59.45	-13	Pass
			783	790.5	-44.52	-27.76	Pass
			792.95	798.05	7.24	7.24	Pass
			778	783	-58.54	-13	Pass
			798.05	800.5	-39.03	-17.76	Pass
			790.5	792.95	-32.67	-17.76	Pass
			800.5	808	-45.20	-27.76	Pass
		Edge_1RB_Left	792.95	798.05	14.59	14.59	Pass
			808	813	-61.59	-13	Pass
			800.5	808	-43.55	-20.41	Pass
			798.05	800.5	-53.07	-10.41	Pass
			783	790.5	-52.25	-20.41	Pass
			790.5	792.95	-25.53	-10.41	Pass
			778	783	-61.36	-13	Pass
		Edge_1RB_Right	800.5	808	-53.96	-19.39	Pass
			798.05	800.5	-25.70	-9.39	Pass
			808	813	-61.24	-13	Pass
			778	783	-60.71	-13	Pass
			790.5	792.95	-49.20	-9.39	Pass
			783	790.5	-41.54	-19.39	Pass
			792.95	798.05	15.61	15.61	Pass

6.1.2 15_S_10M_NTNV

5G NR n14 SCS=15kHz SISO 10MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Freq. (MHz)		Emission Mask (dBm)		Verdict
			Start	Stop	Result	Limit	
DFT-s-OFDM PI/2 BPSK	793	Outer_Full	768	783	-45.40	-29.16	Pass
			758	768	-61.69	-13	Pass
			803	818	-43.31	-29.16	Pass
			798.05	803	-38.84	-19.16	Pass
			818	828	-61.25	-13	Pass
			787.95	798.05	5.84	5.84	Pass
			783	787.95	-39.24	-19.16	Pass
		Edge_1RB_Left	768	783	-54.96	-14.1	Pass
			787.95	798.05	20.90	20.9	Pass
			818	828	-61.41	-13	Pass
			798.05	803	-42.42	-4.1	Pass
			803	818	-30.49	-14.1	Pass
			783	787.95	-28.99	-4.1	Pass
			758	768	-60.75	-13	Pass
		Edge_1RB_Right	818	828	-61.05	-13	Pass
			803	818	-53.61	-13.67	Pass
			768	783	-33.57	-13.67	Pass
			798.05	803	-30.48	-3.67	Pass
			783	787.95	-40.95	-3.67	Pass
			787.95	798.05	21.33	21.33	Pass
			758	768	-60.77	-13	Pass
DFT-s-OFDM QPSK	793	Outer_Full	768	783	-43.84	-29.78	Pass
			818	828	-60.69	-13	Pass
			758	768	-60.91	-13	Pass
			783	787.95	-37.59	-19.78	Pass
			798.05	803	-37.31	-19.78	Pass
			787.95	798.05	5.22	5.22	Pass
			803	818	-41.84	-29.78	Pass
		Edge_1RB_Left	768	783	-55.30	-14.58	Pass
			818	828	-61.02	-13	Pass
			803	818	-34.73	-14.58	Pass
			787.95	798.05	20.42	20.42	Pass
			798.05	803	-43.62	-4.58	Pass
			758	768	-61.33	-13	Pass
			783	787.95	-26.99	-4.58	Pass
		Edge_1RB_Right	783	787.95	-40.92	-4.02	Pass
			803	818	-54.15	-14.02	Pass
			818	828	-61.19	-13	Pass
			758	768	-61.51	-13	Pass
			787.95	798.05	20.98	20.98	Pass
			768	783	-33.46	-14.02	Pass
			798.05	803	-31.38	-4.02	Pass
DFT-s-OFDM 16 QAM	793	Outer_Full	818	828	-61.14	-13	Pass
			787.95	798.05	4.96	4.96	Pass
			768	783	-44.34	-30.04	Pass
			803	818	-42.98	-30.04	Pass
			783	787.95	-39.20	-20.04	Pass
			798.05	803	-38.39	-20.04	Pass
			758	768	-61.54	-13	Pass
		Edge_1RB_Left	818	828	-61.14	-13	Pass
			758	768	-60.74	-13	Pass
			787.95	798.05	19.59	19.59	Pass
			783	787.95	-32.50	-5.41	Pass


			798.05	803	-43.84	-5.41	Pass
			803	818	-36.68	-15.41	Pass
			768	783	-56.02	-15.41	Pass
		Edge_1RB_Right	783	787.95	-40.15	-5.6	Pass
			803	818	-54.50	-15.6	Pass
			787.95	798.05	19.40	19.4	Pass
			798.05	803	-30.09	-5.6	Pass
			768	783	-34.60	-15.6	Pass
			758	768	-61.48	-13	Pass
			818	828	-61.72	-13	Pass
DFT-s-OFDM 64 QAM	793	Outer_Full	818	828	-60.49	-13	Pass
			768	783	-45.54	-30.94	Pass
			803	818	-43.01	-30.94	Pass
			758	768	-61.40	-13	Pass
			798.05	803	-37.86	-20.94	Pass
			787.95	798.05	4.06	4.06	Pass
			783	787.95	-39.59	-20.94	Pass
		Edge_1RB_Left	798.05	803	-44.52	-5.49	Pass
			818	828	-61.24	-13	Pass
			768	783	-55.92	-15.49	Pass
			758	768	-60.68	-13	Pass
			787.95	798.05	19.51	19.51	Pass
			803	818	-36.75	-15.49	Pass
			783	787.95	-31.20	-5.49	Pass
		Edge_1RB_Right	768	783	-35.92	-15.37	Pass
			798.05	803	-31.77	-5.37	Pass
			787.95	798.05	19.63	19.63	Pass
			818	828	-61.63	-13	Pass
			758	768	-61.47	-13	Pass
			803	818	-55.70	-15.37	Pass
			783	787.95	-42.28	-5.37	Pass
DFT-s-OFDM 256 QAM	793	Outer_Full	798.05	803	-40.54	-22.79	Pass
			787.95	798.05	2.21	2.21	Pass
			818	828	-61.30	-13	Pass
			783	787.95	-40.55	-22.79	Pass
			768	783	-48.01	-32.79	Pass
			803	818	-44.79	-32.79	Pass
			758	768	-61.21	-13	Pass
		Edge_1RB_Left	758	768	-60.91	-13	Pass
			768	783	-58.18	-17.75	Pass
			787.95	798.05	17.25	17.25	Pass
			803	818	-38.81	-17.75	Pass
			798.05	803	-43.31	-7.75	Pass
			818	828	-61.39	-13	Pass
			783	787.95	-30.29	-7.75	Pass
		Edge_1RB_Right	768	783	-36.64	-17.81	Pass
			758	768	-61.55	-13	Pass
			798.05	803	-34.61	-7.81	Pass
			803	818	-56.49	-17.81	Pass
			783	787.95	-45.03	-7.81	Pass
			818	828	-61.14	-13	Pass
			787.95	798.05	17.19	17.19	Pass
CP-OFDM QPSK	793	Outer_Full	783	787.95	-34.98	-21.77	Pass
			787.95	798.05	3.23	3.23	Pass
			798.05	803	-36.83	-21.77	Pass
			818	828	-61.12	-13	Pass
			758	768	-61.64	-13	Pass
			768	783	-42.82	-31.77	Pass
			803	818	-43.33	-31.77	Pass

		Edge_1RB_Left	803	818	-35.26	-15.84	Pass
			758	768	-61.36	-13	Pass
			798.05	803	-44.72	-5.84	Pass
			818	828	-60.75	-13	Pass
			768	783	-57.00	-15.84	Pass
			783	787.95	-29.82	-5.84	Pass
			787.95	798.05	19.16	19.16	Pass
		Edge_1RB_Right	768	783	-37.43	-15.91	Pass
			803	818	-56.19	-15.91	Pass
			758	768	-61.07	-13	Pass
			787.95	798.05	19.09	19.09	Pass
			783	787.95	-43.10	-5.91	Pass
			818	828	-61.26	-13	Pass
			798.05	803	-32.28	-5.91	Pass
CP-OFDM 16 QAM	793	Outer_Full	803	818	-43.69	-31.9	Pass
			783	787.95	-35.75	-21.9	Pass
			758	768	-61.53	-13	Pass
			818	828	-61.26	-13	Pass
			798.05	803	-35.58	-21.9	Pass
			768	783	-40.92	-31.9	Pass
			787.95	798.05	3.10	3.1	Pass
		Edge_1RB_Left	768	783	-56.98	-15.99	Pass
			783	787.95	-29.06	-5.99	Pass
			798.05	803	-44.45	-5.99	Pass
			818	828	-61.60	-13	Pass
			803	818	-35.33	-15.99	Pass
			787.95	798.05	19.01	19.01	Pass
			758	768	-61.56	-13	Pass
		Edge_1RB_Right	798.05	803	-30.90	-6.27	Pass
			783	787.95	-43.44	-6.27	Pass
			758	768	-60.34	-13	Pass
			803	818	-55.73	-16.27	Pass
			768	783	-37.51	-16.27	Pass
			787.95	798.05	18.73	18.73	Pass
			818	828	-61.55	-13	Pass
CP-OFDM 64 QAM	793	Outer_Full	787.95	798.05	2.63	2.63	Pass
			803	818	-43.28	-32.37	Pass
			818	828	-61.18	-13	Pass
			798.05	803	-37.48	-22.37	Pass
			758	768	-61.37	-13	Pass
			768	783	-43.57	-32.37	Pass
			783	787.95	-36.93	-22.37	Pass
		Edge_1RB_Left	798.05	803	-45.78	-6.51	Pass
			818	828	-61.27	-13	Pass
			783	787.95	-30.89	-6.51	Pass
			803	818	-36.74	-16.51	Pass
			768	783	-57.64	-16.51	Pass
			787.95	798.05	18.49	18.49	Pass
			758	768	-61.46	-13	Pass
		Edge_1RB_Right	783	787.95	-43.59	-6.6	Pass
			768	783	-36.82	-16.6	Pass
			787.95	798.05	18.40	18.4	Pass
			798.05	803	-33.26	-6.6	Pass
			758	768	-60.64	-13	Pass
			818	828	-61.31	-13	Pass
			803	818	-56.39	-16.6	Pass
CP-OFDM 256 QAM	793	Outer_Full	758	768	-61.63	-13	Pass
			818	828	-61.02	-13	Pass
			787.95	798.05	-0.42	-0.42	Pass


			768	783	-47.49	-35.42	Pass
			798.05	803	-41.35	-25.42	Pass
			783	787.95	-41.13	-25.42	Pass
			803	818	-46.44	-35.42	Pass
		Edge_1RB_Left	787.95	798.05	15.45	15.45	Pass
			803	818	-39.29	-19.55	Pass
			768	783	-58.80	-19.55	Pass
			758	768	-60.60	-13	Pass
			818	828	-61.53	-13	Pass
			783	787.95	-33.13	-9.55	Pass
			798.05	803	-47.94	-9.55	Pass
		Edge_1RB_Right	803	818	-58.53	-20.15	Pass
			758	768	-61.22	-13	Pass
			818	828	-61.45	-13	Pass
			783	787.95	-45.68	-10.15	Pass
			787.95	798.05	14.85	14.85	Pass
			798.05	803	-34.04	-10.15	Pass
			768	783	-38.58	-20.15	Pass

6.2 Test Graph


6.2.1 15_S_5M_NTNV




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_790.5MHz_Edge_1RB_Right_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Left_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_793MHz_Edge_1RB_Right_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_795.5MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_795.5MHz_Edge_1RB_Left_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_795.5MHz_Edge_1RB_Right_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_790.5MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_790.5MHz_Edge_1RB_Left_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_790.5MHz_Edge_1RB_Right_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_793MHz_Outer_Full_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Left_Ant0




n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_793MHz_Edge_1RB_Right_Ant0



n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_795.5MHz_Outer_Full_Ant0



n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_795.5MHz_Edge_1RB_Left_Ant0



n14_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_795.5MHz_Edge_1RB_Right_Ant0

