

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1712.5	Edge_1RB_Left	23.01	/	/	22.51	/	/	<=30	Pass
		Edge_1RB_Right	23.00	/	/	22.50	/	/	<=30	Pass
		Outer_Full	23.07	/	/	22.57	/	/	<=30	Pass
		Inner_Full	23.62	/	/	23.12	/	/	<=30	Pass
		Inner_1RB_Left	23.50	/	/	23.00	/	/	<=30	Pass
		Inner_1RB_Right	23.49	/	/	22.99	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.06	/	/	22.56	/	/	<=30	Pass
		Edge_1RB_Right	23.23	/	/	22.73	/	/	<=30	Pass
		Outer_Full	23.28	/	/	22.78	/	/	<=30	Pass
		Inner_Full	23.78	/	/	23.28	/	/	<=30	Pass
		Inner_1RB_Left	23.60	/	/	23.10	/	/	<=30	Pass
		Inner_1RB_Right	23.71	/	/	23.21	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	23.34	/	/	22.84	/	/	<=30	Pass
		Edge_1RB_Right	23.33	/	/	22.83	/	/	<=30	Pass
		Outer_Full	23.49	/	/	22.99	/	/	<=30	Pass
		Inner_Full	23.97	/	/	23.47	/	/	<=30	Pass
		Inner_1RB_Left	23.79	/	/	23.29	/	/	<=30	Pass
		Inner_1RB_Right	23.84	/	/	23.34	/	/	<=30	Pass
DFT-s-OFDM QPSK	1712.5	Edge_1RB_Left	22.69	/	/	22.19	/	/	<=30	Pass
		Edge_1RB_Right	22.68	/	/	22.18	/	/	<=30	Pass
		Outer_Full	22.61	/	/	22.11	/	/	<=30	Pass
		Inner_Full	23.59	/	/	23.09	/	/	<=30	Pass
		Inner_1RB_Left	23.91	/	/	23.41	/	/	<=30	Pass
		Inner_1RB_Right	23.76	/	/	23.26	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.98	/	/	22.48	/	/	<=30	Pass
		Edge_1RB_Right	23.00	/	/	22.50	/	/	<=30	Pass
		Outer_Full	22.80	/	/	22.30	/	/	<=30	Pass
		Inner_Full	23.77	/	/	23.27	/	/	<=30	Pass
		Inner_1RB_Left	23.89	/	/	23.39	/	/	<=30	Pass
		Inner_1RB_Right	24.10	/	/	23.60	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	23.21	/	/	22.71	/	/	<=30	Pass
		Edge_1RB_Right	23.13	/	/	22.63	/	/	<=30	Pass
		Outer_Full	22.99	/	/	22.49	/	/	<=30	Pass
		Inner_Full	24.01	/	/	23.51	/	/	<=30	Pass
		Inner_1RB_Left	24.35	/	/	23.85	/	/	<=30	Pass
		Inner_1RB_Right	24.25	/	/	23.75	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1712.5	Edge_1RB_Left	21.74	/	/	21.24	/	/	<=30	Pass
		Edge_1RB_Right	21.72	/	/	21.22	/	/	<=30	Pass
		Outer_Full	21.62	/	/	21.12	/	/	<=30	Pass
		Inner_Full	22.62	/	/	22.12	/	/	<=30	Pass
		Inner_1RB_Left	22.63	/	/	22.13	/	/	<=30	Pass
		Inner_1RB_Right	22.95	/	/	22.45	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.86	/	/	21.36	/	/	<=30	Pass
		Edge_1RB_Right	21.95	/	/	21.45	/	/	<=30	Pass
		Outer_Full	21.79	/	/	21.29	/	/	<=30	Pass
		Inner_Full	22.84	/	/	22.34	/	/	<=30	Pass
		Inner_1RB_Left	22.91	/	/	22.41	/	/	<=30	Pass
		Inner_1RB_Right	22.87	/	/	22.37	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	22.09	/	/	21.59	/	/	<=30	Pass

		Edge 1RB Right	22.09	/	/	21.59	/	/	<=30	Pass
		Outer Full	21.97	/	/	21.47	/	/	<=30	Pass
		Inner Full	22.98	/	/	22.48	/	/	<=30	Pass
		Inner 1RB Left	23.10	/	/	22.60	/	/	<=30	Pass
		Inner 1RB Right	23.12	/	/	22.62	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1712.5	Edge 1RB Left	20.82	/	/	20.32	/	/	<=30	Pass
		Edge 1RB Right	20.77	/	/	20.27	/	/	<=30	Pass
		Outer Full	21.19	/	/	20.69	/	/	<=30	Pass
		Inner Full	21.10	/	/	20.60	/	/	<=30	Pass
		Inner 1RB Left	20.81	/	/	20.31	/	/	<=30	Pass
		Inner 1RB Right	20.74	/	/	20.24	/	/	<=30	Pass
	1745	Edge 1RB Left	20.90	/	/	20.40	/	/	<=30	Pass
		Edge 1RB Right	21.09	/	/	20.59	/	/	<=30	Pass
		Outer Full	21.34	/	/	20.84	/	/	<=30	Pass
		Inner Full	21.39	/	/	20.89	/	/	<=30	Pass
		Inner 1RB Left	20.99	/	/	20.49	/	/	<=30	Pass
		Inner 1RB Right	21.13	/	/	20.63	/	/	<=30	Pass
	1777.5	Edge 1RB Left	21.16	/	/	20.66	/	/	<=30	Pass
		Edge 1RB Right	21.15	/	/	20.65	/	/	<=30	Pass
		Outer Full	21.56	/	/	21.06	/	/	<=30	Pass
		Inner Full	21.56	/	/	21.06	/	/	<=30	Pass
		Inner 1RB Left	21.23	/	/	20.73	/	/	<=30	Pass
		Inner 1RB Right	21.25	/	/	20.75	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1712.5	Edge 1RB Left	18.96	/	/	18.46	/	/	<=30	Pass
		Edge 1RB Right	18.94	/	/	18.44	/	/	<=30	Pass
		Outer Full	19.00	/	/	18.50	/	/	<=30	Pass
		Inner Full	19.10	/	/	18.60	/	/	<=30	Pass
		Inner 1RB Left	18.98	/	/	18.48	/	/	<=30	Pass
		Inner 1RB Right	18.96	/	/	18.46	/	/	<=30	Pass
	1745	Edge 1RB Left	19.13	/	/	18.63	/	/	<=30	Pass
		Edge 1RB Right	19.19	/	/	18.69	/	/	<=30	Pass
		Outer Full	19.19	/	/	18.69	/	/	<=30	Pass
		Inner Full	19.30	/	/	18.80	/	/	<=30	Pass
		Inner 1RB Left	19.15	/	/	18.65	/	/	<=30	Pass
		Inner 1RB Right	19.18	/	/	18.68	/	/	<=30	Pass
	1777.5	Edge 1RB Left	19.48	/	/	18.98	/	/	<=30	Pass
		Edge 1RB Right	19.36	/	/	18.86	/	/	<=30	Pass
		Outer Full	19.40	/	/	18.90	/	/	<=30	Pass
		Inner Full	19.50	/	/	19.00	/	/	<=30	Pass
		Inner 1RB Left	19.40	/	/	18.90	/	/	<=30	Pass
		Inner 1RB Right	19.30	/	/	18.80	/	/	<=30	Pass
CP-OFDM QPSK	1712.5	Edge 1RB Left	20.53	/	/	20.03	/	/	<=30	Pass
		Edge 1RB Right	20.48	/	/	19.98	/	/	<=30	Pass
		Outer Full	20.56	/	/	20.06	/	/	<=30	Pass
		Inner Full	22.03	/	/	21.53	/	/	<=30	Pass
		Inner 1RB Left	22.17	/	/	21.67	/	/	<=30	Pass
		Inner 1RB Right	22.04	/	/	21.54	/	/	<=30	Pass
	1745	Edge 1RB Left	20.71	/	/	20.21	/	/	<=30	Pass
		Edge 1RB Right	20.70	/	/	20.20	/	/	<=30	Pass
		Outer Full	20.74	/	/	20.24	/	/	<=30	Pass
		Inner Full	22.16	/	/	21.66	/	/	<=30	Pass
		Inner 1RB Left	22.30	/	/	21.80	/	/	<=30	Pass
		Inner 1RB Right	22.29	/	/	21.79	/	/	<=30	Pass
	1777.5	Edge 1RB Left	20.97	/	/	20.47	/	/	<=30	Pass
		Edge 1RB Right	20.89	/	/	20.39	/	/	<=30	Pass
		Outer Full	20.91	/	/	20.41	/	/	<=30	Pass
		Inner Full	22.42	/	/	21.92	/	/	<=30	Pass
		Inner 1RB Left	22.59	/	/	22.09	/	/	<=30	Pass
		Inner 1RB Right	22.45	/	/	21.95	/	/	<=30	Pass

CP-OFDM 16 QAM	1712.5	Edge_1RB_Left	20.77	/	/	20.27	/	/	<=30	Pass
		Edge_1RB_Right	20.58	/	/	20.08	/	/	<=30	Pass
		Outer_Full	20.58	/	/	20.08	/	/	<=30	Pass
		Inner_Full	21.55	/	/	21.05	/	/	<=30	Pass
		Inner_1RB_Left	21.75	/	/	21.25	/	/	<=30	Pass
		Inner_1RB_Right	21.70	/	/	21.20	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.87	/	/	20.37	/	/	<=30	Pass
		Edge_1RB_Right	21.06	/	/	20.56	/	/	<=30	Pass
		Outer_Full	20.77	/	/	20.27	/	/	<=30	Pass
		Inner_Full	21.72	/	/	21.22	/	/	<=30	Pass
		Inner_1RB_Left	21.78	/	/	21.28	/	/	<=30	Pass
		Inner_1RB_Right	21.87	/	/	21.37	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	21.08	/	/	20.58	/	/	<=30	Pass
		Edge_1RB_Right	21.10	/	/	20.60	/	/	<=30	Pass
		Outer_Full	20.99	/	/	20.49	/	/	<=30	Pass
		Inner_Full	21.92	/	/	21.42	/	/	<=30	Pass
		Inner_1RB_Left	21.98	/	/	21.48	/	/	<=30	Pass
		Inner_1RB_Right	22.10	/	/	21.60	/	/	<=30	Pass
CP-OFDM 64 QAM	1712.5	Edge_1RB_Left	19.92	/	/	19.42	/	/	<=30	Pass
		Edge_1RB_Right	19.97	/	/	19.47	/	/	<=30	Pass
		Outer_Full	20.10	/	/	19.60	/	/	<=30	Pass
		Inner_Full	20.05	/	/	19.55	/	/	<=30	Pass
		Inner_1RB_Left	19.93	/	/	19.43	/	/	<=30	Pass
		Inner_1RB_Right	19.96	/	/	19.46	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.02	/	/	19.52	/	/	<=30	Pass
		Edge_1RB_Right	20.10	/	/	19.60	/	/	<=30	Pass
		Outer_Full	20.28	/	/	19.78	/	/	<=30	Pass
		Inner_Full	20.23	/	/	19.73	/	/	<=30	Pass
		Inner_1RB_Left	20.03	/	/	19.53	/	/	<=30	Pass
		Inner_1RB_Right	20.12	/	/	19.62	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	20.23	/	/	19.73	/	/	<=30	Pass
		Edge_1RB_Right	20.34	/	/	19.84	/	/	<=30	Pass
		Outer_Full	20.43	/	/	19.93	/	/	<=30	Pass
		Inner_Full	20.42	/	/	19.92	/	/	<=30	Pass
		Inner_1RB_Left	20.22	/	/	19.72	/	/	<=30	Pass
		Inner_1RB_Right	20.33	/	/	19.83	/	/	<=30	Pass
CP-OFDM 256 QAM	1712.5	Edge_1RB_Left	17.14	/	/	16.64	/	/	<=30	Pass
		Edge_1RB_Right	17.09	/	/	16.59	/	/	<=30	Pass
		Outer_Full	17.11	/	/	16.61	/	/	<=30	Pass
		Inner_Full	17.17	/	/	16.67	/	/	<=30	Pass
		Inner_1RB_Left	17.08	/	/	16.58	/	/	<=30	Pass
		Inner_1RB_Right	17.09	/	/	16.59	/	/	<=30	Pass
	1745	Edge_1RB_Left	17.36	/	/	16.86	/	/	<=30	Pass
		Edge_1RB_Right	17.37	/	/	16.87	/	/	<=30	Pass
		Outer_Full	17.38	/	/	16.88	/	/	<=30	Pass
		Inner_Full	17.41	/	/	16.91	/	/	<=30	Pass
		Inner_1RB_Left	17.34	/	/	16.84	/	/	<=30	Pass
		Inner_1RB_Right	17.36	/	/	16.86	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	17.50	/	/	17.00	/	/	<=30	Pass
		Edge_1RB_Right	17.57	/	/	17.07	/	/	<=30	Pass
		Outer_Full	17.59	/	/	17.09	/	/	<=30	Pass
		Inner_Full	17.64	/	/	17.14	/	/	<=30	Pass
		Inner_1RB_Left	17.56	/	/	17.06	/	/	<=30	Pass
		Inner_1RB_Right	17.53	/	/	17.03	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: -0.50dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15_S_10M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 10MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1715	Edge 1RB Left	23.08	/	/	22.58	/	/	<=30	Pass
		Edge 1RB Right	23.23	/	/	22.73	/	/	<=30	Pass
		Outer Full	23.17	/	/	22.67	/	/	<=30	Pass
		Inner Full	23.70	/	/	23.20	/	/	<=30	Pass
		Inner 1RB Left	23.57	/	/	23.07	/	/	<=30	Pass
		Inner 1RB Right	23.69	/	/	23.19	/	/	<=30	Pass
	1745	Edge 1RB Left	23.16	/	/	22.66	/	/	<=30	Pass
		Edge 1RB Right	23.36	/	/	22.86	/	/	<=30	Pass
		Outer Full	23.25	/	/	22.75	/	/	<=30	Pass
		Inner Full	23.75	/	/	23.25	/	/	<=30	Pass
		Inner 1RB Left	23.64	/	/	23.14	/	/	<=30	Pass
		Inner 1RB Right	23.84	/	/	23.34	/	/	<=30	Pass
	1775	Edge 1RB Left	23.55	/	/	23.05	/	/	<=30	Pass
		Edge 1RB Right	23.38	/	/	22.88	/	/	<=30	Pass
		Outer Full	23.52	/	/	23.02	/	/	<=30	Pass
		Inner Full	24.02	/	/	23.52	/	/	<=30	Pass
		Inner 1RB Left	24.01	/	/	23.51	/	/	<=30	Pass
		Inner 1RB Right	23.90	/	/	23.40	/	/	<=30	Pass
DFT-s-OFDM QPSK	1715	Edge 1RB Left	22.90	/	/	22.40	/	/	<=30	Pass
		Edge 1RB Right	22.97	/	/	22.47	/	/	<=30	Pass
		Outer Full	22.73	/	/	22.23	/	/	<=30	Pass
		Inner Full	23.70	/	/	23.20	/	/	<=30	Pass
		Inner 1RB Left	23.96	/	/	23.46	/	/	<=30	Pass
		Inner 1RB Right	24.09	/	/	23.59	/	/	<=30	Pass
	1745	Edge 1RB Left	23.02	/	/	22.52	/	/	<=30	Pass
		Edge 1RB Right	23.06	/	/	22.56	/	/	<=30	Pass
		Outer Full	22.81	/	/	22.31	/	/	<=30	Pass
		Inner Full	23.78	/	/	23.28	/	/	<=30	Pass
		Inner 1RB Left	24.11	/	/	23.61	/	/	<=30	Pass
		Inner 1RB Right	23.99	/	/	23.49	/	/	<=30	Pass
	1775	Edge 1RB Left	23.49	/	/	22.99	/	/	<=30	Pass
		Edge 1RB Right	23.13	/	/	22.63	/	/	<=30	Pass
		Outer Full	22.98	/	/	22.48	/	/	<=30	Pass
		Inner Full	23.99	/	/	23.49	/	/	<=30	Pass
		Inner 1RB Left	24.50	/	/	24.00	/	/	<=30	Pass
		Inner 1RB Right	24.23	/	/	23.73	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1715	Edge 1RB Left	21.84	/	/	21.34	/	/	<=30	Pass
		Edge 1RB Right	21.98	/	/	21.48	/	/	<=30	Pass
		Outer Full	21.76	/	/	21.26	/	/	<=30	Pass
		Inner Full	22.65	/	/	22.15	/	/	<=30	Pass
		Inner 1RB Left	22.92	/	/	22.42	/	/	<=30	Pass
		Inner 1RB Right	22.96	/	/	22.46	/	/	<=30	Pass
	1745	Edge 1RB Left	21.83	/	/	21.33	/	/	<=30	Pass
		Edge 1RB Right	22.13	/	/	21.63	/	/	<=30	Pass
		Outer Full	21.81	/	/	21.31	/	/	<=30	Pass
		Inner Full	22.80	/	/	22.30	/	/	<=30	Pass
		Inner 1RB Left	22.90	/	/	22.40	/	/	<=30	Pass
		Inner 1RB Right	23.11	/	/	22.61	/	/	<=30	Pass
	1775	Edge 1RB Left	22.27	/	/	21.77	/	/	<=30	Pass
		Edge 1RB Right	22.11	/	/	21.61	/	/	<=30	Pass
		Outer Full	22.05	/	/	21.55	/	/	<=30	Pass
		Inner Full	23.02	/	/	22.52	/	/	<=30	Pass
		Inner 1RB Left	23.27	/	/	22.77	/	/	<=30	Pass
		Inner 1RB Right	23.10	/	/	22.60	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1715	Edge 1RB Left	20.89	/	/	20.39	/	/	<=30	Pass
		Edge 1RB Right	21.02	/	/	20.52	/	/	<=30	Pass

		Outer_Full	21.17	/	/	20.67	/	/	<=30	Pass
		Inner_Full	21.25	/	/	20.75	/	/	<=30	Pass
		Inner_1RB_Left	20.85	/	/	20.35	/	/	<=30	Pass
		Inner_1RB_Right	20.96	/	/	20.46	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.17	/	/	20.67	/	/	<=30	Pass
		Edge_1RB_Right	21.35	/	/	20.85	/	/	<=30	Pass
		Outer_Full	21.35	/	/	20.85	/	/	<=30	Pass
		Inner_Full	21.39	/	/	20.89	/	/	<=30	Pass
		Inner_1RB_Left	21.03	/	/	20.53	/	/	<=30	Pass
		Inner_1RB_Right	21.19	/	/	20.69	/	/	<=30	Pass
	1775	Edge_1RB_Left	21.41	/	/	20.91	/	/	<=30	Pass
		Edge_1RB_Right	21.18	/	/	20.68	/	/	<=30	Pass
		Outer_Full	21.54	/	/	21.04	/	/	<=30	Pass
		Inner_Full	21.61	/	/	21.11	/	/	<=30	Pass
		Inner_1RB_Left	21.58	/	/	21.08	/	/	<=30	Pass
		Inner_1RB_Right	21.32	/	/	20.82	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1715	Edge_1RB_Left	19.11	/	/	18.61	/	/	<=30	Pass
		Edge_1RB_Right	19.18	/	/	18.68	/	/	<=30	Pass
		Outer_Full	19.11	/	/	18.61	/	/	<=30	Pass
		Inner_Full	19.14	/	/	18.64	/	/	<=30	Pass
		Inner_1RB_Left	19.06	/	/	18.56	/	/	<=30	Pass
		Inner_1RB_Right	19.17	/	/	18.67	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.31	/	/	18.81	/	/	<=30	Pass
		Edge_1RB_Right	19.44	/	/	18.94	/	/	<=30	Pass
		Outer_Full	19.26	/	/	18.76	/	/	<=30	Pass
		Inner_Full	19.24	/	/	18.74	/	/	<=30	Pass
		Inner_1RB_Left	19.31	/	/	18.81	/	/	<=30	Pass
		Inner_1RB_Right	19.38	/	/	18.88	/	/	<=30	Pass
	1775	Edge_1RB_Left	19.67	/	/	19.17	/	/	<=30	Pass
		Edge_1RB_Right	19.39	/	/	18.89	/	/	<=30	Pass
		Outer_Full	19.48	/	/	18.98	/	/	<=30	Pass
		Inner_Full	19.40	/	/	18.90	/	/	<=30	Pass
		Inner_1RB_Left	19.68	/	/	19.18	/	/	<=30	Pass
		Inner_1RB_Right	19.40	/	/	18.90	/	/	<=30	Pass
CP-OFDM QPSK	1715	Edge_1RB_Left	20.64	/	/	20.14	/	/	<=30	Pass
		Edge_1RB_Right	20.78	/	/	20.28	/	/	<=30	Pass
		Outer_Full	20.71	/	/	20.21	/	/	<=30	Pass
		Inner_Full	22.29	/	/	21.79	/	/	<=30	Pass
		Inner_1RB_Left	22.26	/	/	21.76	/	/	<=30	Pass
		Inner_1RB_Right	22.34	/	/	21.84	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.83	/	/	20.33	/	/	<=30	Pass
		Edge_1RB_Right	21.00	/	/	20.50	/	/	<=30	Pass
		Outer_Full	20.80	/	/	20.30	/	/	<=30	Pass
		Inner_Full	22.39	/	/	21.89	/	/	<=30	Pass
		Inner_1RB_Left	22.45	/	/	21.95	/	/	<=30	Pass
		Inner_1RB_Right	22.46	/	/	21.96	/	/	<=30	Pass
	1775	Edge_1RB_Left	21.23	/	/	20.73	/	/	<=30	Pass
		Edge_1RB_Right	20.87	/	/	20.37	/	/	<=30	Pass
		Outer_Full	20.93	/	/	20.43	/	/	<=30	Pass
		Inner_Full	22.58	/	/	22.08	/	/	<=30	Pass
		Inner_1RB_Left	22.98	/	/	22.48	/	/	<=30	Pass
		Inner_1RB_Right	22.48	/	/	21.98	/	/	<=30	Pass
CP-OFDM 16 QAM	1715	Edge_1RB_Left	20.91	/	/	20.41	/	/	<=30	Pass
		Edge_1RB_Right	21.01	/	/	20.51	/	/	<=30	Pass
		Outer_Full	20.75	/	/	20.25	/	/	<=30	Pass
		Inner_Full	21.65	/	/	21.15	/	/	<=30	Pass
		Inner_1RB_Left	21.83	/	/	21.33	/	/	<=30	Pass
		Inner_1RB_Right	21.91	/	/	21.41	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.97	/	/	20.47	/	/	<=30	Pass

		Edge_1RB_Right	21.17	/	/	20.67	/	/	<=30	Pass
		Outer_Full	20.86	/	/	20.36	/	/	<=30	Pass
		Inner_Full	21.77	/	/	21.27	/	/	<=30	Pass
		Inner_1RB_Left	21.88	/	/	21.38	/	/	<=30	Pass
		Inner_1RB_Right	22.16	/	/	21.66	/	/	<=30	Pass
		Edge_1RB_Left	21.18	/	/	20.68	/	/	<=30	Pass
		Edge_1RB_Right	21.03	/	/	20.53	/	/	<=30	Pass
		Outer_Full	21.03	/	/	20.53	/	/	<=30	Pass
		Inner_Full	21.94	/	/	21.44	/	/	<=30	Pass
		Inner_1RB_Left	22.21	/	/	21.71	/	/	<=30	Pass
		Inner_1RB_Right	22.11	/	/	21.61	/	/	<=30	Pass
		CP-OFDM 64 QAM	1715	Edge_1RB_Left	19.99	/	/	19.49	/	/
Edge_1RB_Right	20.18			/	/	19.68	/	/	<=30	Pass
Outer_Full	20.22			/	/	19.72	/	/	<=30	Pass
Inner_Full	20.22			/	/	19.72	/	/	<=30	Pass
Inner_1RB_Left	20.00			/	/	19.50	/	/	<=30	Pass
Inner_1RB_Right	20.16			/	/	19.66	/	/	<=30	Pass
1745	Edge_1RB_Left		20.15	/	/	19.65	/	/	<=30	Pass
	Edge_1RB_Right		20.35	/	/	19.85	/	/	<=30	Pass
	Outer_Full		20.31	/	/	19.81	/	/	<=30	Pass
	Inner_Full		20.30	/	/	19.80	/	/	<=30	Pass
	Inner_1RB_Left		20.02	/	/	19.52	/	/	<=30	Pass
	Inner_1RB_Right		20.45	/	/	19.95	/	/	<=30	Pass
1775	Edge_1RB_Left		20.37	/	/	19.87	/	/	<=30	Pass
	Edge_1RB_Right		20.30	/	/	19.80	/	/	<=30	Pass
	Outer_Full		20.46	/	/	19.96	/	/	<=30	Pass
	Inner_Full		20.47	/	/	19.97	/	/	<=30	Pass
	Inner_1RB_Left		20.37	/	/	19.87	/	/	<=30	Pass
	Inner_1RB_Right		20.27	/	/	19.77	/	/	<=30	Pass
CP-OFDM 256 QAM	1715	Edge_1RB_Left	17.22	/	/	16.72	/	/	<=30	Pass
		Edge_1RB_Right	17.37	/	/	16.87	/	/	<=30	Pass
		Outer_Full	17.18	/	/	16.68	/	/	<=30	Pass
		Inner_Full	17.19	/	/	16.69	/	/	<=30	Pass
		Inner_1RB_Left	17.24	/	/	16.74	/	/	<=30	Pass
		Inner_1RB_Right	17.32	/	/	16.82	/	/	<=30	Pass
	1745	Edge_1RB_Left	17.31	/	/	16.81	/	/	<=30	Pass
		Edge_1RB_Right	17.50	/	/	17.00	/	/	<=30	Pass
		Outer_Full	17.30	/	/	16.80	/	/	<=30	Pass
		Inner_Full	17.35	/	/	16.85	/	/	<=30	Pass
		Inner_1RB_Left	17.38	/	/	16.88	/	/	<=30	Pass
		Inner_1RB_Right	17.49	/	/	16.99	/	/	<=30	Pass
	1775	Edge_1RB_Left	17.75	/	/	17.25	/	/	<=30	Pass
		Edge_1RB_Right	17.56	/	/	17.06	/	/	<=30	Pass
		Outer_Full	17.64	/	/	17.14	/	/	<=30	Pass
Inner_Full		17.56	/	/	17.06	/	/	<=30	Pass	
Inner_1RB_Left		17.70	/	/	17.20	/	/	<=30	Pass	
Inner_1RB_Right	17.55	/	/	17.05	/	/	<=30	Pass		
Note1: Antenna Gain: Ant1: -0.50dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15_S_15M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1717.5	Edge_1RB_Left	23.10	/	/	22.60	/	/	<=30	Pass
		Edge_1RB_Right	23.43	/	/	22.93	/	/	<=30	Pass
		Outer_Full	23.25	/	/	22.75	/	/	<=30	Pass

		Inner_Full	23.73	/	/	23.23	/	/	<=30	Pass
		Inner_1RB_Left	23.58	/	/	23.08	/	/	<=30	Pass
		Inner_1RB_Right	23.91	/	/	23.41	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.24	/	/	22.74	/	/	<=30	Pass
		Edge_1RB_Right	23.50	/	/	23.00	/	/	<=30	Pass
		Outer_Full	23.32	/	/	22.82	/	/	<=30	Pass
		Inner_Full	23.79	/	/	23.29	/	/	<=30	Pass
		Inner_1RB_Left	23.72	/	/	23.22	/	/	<=30	Pass
		Inner_1RB_Right	23.98	/	/	23.48	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	23.76	/	/	23.26	/	/	<=30	Pass
		Edge_1RB_Right	23.37	/	/	22.87	/	/	<=30	Pass
		Outer_Full	23.60	/	/	23.10	/	/	<=30	Pass
		Inner_Full	24.08	/	/	23.58	/	/	<=30	Pass
		Inner_1RB_Left	24.28	/	/	23.78	/	/	<=30	Pass
		Inner_1RB_Right	23.87	/	/	23.37	/	/	<=30	Pass
DFT-s-OFDM QPSK	1717.5	Edge_1RB_Left	22.85	/	/	22.35	/	/	<=30	Pass
		Edge_1RB_Right	23.33	/	/	22.83	/	/	<=30	Pass
		Outer_Full	22.83	/	/	22.33	/	/	<=30	Pass
		Inner_Full	23.76	/	/	23.26	/	/	<=30	Pass
		Inner_1RB_Left	23.97	/	/	23.47	/	/	<=30	Pass
		Inner_1RB_Right	24.37	/	/	23.87	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.18	/	/	22.68	/	/	<=30	Pass
		Edge_1RB_Right	23.27	/	/	22.77	/	/	<=30	Pass
		Outer_Full	22.87	/	/	22.37	/	/	<=30	Pass
		Inner_Full	23.85	/	/	23.35	/	/	<=30	Pass
		Inner_1RB_Left	24.21	/	/	23.71	/	/	<=30	Pass
		Inner_1RB_Right	24.37	/	/	23.87	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	23.67	/	/	23.17	/	/	<=30	Pass
		Edge_1RB_Right	23.12	/	/	22.62	/	/	<=30	Pass
		Outer_Full	23.15	/	/	22.65	/	/	<=30	Pass
		Inner_Full	24.12	/	/	23.62	/	/	<=30	Pass
		Inner_1RB_Left	24.74	/	/	24.24	/	/	<=30	Pass
		Inner_1RB_Right	24.25	/	/	23.75	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1717.5	Edge_1RB_Left	21.84	/	/	21.34	/	/	<=30	Pass
		Edge_1RB_Right	22.23	/	/	21.73	/	/	<=30	Pass
		Outer_Full	21.81	/	/	21.31	/	/	<=30	Pass
		Inner_Full	22.70	/	/	22.20	/	/	<=30	Pass
		Inner_1RB_Left	22.82	/	/	22.32	/	/	<=30	Pass
		Inner_1RB_Right	23.15	/	/	22.65	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.02	/	/	21.52	/	/	<=30	Pass
		Edge_1RB_Right	22.24	/	/	21.74	/	/	<=30	Pass
		Outer_Full	21.87	/	/	21.37	/	/	<=30	Pass
		Inner_Full	22.89	/	/	22.39	/	/	<=30	Pass
		Inner_1RB_Left	23.12	/	/	22.62	/	/	<=30	Pass
		Inner_1RB_Right	23.27	/	/	22.77	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	22.51	/	/	22.01	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	21.62	/	/	<=30	Pass
		Outer_Full	22.14	/	/	21.64	/	/	<=30	Pass
		Inner_Full	23.20	/	/	22.70	/	/	<=30	Pass
		Inner_1RB_Left	23.46	/	/	22.96	/	/	<=30	Pass
		Inner_1RB_Right	23.12	/	/	22.62	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1717.5	Edge_1RB_Left	20.89	/	/	20.39	/	/	<=30	Pass
		Edge_1RB_Right	21.22	/	/	20.72	/	/	<=30	Pass
		Outer_Full	21.28	/	/	20.78	/	/	<=30	Pass
		Inner_Full	21.27	/	/	20.77	/	/	<=30	Pass
		Inner_1RB_Left	20.93	/	/	20.43	/	/	<=30	Pass
		Inner_1RB_Right	21.23	/	/	20.73	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.30	/	/	20.80	/	/	<=30	Pass
		Edge_1RB_Right	21.46	/	/	20.96	/	/	<=30	Pass

		Outer_Full	21.43	/	/	20.93	/	/	<=30	Pass
		Inner_Full	21.39	/	/	20.89	/	/	<=30	Pass
		Inner_1RB_Left	21.09	/	/	20.59	/	/	<=30	Pass
		Inner_1RB_Right	21.35	/	/	20.85	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	21.66	/	/	21.16	/	/	<=30	Pass
		Edge_1RB_Right	21.26	/	/	20.76	/	/	<=30	Pass
		Outer_Full	21.70	/	/	21.20	/	/	<=30	Pass
		Inner_Full	21.63	/	/	21.13	/	/	<=30	Pass
		Inner_1RB_Left	21.74	/	/	21.24	/	/	<=30	Pass
		Inner_1RB_Right	21.21	/	/	20.71	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1717.5	Edge_1RB_Left	19.14	/	/	18.64	/	/	<=30	Pass
		Edge_1RB_Right	19.49	/	/	18.99	/	/	<=30	Pass
		Outer_Full	19.25	/	/	18.75	/	/	<=30	Pass
		Inner_Full	19.23	/	/	18.73	/	/	<=30	Pass
		Inner_1RB_Left	19.10	/	/	18.60	/	/	<=30	Pass
		Inner_1RB_Right	19.50	/	/	19.00	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.40	/	/	18.90	/	/	<=30	Pass
		Edge_1RB_Right	19.52	/	/	19.02	/	/	<=30	Pass
		Outer_Full	19.37	/	/	18.87	/	/	<=30	Pass
		Inner_Full	19.31	/	/	18.81	/	/	<=30	Pass
		Inner_1RB_Left	19.36	/	/	18.86	/	/	<=30	Pass
		Inner_1RB_Right	19.53	/	/	19.03	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	19.92	/	/	19.42	/	/	<=30	Pass
		Edge_1RB_Right	19.37	/	/	18.87	/	/	<=30	Pass
		Outer_Full	19.58	/	/	19.08	/	/	<=30	Pass
		Inner_Full	19.60	/	/	19.10	/	/	<=30	Pass
		Inner_1RB_Left	19.84	/	/	19.34	/	/	<=30	Pass
		Inner_1RB_Right	19.34	/	/	18.84	/	/	<=30	Pass
CP-OFDM QPSK	1717.5	Edge_1RB_Left	20.68	/	/	20.18	/	/	<=30	Pass
		Edge_1RB_Right	21.06	/	/	20.56	/	/	<=30	Pass
		Outer_Full	20.81	/	/	20.31	/	/	<=30	Pass
		Inner_Full	22.29	/	/	21.79	/	/	<=30	Pass
		Inner_1RB_Left	22.34	/	/	21.84	/	/	<=30	Pass
		Inner_1RB_Right	22.63	/	/	22.13	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.95	/	/	20.45	/	/	<=30	Pass
		Edge_1RB_Right	21.14	/	/	20.64	/	/	<=30	Pass
		Outer_Full	20.91	/	/	20.41	/	/	<=30	Pass
		Inner_Full	22.33	/	/	21.83	/	/	<=30	Pass
		Inner_1RB_Left	22.63	/	/	22.13	/	/	<=30	Pass
		Inner_1RB_Right	22.67	/	/	22.17	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	21.45	/	/	20.95	/	/	<=30	Pass
		Edge_1RB_Right	20.93	/	/	20.43	/	/	<=30	Pass
		Outer_Full	21.12	/	/	20.62	/	/	<=30	Pass
		Inner_Full	22.55	/	/	22.05	/	/	<=30	Pass
		Inner_1RB_Left	23.35	/	/	22.85	/	/	<=30	Pass
		Inner_1RB_Right	22.73	/	/	22.23	/	/	<=30	Pass
CP-OFDM 16 QAM	1717.5	Edge_1RB_Left	20.93	/	/	20.43	/	/	<=30	Pass
		Edge_1RB_Right	21.24	/	/	20.74	/	/	<=30	Pass
		Outer_Full	20.83	/	/	20.33	/	/	<=30	Pass
		Inner_Full	21.74	/	/	21.24	/	/	<=30	Pass
		Inner_1RB_Left	21.85	/	/	21.35	/	/	<=30	Pass
		Inner_1RB_Right	22.22	/	/	21.72	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.06	/	/	20.56	/	/	<=30	Pass
		Edge_1RB_Right	21.37	/	/	20.87	/	/	<=30	Pass
		Outer_Full	20.93	/	/	20.43	/	/	<=30	Pass
		Inner_Full	21.94	/	/	21.44	/	/	<=30	Pass
		Inner_1RB_Left	21.98	/	/	21.48	/	/	<=30	Pass
		Inner_1RB_Right	22.30	/	/	21.80	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	21.54	/	/	21.04	/	/	<=30	Pass

		Edge 1RB Right	21.19	/	/	20.69	/	/	<=30	Pass	
		Outer Full	21.16	/	/	20.66	/	/	<=30	Pass	
		Inner Full	22.12	/	/	21.62	/	/	<=30	Pass	
		Inner 1RB Left	22.47	/	/	21.97	/	/	<=30	Pass	
		Inner 1RB Right	22.17	/	/	21.67	/	/	<=30	Pass	
CP-OFDM 64 QAM	1717.5	Edge 1RB Left	20.04	/	/	19.54	/	/	<=30	Pass	
		Edge 1RB Right	20.33	/	/	19.83	/	/	<=30	Pass	
		Outer Full	20.31	/	/	19.81	/	/	<=30	Pass	
		Inner Full	20.27	/	/	19.77	/	/	<=30	Pass	
		Inner 1RB Left	20.02	/	/	19.52	/	/	<=30	Pass	
		Inner 1RB Right	20.29	/	/	19.79	/	/	<=30	Pass	
		Edge 1RB Left	20.15	/	/	19.65	/	/	<=30	Pass	
	1745	Edge 1RB Right	20.54	/	/	20.04	/	/	<=30	Pass	
		Outer Full	20.44	/	/	19.94	/	/	<=30	Pass	
		Inner Full	20.35	/	/	19.85	/	/	<=30	Pass	
		Inner 1RB Left	20.10	/	/	19.60	/	/	<=30	Pass	
		Inner 1RB Right	20.46	/	/	19.96	/	/	<=30	Pass	
	1772.5	Edge 1RB Left	20.58	/	/	20.08	/	/	<=30	Pass	
		Edge 1RB Right	20.33	/	/	19.83	/	/	<=30	Pass	
		Outer Full	20.62	/	/	20.12	/	/	<=30	Pass	
		Inner Full	20.61	/	/	20.11	/	/	<=30	Pass	
		Inner 1RB Left	20.56	/	/	20.06	/	/	<=30	Pass	
	CP-OFDM 256 QAM	1717.5	Inner 1RB Right	20.32	/	/	19.82	/	/	<=30	Pass
			Edge 1RB Left	17.24	/	/	16.74	/	/	<=30	Pass
			Edge 1RB Right	17.61	/	/	17.11	/	/	<=30	Pass
Outer Full			17.31	/	/	16.81	/	/	<=30	Pass	
Inner Full			17.28	/	/	16.78	/	/	<=30	Pass	
Inner 1RB Left			17.20	/	/	16.70	/	/	<=30	Pass	
1745		Inner 1RB Right	17.63	/	/	17.13	/	/	<=30	Pass	
		Edge 1RB Left	17.45	/	/	16.95	/	/	<=30	Pass	
		Edge 1RB Right	17.67	/	/	17.17	/	/	<=30	Pass	
		Outer Full	17.41	/	/	16.91	/	/	<=30	Pass	
		Inner Full	17.43	/	/	16.93	/	/	<=30	Pass	
		Inner 1RB Left	17.44	/	/	16.94	/	/	<=30	Pass	
1772.5		Inner 1RB Right	17.62	/	/	17.12	/	/	<=30	Pass	
		Edge 1RB Left	17.88	/	/	17.38	/	/	<=30	Pass	
		Edge 1RB Right	17.62	/	/	17.12	/	/	<=30	Pass	
		Outer Full	17.71	/	/	17.21	/	/	<=30	Pass	
		Inner Full	17.71	/	/	17.21	/	/	<=30	Pass	
		Inner 1RB Left	17.85	/	/	17.35	/	/	<=30	Pass	
		Inner 1RB Right	17.62	/	/	17.12	/	/	<=30	Pass	
Note1: Antenna Gain: Ant1: -0.50dBi; Note2: EIRP=Conducted Power+Antenna Gain											

1.1.4 15_S_20M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1720	Edge 1RB Left	23.06	/	/	22.56	/	/	<=30	Pass
		Edge 1RB Right	23.48	/	/	22.98	/	/	<=30	Pass
		Outer Full	23.31	/	/	22.81	/	/	<=30	Pass
		Inner Full	23.88	/	/	23.38	/	/	<=30	Pass
		Inner 1RB Left	23.58	/	/	23.08	/	/	<=30	Pass
		Inner 1RB Right	23.99	/	/	23.49	/	/	<=30	Pass
	1745	Edge 1RB Left	23.30	/	/	22.80	/	/	<=30	Pass
		Edge 1RB Right	23.67	/	/	23.17	/	/	<=30	Pass
		Outer Full	23.35	/	/	22.85	/	/	<=30	Pass

		Inner_Full	23.93	/	/	23.43	/	/	<=30	Pass
		Inner_1RB_Left	23.86	/	/	23.36	/	/	<=30	Pass
		Inner_1RB_Right	24.19	/	/	23.69	/	/	<=30	Pass
	1770	Edge_1RB_Left	23.78	/	/	23.28	/	/	<=30	Pass
		Edge_1RB_Right	23.35	/	/	22.85	/	/	<=30	Pass
		Outer_Full	23.70	/	/	23.20	/	/	<=30	Pass
		Inner_Full	24.27	/	/	23.77	/	/	<=30	Pass
		Inner_1RB_Left	24.32	/	/	23.82	/	/	<=30	Pass
		Inner_1RB_Right	23.84	/	/	23.34	/	/	<=30	Pass
DFT-s-OFDM QPSK	1720	Edge_1RB_Left	22.91	/	/	22.41	/	/	<=30	Pass
		Edge_1RB_Right	23.38	/	/	22.88	/	/	<=30	Pass
		Outer_Full	22.90	/	/	22.40	/	/	<=30	Pass
		Inner_Full	23.85	/	/	23.35	/	/	<=30	Pass
		Inner_1RB_Left	23.88	/	/	23.38	/	/	<=30	Pass
		Inner_1RB_Right	24.40	/	/	23.90	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.23	/	/	22.73	/	/	<=30	Pass
		Edge_1RB_Right	23.49	/	/	22.99	/	/	<=30	Pass
		Outer_Full	22.91	/	/	22.41	/	/	<=30	Pass
		Inner_Full	23.93	/	/	23.43	/	/	<=30	Pass
		Inner_1RB_Left	24.30	/	/	23.80	/	/	<=30	Pass
		Inner_1RB_Right	24.58	/	/	24.08	/	/	<=30	Pass
	1770	Edge_1RB_Left	23.62	/	/	23.12	/	/	<=30	Pass
		Edge_1RB_Right	23.15	/	/	22.65	/	/	<=30	Pass
		Outer_Full	23.30	/	/	22.80	/	/	<=30	Pass
		Inner_Full	24.31	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Left	24.76	/	/	24.26	/	/	<=30	Pass
		Inner_1RB_Right	24.27	/	/	23.77	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1720	Edge_1RB_Left	21.80	/	/	21.30	/	/	<=30	Pass
		Edge_1RB_Right	22.21	/	/	21.71	/	/	<=30	Pass
		Outer_Full	21.88	/	/	21.38	/	/	<=30	Pass
		Inner_Full	22.91	/	/	22.41	/	/	<=30	Pass
		Inner_1RB_Left	22.69	/	/	22.19	/	/	<=30	Pass
		Inner_1RB_Right	23.16	/	/	22.66	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.03	/	/	21.53	/	/	<=30	Pass
		Edge_1RB_Right	22.41	/	/	21.91	/	/	<=30	Pass
		Outer_Full	21.87	/	/	21.37	/	/	<=30	Pass
		Inner_Full	22.89	/	/	22.39	/	/	<=30	Pass
		Inner_1RB_Left	23.03	/	/	22.53	/	/	<=30	Pass
		Inner_1RB_Right	23.40	/	/	22.90	/	/	<=30	Pass
	1770	Edge_1RB_Left	22.77	/	/	22.27	/	/	<=30	Pass
		Edge_1RB_Right	22.14	/	/	21.64	/	/	<=30	Pass
		Outer_Full	22.29	/	/	21.79	/	/	<=30	Pass
		Inner_Full	23.39	/	/	22.89	/	/	<=30	Pass
		Inner_1RB_Left	23.59	/	/	23.09	/	/	<=30	Pass
		Inner_1RB_Right	23.09	/	/	22.59	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1720	Edge_1RB_Left	20.90	/	/	20.40	/	/	<=30	Pass
		Edge_1RB_Right	21.35	/	/	20.85	/	/	<=30	Pass
		Outer_Full	21.40	/	/	20.90	/	/	<=30	Pass
		Inner_Full	21.33	/	/	20.83	/	/	<=30	Pass
		Inner_1RB_Left	20.91	/	/	20.41	/	/	<=30	Pass
	1745	Inner_1RB_Right	21.30	/	/	20.80	/	/	<=30	Pass
		Edge_1RB_Left	21.18	/	/	20.68	/	/	<=30	Pass
		Edge_1RB_Right	21.49	/	/	20.99	/	/	<=30	Pass
		Outer_Full	21.45	/	/	20.95	/	/	<=30	Pass
		Inner_Full	21.37	/	/	20.87	/	/	<=30	Pass
		Inner_1RB_Left	21.17	/	/	20.67	/	/	<=30	Pass
		Inner_1RB_Right	21.48	/	/	20.98	/	/	<=30	Pass
	1770	Edge_1RB_Left	21.76	/	/	21.26	/	/	<=30	Pass
		Edge_1RB_Right	21.22	/	/	20.72	/	/	<=30	Pass

		Outer_Full	21.79	/	/	21.29	/	/	<=30	Pass
		Inner_Full	21.77	/	/	21.27	/	/	<=30	Pass
		Inner_1RB_Left	21.70	/	/	21.20	/	/	<=30	Pass
		Inner_1RB_Right	21.17	/	/	20.67	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1720	Edge_1RB_Left	19.08	/	/	18.58	/	/	<=30	Pass
		Edge_1RB_Right	19.55	/	/	19.05	/	/	<=30	Pass
		Outer_Full	19.32	/	/	18.82	/	/	<=30	Pass
		Inner_Full	19.31	/	/	18.81	/	/	<=30	Pass
		Inner_1RB_Left	19.06	/	/	18.56	/	/	<=30	Pass
		Inner_1RB_Right	19.60	/	/	19.10	/	/	<=30	Pass
		Edge_1RB_Left	19.48	/	/	18.98	/	/	<=30	Pass
		Edge_1RB_Right	19.66	/	/	19.16	/	/	<=30	Pass
	1745	Outer_Full	19.38	/	/	18.88	/	/	<=30	Pass
		Inner_Full	19.37	/	/	18.87	/	/	<=30	Pass
		Inner_1RB_Left	19.42	/	/	18.92	/	/	<=30	Pass
		Inner_1RB_Right	19.61	/	/	19.11	/	/	<=30	Pass
		Edge_1RB_Left	19.87	/	/	19.37	/	/	<=30	Pass
		Edge_1RB_Right	19.41	/	/	18.91	/	/	<=30	Pass
	1770	Outer_Full	19.71	/	/	19.21	/	/	<=30	Pass
		Inner_Full	19.74	/	/	19.24	/	/	<=30	Pass
		Inner_1RB_Left	19.90	/	/	19.40	/	/	<=30	Pass
		Inner_1RB_Right	19.36	/	/	18.86	/	/	<=30	Pass
CP-OFDM QPSK	1720	Edge_1RB_Left	20.63	/	/	20.13	/	/	<=30	Pass
		Edge_1RB_Right	21.10	/	/	20.60	/	/	<=30	Pass
		Outer_Full	20.88	/	/	20.38	/	/	<=30	Pass
		Inner_Full	22.39	/	/	21.89	/	/	<=30	Pass
		Inner_1RB_Left	22.23	/	/	21.73	/	/	<=30	Pass
		Inner_1RB_Right	22.78	/	/	22.28	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.03	/	/	20.53	/	/	<=30	Pass
		Edge_1RB_Right	21.20	/	/	20.70	/	/	<=30	Pass
		Outer_Full	20.98	/	/	20.48	/	/	<=30	Pass
		Inner_Full	22.41	/	/	21.91	/	/	<=30	Pass
		Inner_1RB_Left	22.63	/	/	22.13	/	/	<=30	Pass
		Inner_1RB_Right	22.74	/	/	22.24	/	/	<=30	Pass
	1770	Edge_1RB_Left	21.41	/	/	20.91	/	/	<=30	Pass
		Edge_1RB_Right	20.93	/	/	20.43	/	/	<=30	Pass
		Outer_Full	21.23	/	/	20.73	/	/	<=30	Pass
		Inner_Full	22.73	/	/	22.23	/	/	<=30	Pass
		Inner_1RB_Left	23.15	/	/	22.65	/	/	<=30	Pass
		Inner_1RB_Right	22.49	/	/	21.99	/	/	<=30	Pass
CP-OFDM 16 QAM	1720	Edge_1RB_Left	20.94	/	/	20.44	/	/	<=30	Pass
		Edge_1RB_Right	21.21	/	/	20.71	/	/	<=30	Pass
		Outer_Full	20.90	/	/	20.40	/	/	<=30	Pass
		Inner_Full	21.89	/	/	21.39	/	/	<=30	Pass
		Inner_1RB_Left	21.80	/	/	21.30	/	/	<=30	Pass
		Inner_1RB_Right	22.15	/	/	21.65	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.15	/	/	20.65	/	/	<=30	Pass
		Edge_1RB_Right	21.46	/	/	20.96	/	/	<=30	Pass
		Outer_Full	20.99	/	/	20.49	/	/	<=30	Pass
		Inner_Full	21.90	/	/	21.40	/	/	<=30	Pass
		Inner_1RB_Left	22.02	/	/	21.52	/	/	<=30	Pass
		Inner_1RB_Right	22.37	/	/	21.87	/	/	<=30	Pass
	1770	Edge_1RB_Left	21.61	/	/	21.11	/	/	<=30	Pass
		Edge_1RB_Right	21.21	/	/	20.71	/	/	<=30	Pass
		Outer_Full	21.25	/	/	20.75	/	/	<=30	Pass
		Inner_Full	22.24	/	/	21.74	/	/	<=30	Pass
		Inner_1RB_Left	22.54	/	/	22.04	/	/	<=30	Pass
		Inner_1RB_Right	22.08	/	/	21.58	/	/	<=30	Pass
CP-OFDM 64 QAM	1720	Edge_1RB_Left	20.05	/	/	19.55	/	/	<=30	Pass

		Edge 1RB Right	20.29	/	/	19.79	/	/	<=30	Pass	
		Outer Full	20.41	/	/	19.91	/	/	<=30	Pass	
		Inner Full	20.33	/	/	19.83	/	/	<=30	Pass	
		Inner 1RB Left	20.05	/	/	19.55	/	/	<=30	Pass	
		Inner 1RB Right	20.25	/	/	19.75	/	/	<=30	Pass	
	1745	Edge 1RB Left	20.21	/	/	19.71	/	/	<=30	Pass	
		Edge 1RB Right	20.57	/	/	20.07	/	/	<=30	Pass	
		Outer Full	20.45	/	/	19.95	/	/	<=30	Pass	
		Inner Full	20.31	/	/	19.81	/	/	<=30	Pass	
		Inner 1RB Left	20.16	/	/	19.66	/	/	<=30	Pass	
	1770	Inner 1RB Right	20.58	/	/	20.08	/	/	<=30	Pass	
		Edge 1RB Left	20.69	/	/	20.19	/	/	<=30	Pass	
		Edge 1RB Right	20.31	/	/	19.81	/	/	<=30	Pass	
		Outer Full	20.70	/	/	20.20	/	/	<=30	Pass	
		Inner Full	20.62	/	/	20.12	/	/	<=30	Pass	
	CP-OFDM 256 QAM	1720	Inner 1RB Left	20.82	/	/	20.32	/	/	<=30	Pass
			Inner 1RB Right	20.28	/	/	19.78	/	/	<=30	Pass
			Edge 1RB Left	17.20	/	/	16.70	/	/	<=30	Pass
Edge 1RB Right			17.59	/	/	17.09	/	/	<=30	Pass	
Outer Full			17.40	/	/	16.90	/	/	<=30	Pass	
Inner Full			17.38	/	/	16.88	/	/	<=30	Pass	
1745		Inner 1RB Left	17.16	/	/	16.66	/	/	<=30	Pass	
		Inner 1RB Right	17.56	/	/	17.06	/	/	<=30	Pass	
		Edge 1RB Left	17.51	/	/	17.01	/	/	<=30	Pass	
		Edge 1RB Right	17.74	/	/	17.24	/	/	<=30	Pass	
		Outer Full	17.45	/	/	16.95	/	/	<=30	Pass	
		Inner Full	17.44	/	/	16.94	/	/	<=30	Pass	
1770		Inner 1RB Left	17.46	/	/	16.96	/	/	<=30	Pass	
		Inner 1RB Right	17.68	/	/	17.18	/	/	<=30	Pass	
		Edge 1RB Left	17.92	/	/	17.42	/	/	<=30	Pass	
		Edge 1RB Right	17.58	/	/	17.08	/	/	<=30	Pass	
		Outer Full	17.78	/	/	17.28	/	/	<=30	Pass	
		Inner Full	17.79	/	/	17.29	/	/	<=30	Pass	
	Inner 1RB Left	17.93	/	/	17.43	/	/	<=30	Pass		
	Inner 1RB Right	17.60	/	/	17.10	/	/	<=30	Pass		
Note1: Antenna Gain: Ant1: -0.50dBi; Note2: EIRP=Conducted Power+Antenna Gain											

1.1.5 15_S_25M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 25MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1722.5	Edge 1RB Left	22.34	/	/	21.84	/	/	<=30	Pass
		Edge 1RB Right	22.65	/	/	22.15	/	/	<=30	Pass
		Outer Full	22.76	/	/	22.26	/	/	<=30	Pass
		Inner Full	23.31	/	/	22.81	/	/	<=30	Pass
		Inner 1RB Left	22.85	/	/	22.35	/	/	<=30	Pass
		Inner 1RB Right	23.14	/	/	22.64	/	/	<=30	Pass
	1745	Edge 1RB Left	22.76	/	/	22.26	/	/	<=30	Pass
		Edge 1RB Right	23.10	/	/	22.60	/	/	<=30	Pass
		Outer Full	22.76	/	/	22.26	/	/	<=30	Pass
		Inner Full	23.26	/	/	22.76	/	/	<=30	Pass
		Inner 1RB Left	23.25	/	/	22.75	/	/	<=30	Pass
		Inner 1RB Right	23.59	/	/	23.09	/	/	<=30	Pass
	1767.5	Edge 1RB Left	23.04	/	/	22.54	/	/	<=30	Pass
		Edge 1RB Right	22.77	/	/	22.27	/	/	<=30	Pass
		Outer Full	23.17	/	/	22.67	/	/	<=30	Pass

		Inner_Full	23.76	/	/	23.26	/	/	<=30	Pass
		Inner_1RB_Left	23.57	/	/	23.07	/	/	<=30	Pass
		Inner_1RB_Right	23.23	/	/	22.73	/	/	<=30	Pass
DFT-s-OFDM QPSK	1722.5	Edge_1RB_Left	22.06	/	/	21.56	/	/	<=30	Pass
		Edge_1RB_Right	22.53	/	/	22.03	/	/	<=30	Pass
		Outer_Full	22.31	/	/	21.81	/	/	<=30	Pass
		Inner_Full	23.34	/	/	22.84	/	/	<=30	Pass
		Inner_1RB_Left	23.10	/	/	22.60	/	/	<=30	Pass
		Inner_1RB_Right	23.59	/	/	23.09	/	/	<=30	Pass
		Edge_1RB_Left	22.61	/	/	22.11	/	/	<=30	Pass
	1745	Edge_1RB_Right	22.90	/	/	22.40	/	/	<=30	Pass
		Outer_Full	22.34	/	/	21.84	/	/	<=30	Pass
		Inner_Full	23.28	/	/	22.78	/	/	<=30	Pass
		Inner_1RB_Left	23.69	/	/	23.19	/	/	<=30	Pass
		Inner_1RB_Right	23.99	/	/	23.49	/	/	<=30	Pass
	1767.5	Edge_1RB_Left	22.72	/	/	22.22	/	/	<=30	Pass
		Edge_1RB_Right	22.42	/	/	21.92	/	/	<=30	Pass
		Outer_Full	22.68	/	/	22.18	/	/	<=30	Pass
		Inner_Full	23.80	/	/	23.30	/	/	<=30	Pass
		Inner_1RB_Left	23.80	/	/	23.30	/	/	<=30	Pass
		Inner_1RB_Right	23.35	/	/	22.85	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1722.5	Edge_1RB_Left	21.11	/	/	20.61	/	/	<=30	Pass
		Edge_1RB_Right	21.53	/	/	21.03	/	/	<=30	Pass
		Outer_Full	21.35	/	/	20.85	/	/	<=30	Pass
		Inner_Full	22.24	/	/	21.74	/	/	<=30	Pass
		Inner_1RB_Left	22.12	/	/	21.62	/	/	<=30	Pass
		Inner_1RB_Right	22.43	/	/	21.93	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.53	/	/	21.03	/	/	<=30	Pass
		Edge_1RB_Right	21.87	/	/	21.37	/	/	<=30	Pass
		Outer_Full	21.37	/	/	20.87	/	/	<=30	Pass
		Inner_Full	22.27	/	/	21.77	/	/	<=30	Pass
		Inner_1RB_Left	22.54	/	/	22.04	/	/	<=30	Pass
		Inner_1RB_Right	22.79	/	/	22.29	/	/	<=30	Pass
	1767.5	Edge_1RB_Left	21.76	/	/	21.26	/	/	<=30	Pass
		Edge_1RB_Right	21.51	/	/	21.01	/	/	<=30	Pass
		Outer_Full	21.70	/	/	21.20	/	/	<=30	Pass
		Inner_Full	22.78	/	/	22.28	/	/	<=30	Pass
		Inner_1RB_Left	22.81	/	/	22.31	/	/	<=30	Pass
		Inner_1RB_Right	22.48	/	/	21.98	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1722.5	Edge_1RB_Left	20.15	/	/	19.65	/	/	<=30	Pass
		Edge_1RB_Right	20.47	/	/	19.97	/	/	<=30	Pass
		Outer_Full	20.81	/	/	20.31	/	/	<=30	Pass
		Inner_Full	20.82	/	/	20.32	/	/	<=30	Pass
		Inner_1RB_Left	20.17	/	/	19.67	/	/	<=30	Pass
		Inner_1RB_Right	20.48	/	/	19.98	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.63	/	/	20.13	/	/	<=30	Pass
		Edge_1RB_Right	20.97	/	/	20.47	/	/	<=30	Pass
		Outer_Full	20.87	/	/	20.37	/	/	<=30	Pass
		Inner_Full	20.79	/	/	20.29	/	/	<=30	Pass
		Inner_1RB_Left	20.64	/	/	20.14	/	/	<=30	Pass
		Inner_1RB_Right	20.92	/	/	20.42	/	/	<=30	Pass
	1767.5	Edge_1RB_Left	20.96	/	/	20.46	/	/	<=30	Pass
		Edge_1RB_Right	20.69	/	/	20.19	/	/	<=30	Pass
		Outer_Full	21.23	/	/	20.73	/	/	<=30	Pass
		Inner_Full	21.32	/	/	20.82	/	/	<=30	Pass
		Inner_1RB_Left	21.01	/	/	20.51	/	/	<=30	Pass
		Inner_1RB_Right	20.52	/	/	20.02	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1722.5	Edge_1RB_Left	18.34	/	/	17.84	/	/	<=30	Pass
		Edge_1RB_Right	18.79	/	/	18.29	/	/	<=30	Pass

		Outer_Full	18.87	/	/	18.37	/	/	<=30	Pass
		Inner_Full	18.87	/	/	18.37	/	/	<=30	Pass
		Inner_1RB_Left	18.35	/	/	17.85	/	/	<=30	Pass
		Inner_1RB_Right	18.80	/	/	18.30	/	/	<=30	Pass
	1745	Edge_1RB_Left	18.86	/	/	18.36	/	/	<=30	Pass
		Edge_1RB_Right	19.09	/	/	18.59	/	/	<=30	Pass
		Outer_Full	18.83	/	/	18.33	/	/	<=30	Pass
		Inner_Full	18.74	/	/	18.24	/	/	<=30	Pass
		Inner_1RB_Left	18.85	/	/	18.35	/	/	<=30	Pass
		Inner_1RB_Right	19.08	/	/	18.58	/	/	<=30	Pass
	1767.5	Edge_1RB_Left	19.01	/	/	18.51	/	/	<=30	Pass
		Edge_1RB_Right	18.84	/	/	18.34	/	/	<=30	Pass
		Outer_Full	19.20	/	/	18.70	/	/	<=30	Pass
		Inner_Full	19.32	/	/	18.82	/	/	<=30	Pass
		Inner_1RB_Left	19.03	/	/	18.53	/	/	<=30	Pass
CP-OFDM QPSK	1722.5	Inner_1RB_Right	18.84	/	/	18.34	/	/	<=30	Pass
		Edge_1RB_Left	19.89	/	/	19.39	/	/	<=30	Pass
		Edge_1RB_Right	20.31	/	/	19.81	/	/	<=30	Pass
		Outer_Full	20.30	/	/	19.80	/	/	<=30	Pass
		Inner_Full	21.82	/	/	21.32	/	/	<=30	Pass
		Inner_1RB_Left	21.44	/	/	20.94	/	/	<=30	Pass
	1745	Inner_1RB_Right	21.84	/	/	21.34	/	/	<=30	Pass
		Edge_1RB_Left	20.40	/	/	19.90	/	/	<=30	Pass
		Edge_1RB_Right	20.68	/	/	20.18	/	/	<=30	Pass
		Outer_Full	20.31	/	/	19.81	/	/	<=30	Pass
		Inner_Full	21.79	/	/	21.29	/	/	<=30	Pass
	1767.5	Inner_1RB_Left	22.00	/	/	21.50	/	/	<=30	Pass
		Inner_1RB_Right	22.25	/	/	21.75	/	/	<=30	Pass
		Edge_1RB_Left	20.56	/	/	20.06	/	/	<=30	Pass
		Edge_1RB_Right	20.29	/	/	19.79	/	/	<=30	Pass
		Outer_Full	20.63	/	/	20.13	/	/	<=30	Pass
		Inner_Full	22.24	/	/	21.74	/	/	<=30	Pass
CP-OFDM 16 QAM	1722.5	Inner_1RB_Left	22.12	/	/	21.62	/	/	<=30	Pass
		Inner_1RB_Right	21.74	/	/	21.24	/	/	<=30	Pass
		Edge_1RB_Left	20.18	/	/	19.68	/	/	<=30	Pass
		Edge_1RB_Right	20.48	/	/	19.98	/	/	<=30	Pass
		Outer_Full	20.28	/	/	19.78	/	/	<=30	Pass
		Inner_Full	21.29	/	/	20.79	/	/	<=30	Pass
	1745	Inner_1RB_Left	21.12	/	/	20.62	/	/	<=30	Pass
		Inner_1RB_Right	21.35	/	/	20.85	/	/	<=30	Pass
		Edge_1RB_Left	20.55	/	/	20.05	/	/	<=30	Pass
		Edge_1RB_Right	20.99	/	/	20.49	/	/	<=30	Pass
		Outer_Full	20.31	/	/	19.81	/	/	<=30	Pass
	1767.5	Inner_Full	21.30	/	/	20.80	/	/	<=30	Pass
		Inner_1RB_Left	21.53	/	/	21.03	/	/	<=30	Pass
		Inner_1RB_Right	21.91	/	/	21.41	/	/	<=30	Pass
		Edge_1RB_Left	20.86	/	/	20.36	/	/	<=30	Pass
		Edge_1RB_Right	20.53	/	/	20.03	/	/	<=30	Pass
		Outer_Full	20.65	/	/	20.15	/	/	<=30	Pass
CP-OFDM 64 QAM	1722.5	Inner_Full	21.78	/	/	21.28	/	/	<=30	Pass
		Inner_1RB_Left	21.83	/	/	21.33	/	/	<=30	Pass
		Inner_1RB_Right	21.50	/	/	21.00	/	/	<=30	Pass
		Edge_1RB_Left	19.32	/	/	18.82	/	/	<=30	Pass
		Edge_1RB_Right	19.57	/	/	19.07	/	/	<=30	Pass
		Outer_Full	19.75	/	/	19.25	/	/	<=30	Pass
	1745	Inner_Full	19.79	/	/	19.29	/	/	<=30	Pass
		Inner_1RB_Left	19.33	/	/	18.83	/	/	<=30	Pass
		Inner_1RB_Right	19.52	/	/	19.02	/	/	<=30	Pass
		Edge_1RB_Left	19.67	/	/	19.17	/	/	<=30	Pass

		Edge 1RB Right	20.13	/	/	19.63	/	/	<=30	Pass
		Outer Full	19.84	/	/	19.34	/	/	<=30	Pass
		Inner Full	19.79	/	/	19.29	/	/	<=30	Pass
		Inner 1RB Left	19.63	/	/	19.13	/	/	<=30	Pass
		Inner 1RB Right	20.09	/	/	19.59	/	/	<=30	Pass
		Edge 1RB Left	20.01	/	/	19.51	/	/	<=30	Pass
		Edge 1RB Right	19.68	/	/	19.18	/	/	<=30	Pass
		Outer Full	20.12	/	/	19.62	/	/	<=30	Pass
		Inner Full	20.29	/	/	19.79	/	/	<=30	Pass
		Inner 1RB Left	20.04	/	/	19.54	/	/	<=30	Pass
	Inner 1RB Right	19.66	/	/	19.16	/	/	<=30	Pass	
	1767.5	Edge 1RB Left	16.51	/	/	16.01	/	/	<=30	Pass
		Edge 1RB Right	16.84	/	/	16.34	/	/	<=30	Pass
		Outer Full	16.80	/	/	16.30	/	/	<=30	Pass
		Inner Full	16.80	/	/	16.30	/	/	<=30	Pass
Inner 1RB Left		16.44	/	/	15.94	/	/	<=30	Pass	
CP-OFDM 256 QAM	1722.5	Inner 1RB Right	16.82	/	/	16.32	/	/	<=30	Pass
		Edge 1RB Left	16.87	/	/	16.37	/	/	<=30	Pass
		Edge 1RB Right	17.16	/	/	16.66	/	/	<=30	Pass
		Outer Full	16.83	/	/	16.33	/	/	<=30	Pass
		Inner Full	16.70	/	/	16.20	/	/	<=30	Pass
		Inner 1RB Left	16.80	/	/	16.30	/	/	<=30	Pass
	1745	Inner 1RB Right	17.15	/	/	16.65	/	/	<=30	Pass
		Edge 1RB Left	17.12	/	/	16.62	/	/	<=30	Pass
		Edge 1RB Right	16.97	/	/	16.47	/	/	<=30	Pass
		Outer Full	17.18	/	/	16.68	/	/	<=30	Pass
		Inner Full	17.25	/	/	16.75	/	/	<=30	Pass
	1767.5	Inner 1RB Left	17.11	/	/	16.61	/	/	<=30	Pass
		Inner 1RB Right	16.96	/	/	16.46	/	/	<=30	Pass
		Note1: Antenna Gain: Ant1: -0.50dBi; Note2: EIRP=Conducted Power+Antenna Gain								

1.1.6 15_S_30M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 30MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1725	Edge 1RB Left	22.45	/	/	21.95	/	/	<=30	Pass
		Edge 1RB Right	22.58	/	/	22.08	/	/	<=30	Pass
		Outer Full	22.82	/	/	22.32	/	/	<=30	Pass
		Inner Full	23.44	/	/	22.94	/	/	<=30	Pass
		Inner 1RB Left	22.93	/	/	22.43	/	/	<=30	Pass
	1745	Inner 1RB Right	23.03	/	/	22.53	/	/	<=30	Pass
		Edge 1RB Left	22.88	/	/	22.38	/	/	<=30	Pass
		Edge 1RB Right	23.25	/	/	22.75	/	/	<=30	Pass
		Outer Full	22.84	/	/	22.34	/	/	<=30	Pass
		Inner Full	23.33	/	/	22.83	/	/	<=30	Pass
	1765	Inner 1RB Left	23.37	/	/	22.87	/	/	<=30	Pass
		Inner 1RB Right	23.72	/	/	23.22	/	/	<=30	Pass
		Edge 1RB Left	22.78	/	/	22.28	/	/	<=30	Pass
		Edge 1RB Right	22.77	/	/	22.27	/	/	<=30	Pass
		Outer Full	23.15	/	/	22.65	/	/	<=30	Pass
DFT-s-OFDM QPSK	1725	Inner Full	23.84	/	/	23.34	/	/	<=30	Pass
		Inner 1RB Left	23.34	/	/	22.84	/	/	<=30	Pass
		Inner 1RB Right	23.26	/	/	22.76	/	/	<=30	Pass
		Edge 1RB Left	22.16	/	/	21.66	/	/	<=30	Pass
		Edge 1RB Right	22.33	/	/	21.83	/	/	<=30	Pass
		Outer Full	22.34	/	/	21.84	/	/	<=30	Pass

		Inner_Full	23.44	/	/	22.94	/	/	<=30	Pass
		Inner_1RB_Left	23.22	/	/	22.72	/	/	<=30	Pass
		Inner_1RB_Right	23.47	/	/	22.97	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.73	/	/	22.23	/	/	<=30	Pass
		Edge_1RB_Right	23.05	/	/	22.55	/	/	<=30	Pass
		Outer_Full	22.41	/	/	21.91	/	/	<=30	Pass
		Inner_Full	23.34	/	/	22.84	/	/	<=30	Pass
		Inner_1RB_Left	23.77	/	/	23.27	/	/	<=30	Pass
		Inner_1RB_Right	24.14	/	/	23.64	/	/	<=30	Pass
	1765	Edge_1RB_Left	22.51	/	/	22.01	/	/	<=30	Pass
		Edge_1RB_Right	22.50	/	/	22.00	/	/	<=30	Pass
		Outer_Full	22.72	/	/	22.22	/	/	<=30	Pass
		Inner_Full	23.88	/	/	23.38	/	/	<=30	Pass
		Inner_1RB_Left	23.66	/	/	23.16	/	/	<=30	Pass
		Inner_1RB_Right	23.63	/	/	23.13	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1725	Edge_1RB_Left	21.14	/	/	20.64	/	/	<=30	Pass
		Edge_1RB_Right	21.30	/	/	20.80	/	/	<=30	Pass
		Outer_Full	21.33	/	/	20.83	/	/	<=30	Pass
		Inner_Full	22.43	/	/	21.93	/	/	<=30	Pass
		Inner_1RB_Left	22.15	/	/	21.65	/	/	<=30	Pass
		Inner_1RB_Right	22.27	/	/	21.77	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.60	/	/	21.10	/	/	<=30	Pass
		Edge_1RB_Right	21.99	/	/	21.49	/	/	<=30	Pass
		Outer_Full	21.42	/	/	20.92	/	/	<=30	Pass
		Inner_Full	22.30	/	/	21.80	/	/	<=30	Pass
		Inner_1RB_Left	22.61	/	/	22.11	/	/	<=30	Pass
		Inner_1RB_Right	22.94	/	/	22.44	/	/	<=30	Pass
	1765	Edge_1RB_Left	21.59	/	/	21.09	/	/	<=30	Pass
		Edge_1RB_Right	21.54	/	/	21.04	/	/	<=30	Pass
		Outer_Full	21.71	/	/	21.21	/	/	<=30	Pass
		Inner_Full	22.89	/	/	22.39	/	/	<=30	Pass
		Inner_1RB_Left	22.63	/	/	22.13	/	/	<=30	Pass
		Inner_1RB_Right	22.49	/	/	21.99	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1725	Edge_1RB_Left	20.28	/	/	19.78	/	/	<=30	Pass
		Edge_1RB_Right	20.52	/	/	20.02	/	/	<=30	Pass
		Outer_Full	20.82	/	/	20.32	/	/	<=30	Pass
		Inner_Full	20.97	/	/	20.47	/	/	<=30	Pass
		Inner_1RB_Left	20.24	/	/	19.74	/	/	<=30	Pass
		Inner_1RB_Right	20.41	/	/	19.91	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.67	/	/	20.17	/	/	<=30	Pass
		Edge_1RB_Right	21.05	/	/	20.55	/	/	<=30	Pass
		Outer_Full	20.89	/	/	20.39	/	/	<=30	Pass
		Inner_Full	20.85	/	/	20.35	/	/	<=30	Pass
		Inner_1RB_Left	20.88	/	/	20.38	/	/	<=30	Pass
		Inner_1RB_Right	21.08	/	/	20.58	/	/	<=30	Pass
	1765	Edge_1RB_Left	20.65	/	/	20.15	/	/	<=30	Pass
		Edge_1RB_Right	20.61	/	/	20.11	/	/	<=30	Pass
		Outer_Full	21.24	/	/	20.74	/	/	<=30	Pass
		Inner_Full	21.40	/	/	20.90	/	/	<=30	Pass
		Inner_1RB_Left	20.67	/	/	20.17	/	/	<=30	Pass
		Inner_1RB_Right	20.59	/	/	20.09	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1725	Edge_1RB_Left	18.47	/	/	17.97	/	/	<=30	Pass
		Edge_1RB_Right	18.72	/	/	18.22	/	/	<=30	Pass
		Outer_Full	18.85	/	/	18.35	/	/	<=30	Pass
		Inner_Full	18.99	/	/	18.49	/	/	<=30	Pass
		Inner_1RB_Left	18.43	/	/	17.93	/	/	<=30	Pass
		Inner_1RB_Right	18.74	/	/	18.24	/	/	<=30	Pass
	1745	Edge_1RB_Left	18.97	/	/	18.47	/	/	<=30	Pass
		Edge_1RB_Right	19.20	/	/	18.70	/	/	<=30	Pass

		Outer_Full	18.90	/	/	18.40	/	/	<=30	Pass
		Inner_Full	18.82	/	/	18.32	/	/	<=30	Pass
		Inner_1RB_Left	18.91	/	/	18.41	/	/	<=30	Pass
		Inner_1RB_Right	19.22	/	/	18.72	/	/	<=30	Pass
	1765	Edge_1RB_Left	18.75	/	/	18.25	/	/	<=30	Pass
		Edge_1RB_Right	18.89	/	/	18.39	/	/	<=30	Pass
		Outer_Full	19.23	/	/	18.73	/	/	<=30	Pass
		Inner_Full	19.33	/	/	18.83	/	/	<=30	Pass
		Inner_1RB_Left	18.75	/	/	18.25	/	/	<=30	Pass
		Inner_1RB_Right	18.87	/	/	18.37	/	/	<=30	Pass
CP-OFDM QPSK	1725	Edge_1RB_Left	19.94	/	/	19.44	/	/	<=30	Pass
		Edge_1RB_Right	20.12	/	/	19.62	/	/	<=30	Pass
		Outer_Full	20.28	/	/	19.78	/	/	<=30	Pass
		Inner_Full	21.86	/	/	21.36	/	/	<=30	Pass
		Inner_1RB_Left	21.47	/	/	20.97	/	/	<=30	Pass
		Inner_1RB_Right	21.71	/	/	21.21	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.51	/	/	20.01	/	/	<=30	Pass
		Edge_1RB_Right	20.84	/	/	20.34	/	/	<=30	Pass
		Outer_Full	20.37	/	/	19.87	/	/	<=30	Pass
		Inner_Full	21.78	/	/	21.28	/	/	<=30	Pass
		Inner_1RB_Left	22.10	/	/	21.60	/	/	<=30	Pass
		Inner_1RB_Right	22.39	/	/	21.89	/	/	<=30	Pass
	1765	Edge_1RB_Left	20.34	/	/	19.84	/	/	<=30	Pass
		Edge_1RB_Right	20.34	/	/	19.84	/	/	<=30	Pass
		Outer_Full	20.65	/	/	20.15	/	/	<=30	Pass
		Inner_Full	22.29	/	/	21.79	/	/	<=30	Pass
		Inner_1RB_Left	21.89	/	/	21.39	/	/	<=30	Pass
		Inner_1RB_Right	21.81	/	/	21.31	/	/	<=30	Pass
CP-OFDM 16 QAM	1725	Edge_1RB_Left	20.25	/	/	19.75	/	/	<=30	Pass
		Edge_1RB_Right	20.37	/	/	19.87	/	/	<=30	Pass
		Outer_Full	20.28	/	/	19.78	/	/	<=30	Pass
		Inner_Full	21.34	/	/	20.84	/	/	<=30	Pass
		Inner_1RB_Left	21.22	/	/	20.72	/	/	<=30	Pass
		Inner_1RB_Right	21.30	/	/	20.80	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.60	/	/	20.10	/	/	<=30	Pass
		Edge_1RB_Right	21.10	/	/	20.60	/	/	<=30	Pass
		Outer_Full	20.40	/	/	19.90	/	/	<=30	Pass
		Inner_Full	21.20	/	/	20.70	/	/	<=30	Pass
		Inner_1RB_Left	21.62	/	/	21.12	/	/	<=30	Pass
		Inner_1RB_Right	21.94	/	/	21.44	/	/	<=30	Pass
	1765	Edge_1RB_Left	20.62	/	/	20.12	/	/	<=30	Pass
		Edge_1RB_Right	20.66	/	/	20.16	/	/	<=30	Pass
		Outer_Full	20.66	/	/	20.16	/	/	<=30	Pass
		Inner_Full	21.77	/	/	21.27	/	/	<=30	Pass
		Inner_1RB_Left	21.55	/	/	21.05	/	/	<=30	Pass
		Inner_1RB_Right	21.56	/	/	21.06	/	/	<=30	Pass
CP-OFDM 64 QAM	1725	Edge_1RB_Left	19.42	/	/	18.92	/	/	<=30	Pass
		Edge_1RB_Right	19.51	/	/	19.01	/	/	<=30	Pass
		Outer_Full	19.84	/	/	19.34	/	/	<=30	Pass
		Inner_Full	19.95	/	/	19.45	/	/	<=30	Pass
		Inner_1RB_Left	19.43	/	/	18.93	/	/	<=30	Pass
		Inner_1RB_Right	19.60	/	/	19.10	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.90	/	/	19.40	/	/	<=30	Pass
		Edge_1RB_Right	20.21	/	/	19.71	/	/	<=30	Pass
		Outer_Full	19.82	/	/	19.32	/	/	<=30	Pass
		Inner_Full	19.78	/	/	19.28	/	/	<=30	Pass
		Inner_1RB_Left	19.74	/	/	19.24	/	/	<=30	Pass
		Inner_1RB_Right	20.30	/	/	19.80	/	/	<=30	Pass
	1765	Edge_1RB_Left	19.83	/	/	19.33	/	/	<=30	Pass

		Edge 1RB Right	19.93	/	/	19.43	/	/	<=30	Pass
		Outer Full	20.18	/	/	19.68	/	/	<=30	Pass
		Inner Full	20.33	/	/	19.83	/	/	<=30	Pass
		Inner 1RB Left	19.84	/	/	19.34	/	/	<=30	Pass
		Inner 1RB Right	19.76	/	/	19.26	/	/	<=30	Pass
CP-OFDM 256 QAM	1725	Edge 1RB Left	16.53	/	/	16.03	/	/	<=30	Pass
		Edge 1RB Right	16.77	/	/	16.27	/	/	<=30	Pass
		Outer Full	16.84	/	/	16.34	/	/	<=30	Pass
		Inner Full	16.94	/	/	16.44	/	/	<=30	Pass
		Inner 1RB Left	16.47	/	/	15.97	/	/	<=30	Pass
		Inner 1RB Right	16.69	/	/	16.19	/	/	<=30	Pass
	1745	Edge 1RB Left	16.95	/	/	16.45	/	/	<=30	Pass
		Edge 1RB Right	17.33	/	/	16.83	/	/	<=30	Pass
		Outer Full	16.86	/	/	16.36	/	/	<=30	Pass
		Inner Full	16.75	/	/	16.25	/	/	<=30	Pass
		Inner 1RB Left	16.94	/	/	16.44	/	/	<=30	Pass
		Inner 1RB Right	17.29	/	/	16.79	/	/	<=30	Pass
	1765	Edge 1RB Left	16.77	/	/	16.27	/	/	<=30	Pass
		Edge 1RB Right	17.03	/	/	16.53	/	/	<=30	Pass
		Outer Full	17.13	/	/	16.63	/	/	<=30	Pass
Inner Full		17.26	/	/	16.76	/	/	<=30	Pass	
Inner 1RB Left		16.84	/	/	16.34	/	/	<=30	Pass	
		Inner 1RB Right	16.89	/	/	16.39	/	/	<=30	Pass
Note1: Antenna Gain: Ant1: -0.50dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.7 15_S_40M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 40MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1730	Edge 1RB Left	22.30	/	/	21.80	/	/	<=30	Pass
		Edge 1RB Right	22.69	/	/	22.19	/	/	<=30	Pass
		Outer Full	22.72	/	/	22.22	/	/	<=30	Pass
		Inner Full	23.37	/	/	22.87	/	/	<=30	Pass
		Inner 1RB Left	22.84	/	/	22.34	/	/	<=30	Pass
		Inner 1RB Right	23.18	/	/	22.68	/	/	<=30	Pass
	1745	Edge 1RB Left	22.76	/	/	22.26	/	/	<=30	Pass
		Edge 1RB Right	23.22	/	/	22.72	/	/	<=30	Pass
		Outer Full	22.89	/	/	22.39	/	/	<=30	Pass
		Inner Full	23.38	/	/	22.88	/	/	<=30	Pass
		Inner 1RB Left	23.33	/	/	22.83	/	/	<=30	Pass
		Inner 1RB Right	23.66	/	/	23.16	/	/	<=30	Pass
	1760	Edge 1RB Left	22.44	/	/	21.94	/	/	<=30	Pass
		Edge 1RB Right	22.70	/	/	22.20	/	/	<=30	Pass
		Outer Full	22.88	/	/	22.38	/	/	<=30	Pass
		Inner Full	23.68	/	/	23.18	/	/	<=30	Pass
		Inner 1RB Left	22.95	/	/	22.45	/	/	<=30	Pass
		Inner 1RB Right	23.15	/	/	22.65	/	/	<=30	Pass
DFT-s-OFDM QPSK	1730	Edge 1RB Left	22.00	/	/	21.50	/	/	<=30	Pass
		Edge 1RB Right	22.31	/	/	21.81	/	/	<=30	Pass
		Outer Full	22.24	/	/	21.74	/	/	<=30	Pass
		Inner Full	23.38	/	/	22.88	/	/	<=30	Pass
		Inner 1RB Left	23.12	/	/	22.62	/	/	<=30	Pass
		Inner 1RB Right	23.43	/	/	22.93	/	/	<=30	Pass
	1745	Edge 1RB Left	22.58	/	/	22.08	/	/	<=30	Pass
		Edge 1RB Right	23.04	/	/	22.54	/	/	<=30	Pass
		Outer Full	22.40	/	/	21.90	/	/	<=30	Pass

		Inner_Full	23.36	/	/	22.86	/	/	<=30	Pass
		Inner_1RB_Left	23.65	/	/	23.15	/	/	<=30	Pass
		Inner_1RB_Right	24.13	/	/	23.63	/	/	<=30	Pass
	1760	Edge_1RB_Left	22.26	/	/	21.76	/	/	<=30	Pass
		Edge_1RB_Right	22.40	/	/	21.90	/	/	<=30	Pass
		Outer_Full	22.51	/	/	22.01	/	/	<=30	Pass
		Inner_Full	23.69	/	/	23.19	/	/	<=30	Pass
		Inner_1RB_Left	23.29	/	/	22.79	/	/	<=30	Pass
		Inner_1RB_Right	23.49	/	/	22.99	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1730	Edge_1RB_Left	21.02	/	/	20.52	/	/	<=30	Pass
		Edge_1RB_Right	21.40	/	/	20.90	/	/	<=30	Pass
		Outer_Full	21.20	/	/	20.70	/	/	<=30	Pass
		Inner_Full	22.39	/	/	21.89	/	/	<=30	Pass
		Inner_1RB_Left	22.02	/	/	21.52	/	/	<=30	Pass
		Inner_1RB_Right	22.38	/	/	21.88	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.54	/	/	21.04	/	/	<=30	Pass
		Edge_1RB_Right	21.87	/	/	21.37	/	/	<=30	Pass
		Outer_Full	21.41	/	/	20.91	/	/	<=30	Pass
		Inner_Full	22.42	/	/	21.92	/	/	<=30	Pass
		Inner_1RB_Left	22.54	/	/	22.04	/	/	<=30	Pass
		Inner_1RB_Right	22.90	/	/	22.40	/	/	<=30	Pass
	1760	Edge_1RB_Left	21.17	/	/	20.67	/	/	<=30	Pass
		Edge_1RB_Right	21.43	/	/	20.93	/	/	<=30	Pass
		Outer_Full	21.48	/	/	20.98	/	/	<=30	Pass
		Inner_Full	22.73	/	/	22.23	/	/	<=30	Pass
		Inner_1RB_Left	22.15	/	/	21.65	/	/	<=30	Pass
		Inner_1RB_Right	22.38	/	/	21.88	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1730	Edge_1RB_Left	20.20	/	/	19.70	/	/	<=30	Pass
		Edge_1RB_Right	20.50	/	/	20.00	/	/	<=30	Pass
		Outer_Full	20.74	/	/	20.24	/	/	<=30	Pass
		Inner_Full	20.80	/	/	20.30	/	/	<=30	Pass
		Inner_1RB_Left	20.13	/	/	19.63	/	/	<=30	Pass
		Inner_1RB_Right	20.38	/	/	19.88	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.68	/	/	20.18	/	/	<=30	Pass
		Edge_1RB_Right	21.02	/	/	20.52	/	/	<=30	Pass
		Outer_Full	20.95	/	/	20.45	/	/	<=30	Pass
		Inner_Full	20.89	/	/	20.39	/	/	<=30	Pass
		Inner_1RB_Left	20.67	/	/	20.17	/	/	<=30	Pass
		Inner_1RB_Right	21.02	/	/	20.52	/	/	<=30	Pass
	1760	Edge_1RB_Left	20.27	/	/	19.77	/	/	<=30	Pass
		Edge_1RB_Right	20.59	/	/	20.09	/	/	<=30	Pass
		Outer_Full	21.03	/	/	20.53	/	/	<=30	Pass
		Inner_Full	21.14	/	/	20.64	/	/	<=30	Pass
		Inner_1RB_Left	20.39	/	/	19.89	/	/	<=30	Pass
		Inner_1RB_Right	20.46	/	/	19.96	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1730	Edge_1RB_Left	18.27	/	/	17.77	/	/	<=30	Pass
		Edge_1RB_Right	18.51	/	/	18.01	/	/	<=30	Pass
		Outer_Full	18.70	/	/	18.20	/	/	<=30	Pass
		Inner_Full	18.85	/	/	18.35	/	/	<=30	Pass
		Inner_1RB_Left	18.23	/	/	17.73	/	/	<=30	Pass
		Inner_1RB_Right	18.60	/	/	18.10	/	/	<=30	Pass
	1745	Edge_1RB_Left	18.89	/	/	18.39	/	/	<=30	Pass
		Edge_1RB_Right	19.30	/	/	18.80	/	/	<=30	Pass
		Outer_Full	18.93	/	/	18.43	/	/	<=30	Pass
		Inner_Full	18.89	/	/	18.39	/	/	<=30	Pass
		Inner_1RB_Left	18.89	/	/	18.39	/	/	<=30	Pass
		Inner_1RB_Right	19.31	/	/	18.81	/	/	<=30	Pass
	1760	Edge_1RB_Left	18.51	/	/	18.01	/	/	<=30	Pass
		Edge_1RB_Right	18.74	/	/	18.24	/	/	<=30	Pass

		Outer_Full	18.96	/	/	18.46	/	/	<=30	Pass
		Inner_Full	19.18	/	/	18.68	/	/	<=30	Pass
		Inner_1RB_Left	18.45	/	/	17.95	/	/	<=30	Pass
		Inner_1RB_Right	18.74	/	/	18.24	/	/	<=30	Pass
CP-OFDM QPSK	1730	Edge_1RB_Left	19.79	/	/	19.29	/	/	<=30	Pass
		Edge_1RB_Right	20.18	/	/	19.68	/	/	<=30	Pass
		Outer_Full	20.16	/	/	19.66	/	/	<=30	Pass
		Inner_Full	21.86	/	/	21.36	/	/	<=30	Pass
		Inner_1RB_Left	21.38	/	/	20.88	/	/	<=30	Pass
		Inner_1RB_Right	21.73	/	/	21.23	/	/	<=30	Pass
		Edge_1RB_Left	20.44	/	/	19.94	/	/	<=30	Pass
		Edge_1RB_Right	20.81	/	/	20.31	/	/	<=30	Pass
	1745	Outer_Full	20.44	/	/	19.94	/	/	<=30	Pass
		Inner_Full	21.88	/	/	21.38	/	/	<=30	Pass
		Inner_1RB_Left	21.99	/	/	21.49	/	/	<=30	Pass
		Inner_1RB_Right	22.54	/	/	22.04	/	/	<=30	Pass
		Edge_1RB_Left	20.01	/	/	19.51	/	/	<=30	Pass
		Edge_1RB_Right	20.18	/	/	19.68	/	/	<=30	Pass
	1760	Outer_Full	20.48	/	/	19.98	/	/	<=30	Pass
		Inner_Full	22.21	/	/	21.71	/	/	<=30	Pass
		Inner_1RB_Left	21.58	/	/	21.08	/	/	<=30	Pass
		Inner_1RB_Right	21.78	/	/	21.28	/	/	<=30	Pass
CP-OFDM 16 QAM	1730	Edge_1RB_Left	20.09	/	/	19.59	/	/	<=30	Pass
		Edge_1RB_Right	20.46	/	/	19.96	/	/	<=30	Pass
		Outer_Full	20.20	/	/	19.70	/	/	<=30	Pass
		Inner_Full	21.29	/	/	20.79	/	/	<=30	Pass
		Inner_1RB_Left	21.05	/	/	20.55	/	/	<=30	Pass
		Inner_1RB_Right	21.47	/	/	20.97	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.66	/	/	20.16	/	/	<=30	Pass
		Edge_1RB_Right	20.99	/	/	20.49	/	/	<=30	Pass
		Outer_Full	20.45	/	/	19.95	/	/	<=30	Pass
		Inner_Full	21.36	/	/	20.86	/	/	<=30	Pass
		Inner_1RB_Left	21.60	/	/	21.10	/	/	<=30	Pass
		Inner_1RB_Right	22.00	/	/	21.50	/	/	<=30	Pass
	1760	Edge_1RB_Left	20.20	/	/	19.70	/	/	<=30	Pass
		Edge_1RB_Right	20.51	/	/	20.01	/	/	<=30	Pass
		Outer_Full	20.50	/	/	20.00	/	/	<=30	Pass
		Inner_Full	21.66	/	/	21.16	/	/	<=30	Pass
		Inner_1RB_Left	21.18	/	/	20.68	/	/	<=30	Pass
		Inner_1RB_Right	21.49	/	/	20.99	/	/	<=30	Pass
CP-OFDM 64 QAM	1730	Edge_1RB_Left	19.29	/	/	18.79	/	/	<=30	Pass
		Edge_1RB_Right	19.65	/	/	19.15	/	/	<=30	Pass
		Outer_Full	19.67	/	/	19.17	/	/	<=30	Pass
		Inner_Full	19.78	/	/	19.28	/	/	<=30	Pass
		Inner_1RB_Left	19.28	/	/	18.78	/	/	<=30	Pass
		Inner_1RB_Right	19.61	/	/	19.11	/	/	<=30	Pass
	1745	Edge_1RB_Left	19.87	/	/	19.37	/	/	<=30	Pass
		Edge_1RB_Right	20.13	/	/	19.63	/	/	<=30	Pass
		Outer_Full	20.00	/	/	19.50	/	/	<=30	Pass
		Inner_Full	19.80	/	/	19.30	/	/	<=30	Pass
		Inner_1RB_Left	19.72	/	/	19.22	/	/	<=30	Pass
		Inner_1RB_Right	20.11	/	/	19.61	/	/	<=30	Pass
	1760	Edge_1RB_Left	19.39	/	/	18.89	/	/	<=30	Pass
		Edge_1RB_Right	19.69	/	/	19.19	/	/	<=30	Pass
		Outer_Full	19.98	/	/	19.48	/	/	<=30	Pass
		Inner_Full	20.13	/	/	19.63	/	/	<=30	Pass
		Inner_1RB_Left	19.54	/	/	19.04	/	/	<=30	Pass
		Inner_1RB_Right	19.63	/	/	19.13	/	/	<=30	Pass
CP-OFDM 256 QAM	1730	Edge_1RB_Left	16.38	/	/	15.88	/	/	<=30	Pass

		Edge 1RB Right	16.71	/	/	16.21	/	/	<=30	Pass
		Outer Full	16.66	/	/	16.16	/	/	<=30	Pass
		Inner Full	16.83	/	/	16.33	/	/	<=30	Pass
		Inner 1RB Left	16.35	/	/	15.85	/	/	<=30	Pass
		Inner 1RB Right	16.71	/	/	16.21	/	/	<=30	Pass
	1745	Edge 1RB Left	16.90	/	/	16.40	/	/	<=30	Pass
		Edge 1RB Right	17.32	/	/	16.82	/	/	<=30	Pass
		Outer Full	16.87	/	/	16.37	/	/	<=30	Pass
		Inner Full	16.82	/	/	16.32	/	/	<=30	Pass
		Inner 1RB Left	16.97	/	/	16.47	/	/	<=30	Pass
	1760	Inner 1RB Right	17.39	/	/	16.89	/	/	<=30	Pass
		Edge 1RB Left	16.54	/	/	16.04	/	/	<=30	Pass
		Edge 1RB Right	16.92	/	/	16.42	/	/	<=30	Pass
		Outer Full	16.92	/	/	16.42	/	/	<=30	Pass
		Inner Full	17.14	/	/	16.64	/	/	<=30	Pass
		Inner 1RB Left	16.51	/	/	16.01	/	/	<=30	Pass
		Inner 1RB Right	16.87	/	/	16.37	/	/	<=30	Pass
	Note1: Antenna Gain: Ant1: -0.50dBi;									
Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_40M

5G NR n66 SCS=15kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1745	Outer_Full	20	LV	-3.10	-0.0018	>=-2.5 & <=2.5	Pass
				HV	2.20	0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	2.90	0.0017	>=-2.5 & <=2.5	Pass
			-20	NV	2.20	0.0013	>=-2.5 & <=2.5	Pass
			-10	NV	-0.70	-0.0004	>=-2.5 & <=2.5	Pass
			0	NV	4.50	0.0026	>=-2.5 & <=2.5	Pass
			10	NV	4.20	0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-2.60	-0.0015	>=-2.5 & <=2.5	Pass
			30	NV	0.50	0.0003	>=-2.5 & <=2.5	Pass
			40	NV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
			50	NV	3.60	0.0021	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV

5G NR n66 SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	4.56	5.00	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	4.54	4.98	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	4.54	4.99	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	4.56	5.03	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	4.54	5.01	/	Pass
CP-OFDM QPSK	1745	Outer_Full	4.54	5.59	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	4.54	6.06	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	4.57	7.26	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	4.52	5.36	/	Pass

3.1.2 15_S_10M_NTNV

5G NR n66 SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	9.06	9.69	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	9.06	9.77	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	9.09	9.82	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	9.09	9.78	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	8.99	9.65	/	Pass
CP-OFDM QPSK	1745	Outer_Full	9.42	12.99	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	9.41	11.14	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	9.41	11.43	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	9.37	10.03	/	Pass

3.1.3 15_S_15M_NTNV

5G NR n66 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	13.61	14.58	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	13.59	14.61	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	13.59	14.62	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	13.58	14.59	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	13.55	14.54	/	Pass
CP-OFDM QPSK	1745	Outer_Full	14.29	19.53	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	14.31	17.68	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	14.32	15.35	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	14.24	15.26	/	Pass

3.1.4 15_S_20M_NTNV

5G NR n66 SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	18.10	19.36	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	18.12	19.48	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	18.08	19.40	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	18.12	19.46	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	18.02	19.35	/	Pass
CP-OFDM QPSK	1745	Outer_Full	19.23	29.21	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	19.16	24.89	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	19.18	25.19	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	19.03	20.45	/	Pass

3.1.5 15_S_25M_NTNV

5G NR n66 SCS=15kHz SISO 25MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	23.06	24.71	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	23.06	24.72	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	23.09	24.78	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	23.09	24.74	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	23.01	24.66	/	Pass
CP-OFDM QPSK	1745	Outer_Full	23.98	28.34	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	23.93	26.87	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	24.03	26.76	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	23.89	25.59	/	Pass

3.1.6 15_S_30M_NTNV


5G NR n66 SCS=15kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	28.93	30.92	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	28.72	30.86	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	28.81	30.85	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	28.82	30.94	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	28.71	30.80	/	Pass
CP-OFDM QPSK	1745	Outer_Full	28.92	36.50	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	28.87	36.16	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	28.77	35.95	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	28.72	30.80	/	Pass

3.1.7 15_S_40M_NTNV


5G NR n66 SCS=15kHz SISO 40MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	39.01	41.59	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	38.76	41.57	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	38.78	41.58	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	38.95	41.53	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	38.88	41.42	/	Pass
CP-OFDM QPSK	1745	Outer_Full	38.96	49.70	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	38.97	45.77	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	38.87	41.61	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	38.78	41.51	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_16_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_64_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




3.2.2 15_S_10M_NTNV




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM 1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM 1745MHz_Outer_Full_Ant1







3.2.3 15_S_15M_NTNV




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_16QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_64QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM 1745MHz_Outer_Full Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM 1745MHz_Outer_Full Ant1







3.2.4 15_S_20M_NTNV




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 1745MHz_Outer_Full_Ant1







3.2.5 15_S_25M_NTNV




n66_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_16QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_64QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_25MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_25MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_25MHz_CP-OFDM 16 QAM 1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_25MHz_CP-OFDM 64 QAM 1745MHz_Outer_Full_Ant1







3.2.6 15_S_30M_NTNV




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM 16 QAM 1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM 64 QAM 1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_CP-OFDM 16 QAM 1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM 1745MHz_Outer_Full_Ant1







3.2.7 15_S_40M_NTNV




n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_16QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_64QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_40MHz_CP-OFDM 16 QAM 1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM 1745MHz_Outer_Full_Ant1





4. Peak-Average Ratio

4.1 Test Result


4.1.1 15_S_40M_NTNV

5G NR n66 SCS=15kHz SISO 40MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	5.08	/	/	<=13	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	6.13	/	/	<=13	Pass
CP-OFDM QPSK	1745	Outer_Full	8.06	/	/	<=13	Pass


4.2 Test Graph

4.2.1 15_S_40M_NTNV


n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n66 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
	1777.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
	1777.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
	1777.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.2 15_S_20M_NTNV


5G NR n66 SCS=15kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1720	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
	1770	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1720	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
	1770	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1720	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
	1770	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.3 15_S_40M_NTNV


5G NR n66 SCS=15kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1730	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		1760	Edge_1RB_Right	Refer To Test Graph			
	Outer_Full		Refer To Test Graph				Pass
	DFT-s-OFDM QPSK	1730	Edge_1RB_Left	Refer To Test Graph			
Outer_Full			Refer To Test Graph				Pass
1745		Edge_1RB_Left	Refer To Test Graph				Pass
		1760	Edge_1RB_Right	Refer To Test Graph			
Outer_Full			Refer To Test Graph				Pass
CP-OFDM QPSK		1730	Edge_1RB_Left	Refer To Test Graph			
	Outer_Full		Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		1760	Edge_1RB_Right	Refer To Test Graph			
	Outer_Full		Refer To Test Graph				Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1704.500	-46.16	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17058.500	-41.06	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1712.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.060	-25.15	-13	Pass
1709	1710	0.04978	CHP	2	1709.970	-32.81	-13	Pass
1710	1715	0.04978	CHP	/	/	/	/	/


n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-32.47	-13	Pass
1781	1785	1	CHP	2	1781.500	-36.73	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	927.350	-53.37	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1657.500	-51.48	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17091.000	-40.52	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1777.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.04978	CHP	/	/	/	/	/
1780	1781	0.04978	CHP	1	1780.010	-28.56	-13	Pass
1781	1785	1	CHP	2	1781.500	-21.92	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.497	-40.13	-13	Pass
1709	1710	0.003	/	2	1709.995	-34.17	-13	Pass
1710	1715	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	773.050	-53.26	-13	Pass


n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1712.5MHz_Outer_Full_Ant1




n66 15kHz SISO NTN 5MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left Ant1



n66 15kHz SISO NTN 5MHz DFT-s-OFDM QPSK 1745MHz Edge 1RB Left Ant1




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.006	-31.45	-13	Pass
1781	1785	1	CHP	2	1781.500	-37.27	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	783.600	-53.32	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1659.500	-51.59	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17071.500	-41.34	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1777.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.04978	CHP	/	/	/	/	/
1780	1781	0.04978	CHP	1	1780.010	-26.33	-13	Pass
1781	1785	1	CHP	2	1781.500	-17.01	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.497	-40.19	-13	Pass
1709	1710	0.003	/	2	1709.994	-33.81	-13	Pass
1710	1715	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	796.850	-53.38	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1704.500	-47.36	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17084.500	-40.99	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1712.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-21.45	-13	Pass
1709	1710	0.04978	CHP	2	1709.780	-30.67	-13	Pass
1710	1715	0.04978	CHP	/	/	/	/	/


n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-33.94	-13	Pass
1781	1785	1	CHP	2	1781.500	-39.39	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	792.300	-53.42	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1251.000	-51.54	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17094.500	-40.92	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1777.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.04978	CHP	/	/	/	/	/
1780	1781	0.04978	CHP	1	1780.120	-27.60	-13	Pass
1781	1785	1	CHP	2	1781.500	-18.09	-13	Pass

5.2.2 15_S_20M_NTNV




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_1720MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1701.000	-43.16	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17094.000	-41.10	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_1720MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-28.37	-13	Pass
1709	1710	0.19482	CHP	2	1709.975	-32.83	-13	Pass
1710	1730	0.19482	CHP	/	/	/	/	/

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	792.350	-53.74	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1689.000	-51.97	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17057.000	-41.83	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.003	-46.11	-13	Pass
1781	1785	1	CHP	2	1781.566	-41.67	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	946.650	-53.31	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1662.000	-51.12	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1788.500	-39.57	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_1770MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.19482	CHP	/	/	/	/	/
1780	1781	0.19482	CHP	1	1780.075	-26.99	-13	Pass
1781	1785	1	CHP	2	1782.750	-23.27	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1720MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.303	-44.57	-13	Pass
1709	1710	0.003	/	2	1709.982	-48.32	-13	Pass
1710	1730	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1720MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	777.250	-53.42	-13	Pass


n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1720MHz_Edge_1RB_Left Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1720MHz_Outer_Full Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.066	-46.62	-13	Pass
1781	1785	1	CHP	2	1781.755	-41.07	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	788.850	-53.23	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1645.000	-51.64	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17099.000	-40.90	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1770MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.19482	CHP	/	/	/	/	/
1780	1781	0.19482	CHP	1	1780.475	-61.65	-13	Pass
1781	1785	1	CHP	2	1783.725	-54.64	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1720MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.318	-43.32	-13	Pass
1709	1710	0.003	/	2	1709.979	-46.26	-13	Pass
1710	1730	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1720MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	940.350	-53.62	-13	Pass


n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1720MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1720MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	919.850	-53.69	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1537.500	-52.17	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17035.000	-41.65	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-47.38	-13	Pass
1781	1785	1	CHP	2	1781.803	-43.01	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	928.650	-53.40	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1770MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1600.500	-51.53	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17094.500	-40.86	-13	Pass

n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1770MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.19482	CHP	/	/	/	/	/
1780	1781	0.19482	CHP	1	1780.850	-24.58	-13	Pass
1781	1785	1	CHP	2	1781.750	-18.61	-13	Pass

5.2.3 15_S_40M_NTNV




n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1730MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1691.000	-42.52	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17093.500	-41.03	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1730MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.465	-33.35	-13	Pass
1709	1710	0.4157	CHP	2	1709.995	-29.68	-13	Pass
1710	1750	0.4157	CHP	/	/	/	/	/


n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1760MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-39.72	-13	Pass
1781	1785	1	CHP	2	1781.501	-42.36	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1760MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	927.000	-53.43	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1760MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1701.500	-49.18	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17094.500	-41.31	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_PI/2_BPSK_1760MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.4157	CHP	/	/	/	/	/
1780	1781	0.4157	CHP	1	1780.005	-29.00	-13	Pass
1781	1785	1	CHP	2	1782.345	-28.59	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.471	-47.29	-13	Pass
1709	1710	0.003	/	2	1709.983	-45.44	-13	Pass
1710	1750	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	933.050	-53.62	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Edge_1RB_Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1703.500	-43.50	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17086.000	-41.13	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1730MHz_Outer_Full Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1706.170	-33.24	-13	Pass
1709	1710	0.4157	CHP	2	1709.995	-30.69	-13	Pass
1710	1750	0.4157	CHP	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	798.900	-53.84	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1686.500	-50.45	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17096.000	-41.44	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1760MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.020	-47.40	-13	Pass
1781	1785	1	CHP	2	1781.505	-48.28	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1760MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	940.750	-53.43	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1760MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1703.500	-49.58	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17059.500	-41.20	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_1760MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.4157	CHP	/	/	/	/	/
1780	1781	0.4157	CHP	1	1780.005	-30.12	-13	Pass
1781	1785	1	CHP	2	1781.535	-28.49	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.478	-47.01	-13	Pass
1709	1710	0.003	/	2	1709.995	-44.12	-13	Pass
1710	1750	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	983.800	-53.50	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1704.500	-46.09	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17060.000	-41.35	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1730MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.465	-29.70	-13	Pass
1709	1710	0.4157	CHP	2	1709.995	-30.03	-13	Pass
1710	1750	0.4157	CHP	/	/	/	/	/

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	918.800	-53.88	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1702.000	-51.33	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17055.500	-41.70	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1760MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.004	-45.36	-13	Pass
1781	1785	1	CHP	2	1781.501	-46.70	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1760MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	913.400	-53.46	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1760MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1702.000	-49.39	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17075.500	-41.11	-13	Pass

n66_15kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_1760MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1780	0.4157	CHP	/	/	/	/	/
1780	1781	0.4157	CHP	1	1780.005	-29.45	-13	Pass
1781	1785	1	CHP	2	1784.010	-27.14	-13	Pass