

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 PCS1900\_EIRP

| Band: PCS1900 |         |            |                 |                       |            |            |         |         |
|---------------|---------|------------|-----------------|-----------------------|------------|------------|---------|---------|
| ENV           | Mode    |            | Frequency (MHz) | Conducted Power (dBm) | Gain (dBi) | EIRP (dBm) |         | Verdict |
|               | Network | Subset     |                 |                       |            | Result     | Limit   |         |
| NTNV          | GSM     | GSM        | 1850.2          | 28.34                 | -0.10      | 28.24      | <=33.01 | Pass    |
|               |         |            | 1880            | 28.68                 | -0.10      | 28.58      | <=33.01 | Pass    |
|               |         |            | 1909.8          | 28.16                 | -0.10      | 28.06      | <=33.01 | Pass    |
|               | GPRS    | 1 TX Slot  | 1850.2          | 28.33                 | -0.10      | 28.23      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1850.2          | 28.30                 | -0.10      | 28.20      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1850.2          | 26.99                 | -0.10      | 26.89      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1850.2          | 25.36                 | -0.10      | 25.26      | <=33.01 | Pass    |
|               |         | 1 TX Slot  | 1880            | 28.68                 | -0.10      | 28.58      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1880            | 28.66                 | -0.10      | 28.56      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1880            | 27.42                 | -0.10      | 27.32      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1880            | 25.79                 | -0.10      | 25.69      | <=33.01 | Pass    |
|               |         | 1 TX Slot  | 1909.8          | 28.14                 | -0.10      | 28.04      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1909.8          | 28.11                 | -0.10      | 28.01      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1909.8          | 26.87                 | -0.10      | 26.77      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1909.8          | 25.29                 | -0.10      | 25.19      | <=33.01 | Pass    |
|               | EGPRS   | 1 TX Slot  | 1850.2          | 24.54                 | -0.10      | 24.44      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1850.2          | 23.41                 | -0.10      | 23.31      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1850.2          | 21.22                 | -0.10      | 21.12      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1850.2          | 21.60                 | -0.10      | 21.50      | <=33.01 | Pass    |
|               |         | 1 TX Slot  | 1880            | 24.48                 | -0.10      | 24.38      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1880            | 23.35                 | -0.10      | 23.25      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1880            | 21.12                 | -0.10      | 21.02      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1880            | 20.44                 | -0.10      | 20.34      | <=33.01 | Pass    |
|               |         | 1 TX Slot  | 1909.8          | 24.39                 | -0.10      | 24.29      | <=33.01 | Pass    |
|               |         | 2 TX Slots | 1909.8          | 24.78                 | -0.10      | 24.68      | <=33.01 | Pass    |
|               |         | 3 TX Slots | 1909.8          | 21.24                 | -0.10      | 21.14      | <=33.01 | Pass    |
|               |         | 4 TX Slots | 1909.8          | 20.48                 | -0.10      | 20.38      | <=33.01 | Pass    |

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 PCS1900

| Band: PCS1900 |                 |            |         |                  |                       |             |         |
|---------------|-----------------|------------|---------|------------------|-----------------------|-------------|---------|
| Network       | Frequency (MHz) | Temp. (°C) | Voltage | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|               |                 |            |         |                  | Result                | Limit       |         |
| GSM           | 1850.2          | 20         | LV      | -3.616           | -0.0020               | -2.5 to 2.5 | Pass    |
|               |                 |            | NV      | -2.647           | -0.0014               | -2.5 to 2.5 | Pass    |
|               |                 |            | HV      | -1.550           | -0.0008               | -2.5 to 2.5 | Pass    |
|               |                 | -30        | NV      | 1.647            | 0.0009                | -2.5 to 2.5 | Pass    |
|               |                 | -20        | NV      | 0.420            | 0.0002                | -2.5 to 2.5 | Pass    |
|               |                 | -10        | NV      | -31.350          | -0.0169               | -2.5 to 2.5 | Pass    |
|               |                 | 0          | NV      | -0.484           | -0.0003               | -2.5 to 2.5 | Pass    |
|               |                 | 10         | NV      | 17.305           | 0.0094                | -2.5 to 2.5 | Pass    |
|               |                 | 30         | NV      | 6.909            | 0.0037                | -2.5 to 2.5 | Pass    |
|               |                 | 40         | NV      | 2.292            | 0.0012                | -2.5 to 2.5 | Pass    |
|               |                 | 50         | NV      | -1.356           | -0.0007               | -2.5 to 2.5 | Pass    |
|               | 1880            | 20         | LV      | 2.680            | 0.0014                | -2.5 to 2.5 | Pass    |
|               |                 |            | NV      | 2.938            | 0.0016                | -2.5 to 2.5 | Pass    |
|               |                 |            | HV      | 0.420            | 0.0002                | -2.5 to 2.5 | Pass    |
|               |                 | -30        | NV      | 5.715            | 0.0030                | -2.5 to 2.5 | Pass    |
|               |                 | -20        | NV      | -0.032           | 0.0000                | -2.5 to 2.5 | Pass    |
|               |                 | -10        | NV      | -1.388           | -0.0007               | -2.5 to 2.5 | Pass    |
|               |                 | 0          | NV      | 4.714            | 0.0025                | -2.5 to 2.5 | Pass    |
|               |                 | 10         | NV      | -2.099           | -0.0011               | -2.5 to 2.5 | Pass    |
|               |                 | 30         | NV      | 0.226            | 0.0001                | -2.5 to 2.5 | Pass    |
|               |                 | 40         | NV      | -0.613           | -0.0003               | -2.5 to 2.5 | Pass    |
|               |                 | 50         | NV      | 17.790           | 0.0095                | -2.5 to 2.5 | Pass    |
|               | 1909.8          | 20         | LV      | 3.261            | 0.0017                | -2.5 to 2.5 | Pass    |
|               |                 |            | NV      | -2.454           | -0.0013               | -2.5 to 2.5 | Pass    |
|               |                 |            | HV      | 1.130            | 0.0006                | -2.5 to 2.5 | Pass    |
|               |                 | -30        | NV      | 0.775            | 0.0004                | -2.5 to 2.5 | Pass    |
|               |                 | -20        | NV      | -0.323           | -0.0002               | -2.5 to 2.5 | Pass    |
|               |                 | -10        | NV      | -2.518           | -0.0013               | -2.5 to 2.5 | Pass    |
|               |                 | 0          | NV      | 7.006            | 0.0037                | -2.5 to 2.5 | Pass    |
|               |                 | 10         | NV      | 6.037            | 0.0032                | -2.5 to 2.5 | Pass    |
|               |                 | 30         | NV      | 5.811            | 0.0030                | -2.5 to 2.5 | Pass    |
|               |                 | 40         | NV      | -34.158          | -0.0179               | -2.5 to 2.5 | Pass    |
| GPRS          | 1850.2          | 20         | LV      | 2.615            | 0.0014                | -2.5 to 2.5 | Pass    |
|               |                 |            | NV      | -0.161           | -0.0001               | -2.5 to 2.5 | Pass    |
|               |                 |            | HV      | -3.455           | -0.0019               | -2.5 to 2.5 | Pass    |
|               |                 | -30        | NV      | -2.680           | -0.0014               | -2.5 to 2.5 | Pass    |
|               |                 | -20        | NV      | -3.196           | -0.0017               | -2.5 to 2.5 | Pass    |
|               |                 | -10        | NV      | -3.422           | -0.0018               | -2.5 to 2.5 | Pass    |
|               |                 | 0          | NV      | -16.175          | -0.0087               | -2.5 to 2.5 | Pass    |
|               |                 | 10         | NV      | -12.236          | -0.0066               | -2.5 to 2.5 | Pass    |
|               |                 | 30         | NV      | -15.917          | -0.0086               | -2.5 to 2.5 | Pass    |
|               |                 | 40         | NV      | -16.175          | -0.0087               | -2.5 to 2.5 | Pass    |
|               |                 | 50         | NV      | -9.427           | -0.0051               | -2.5 to 2.5 | Pass    |
|               | 1880            | 20         | LV      | -5.650           | -0.0030               | -2.5 to 2.5 | Pass    |
|               |                 |            | NV      | 4.488            | 0.0024                | -2.5 to 2.5 | Pass    |
|               |                 |            | HV      | 2.228            | 0.0012                | -2.5 to 2.5 | Pass    |

|       |        |     |    |        |         |             |      |
|-------|--------|-----|----|--------|---------|-------------|------|
|       |        | -30 | NV | 0.839  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        | -20 | NV | -0.969 | -0.0005 | -2.5 to 2.5 | Pass |
|       |        | -10 | NV | 3.777  | 0.0020  | -2.5 to 2.5 | Pass |
|       |        | 0   | NV | -5.650 | -0.0030 | -2.5 to 2.5 | Pass |
|       |        | 10  | NV | -1.291 | -0.0007 | -2.5 to 2.5 | Pass |
|       |        | 30  | NV | 3.713  | 0.0020  | -2.5 to 2.5 | Pass |
|       |        | 40  | NV | 6.941  | 0.0037  | -2.5 to 2.5 | Pass |
|       |        | 50  | NV | 24.989 | 0.0133  | -2.5 to 2.5 | Pass |
|       | 1909.8 | 20  | LV | 1.356  | 0.0007  | -2.5 to 2.5 | Pass |
|       |        |     | NV | -1.550 | -0.0008 | -2.5 to 2.5 | Pass |
|       |        |     | HV | -0.678 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        | -30 | NV | 0.710  | 0.0004  | -2.5 to 2.5 | Pass |
|       |        | -20 | NV | -3.842 | -0.0020 | -2.5 to 2.5 | Pass |
|       |        | -10 | NV | 0.613  | 0.0003  | -2.5 to 2.5 | Pass |
|       |        | 0   | NV | 5.553  | 0.0029  | -2.5 to 2.5 | Pass |
|       |        | 10  | NV | 7.975  | 0.0042  | -2.5 to 2.5 | Pass |
|       |        | 30  | NV | 7.426  | 0.0039  | -2.5 to 2.5 | Pass |
|       |        | 40  | NV | 5.263  | 0.0028  | -2.5 to 2.5 | Pass |
|       |        | 50  | NV | 8.039  | 0.0042  | -2.5 to 2.5 | Pass |
| EGPRS | 1850.2 | 20  | LV | -4.100 | -0.0022 | -2.5 to 2.5 | Pass |
|       |        |     | NV | -7.555 | -0.0041 | -2.5 to 2.5 | Pass |
|       |        |     | HV | -1.453 | -0.0008 | -2.5 to 2.5 | Pass |
|       |        | -30 | NV | -3.745 | -0.0020 | -2.5 to 2.5 | Pass |
|       |        | -20 | NV | -0.549 | -0.0003 | -2.5 to 2.5 | Pass |
|       |        | -10 | NV | -0.097 | -0.0001 | -2.5 to 2.5 | Pass |
|       |        | 0   | NV | 5.521  | 0.0030  | -2.5 to 2.5 | Pass |
|       |        | 10  | NV | 2.518  | 0.0014  | -2.5 to 2.5 | Pass |
|       |        | 30  | NV | 7.523  | 0.0041  | -2.5 to 2.5 | Pass |
|       |        | 40  | NV | 6.748  | 0.0036  | -2.5 to 2.5 | Pass |
|       |        | 50  | NV | 1.711  | 0.0009  | -2.5 to 2.5 | Pass |
|       | 1880   | 20  | LV | -5.359 | -0.0029 | -2.5 to 2.5 | Pass |
|       |        |     | NV | -5.779 | -0.0031 | -2.5 to 2.5 | Pass |
|       |        |     | HV | -2.938 | -0.0016 | -2.5 to 2.5 | Pass |
|       |        | -30 | NV | -0.775 | -0.0004 | -2.5 to 2.5 | Pass |
|       |        | -20 | NV | -3.551 | -0.0019 | -2.5 to 2.5 | Pass |
|       |        | -10 | NV | -2.615 | -0.0014 | -2.5 to 2.5 | Pass |
|       |        | 0   | NV | 11.397 | 0.0061  | -2.5 to 2.5 | Pass |
|       |        | 10  | NV | 7.200  | 0.0038  | -2.5 to 2.5 | Pass |
|       |        | 30  | NV | 6.393  | 0.0034  | -2.5 to 2.5 | Pass |
|       |        | 40  | NV | -0.355 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        | 50  | NV | 1.937  | 0.0010  | -2.5 to 2.5 | Pass |
|       | 1909.8 | 20  | LV | -5.456 | -0.0029 | -2.5 to 2.5 | Pass |
|       |        |     | NV | 2.131  | 0.0011  | -2.5 to 2.5 | Pass |
|       |        |     | HV | -3.648 | -0.0019 | -2.5 to 2.5 | Pass |
|       |        | -30 | NV | -2.195 | -0.0011 | -2.5 to 2.5 | Pass |
|       |        | -20 | NV | -5.263 | -0.0028 | -2.5 to 2.5 | Pass |
|       |        | -10 | NV | -1.937 | -0.0010 | -2.5 to 2.5 | Pass |
|       |        | 0   | NV | -5.069 | -0.0027 | -2.5 to 2.5 | Pass |
|       |        | 10  | NV | -0.355 | -0.0002 | -2.5 to 2.5 | Pass |
|       |        | 30  | NV | 5.004  | 0.0026  | -2.5 to 2.5 | Pass |
|       |        | 40  | NV | -2.647 | -0.0014 | -2.5 to 2.5 | Pass |
|       |        | 50  | NV | -0.323 | -0.0002 | -2.5 to 2.5 | Pass |

### 3. 99% & 26dB Bandwidth

#### 3.1 Test Result

##### 3.1.1 PCS1900\_OBW


| Band: PCS1900 |         |           |                 |                              |       |         |
|---------------|---------|-----------|-----------------|------------------------------|-------|---------|
| ENV           | Mode    |           | Frequency (MHz) | 99% Occupied Bandwidth (MHz) |       | Verdict |
|               | Network | Subset    |                 | Result                       | Limit |         |
| NTNV          | GSM     | GSM       | 1850.2          | 0.242                        | /     | Pass    |
|               |         |           | 1880            | 0.247                        | /     | Pass    |
|               |         |           | 1909.8          | 0.245                        | /     | Pass    |
|               | GPRS    | 1 TX Slot | 1850.2          | 0.247                        | /     | Pass    |
|               |         |           | 1880            | 0.246                        | /     | Pass    |
|               |         |           | 1909.8          | 0.245                        | /     | Pass    |
|               | EGPRS   | 1 TX Slot | 1850.2          | 0.255                        | /     | Pass    |
|               |         |           | 1880            | 0.243                        | /     | Pass    |
|               |         |           | 1909.8          | 0.239                        | /     | Pass    |

##### 3.1.2 PCS1900\_XDB


| Band: PCS1900 |         |           |                 |                      |       |         |
|---------------|---------|-----------|-----------------|----------------------|-------|---------|
| ENV           | Mode    |           | Frequency (MHz) | 26dB Bandwidth (MHz) |       | Verdict |
|               | Network | Subset    |                 | Result               | Limit |         |
| NTNV          | GSM     | GSM       | 1850.2          | 0.322                | /     | Pass    |
|               |         |           | 1880            | 0.320                | /     | Pass    |
|               |         |           | 1909.8          | 0.313                | /     | Pass    |
|               | GPRS    | 1 TX Slot | 1850.2          | 0.321                | /     | Pass    |
|               |         |           | 1880            | 0.320                | /     | Pass    |
|               |         |           | 1909.8          | 0.314                | /     | Pass    |
|               | EGPRS   | 1 TX Slot | 1850.2          | 0.325                | /     | Pass    |
|               |         |           | 1880            | 0.311                | /     | Pass    |
|               |         |           | 1909.8          | 0.313                | /     | Pass    |

### 3.2 Test Graph


#### 3.2.1 PCS1900\_OBW




# PCS1900 GSM HCH 1909.8MHz GSM NTN




# PCS1900 GPRS LCH 1850.2MHz\_1 TX Slot NTN




# PCS1900 GPRS MCH 1880MHz 1 TX Slot\_NTNV




# PCS1900\_GPRS\_HCH\_1909.8MHz 1 TX Slot\_NTNV




# PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot\_NTNV




# PCS1900 EGPRS MCH 1880MHz 1 TX Slot\_NTNV




# PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot\_NTNV




3.2.2 PCS1900\_XDB




# PCS1900 GSM HCH 1909.8MHz GSM NTN




# PCS1900 GPRS LCH 1850.2MHz\_1 TX Slot NTN




# PCS1900 GPRS MCH 1880MHz 1 TX Slot\_NTNV




# PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




# PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot\_NTNV



# PCS1900 EGPRS MCH 1880MHz 1 TX Slot\_NTNV



# PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot\_NTNV



## 4. Peak-Average Ratio


### 4.1 Test Result

#### 4.1.1 PCS1900


| Band: PCS1900 |         |            |                 |                         |       |         |
|---------------|---------|------------|-----------------|-------------------------|-------|---------|
| ENV           | Mode    |            | Frequency (MHz) | Peak-Average Ratio (dB) |       | Verdict |
|               | Network | Subset     |                 | Result                  | Limit |         |
| NTNV          | GSM     | GSM        | 1850.2          | 9.28                    | <=13  | Pass    |
|               |         |            | 1880            | 9.42                    | <=13  | Pass    |
|               |         |            | 1909.8          | 9.38                    | <=13  | Pass    |
|               | GPRS    | 4 TX Slots | 1850.2          | 3.77                    | <=13  | Pass    |
|               |         |            | 1880            | 3.90                    | <=13  | Pass    |
|               |         |            | 1909.8          | 3.83                    | <=13  | Pass    |
|               | EGPRS   | 4 TX Slots | 1850.2          | 9.38                    | <=13  | Pass    |
|               |         |            | 1880            | 9.01                    | <=13  | Pass    |
|               |         |            | 1909.8          | 8.84                    | <=13  | Pass    |

4.2 Test Graph


4.2.1 PCS1900




PCS1900 GSM HCH 1909.8MHz GSM NTN




PCS1900 GPRS LCH 1850.2MHz 4 TX Slots NTN




PCS1900\_GPRS\_MCH\_1880MHz\_4 TX Slots\_NTNV




PCS1900\_GPRS\_HCH\_1909.8MHz\_4 TX Slots\_NTNV




# PCS1900 EGPRS LCH 1850.2MHz 4 TX Slots\_NTNV



# PCS1900 EGPRS MCH 1880MHz 4 TX Slots\_NTNV



PCS1900 EGPRS HCH 1909.8MHz 4 TX Slots NTN



## 5. Spurious Emission


### 5.1 Test Result

#### 5.1.1 PCS1900


| Band: PCS1900 |         |           |                    |                     |       |         |
|---------------|---------|-----------|--------------------|---------------------|-------|---------|
| ENV           | Mode    |           | Frequency<br>(MHz) | Spurious Emission   |       | Verdict |
|               | Network | Subset    |                    | Result              | Limit |         |
| NTNV          | GSM     | GSM       | 1850.2             | Refer To Test Graph |       | Pass    |
|               |         |           | 1880               | Refer To Test Graph |       | Pass    |
|               |         |           | 1909.8             | Refer To Test Graph |       | Pass    |
|               | GPRS    | 1 TX Slot | 1850.2             | Refer To Test Graph |       | Pass    |
|               |         |           | 1880               | Refer To Test Graph |       | Pass    |
|               |         |           | 1909.8             | Refer To Test Graph |       | Pass    |
|               | EGPRS   | 1 TX Slot | 1850.2             | Refer To Test Graph |       | Pass    |
|               |         |           | 1880               | Refer To Test Graph |       | Pass    |
|               |         |           | 1909.8             | Refer To Test Graph |       | Pass    |

5.2 Test Graph


5.2.1 PCS1900




# PCS1900 GSM LCH 1850.2MHz GSM NTN




# PCS1900 GSM MCH 1880MHz GSM NTN




# PCS1900 GSM MCH 1880MHz GSM NTN




# PCS1900 GSM HCH 1909.8MHz GSM NTN




# PCS1900 GSM HCH 1909.8MHz GSM NTN




# PCS1900 GSM HCH 1909.8MHz GSM NTN




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_LCH\_1850.2MHz\_1 TX Slot\_NTNV




PCS1900\_GPRS\_MCH\_1880MHz\_1 TX Slot\_NTNV




# PCS1900 GPRS MCH 1880MHz 1 TX Slot\_NTNV




# PCS1900\_GPRS\_HCH\_1909.8MHz\_1 TX Slot\_NTNV




# PCS1900 GPRS HCH 1909.8MHz 1 TX Slot\_NTNV




# PCS1900 GPRS HCH 1909.8MHz 1 TX Slot\_NTNV




# PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot\_NTNV




# PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot\_NTNV




# PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot\_NTNV




# PCS1900 EGPRS MCH 1880MHz 1 TX Slot\_NTNV




# PCS1900 EGPRS MCH 1880MHz 1 TX Slot NTN



# PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTN



# PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot\_NTNV



# PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot\_NTNV

