

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 303 of 326

		30	120	5239.900	5150 to 5250	Pass
			40	5239.900	5150 to 5250	Pass
			50	5239.980	5150 to 5250	Pass
		20	102	5260.040	5250 to 5350	Pass
			120	5260.000	5250 to 5350	Pass
			138	5260.000	5250 to 5350	Pass
		-30	120	5259.980	5250 to 5350	Pass
		-20	120	5260.100	5250 to 5350	Pass
		-10	120	5260.040	5250 to 5350	Pass
		0	120	5259.940	5250 to 5350	Pass
		10	120	5260.040	5250 to 5350	Pass
		30	120	5259.920	5250 to 5350	Pass
		40	120	5260.020	5250 to 5350	Pass
		50	120	5259.980	5250 to 5350	Pass
		20	102	5299.900	5250 to 5350	Pass
			120	5300.000	5250 to 5350	Pass
			138	5299.960	5250 to 5350	Pass
		-30	120	5299.940	5250 to 5350	Pass
		-20	120	5300.000	5250 to 5350	Pass
		-10	120	5299.940	5250 to 5350	Pass
		0	120	5300.020	5250 to 5350	Pass
		10	120	5299.960	5250 to 5350	Pass
		30	120	5300.000	5250 to 5350	Pass
		40	120	5300.040	5250 to 5350	Pass
		50	120	5300.040	5250 to 5350	Pass
		20	102	5320.060	5250 to 5350	Pass
			120	5319.920	5250 to 5350	Pass
			138	5319.960	5250 to 5350	Pass
		-30	120	5319.980	5250 to 5350	Pass
		-20	120	5320.020	5250 to 5350	Pass
		-10	120	5320.000	5250 to 5350	Pass
		0	120	5319.960	5250 to 5350	Pass
		10	120	5319.920	5250 to 5350	Pass
		30	120	5319.920	5250 to 5350	Pass
		40	120	5319.980	5250 to 5350	Pass
		50	120	5319.900	5250 to 5350	Pass
		20	102	5500.000	5470 to 5725	Pass
			120	5500.000	5470 to 5725	Pass
			138	5500.000	5470 to 5725	Pass
		-30	120	5500.020	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) / CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 304 of 326

			-20	120	5500.020	5470 to 5725	Pass
			-10	120	5500.020	5470 to 5725	Pass
			0	120	5499.900	5470 to 5725	Pass
			10	120	5499.980	5470 to 5725	Pass
			30	120	5500.040	5470 to 5725	Pass
			40	120	5500.000	5470 to 5725	Pass
			50	120	5499.980	5470 to 5725	Pass
		5580	20	102	5579.940	5470 to 5725	Pass
				120	5579.960	5470 to 5725	Pass
				138	5579.900	5470 to 5725	Pass
			-30	120	5580.000	5470 to 5725	Pass
			-20	120	5579.900	5470 to 5725	Pass
			-10	120	5579.940	5470 to 5725	Pass
			0	120	5579.980	5470 to 5725	Pass
			10	120	5579.920	5470 to 5725	Pass
			30	120	5580.040	5470 to 5725	Pass
			40	120	5580.080	5470 to 5725	Pass
			50	120	5580.000	5470 to 5725	Pass
		5700	20	102	5699.960	5470 to 5725	Pass
				120	5699.960	5470 to 5725	Pass
				138	5699.900	5470 to 5725	Pass
			-30	120	5699.960	5470 to 5725	Pass
			-20	120	5700.020	5470 to 5725	Pass
			-10	120	5699.940	5470 to 5725	Pass
			0	120	5699.960	5470 to 5725	Pass
			10	120	5699.940	5470 to 5725	Pass
			30	120	5699.960	5470 to 5725	Pass
			40	120	5700.100	5470 to 5725	Pass
			50	120	5699.900	5470 to 5725	Pass
		5745	20	102	5744.920	5725 to 5850	Pass
				120	5745.020	5725 to 5850	Pass
				138	5744.960	5725 to 5850	Pass
			-30	120	5744.960	5725 to 5850	Pass
			-20	120	5744.960	5725 to 5850	Pass
			-10	120	5745.000	5725 to 5850	Pass
			0	120	5744.960	5725 to 5850	Pass
			10	120	5744.960	5725 to 5850	Pass
			30	120	5744.940	5725 to 5850	Pass
			40	120	5744.980	5725 to 5850	Pass
			50	120	5745.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) /CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 305 of 326

		5785	20	102	5785.060	5725 to 5850	Pass
				120	5784.820	5725 to 5850	Pass
				138	5785.000	5725 to 5850	Pass
			-30	120	5785.040	5725 to 5850	Pass
			-20	120	5784.980	5725 to 5850	Pass
			-10	120	5785.020	5725 to 5850	Pass
			0	120	5784.960	5725 to 5850	Pass
			10	120	5785.040	5725 to 5850	Pass
			30	120	5784.960	5725 to 5850	Pass
			40	120	5784.840	5725 to 5850	Pass
			50	120	5784.940	5725 to 5850	Pass
		5825	20	102	5824.920	5725 to 5850	Pass
				120	5824.960	5725 to 5850	Pass
				138	5824.940	5725 to 5850	Pass
			-30	120	5825.040	5725 to 5850	Pass
			-20	120	5825.000	5725 to 5850	Pass
			-10	120	5824.980	5725 to 5850	Pass
			0	120	5825.000	5725 to 5850	Pass
			10	120	5824.920	5725 to 5850	Pass
			30	120	5824.940	5725 to 5850	Pass
			40	120	5824.960	5725 to 5850	Pass
			50	120	5825.000	5725 to 5850	Pass
		5720	20	102	5720.040	5470 to 5850	Pass
				120	5719.960	5470 to 5850	Pass
				138	5720.000	5470 to 5850	Pass
			-30	120	5720.040	5470 to 5850	Pass
			-20	120	5719.980	5470 to 5850	Pass
			-10	120	5719.940	5470 to 5850	Pass
			0	120	5719.960	5470 to 5850	Pass
			10	120	5719.960	5470 to 5850	Pass
			30	120	5720.020	5470 to 5850	Pass
			40	120	5719.920	5470 to 5850	Pass
			50	120	5720.060	5470 to 5850	Pass
802.11n (HT20)	SISO	5180	20	102	5180.060	5150 to 5250	Pass
				120	5180.000	5150 to 5250	Pass
				138	5180.040	5150 to 5250	Pass
			-30	120	5179.980	5150 to 5250	Pass
			-20	120	5179.960	5150 to 5250	Pass
			-10	120	5179.940	5150 to 5250	Pass
			0	120	5180.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 306 of 326

			10	120	5180.000	5150 to 5250	Pass
			30	120	5180.000	5150 to 5250	Pass
			40	120	5179.940	5150 to 5250	Pass
			50	120	5179.940	5150 to 5250	Pass
	5200	20	102	5200.060	5150 to 5250	Pass	
			120	5199.920	5150 to 5250	Pass	
			138	5199.960	5150 to 5250	Pass	
		-30	120	5199.960	5150 to 5250	Pass	
		-20	120	5200.040	5150 to 5250	Pass	
		-10	120	5200.000	5150 to 5250	Pass	
		0	120	5199.940	5150 to 5250	Pass	
		10	120	5200.000	5150 to 5250	Pass	
		30	120	5199.980	5150 to 5250	Pass	
		40	120	5200.020	5150 to 5250	Pass	
		50	120	5199.960	5150 to 5250	Pass	
	5240	20	102	5239.980	5150 to 5250	Pass	
			120	5239.960	5150 to 5250	Pass	
			138	5240.000	5150 to 5250	Pass	
		-30	120	5239.920	5150 to 5250	Pass	
		-20	120	5240.040	5150 to 5250	Pass	
		-10	120	5239.980	5150 to 5250	Pass	
		0	120	5240.020	5150 to 5250	Pass	
		10	120	5240.020	5150 to 5250	Pass	
		30	120	5240.040	5150 to 5250	Pass	
		40	120	5240.000	5150 to 5250	Pass	
		50	120	5240.020	5150 to 5250	Pass	
	5260	20	102	5260.000	5250 to 5350	Pass	
			120	5259.940	5250 to 5350	Pass	
			138	5260.000	5250 to 5350	Pass	
		-30	120	5260.000	5250 to 5350	Pass	
		-20	120	5259.940	5250 to 5350	Pass	
		-10	120	5260.000	5250 to 5350	Pass	
		0	120	5260.060	5250 to 5350	Pass	
		10	120	5259.980	5250 to 5350	Pass	
		30	120	5260.060	5250 to 5350	Pass	
		40	120	5259.940	5250 to 5350	Pass	
		50	120	5259.980	5250 to 5350	Pass	
	5300	20	102	5300.020	5250 to 5350	Pass	
			120	5300.000	5250 to 5350	Pass	
			138	5300.020	5250 to 5350	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 307 of 326

			-30	120	5299.920	5250 to 5350	Pass
			-20	120	5300.000	5250 to 5350	Pass
			-10	120	5300.040	5250 to 5350	Pass
			0	120	5299.940	5250 to 5350	Pass
			10	120	5300.020	5250 to 5350	Pass
			30	120	5300.040	5250 to 5350	Pass
			40	120	5300.040	5250 to 5350	Pass
			50	120	5300.020	5250 to 5350	Pass
		5320	20	102	5320.000	5250 to 5350	Pass
				120	5319.960	5250 to 5350	Pass
				138	5319.980	5250 to 5350	Pass
			-30	120	5320.060	5250 to 5350	Pass
			-20	120	5319.960	5250 to 5350	Pass
			-10	120	5319.960	5250 to 5350	Pass
			0	120	5320.040	5250 to 5350	Pass
			10	120	5319.940	5250 to 5350	Pass
			30	120	5320.080	5250 to 5350	Pass
			40	120	5319.960	5250 to 5350	Pass
			50	120	5319.980	5250 to 5350	Pass
		5500	20	102	5499.980	5470 to 5725	Pass
				120	5500.100	5470 to 5725	Pass
				138	5499.960	5470 to 5725	Pass
			-30	120	5499.940	5470 to 5725	Pass
			-20	120	5500.060	5470 to 5725	Pass
			-10	120	5499.940	5470 to 5725	Pass
			0	120	5499.980	5470 to 5725	Pass
			10	120	5500.000	5470 to 5725	Pass
			30	120	5500.000	5470 to 5725	Pass
			40	120	5500.020	5470 to 5725	Pass
			50	120	5499.960	5470 to 5725	Pass
		5580	20	102	5579.940	5470 to 5725	Pass
				120	5579.980	5470 to 5725	Pass
				138	5580.000	5470 to 5725	Pass
			-30	120	5580.060	5470 to 5725	Pass
			-20	120	5580.020	5470 to 5725	Pass
			-10	120	5579.940	5470 to 5725	Pass
			0	120	5580.040	5470 to 5725	Pass
			10	120	5580.000	5470 to 5725	Pass
			30	120	5580.000	5470 to 5725	Pass
			40	120	5579.980	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) /CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 308 of 326

		5700	50	120	5580.020	5470 to 5725	Pass
			20	102	5700.020	5470 to 5725	Pass
				120	5700.000	5470 to 5725	Pass
				138	5699.940	5470 to 5725	Pass
			-30	120	5700.000	5470 to 5725	Pass
			-20	120	5700.020	5470 to 5725	Pass
			-10	120	5699.960	5470 to 5725	Pass
			0	120	5699.940	5470 to 5725	Pass
			10	120	5700.040	5470 to 5725	Pass
			30	120	5700.060	5470 to 5725	Pass
			40	120	5699.980	5470 to 5725	Pass
			50	120	5700.000	5470 to 5725	Pass
		5745	20	102	5745.000	5725 to 5850	Pass
				120	5745.040	5725 to 5850	Pass
				138	5745.000	5725 to 5850	Pass
			-30	120	5744.940	5725 to 5850	Pass
			-20	120	5744.940	5725 to 5850	Pass
			-10	120	5744.980	5725 to 5850	Pass
			0	120	5744.980	5725 to 5850	Pass
			10	120	5745.020	5725 to 5850	Pass
			30	120	5744.980	5725 to 5850	Pass
			40	120	5745.040	5725 to 5850	Pass
			50	120	5745.100	5725 to 5850	Pass
		5785	20	102	5784.980	5725 to 5850	Pass
				120	5784.960	5725 to 5850	Pass
				138	5784.980	5725 to 5850	Pass
			-30	120	5784.960	5725 to 5850	Pass
			-20	120	5784.980	5725 to 5850	Pass
			-10	120	5784.960	5725 to 5850	Pass
			0	120	5784.980	5725 to 5850	Pass
			10	120	5784.960	5725 to 5850	Pass
			30	120	5784.980	5725 to 5850	Pass
			40	120	5785.000	5725 to 5850	Pass
			50	120	5785.040	5725 to 5850	Pass
		5825	20	102	5824.980	5725 to 5850	Pass
				120	5825.020	5725 to 5850	Pass
				138	5825.020	5725 to 5850	Pass
			-30	120	5824.980	5725 to 5850	Pass
			-20	120	5825.060	5725 to 5850	Pass
			-10	120	5825.040	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) /CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 309 of 326

			0	120	5825.000	5725 to 5850	Pass
			10	120	5824.920	5725 to 5850	Pass
			30	120	5825.040	5725 to 5850	Pass
			40	120	5824.980	5725 to 5850	Pass
			50	120	5824.980	5725 to 5850	Pass
		5720	20	102	5720.000	5470 to 5850	Pass
				120	5720.060	5470 to 5850	Pass
				138	5719.980	5470 to 5850	Pass
			-30	120	5719.920	5470 to 5850	Pass
			-20	120	5719.940	5470 to 5850	Pass
			-10	120	5720.000	5470 to 5850	Pass
			0	120	5719.920	5470 to 5850	Pass
			10	120	5720.000	5470 to 5850	Pass
			30	120	5720.020	5470 to 5850	Pass
			40	120	5719.940	5470 to 5850	Pass
			50	120	5720.040	5470 to 5850	Pass
		5190	20	102	5190.000	5150 to 5250	Pass
				120	5190.000	5150 to 5250	Pass
				138	5189.960	5150 to 5250	Pass
			-30	120	5190.000	5150 to 5250	Pass
			-20	120	5189.960	5150 to 5250	Pass
			-10	120	5190.000	5150 to 5250	Pass
			0	120	5190.000	5150 to 5250	Pass
			10	120	5190.000	5150 to 5250	Pass
			30	120	5189.960	5150 to 5250	Pass
			40	120	5190.000	5150 to 5250	Pass
			50	120	5189.960	5150 to 5250	Pass
		5230	20	102	5230.000	5150 to 5250	Pass
				120	5230.000	5150 to 5250	Pass
				138	5230.040	5150 to 5250	Pass
			-30	120	5230.000	5150 to 5250	Pass
			-20	120	5229.960	5150 to 5250	Pass
			-10	120	5230.040	5150 to 5250	Pass
			0	120	5229.960	5150 to 5250	Pass
			10	120	5230.000	5150 to 5250	Pass
			30	120	5230.000	5150 to 5250	Pass
			40	120	5230.000	5150 to 5250	Pass
			50	120	5230.000	5150 to 5250	Pass
		5270	20	102	5270.000	5250 to 5350	Pass
				120	5270.040	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 310 of 326

				138	5270.000	5250 to 5350	Pass
			-30	120	5270.000	5250 to 5350	Pass
			-20	120	5270.000	5250 to 5350	Pass
			-10	120	5270.000	5250 to 5350	Pass
			0	120	5269.960	5250 to 5350	Pass
			10	120	5270.040	5250 to 5350	Pass
			30	120	5269.960	5250 to 5350	Pass
			40	120	5270.040	5250 to 5350	Pass
			50	120	5270.000	5250 to 5350	Pass
		5310	20	102	5309.960	5250 to 5350	Pass
				120	5310.000	5250 to 5350	Pass
				138	5310.000	5250 to 5350	Pass
			-30	120	5310.000	5250 to 5350	Pass
			-20	120	5309.960	5250 to 5350	Pass
			-10	120	5310.080	5250 to 5350	Pass
			0	120	5310.000	5250 to 5350	Pass
			10	120	5310.000	5250 to 5350	Pass
			30	120	5310.000	5250 to 5350	Pass
			40	120	5310.000	5250 to 5350	Pass
			50	120	5310.000	5250 to 5350	Pass
		5510	20	102	5510.000	5470 to 5725	Pass
				120	5509.920	5470 to 5725	Pass
				138	5509.960	5470 to 5725	Pass
			-30	120	5510.000	5470 to 5725	Pass
			-20	120	5510.000	5470 to 5725	Pass
			-10	120	5510.000	5470 to 5725	Pass
			0	120	5510.000	5470 to 5725	Pass
			10	120	5510.000	5470 to 5725	Pass
			30	120	5510.000	5470 to 5725	Pass
			40	120	5510.000	5470 to 5725	Pass
			50	120	5510.000	5470 to 5725	Pass
		5550	20	102	5549.960	5470 to 5725	Pass
				120	5550.000	5470 to 5725	Pass
				138	5550.040	5470 to 5725	Pass
			-30	120	5550.000	5470 to 5725	Pass
			-20	120	5550.000	5470 to 5725	Pass
			-10	120	5550.000	5470 to 5725	Pass
			0	120	5550.000	5470 to 5725	Pass
			10	120	5550.000	5470 to 5725	Pass
			30	120	5550.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) /CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 311 of 326

			40	120	5549.960	5470 to 5725	Pass
			50	120	5549.960	5470 to 5725	Pass
		5670	20	102	5670.000	5470 to 5725	Pass
				120	5670.000	5470 to 5725	Pass
				138	5670.000	5470 to 5725	Pass
			-30	120	5670.000	5470 to 5725	Pass
			-20	120	5670.000	5470 to 5725	Pass
			-10	120	5670.000	5470 to 5725	Pass
			0	120	5669.960	5470 to 5725	Pass
			10	120	5670.000	5470 to 5725	Pass
			30	120	5670.000	5470 to 5725	Pass
			40	120	5670.000	5470 to 5725	Pass
			50	120	5670.000	5470 to 5725	Pass
		5755	20	102	5754.960	5725 to 5850	Pass
				120	5755.040	5725 to 5850	Pass
				138	5754.960	5725 to 5850	Pass
			-30	120	5755.000	5725 to 5850	Pass
			-20	120	5755.040	5725 to 5850	Pass
			-10	120	5755.000	5725 to 5850	Pass
			0	120	5755.000	5725 to 5850	Pass
			10	120	5755.000	5725 to 5850	Pass
			30	120	5754.960	5725 to 5850	Pass
			40	120	5754.960	5725 to 5850	Pass
			50	120	5754.960	5725 to 5850	Pass
		5795	20	102	5795.000	5725 to 5850	Pass
				120	5795.000	5725 to 5850	Pass
				138	5795.000	5725 to 5850	Pass
			-30	120	5794.960	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
			-10	120	5794.960	5725 to 5850	Pass
			0	120	5795.000	5725 to 5850	Pass
			10	120	5795.040	5725 to 5850	Pass
			30	120	5795.040	5725 to 5850	Pass
			40	120	5795.000	5725 to 5850	Pass
			50	120	5795.000	5725 to 5850	Pass
		5710	20	102	5710.000	5470 to 5850	Pass
				120	5710.000	5470 to 5850	Pass
				138	5710.000	5470 to 5850	Pass
			-30	120	5710.000	5470 to 5850	Pass
			-20	120	5710.000	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) /CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 312 of 326

802.11ac (VHT20)	SISO	5180	-10	120	5709.920	5470 to 5850	Pass
			0	120	5710.000	5470 to 5850	Pass
			10	120	5710.000	5470 to 5850	Pass
			30	120	5709.960	5470 to 5850	Pass
			40	120	5709.960	5470 to 5850	Pass
			50	120	5710.000	5470 to 5850	Pass
		5200	20	102	5180.020	5150 to 5250	Pass
				120	5180.040	5150 to 5250	Pass
				138	5179.940	5150 to 5250	Pass
			-30	120	5179.980	5150 to 5250	Pass
			-20	120	5180.040	5150 to 5250	Pass
			-10	120	5179.980	5150 to 5250	Pass
			0	120	5179.940	5150 to 5250	Pass
			10	120	5180.020	5150 to 5250	Pass
			30	120	5180.040	5150 to 5250	Pass
			40	120	5180.000	5150 to 5250	Pass
			50	120	5180.020	5150 to 5250	Pass
			20	102	5199.980	5150 to 5250	Pass
				120	5200.060	5150 to 5250	Pass
				138	5199.980	5150 to 5250	Pass
			-30	120	5199.980	5150 to 5250	Pass
			-20	120	5200.060	5150 to 5250	Pass
			-10	120	5200.060	5150 to 5250	Pass
			0	120	5200.060	5150 to 5250	Pass
			10	120	5199.980	5150 to 5250	Pass
			30	120	5199.920	5150 to 5250	Pass
			40	120	5199.940	5150 to 5250	Pass
			50	120	5200.000	5150 to 5250	Pass
		5240	20	102	5239.980	5150 to 5250	Pass
				120	5239.960	5150 to 5250	Pass
				138	5239.980	5150 to 5250	Pass
			-30	120	5240.000	5150 to 5250	Pass
			-20	120	5239.940	5150 to 5250	Pass
			-10	120	5240.000	5150 to 5250	Pass
			0	120	5240.020	5150 to 5250	Pass
			10	120	5240.000	5150 to 5250	Pass
			30	120	5240.000	5150 to 5250	Pass
			40	120	5239.960	5150 to 5250	Pass
			50	120	5239.980	5150 to 5250	Pass
		5260	20	102	5260.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 313 of 326

				120	5260.000	5250 to 5350	Pass
				138	5259.920	5250 to 5350	Pass
			-30	120	5260.000	5250 to 5350	Pass
			-20	120	5259.960	5250 to 5350	Pass
			-10	120	5259.920	5250 to 5350	Pass
			0	120	5260.060	5250 to 5350	Pass
			10	120	5259.980	5250 to 5350	Pass
			30	120	5259.980	5250 to 5350	Pass
			40	120	5260.020	5250 to 5350	Pass
			50	120	5259.980	5250 to 5350	Pass
		5300	20	102	5300.060	5250 to 5350	Pass
				120	5300.060	5250 to 5350	Pass
				138	5300.000	5250 to 5350	Pass
			-30	120	5299.980	5250 to 5350	Pass
			-20	120	5299.980	5250 to 5350	Pass
			-10	120	5300.100	5250 to 5350	Pass
			0	120	5300.000	5250 to 5350	Pass
			10	120	5299.960	5250 to 5350	Pass
			30	120	5300.000	5250 to 5350	Pass
			40	120	5299.900	5250 to 5350	Pass
			50	120	5299.980	5250 to 5350	Pass
		5320	20	102	5320.000	5250 to 5350	Pass
				120	5320.000	5250 to 5350	Pass
				138	5320.000	5250 to 5350	Pass
			-30	120	5320.020	5250 to 5350	Pass
			-20	120	5319.940	5250 to 5350	Pass
			-10	120	5320.020	5250 to 5350	Pass
			0	120	5319.980	5250 to 5350	Pass
			10	120	5320.080	5250 to 5350	Pass
			30	120	5319.960	5250 to 5350	Pass
			40	120	5320.020	5250 to 5350	Pass
			50	120	5320.020	5250 to 5350	Pass
		5500	20	102	5499.920	5470 to 5725	Pass
				120	5500.000	5470 to 5725	Pass
				138	5499.980	5470 to 5725	Pass
			-30	120	5500.000	5470 to 5725	Pass
			-20	120	5500.060	5470 to 5725	Pass
			-10	120	5500.040	5470 to 5725	Pass
			0	120	5499.980	5470 to 5725	Pass
			10	120	5500.060	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 314 of 326

			30	120	5499.980	5470 to 5725	Pass
			40	120	5500.000	5470 to 5725	Pass
			50	120	5500.000	5470 to 5725	Pass
		5580	20	102	5580.040	5470 to 5725	Pass
				120	5580.020	5470 to 5725	Pass
				138	5580.040	5470 to 5725	Pass
			-30	120	5580.060	5470 to 5725	Pass
			-20	120	5579.980	5470 to 5725	Pass
			-10	120	5579.980	5470 to 5725	Pass
			0	120	5579.920	5470 to 5725	Pass
			10	120	5580.020	5470 to 5725	Pass
			30	120	5580.080	5470 to 5725	Pass
			40	120	5580.000	5470 to 5725	Pass
			50	120	5579.960	5470 to 5725	Pass
		5700	20	102	5699.940	5470 to 5725	Pass
				120	5700.040	5470 to 5725	Pass
				138	5700.020	5470 to 5725	Pass
			-30	120	5700.020	5470 to 5725	Pass
			-20	120	5699.940	5470 to 5725	Pass
			-10	120	5700.040	5470 to 5725	Pass
			0	120	5700.000	5470 to 5725	Pass
			10	120	5699.960	5470 to 5725	Pass
			30	120	5700.040	5470 to 5725	Pass
			40	120	5699.980	5470 to 5725	Pass
			50	120	5699.920	5470 to 5725	Pass
		5745	20	102	5744.960	5725 to 5850	Pass
				120	5745.000	5725 to 5850	Pass
				138	5745.060	5725 to 5850	Pass
			-30	120	5744.960	5725 to 5850	Pass
			-20	120	5744.920	5725 to 5850	Pass
			-10	120	5745.040	5725 to 5850	Pass
			0	120	5745.000	5725 to 5850	Pass
			10	120	5744.940	5725 to 5850	Pass
			30	120	5745.000	5725 to 5850	Pass
			40	120	5745.020	5725 to 5850	Pass
			50	120	5745.000	5725 to 5850	Pass
		5785	20	102	5784.940	5725 to 5850	Pass
				120	5785.000	5725 to 5850	Pass
				138	5784.980	5725 to 5850	Pass
			-30	120	5785.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 315 of 326

			-20	120	5785.040	5725 to 5850	Pass
			-10	120	5785.000	5725 to 5850	Pass
			0	120	5785.000	5725 to 5850	Pass
			10	120	5784.960	5725 to 5850	Pass
			30	120	5784.960	5725 to 5850	Pass
			40	120	5784.980	5725 to 5850	Pass
			50	120	5785.020	5725 to 5850	Pass
		5825	20	102	5824.980	5725 to 5850	Pass
				120	5825.040	5725 to 5850	Pass
				138	5825.060	5725 to 5850	Pass
			-30	120	5824.980	5725 to 5850	Pass
			-20	120	5824.980	5725 to 5850	Pass
			-10	120	5824.940	5725 to 5850	Pass
			0	120	5825.000	5725 to 5850	Pass
			10	120	5824.920	5725 to 5850	Pass
			30	120	5825.000	5725 to 5850	Pass
			40	120	5825.020	5725 to 5850	Pass
			50	120	5825.020	5725 to 5850	Pass
		5720	20	102	5720.000	5470 to 5850	Pass
				120	5720.000	5470 to 5850	Pass
				138	5719.960	5470 to 5850	Pass
			-30	120	5720.000	5470 to 5850	Pass
			-20	120	5720.000	5470 to 5850	Pass
			-10	120	5719.920	5470 to 5850	Pass
			0	120	5720.060	5470 to 5850	Pass
			10	120	5720.000	5470 to 5850	Pass
			30	120	5719.940	5470 to 5850	Pass
			40	120	5720.000	5470 to 5850	Pass
			50	120	5719.900	5470 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	102	5189.960	5150 to 5250	Pass
				120	5190.000	5150 to 5250	Pass
				138	5189.880	5150 to 5250	Pass
			-30	120	5190.000	5150 to 5250	Pass
			-20	120	5190.040	5150 to 5250	Pass
			-10	120	5190.000	5150 to 5250	Pass
			0	120	5190.000	5150 to 5250	Pass
			10	120	5190.000	5150 to 5250	Pass
			30	120	5189.960	5150 to 5250	Pass
			40	120	5190.000	5150 to 5250	Pass
			50	120	5189.920	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 316 of 326

		5230	20	102	5229.960	5150 to 5250	Pass
				120	5230.000	5150 to 5250	Pass
				138	5230.000	5150 to 5250	Pass
			-30	120	5230.000	5150 to 5250	Pass
			-20	120	5230.000	5150 to 5250	Pass
			-10	120	5230.000	5150 to 5250	Pass
			0	120	5230.000	5150 to 5250	Pass
			10	120	5230.000	5150 to 5250	Pass
			30	120	5230.040	5150 to 5250	Pass
			40	120	5230.000	5150 to 5250	Pass
			50	120	5230.000	5150 to 5250	Pass
		5270	20	102	5269.960	5250 to 5350	Pass
				120	5270.040	5250 to 5350	Pass
				138	5270.000	5250 to 5350	Pass
			-30	120	5270.000	5250 to 5350	Pass
			-20	120	5270.040	5250 to 5350	Pass
			-10	120	5270.040	5250 to 5350	Pass
			0	120	5270.000	5250 to 5350	Pass
			10	120	5270.000	5250 to 5350	Pass
			30	120	5270.000	5250 to 5350	Pass
			40	120	5270.000	5250 to 5350	Pass
			50	120	5270.040	5250 to 5350	Pass
		5310	20	102	5310.000	5250 to 5350	Pass
				120	5309.960	5250 to 5350	Pass
				138	5310.000	5250 to 5350	Pass
			-30	120	5310.000	5250 to 5350	Pass
			-20	120	5310.000	5250 to 5350	Pass
			-10	120	5310.040	5250 to 5350	Pass
			0	120	5309.960	5250 to 5350	Pass
			10	120	5310.000	5250 to 5350	Pass
			30	120	5309.880	5250 to 5350	Pass
			40	120	5310.000	5250 to 5350	Pass
			50	120	5310.000	5250 to 5350	Pass
		5510	20	102	5510.000	5470 to 5725	Pass
				120	5509.960	5470 to 5725	Pass
				138	5510.000	5470 to 5725	Pass
			-30	120	5510.000	5470 to 5725	Pass
			-20	120	5510.040	5470 to 5725	Pass
			-10	120	5509.960	5470 to 5725	Pass
			0	120	5509.960	5470 to 5725	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 317 of 326

			10	120	5509.960	5470 to 5725	Pass
			30	120	5510.000	5470 to 5725	Pass
			40	120	5509.960	5470 to 5725	Pass
			50	120	5510.000	5470 to 5725	Pass
	5550	20	102	5550.000	5470 to 5725	Pass	
			120	5550.040	5470 to 5725	Pass	
			138	5550.000	5470 to 5725	Pass	
		-30	120	5549.960	5470 to 5725	Pass	
		-20	120	5550.040	5470 to 5725	Pass	
		-10	120	5550.000	5470 to 5725	Pass	
		0	120	5550.000	5470 to 5725	Pass	
		10	120	5550.000	5470 to 5725	Pass	
		30	120	5549.960	5470 to 5725	Pass	
		40	120	5550.000	5470 to 5725	Pass	
		50	120	5550.040	5470 to 5725	Pass	
			5670	20	102	5669.960	5470 to 5725
120	5669.960				5470 to 5725	Pass	
138	5669.960				5470 to 5725	Pass	
-30	120			5669.960	5470 to 5725	Pass	
-20	120			5669.960	5470 to 5725	Pass	
-10	120			5670.000	5470 to 5725	Pass	
0	120			5669.960	5470 to 5725	Pass	
10	120			5669.960	5470 to 5725	Pass	
30	120			5670.000	5470 to 5725	Pass	
40	120			5670.000	5470 to 5725	Pass	
50	120			5670.000	5470 to 5725	Pass	
	5755			20	102	5755.000	5725 to 5850
		120	5755.000		5725 to 5850	Pass	
		138	5755.000		5725 to 5850	Pass	
		-30	120	5755.000	5725 to 5850	Pass	
		-20	120	5754.960	5725 to 5850	Pass	
		-10	120	5755.000	5725 to 5850	Pass	
		0	120	5754.960	5725 to 5850	Pass	
		10	120	5754.960	5725 to 5850	Pass	
		30	120	5755.040	5725 to 5850	Pass	
		40	120	5754.960	5725 to 5850	Pass	
		50	120	5754.960	5725 to 5850	Pass	
			5795	20	102	5795.000	5725 to 5850
120	5794.960				5725 to 5850	Pass	
138	5794.960				5725 to 5850	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 318 of 326

			-30	120	5794.960	5725 to 5850	Pass
			-20	120	5795.000	5725 to 5850	Pass
			-10	120	5794.960	5725 to 5850	Pass
			0	120	5795.000	5725 to 5850	Pass
			10	120	5795.000	5725 to 5850	Pass
			30	120	5794.960	5725 to 5850	Pass
			40	120	5794.960	5725 to 5850	Pass
			50	120	5794.960	5725 to 5850	Pass
		5710	20	102	5710.000	5470 to 5850	Pass
				120	5710.000	5470 to 5850	Pass
				138	5709.960	5470 to 5850	Pass
			-30	120	5710.000	5470 to 5850	Pass
			-20	120	5710.000	5470 to 5850	Pass
			-10	120	5709.920	5470 to 5850	Pass
			0	120	5709.960	5470 to 5850	Pass
			10	120	5709.960	5470 to 5850	Pass
			30	120	5710.000	5470 to 5850	Pass
			40	120	5709.960	5470 to 5850	Pass
			50	120	5710.000	5470 to 5850	Pass
		5210	20	102	5210.000	5150 to 5250	Pass
				120	5210.000	5150 to 5250	Pass
				138	5210.000	5150 to 5250	Pass
			-30	120	5209.925	5150 to 5250	Pass
			-20	120	5210.000	5150 to 5250	Pass
			-10	120	5209.925	5150 to 5250	Pass
			0	120	5210.000	5150 to 5250	Pass
			10	120	5209.925	5150 to 5250	Pass
			30	120	5209.925	5150 to 5250	Pass
			40	120	5210.000	5150 to 5250	Pass
			50	120	5210.000	5150 to 5250	Pass
		5290	20	102	5290.000	5250 to 5350	Pass
				120	5289.925	5250 to 5350	Pass
				138	5290.000	5250 to 5350	Pass
			-30	120	5290.000	5250 to 5350	Pass
			-20	120	5290.000	5250 to 5350	Pass
			-10	120	5289.925	5250 to 5350	Pass
			0	120	5290.000	5250 to 5350	Pass
			10	120	5290.000	5250 to 5350	Pass
			30	120	5290.000	5250 to 5350	Pass
			40	120	5290.000	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 319 of 326

		5530	50	120	5290.000	5250 to 5350	Pass
			20	102	5529.925	5470 to 5725	Pass
				120	5529.925	5470 to 5725	Pass
				138	5529.925	5470 to 5725	Pass
			-30	120	5529.925	5470 to 5725	Pass
			-20	120	5529.925	5470 to 5725	Pass
			-10	120	5530.000	5470 to 5725	Pass
			0	120	5530.000	5470 to 5725	Pass
			10	120	5529.925	5470 to 5725	Pass
			30	120	5529.925	5470 to 5725	Pass
			40	120	5529.925	5470 to 5725	Pass
			50	120	5529.925	5470 to 5725	Pass
		5610	20	102	5609.925	5470 to 5725	Pass
				120	5610.000	5470 to 5725	Pass
				138	5610.000	5470 to 5725	Pass
			-30	120	5609.925	5470 to 5725	Pass
			-20	120	5609.925	5470 to 5725	Pass
			-10	120	5610.000	5470 to 5725	Pass
			0	120	5609.925	5470 to 5725	Pass
			10	120	5610.000	5470 to 5725	Pass
			30	120	5610.000	5470 to 5725	Pass
			40	120	5609.925	5470 to 5725	Pass
			50	120	5610.000	5470 to 5725	Pass
		5775	20	102	5774.925	5725 to 5850	Pass
				120	5775.000	5725 to 5850	Pass
				138	5774.925	5725 to 5850	Pass
			-30	120	5774.925	5725 to 5850	Pass
			-20	120	5775.000	5725 to 5850	Pass
			-10	120	5774.925	5725 to 5850	Pass
			0	120	5774.925	5725 to 5850	Pass
			10	120	5774.925	5725 to 5850	Pass
			30	120	5775.000	5725 to 5850	Pass
			40	120	5774.925	5725 to 5850	Pass
			50	120	5774.925	5725 to 5850	Pass
		5690	20	102	5689.925	5470 to 5850	Pass
				120	5689.925	5470 to 5850	Pass
				138	5689.925	5470 to 5850	Pass
			-30	120	5689.925	5470 to 5850	Pass
			-20	120	5689.925	5470 to 5850	Pass
			-10	120	5689.925	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing) /CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 320 of 326

			0	120	5689.925	5470 to 5850	Pass
			10	120	5689.925	5470 to 5850	Pass
			30	120	5690.000	5470 to 5850	Pass
			40	120	5689.925	5470 to 5850	Pass
			50	120	5689.925	5470 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


6. DFS

6.1 Test Result



6.1.1 Rader



6.1.2 Duty cycle



6.1.3 5290MHz:




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch



SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 324 of 326



6.1.4 5530MHz:




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900414406

Page: 326 of 326



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com