

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_ERP

5G NR n5 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	826.5	Edge 1RB Left	23.37	/	/	19.10	/	/	<=38.45	Pass
		Edge 1RB Right	23.27	/	/	19.00	/	/	<=38.45	Pass
		Outer Full	23.32	/	/	19.05	/	/	<=38.45	Pass
		Inner Full	23.30	/	/	19.03	/	/	<=38.45	Pass
		Inner 1RB Left	23.42	/	/	19.15	/	/	<=38.45	Pass
		Inner 1RB Right	23.32	/	/	19.05	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	23.28	/	/	19.01	/	/	<=38.45	Pass
		Edge 1RB Right	23.34	/	/	19.07	/	/	<=38.45	Pass
		Outer Full	23.34	/	/	19.07	/	/	<=38.45	Pass
		Inner Full	23.21	/	/	18.94	/	/	<=38.45	Pass
		Inner 1RB Left	23.26	/	/	18.99	/	/	<=38.45	Pass
		Inner 1RB Right	23.23	/	/	18.96	/	/	<=38.45	Pass
	846.5	Edge 1RB Left	23.04	/	/	18.77	/	/	<=38.45	Pass
		Edge 1RB Right	23.02	/	/	18.75	/	/	<=38.45	Pass
		Outer Full	23.02	/	/	18.75	/	/	<=38.45	Pass
		Inner Full	23.03	/	/	18.76	/	/	<=38.45	Pass
		Inner 1RB Left	23.13	/	/	18.86	/	/	<=38.45	Pass
		Inner 1RB Right	23.03	/	/	18.76	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	826.5	Edge 1RB Left	23.40	/	/	19.13	/	/	<=38.45	Pass
		Edge 1RB Right	23.28	/	/	19.01	/	/	<=38.45	Pass
		Outer Full	23.30	/	/	19.03	/	/	<=38.45	Pass
		Inner Full	23.28	/	/	19.01	/	/	<=38.45	Pass
		Inner 1RB Left	23.35	/	/	19.08	/	/	<=38.45	Pass
		Inner 1RB Right	23.26	/	/	18.99	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	23.26	/	/	18.99	/	/	<=38.45	Pass
		Edge 1RB Right	23.21	/	/	18.94	/	/	<=38.45	Pass
		Outer Full	23.24	/	/	18.97	/	/	<=38.45	Pass
		Inner Full	23.26	/	/	18.99	/	/	<=38.45	Pass
		Inner 1RB Left	23.33	/	/	19.06	/	/	<=38.45	Pass
		Inner 1RB Right	23.29	/	/	19.02	/	/	<=38.45	Pass
	846.5	Edge 1RB Left	23.01	/	/	18.74	/	/	<=38.45	Pass
		Edge 1RB Right	22.89	/	/	18.62	/	/	<=38.45	Pass
		Outer Full	23.04	/	/	18.77	/	/	<=38.45	Pass
		Inner Full	23.01	/	/	18.74	/	/	<=38.45	Pass
		Inner 1RB Left	23.06	/	/	18.79	/	/	<=38.45	Pass
		Inner 1RB Right	23.10	/	/	18.83	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	826.5	Edge 1RB Left	22.35	/	/	18.08	/	/	<=38.45	Pass
		Edge 1RB Right	22.32	/	/	18.05	/	/	<=38.45	Pass
		Outer Full	22.31	/	/	18.04	/	/	<=38.45	Pass
		Inner Full	23.41	/	/	19.14	/	/	<=38.45	Pass
		Inner 1RB Left	23.25	/	/	18.98	/	/	<=38.45	Pass
		Inner 1RB Right	23.24	/	/	18.97	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	22.20	/	/	17.93	/	/	<=38.45	Pass
		Edge 1RB Right	22.19	/	/	17.92	/	/	<=38.45	Pass
		Outer Full	22.21	/	/	17.94	/	/	<=38.45	Pass
		Inner Full	23.33	/	/	19.06	/	/	<=38.45	Pass
		Inner 1RB Left	23.15	/	/	18.88	/	/	<=38.45	Pass
		Inner 1RB Right	23.14	/	/	18.87	/	/	<=38.45	Pass
	846.5	Edge 1RB Left	22.12	/	/	17.85	/	/	<=38.45	Pass

CP-OFDM 16 QAM	826.5	Edge_1RB_Left	21.51	/	/	17.24	/	/	<=38.45	Pass
		Edge_1RB_Right	21.40	/	/	17.13	/	/	<=38.45	Pass
		Outer_Full	21.38	/	/	17.11	/	/	<=38.45	Pass
		Inner_Full	22.25	/	/	17.98	/	/	<=38.45	Pass
		Inner_1RB_Left	22.56	/	/	18.29	/	/	<=38.45	Pass
		Inner_1RB_Right	22.37	/	/	18.10	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.13	/	/	16.86	/	/	<=38.45	Pass
		Edge_1RB_Right	21.24	/	/	16.97	/	/	<=38.45	Pass
		Outer_Full	21.30	/	/	17.03	/	/	<=38.45	Pass
		Inner_Full	22.17	/	/	17.90	/	/	<=38.45	Pass
		Inner_1RB_Left	22.29	/	/	18.02	/	/	<=38.45	Pass
		Inner_1RB_Right	22.43	/	/	18.16	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	21.02	/	/	16.75	/	/	<=38.45	Pass
		Edge_1RB_Right	21.08	/	/	16.81	/	/	<=38.45	Pass
		Outer_Full	21.02	/	/	16.75	/	/	<=38.45	Pass
		Inner_Full	21.93	/	/	17.66	/	/	<=38.45	Pass
		Inner_1RB_Left	22.09	/	/	17.82	/	/	<=38.45	Pass
		Inner_1RB_Right	22.27	/	/	18.00	/	/	<=38.45	Pass
CP-OFDM 64 QAM	826.5	Edge_1RB_Left	21.07	/	/	16.80	/	/	<=38.45	Pass
		Edge_1RB_Right	20.87	/	/	16.60	/	/	<=38.45	Pass
		Outer_Full	20.86	/	/	16.59	/	/	<=38.45	Pass
		Inner_Full	20.85	/	/	16.58	/	/	<=38.45	Pass
		Inner_1RB_Left	21.03	/	/	16.76	/	/	<=38.45	Pass
		Inner_1RB_Right	20.90	/	/	16.63	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.75	/	/	16.48	/	/	<=38.45	Pass
		Edge_1RB_Right	20.80	/	/	16.53	/	/	<=38.45	Pass
		Outer_Full	20.80	/	/	16.53	/	/	<=38.45	Pass
		Inner_Full	20.72	/	/	16.45	/	/	<=38.45	Pass
		Inner_1RB_Left	20.70	/	/	16.43	/	/	<=38.45	Pass
		Inner_1RB_Right	20.75	/	/	16.48	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	20.66	/	/	16.39	/	/	<=38.45	Pass
		Edge_1RB_Right	20.69	/	/	16.42	/	/	<=38.45	Pass
		Outer_Full	20.60	/	/	16.33	/	/	<=38.45	Pass
		Inner_Full	20.53	/	/	16.26	/	/	<=38.45	Pass
		Inner_1RB_Left	20.62	/	/	16.35	/	/	<=38.45	Pass
		Inner_1RB_Right	20.69	/	/	16.42	/	/	<=38.45	Pass
CP-OFDM 256 QAM	826.5	Edge_1RB_Left	17.48	/	/	13.21	/	/	<=38.45	Pass
		Edge_1RB_Right	17.37	/	/	13.10	/	/	<=38.45	Pass
		Outer_Full	17.79	/	/	13.52	/	/	<=38.45	Pass
		Inner_Full	17.79	/	/	13.52	/	/	<=38.45	Pass
		Inner_1RB_Left	17.50	/	/	13.23	/	/	<=38.45	Pass
		Inner_1RB_Right	17.34	/	/	13.07	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	17.31	/	/	13.04	/	/	<=38.45	Pass
		Edge_1RB_Right	17.39	/	/	13.12	/	/	<=38.45	Pass
		Outer_Full	17.78	/	/	13.51	/	/	<=38.45	Pass
		Inner_Full	17.73	/	/	13.46	/	/	<=38.45	Pass
		Inner_1RB_Left	17.25	/	/	12.98	/	/	<=38.45	Pass
		Inner_1RB_Right	17.30	/	/	13.03	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	17.09	/	/	12.82	/	/	<=38.45	Pass
		Edge_1RB_Right	17.09	/	/	12.82	/	/	<=38.45	Pass
		Outer_Full	17.45	/	/	13.18	/	/	<=38.45	Pass
		Inner_Full	17.50	/	/	13.23	/	/	<=38.45	Pass
		Inner_1RB_Left	17.17	/	/	12.90	/	/	<=38.45	Pass
		Inner_1RB_Right	17.01	/	/	12.74	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant0: -2.12dBi;										
Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.2 15_S_10M_NTNV_ERP

5G NR n5 SCS=15kHz SISO 10MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	829	Edge_1RB_Left	23.34	/	/	19.07	/	/	<=38.45	Pass
		Edge_1RB_Right	23.10	/	/	18.83	/	/	<=38.45	Pass
		Outer_Full	23.29	/	/	19.02	/	/	<=38.45	Pass
		Inner_Full	23.32	/	/	19.05	/	/	<=38.45	Pass
		Inner_1RB_Left	23.31	/	/	19.04	/	/	<=38.45	Pass
		Inner_1RB_Right	23.15	/	/	18.88	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.14	/	/	18.87	/	/	<=38.45	Pass
		Edge_1RB_Right	23.08	/	/	18.81	/	/	<=38.45	Pass
		Outer_Full	23.27	/	/	19.00	/	/	<=38.45	Pass
		Inner_Full	23.24	/	/	18.97	/	/	<=38.45	Pass
		Inner_1RB_Left	23.22	/	/	18.95	/	/	<=38.45	Pass
		Inner_1RB_Right	23.11	/	/	18.84	/	/	<=38.45	Pass
	844	Edge_1RB_Left	23.09	/	/	18.82	/	/	<=38.45	Pass
		Edge_1RB_Right	22.91	/	/	18.64	/	/	<=38.45	Pass
		Outer_Full	23.12	/	/	18.85	/	/	<=38.45	Pass
		Inner_Full	23.08	/	/	18.81	/	/	<=38.45	Pass
		Inner_1RB_Left	23.12	/	/	18.85	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	829	Edge_1RB_Left	23.38	/	/	19.11	/	/	<=38.45	Pass
		Edge_1RB_Right	23.15	/	/	18.88	/	/	<=38.45	Pass
		Outer_Full	23.27	/	/	19.00	/	/	<=38.45	Pass
		Inner_Full	23.24	/	/	18.97	/	/	<=38.45	Pass
		Inner_1RB_Left	23.34	/	/	19.07	/	/	<=38.45	Pass
		Inner_1RB_Right	23.12	/	/	18.85	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.22	/	/	18.95	/	/	<=38.45	Pass
		Edge_1RB_Right	23.15	/	/	18.88	/	/	<=38.45	Pass
		Outer_Full	23.24	/	/	18.97	/	/	<=38.45	Pass
		Inner_Full	23.28	/	/	19.01	/	/	<=38.45	Pass
		Inner_1RB_Left	23.18	/	/	18.91	/	/	<=38.45	Pass
		Inner_1RB_Right	23.28	/	/	19.01	/	/	<=38.45	Pass
	844	Edge_1RB_Left	23.12	/	/	18.85	/	/	<=38.45	Pass
		Edge_1RB_Right	22.96	/	/	18.69	/	/	<=38.45	Pass
		Outer_Full	23.01	/	/	18.74	/	/	<=38.45	Pass
		Inner_Full	23.03	/	/	18.76	/	/	<=38.45	Pass
		Inner_1RB_Left	23.26	/	/	18.99	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	829	Edge_1RB_Left	22.36	/	/	18.09	/	/	<=38.45	Pass
		Edge_1RB_Right	22.11	/	/	17.84	/	/	<=38.45	Pass
		Outer_Full	22.28	/	/	18.01	/	/	<=38.45	Pass
		Inner_Full	23.27	/	/	19.00	/	/	<=38.45	Pass
		Inner_1RB_Left	23.22	/	/	18.95	/	/	<=38.45	Pass
		Inner_1RB_Right	23.10	/	/	18.83	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.23	/	/	17.96	/	/	<=38.45	Pass
		Edge_1RB_Right	22.19	/	/	17.92	/	/	<=38.45	Pass
		Outer_Full	22.20	/	/	17.93	/	/	<=38.45	Pass
		Inner_Full	23.25	/	/	18.98	/	/	<=38.45	Pass
		Inner_1RB_Left	23.18	/	/	18.91	/	/	<=38.45	Pass
		Inner_1RB_Right	23.05	/	/	18.78	/	/	<=38.45	Pass
	844	Edge_1RB_Left	22.13	/	/	17.86	/	/	<=38.45	Pass
		Edge_1RB_Right	21.87	/	/	17.60	/	/	<=38.45	Pass
		Outer_Full	22.03	/	/	17.76	/	/	<=38.45	Pass
		Inner_Full	23.10	/	/	18.83	/	/	<=38.45	Pass
		Inner_1RB_Left	23.07	/	/	18.80	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	829	Edge_1RB_Left	22.09	/	/	17.82	/	/	<=38.45	Pass
		Edge_1RB_Right	21.84	/	/	17.57	/	/	<=38.45	Pass

		Outer_Full	21.78	/	/	17.51	/	/	<=38.45	Pass
		Inner_Full	21.84	/	/	17.57	/	/	<=38.45	Pass
		Inner_1RB_Left	22.03	/	/	17.76	/	/	<=38.45	Pass
		Inner_1RB_Right	21.88	/	/	17.61	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.87	/	/	17.60	/	/	<=38.45	Pass
		Edge_1RB_Right	21.85	/	/	17.58	/	/	<=38.45	Pass
		Outer_Full	21.73	/	/	17.46	/	/	<=38.45	Pass
		Inner_Full	21.78	/	/	17.51	/	/	<=38.45	Pass
		Inner_1RB_Left	21.87	/	/	17.60	/	/	<=38.45	Pass
		Inner_1RB_Right	21.89	/	/	17.62	/	/	<=38.45	Pass
	844	Edge_1RB_Left	21.91	/	/	17.64	/	/	<=38.45	Pass
		Edge_1RB_Right	21.68	/	/	17.41	/	/	<=38.45	Pass
		Outer_Full	21.61	/	/	17.34	/	/	<=38.45	Pass
		Inner_Full	21.61	/	/	17.34	/	/	<=38.45	Pass
		Inner_1RB_Left	21.80	/	/	17.53	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	829	Inner_1RB_Right	21.63	/	/	17.36	/	/	<=38.45	Pass
		Edge_1RB_Left	19.24	/	/	14.97	/	/	<=38.45	Pass
		Edge_1RB_Right	19.16	/	/	14.89	/	/	<=38.45	Pass
		Outer_Full	19.75	/	/	15.48	/	/	<=38.45	Pass
		Inner_Full	19.71	/	/	15.44	/	/	<=38.45	Pass
		Inner_1RB_Left	19.29	/	/	15.02	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	19.07	/	/	14.80	/	/	<=38.45	Pass
		Edge_1RB_Left	19.15	/	/	14.88	/	/	<=38.45	Pass
		Edge_1RB_Right	19.07	/	/	14.80	/	/	<=38.45	Pass
		Outer_Full	19.72	/	/	15.45	/	/	<=38.45	Pass
		Inner_Full	19.69	/	/	15.42	/	/	<=38.45	Pass
		Inner_1RB_Left	19.15	/	/	14.88	/	/	<=38.45	Pass
	844	Inner_1RB_Right	19.08	/	/	14.81	/	/	<=38.45	Pass
		Edge_1RB_Left	19.04	/	/	14.77	/	/	<=38.45	Pass
		Edge_1RB_Right	18.89	/	/	14.62	/	/	<=38.45	Pass
		Outer_Full	19.53	/	/	15.26	/	/	<=38.45	Pass
		Inner_Full	19.53	/	/	15.26	/	/	<=38.45	Pass
		Inner_1RB_Left	19.06	/	/	14.79	/	/	<=38.45	Pass
CP-OFDM QPSK	829	Inner_1RB_Right	18.85	/	/	14.58	/	/	<=38.45	Pass
		Edge_1RB_Left	21.22	/	/	16.95	/	/	<=38.45	Pass
		Edge_1RB_Right	20.94	/	/	16.67	/	/	<=38.45	Pass
		Outer_Full	21.28	/	/	17.01	/	/	<=38.45	Pass
		Inner_Full	22.70	/	/	18.43	/	/	<=38.45	Pass
		Inner_1RB_Left	22.63	/	/	18.36	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	22.46	/	/	18.19	/	/	<=38.45	Pass
		Edge_1RB_Left	21.16	/	/	16.89	/	/	<=38.45	Pass
		Edge_1RB_Right	21.06	/	/	16.79	/	/	<=38.45	Pass
		Outer_Full	21.22	/	/	16.95	/	/	<=38.45	Pass
		Inner_Full	22.62	/	/	18.35	/	/	<=38.45	Pass
		Inner_1RB_Left	22.52	/	/	18.25	/	/	<=38.45	Pass
	844	Inner_1RB_Right	22.46	/	/	18.19	/	/	<=38.45	Pass
		Edge_1RB_Left	21.38	/	/	17.11	/	/	<=38.45	Pass
		Edge_1RB_Right	20.86	/	/	16.59	/	/	<=38.45	Pass
		Outer_Full	21.15	/	/	16.88	/	/	<=38.45	Pass
		Inner_Full	22.49	/	/	18.22	/	/	<=38.45	Pass
		Inner_1RB_Left	22.43	/	/	18.16	/	/	<=38.45	Pass
CP-OFDM 16 QAM	829	Inner_1RB_Right	22.17	/	/	17.90	/	/	<=38.45	Pass
		Edge_1RB_Left	21.53	/	/	17.26	/	/	<=38.45	Pass
		Edge_1RB_Right	21.21	/	/	16.94	/	/	<=38.45	Pass
		Outer_Full	21.29	/	/	17.02	/	/	<=38.45	Pass
		Inner_Full	22.27	/	/	18.00	/	/	<=38.45	Pass
		Inner_1RB_Left	22.46	/	/	18.19	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	22.23	/	/	17.96	/	/	<=38.45	Pass
		Edge_1RB_Left	21.14	/	/	16.87	/	/	<=38.45	Pass

		Edge_1RB_Right	21.17	/	/	16.90	/	/	<=38.45	Pass
		Outer_Full	21.23	/	/	16.96	/	/	<=38.45	Pass
		Inner_Full	22.19	/	/	17.92	/	/	<=38.45	Pass
		Inner_1RB_Left	22.32	/	/	18.05	/	/	<=38.45	Pass
		Inner_1RB_Right	22.28	/	/	18.01	/	/	<=38.45	Pass
	844	Edge_1RB_Left	21.18	/	/	16.91	/	/	<=38.45	Pass
		Edge_1RB_Right	21.02	/	/	16.75	/	/	<=38.45	Pass
		Outer_Full	21.10	/	/	16.83	/	/	<=38.45	Pass
		Inner_Full	22.05	/	/	17.78	/	/	<=38.45	Pass
		Inner_1RB_Left	22.22	/	/	17.95	/	/	<=38.45	Pass
CP-OFDM 64 QAM	829	Inner_1RB_Right	22.05	/	/	17.78	/	/	<=38.45	Pass
		Edge_1RB_Left	20.95	/	/	16.68	/	/	<=38.45	Pass
		Edge_1RB_Right	20.67	/	/	16.40	/	/	<=38.45	Pass
		Outer_Full	20.78	/	/	16.51	/	/	<=38.45	Pass
		Inner_Full	20.77	/	/	16.50	/	/	<=38.45	Pass
		Inner_1RB_Left	20.97	/	/	16.70	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	20.74	/	/	16.47	/	/	<=38.45	Pass
		Edge_1RB_Left	20.71	/	/	16.44	/	/	<=38.45	Pass
		Edge_1RB_Right	20.68	/	/	16.41	/	/	<=38.45	Pass
		Outer_Full	20.76	/	/	16.49	/	/	<=38.45	Pass
		Inner_Full	20.75	/	/	16.48	/	/	<=38.45	Pass
		Inner_1RB_Left	20.80	/	/	16.53	/	/	<=38.45	Pass
	844	Inner_1RB_Right	20.67	/	/	16.40	/	/	<=38.45	Pass
		Edge_1RB_Left	20.69	/	/	16.42	/	/	<=38.45	Pass
		Edge_1RB_Right	20.49	/	/	16.22	/	/	<=38.45	Pass
		Outer_Full	20.66	/	/	16.39	/	/	<=38.45	Pass
		Inner_Full	20.63	/	/	16.36	/	/	<=38.45	Pass
		Inner_1RB_Left	20.68	/	/	16.41	/	/	<=38.45	Pass
CP-OFDM 256 QAM	829	Inner_1RB_Right	20.55	/	/	16.28	/	/	<=38.45	Pass
		Edge_1RB_Left	17.49	/	/	13.22	/	/	<=38.45	Pass
		Edge_1RB_Right	17.36	/	/	13.09	/	/	<=38.45	Pass
		Outer_Full	17.77	/	/	13.50	/	/	<=38.45	Pass
		Inner_Full	17.81	/	/	13.54	/	/	<=38.45	Pass
		Inner_1RB_Left	17.52	/	/	13.25	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	17.30	/	/	13.03	/	/	<=38.45	Pass
		Edge_1RB_Left	17.27	/	/	13.00	/	/	<=38.45	Pass
		Edge_1RB_Right	17.09	/	/	12.82	/	/	<=38.45	Pass
		Outer_Full	17.73	/	/	13.46	/	/	<=38.45	Pass
		Inner_Full	17.78	/	/	13.51	/	/	<=38.45	Pass
		Inner_1RB_Left	17.28	/	/	13.01	/	/	<=38.45	Pass
	844	Inner_1RB_Right	17.23	/	/	12.96	/	/	<=38.45	Pass
		Edge_1RB_Left	17.20	/	/	12.93	/	/	<=38.45	Pass
		Edge_1RB_Right	17.01	/	/	12.74	/	/	<=38.45	Pass
		Outer_Full	17.53	/	/	13.26	/	/	<=38.45	Pass
		Inner_Full	17.55	/	/	13.28	/	/	<=38.45	Pass
		Inner_1RB_Left	17.22	/	/	12.95	/	/	<=38.45	Pass
		Inner_1RB_Right	16.96	/	/	12.69	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant0: -2.12dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.3 15_S_15M_NTNV_ERP

5G NR n5 SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	831.5	Edge_1RB_Left	23.36	/	/	19.09	/	/	<=38.45	Pass
		Edge_1RB_Right	23.16	/	/	18.89	/	/	<=38.45	Pass

		Outer_Full	23.26	/	/	18.99	/	/	<=38.45	Pass
		Inner_Full	23.30	/	/	19.03	/	/	<=38.45	Pass
		Inner_1RB_Left	23.34	/	/	19.07	/	/	<=38.45	Pass
		Inner_1RB_Right	23.21	/	/	18.94	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.29	/	/	19.02	/	/	<=38.45	Pass
		Edge_1RB_Right	23.12	/	/	18.85	/	/	<=38.45	Pass
		Outer_Full	23.19	/	/	18.92	/	/	<=38.45	Pass
		Inner_Full	23.19	/	/	18.92	/	/	<=38.45	Pass
		Inner_1RB_Left	23.23	/	/	18.96	/	/	<=38.45	Pass
		Inner_1RB_Right	23.20	/	/	18.93	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	23.14	/	/	18.87	/	/	<=38.45	Pass
		Edge_1RB_Right	22.93	/	/	18.66	/	/	<=38.45	Pass
		Outer_Full	23.21	/	/	18.94	/	/	<=38.45	Pass
		Inner_Full	23.22	/	/	18.95	/	/	<=38.45	Pass
		Inner_1RB_Left	23.15	/	/	18.88	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	831.5	Inner_1RB_Right	23.05	/	/	18.78	/	/	<=38.45	Pass
		Edge_1RB_Left	23.41	/	/	19.14	/	/	<=38.45	Pass
		Edge_1RB_Right	23.20	/	/	18.93	/	/	<=38.45	Pass
		Outer_Full	23.30	/	/	19.03	/	/	<=38.45	Pass
		Inner_Full	23.24	/	/	18.97	/	/	<=38.45	Pass
		Inner_1RB_Left	23.38	/	/	19.11	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	23.21	/	/	18.94	/	/	<=38.45	Pass
		Edge_1RB_Left	23.33	/	/	19.06	/	/	<=38.45	Pass
		Edge_1RB_Right	23.19	/	/	18.92	/	/	<=38.45	Pass
		Outer_Full	23.21	/	/	18.94	/	/	<=38.45	Pass
		Inner_Full	23.21	/	/	18.94	/	/	<=38.45	Pass
		Inner_1RB_Left	23.26	/	/	18.99	/	/	<=38.45	Pass
	841.5	Inner_1RB_Right	23.07	/	/	18.80	/	/	<=38.45	Pass
		Edge_1RB_Left	23.18	/	/	18.91	/	/	<=38.45	Pass
		Edge_1RB_Right	22.97	/	/	18.70	/	/	<=38.45	Pass
		Outer_Full	23.16	/	/	18.89	/	/	<=38.45	Pass
		Inner_Full	23.22	/	/	18.95	/	/	<=38.45	Pass
		Inner_1RB_Left	23.20	/	/	18.93	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	831.5	Inner_1RB_Right	23.03	/	/	18.76	/	/	<=38.45	Pass
		Edge_1RB_Left	22.35	/	/	18.08	/	/	<=38.45	Pass
		Edge_1RB_Right	22.08	/	/	17.81	/	/	<=38.45	Pass
		Outer_Full	22.38	/	/	18.11	/	/	<=38.45	Pass
		Inner_Full	23.28	/	/	19.01	/	/	<=38.45	Pass
		Inner_1RB_Left	23.20	/	/	18.93	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	23.01	/	/	18.74	/	/	<=38.45	Pass
		Edge_1RB_Left	22.24	/	/	17.97	/	/	<=38.45	Pass
		Edge_1RB_Right	22.21	/	/	17.94	/	/	<=38.45	Pass
		Outer_Full	22.31	/	/	18.04	/	/	<=38.45	Pass
		Inner_Full	23.25	/	/	18.98	/	/	<=38.45	Pass
		Inner_1RB_Left	23.20	/	/	18.93	/	/	<=38.45	Pass
	841.5	Inner_1RB_Right	23.10	/	/	18.83	/	/	<=38.45	Pass
		Edge_1RB_Left	22.17	/	/	17.90	/	/	<=38.45	Pass
		Edge_1RB_Right	21.98	/	/	17.71	/	/	<=38.45	Pass
		Outer_Full	22.22	/	/	17.95	/	/	<=38.45	Pass
		Inner_Full	23.23	/	/	18.96	/	/	<=38.45	Pass
		Inner_1RB_Left	23.10	/	/	18.83	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	831.5	Inner_1RB_Right	22.90	/	/	18.63	/	/	<=38.45	Pass
		Edge_1RB_Left	22.04	/	/	17.77	/	/	<=38.45	Pass
		Edge_1RB_Right	21.81	/	/	17.54	/	/	<=38.45	Pass
		Outer_Full	21.88	/	/	17.61	/	/	<=38.45	Pass
		Inner_Full	21.78	/	/	17.51	/	/	<=38.45	Pass
		Inner_1RB_Left	22.07	/	/	17.80	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	21.84	/	/	17.57	/	/	<=38.45	Pass
		Edge_1RB_Left	22.00	/	/	17.73	/	/	<=38.45	Pass

	841.5	Edge_1RB_Left	21.20	/	/	16.93	/	/	<=38.45	Pass
		Edge_1RB_Right	21.10	/	/	16.83	/	/	<=38.45	Pass
		Outer_Full	21.16	/	/	16.89	/	/	<=38.45	Pass
		Inner_Full	22.33	/	/	18.06	/	/	<=38.45	Pass
		Inner_1RB_Left	22.25	/	/	17.98	/	/	<=38.45	Pass
		Inner_1RB_Right	22.16	/	/	17.89	/	/	<=38.45	Pass
CP-OFDM 64 QAM	831.5	Edge_1RB_Left	20.99	/	/	16.72	/	/	<=38.45	Pass
		Edge_1RB_Right	20.73	/	/	16.46	/	/	<=38.45	Pass
		Outer_Full	20.75	/	/	16.48	/	/	<=38.45	Pass
		Inner_Full	20.76	/	/	16.49	/	/	<=38.45	Pass
		Inner_1RB_Left	21.01	/	/	16.74	/	/	<=38.45	Pass
		Inner_1RB_Right	20.82	/	/	16.55	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.90	/	/	16.63	/	/	<=38.45	Pass
		Edge_1RB_Right	20.64	/	/	16.37	/	/	<=38.45	Pass
		Outer_Full	20.71	/	/	16.44	/	/	<=38.45	Pass
		Inner_Full	20.68	/	/	16.41	/	/	<=38.45	Pass
		Inner_1RB_Left	20.87	/	/	16.60	/	/	<=38.45	Pass
		Inner_1RB_Right	20.68	/	/	16.41	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	20.80	/	/	16.53	/	/	<=38.45	Pass
		Edge_1RB_Right	20.61	/	/	16.34	/	/	<=38.45	Pass
		Outer_Full	20.61	/	/	16.34	/	/	<=38.45	Pass
		Inner_Full	20.71	/	/	16.44	/	/	<=38.45	Pass
		Inner_1RB_Left	20.78	/	/	16.51	/	/	<=38.45	Pass
		Inner_1RB_Right	20.62	/	/	16.35	/	/	<=38.45	Pass
CP-OFDM 256 QAM	831.5	Edge_1RB_Left	17.43	/	/	13.16	/	/	<=38.45	Pass
		Edge_1RB_Right	17.45	/	/	13.18	/	/	<=38.45	Pass
		Outer_Full	17.71	/	/	13.44	/	/	<=38.45	Pass
		Inner_Full	17.71	/	/	13.44	/	/	<=38.45	Pass
		Inner_1RB_Left	17.46	/	/	13.19	/	/	<=38.45	Pass
		Inner_1RB_Right	17.44	/	/	13.17	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	17.48	/	/	13.21	/	/	<=38.45	Pass
		Edge_1RB_Right	17.42	/	/	13.15	/	/	<=38.45	Pass
		Outer_Full	17.67	/	/	13.40	/	/	<=38.45	Pass
		Inner_Full	17.68	/	/	13.41	/	/	<=38.45	Pass
		Inner_1RB_Left	17.51	/	/	13.24	/	/	<=38.45	Pass
		Inner_1RB_Right	17.46	/	/	13.19	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	17.21	/	/	12.94	/	/	<=38.45	Pass
		Edge_1RB_Right	17.24	/	/	12.97	/	/	<=38.45	Pass
		Outer_Full	17.65	/	/	13.38	/	/	<=38.45	Pass
		Inner_Full	17.66	/	/	13.39	/	/	<=38.45	Pass
		Inner_1RB_Left	17.25	/	/	12.98	/	/	<=38.45	Pass
		Inner_1RB_Right	17.19	/	/	12.92	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant0: -2.12dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

5G NR n5 SCS=15kHz SISO 20MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant0	Ant2	Sum	Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	834	Edge_1RB_Left	23.32	/	/	19.05	/	/	<=38.45	Pass
		Edge_1RB_Right	23.03	/	/	18.76	/	/	<=38.45	Pass
		Outer_Full	23.29	/	/	19.02	/	/	<=38.45	Pass
		Inner_Full	23.20	/	/	18.93	/	/	<=38.45	Pass
		Inner_1RB_Left	23.31	/	/	19.04	/	/	<=38.45	Pass
		Inner_1RB_Right	23.12	/	/	18.85	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.31	/	/	19.04	/	/	<=38.45	Pass

		Edge_1RB_Right	23.04	/	/	18.77	/	/	<=38.45	Pass
		Outer_Full	23.27	/	/	19.00	/	/	<=38.45	Pass
		Inner_Full	23.20	/	/	18.93	/	/	<=38.45	Pass
		Inner_1RB_Left	23.30	/	/	19.03	/	/	<=38.45	Pass
		Inner_1RB_Right	23.06	/	/	18.79	/	/	<=38.45	Pass
	839	Edge_1RB_Left	23.32	/	/	19.05	/	/	<=38.45	Pass
		Edge_1RB_Right	22.97	/	/	18.70	/	/	<=38.45	Pass
		Outer_Full	23.19	/	/	18.92	/	/	<=38.45	Pass
		Inner_Full	23.16	/	/	18.89	/	/	<=38.45	Pass
		Inner_1RB_Left	23.23	/	/	18.96	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	834	Edge_1RB_Left	23.37	/	/	19.10	/	/	<=38.45	Pass
		Edge_1RB_Right	22.99	/	/	18.72	/	/	<=38.45	Pass
		Outer_Full	23.23	/	/	18.96	/	/	<=38.45	Pass
		Inner_Full	23.25	/	/	18.98	/	/	<=38.45	Pass
		Inner_1RB_Left	23.42	/	/	19.15	/	/	<=38.45	Pass
		Inner_1RB_Right	23.10	/	/	18.83	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.37	/	/	19.10	/	/	<=38.45	Pass
		Edge_1RB_Right	23.07	/	/	18.80	/	/	<=38.45	Pass
		Outer_Full	23.19	/	/	18.92	/	/	<=38.45	Pass
		Inner_Full	23.21	/	/	18.94	/	/	<=38.45	Pass
		Inner_1RB_Left	23.34	/	/	19.07	/	/	<=38.45	Pass
		Inner_1RB_Right	23.13	/	/	18.86	/	/	<=38.45	Pass
	839	Edge_1RB_Left	23.25	/	/	18.98	/	/	<=38.45	Pass
		Edge_1RB_Right	22.98	/	/	18.71	/	/	<=38.45	Pass
		Outer_Full	23.31	/	/	19.04	/	/	<=38.45	Pass
		Inner_Full	23.13	/	/	18.86	/	/	<=38.45	Pass
		Inner_1RB_Left	23.24	/	/	18.97	/	/	<=38.45	Pass
		Inner_1RB_Right	23.02	/	/	18.75	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	834	Edge_1RB_Left	22.21	/	/	17.94	/	/	<=38.45	Pass
		Edge_1RB_Right	21.93	/	/	17.66	/	/	<=38.45	Pass
		Outer_Full	22.28	/	/	18.01	/	/	<=38.45	Pass
		Inner_Full	23.25	/	/	18.98	/	/	<=38.45	Pass
		Inner_1RB_Left	23.33	/	/	19.06	/	/	<=38.45	Pass
		Inner_1RB_Right	22.92	/	/	18.65	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.26	/	/	17.99	/	/	<=38.45	Pass
		Edge_1RB_Right	22.02	/	/	17.75	/	/	<=38.45	Pass
		Outer_Full	22.27	/	/	18.00	/	/	<=38.45	Pass
		Inner_Full	23.25	/	/	18.98	/	/	<=38.45	Pass
		Inner_1RB_Left	23.25	/	/	18.98	/	/	<=38.45	Pass
		Inner_1RB_Right	22.95	/	/	18.68	/	/	<=38.45	Pass
	839	Edge_1RB_Left	22.23	/	/	17.96	/	/	<=38.45	Pass
		Edge_1RB_Right	21.88	/	/	17.61	/	/	<=38.45	Pass
		Outer_Full	22.23	/	/	17.96	/	/	<=38.45	Pass
		Inner_Full	23.20	/	/	18.93	/	/	<=38.45	Pass
		Inner_1RB_Left	23.28	/	/	19.01	/	/	<=38.45	Pass
		Inner_1RB_Right	23.07	/	/	18.80	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	834	Edge_1RB_Left	21.97	/	/	17.70	/	/	<=38.45	Pass
		Edge_1RB_Right	21.74	/	/	17.47	/	/	<=38.45	Pass
		Outer_Full	21.79	/	/	17.52	/	/	<=38.45	Pass
		Inner_Full	21.74	/	/	17.47	/	/	<=38.45	Pass
		Inner_1RB_Left	22.02	/	/	17.75	/	/	<=38.45	Pass
		Inner_1RB_Right	21.67	/	/	17.40	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.91	/	/	17.64	/	/	<=38.45	Pass
		Edge_1RB_Right	21.65	/	/	17.38	/	/	<=38.45	Pass
		Outer_Full	21.83	/	/	17.56	/	/	<=38.45	Pass
		Inner_Full	21.78	/	/	17.51	/	/	<=38.45	Pass
		Inner_1RB_Left	21.95	/	/	17.68	/	/	<=38.45	Pass
		Inner_1RB_Right	21.72	/	/	17.45	/	/	<=38.45	Pass

	839	Edge_1RB_Left	21.96	/	/	17.69	/	/	<=38.45	Pass
		Edge_1RB_Right	21.71	/	/	17.44	/	/	<=38.45	Pass
		Outer_Full	21.78	/	/	17.51	/	/	<=38.45	Pass
		Inner_Full	21.68	/	/	17.41	/	/	<=38.45	Pass
		Inner_1RB_Left	22.00	/	/	17.73	/	/	<=38.45	Pass
		Inner_1RB_Right	21.80	/	/	17.53	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	834	Edge_1RB_Left	19.37	/	/	15.10	/	/	<=38.45	Pass
		Edge_1RB_Right	19.16	/	/	14.89	/	/	<=38.45	Pass
		Outer_Full	19.78	/	/	15.51	/	/	<=38.45	Pass
		Inner_Full	19.66	/	/	15.39	/	/	<=38.45	Pass
		Inner_1RB_Left	19.37	/	/	15.10	/	/	<=38.45	Pass
		Inner_1RB_Right	19.16	/	/	14.89	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	19.31	/	/	15.04	/	/	<=38.45	Pass
		Edge_1RB_Right	19.11	/	/	14.84	/	/	<=38.45	Pass
		Outer_Full	19.77	/	/	15.50	/	/	<=38.45	Pass
		Inner_Full	19.65	/	/	15.38	/	/	<=38.45	Pass
		Inner_1RB_Left	19.29	/	/	15.02	/	/	<=38.45	Pass
		Inner_1RB_Right	19.11	/	/	14.84	/	/	<=38.45	Pass
	839	Edge_1RB_Left	19.26	/	/	14.99	/	/	<=38.45	Pass
		Edge_1RB_Right	19.05	/	/	14.78	/	/	<=38.45	Pass
		Outer_Full	19.73	/	/	15.46	/	/	<=38.45	Pass
		Inner_Full	19.60	/	/	15.33	/	/	<=38.45	Pass
		Inner_1RB_Left	19.26	/	/	14.99	/	/	<=38.45	Pass
		Inner_1RB_Right	19.06	/	/	14.79	/	/	<=38.45	Pass
CP-OFDM QPSK	834	Edge_1RB_Left	21.34	/	/	17.07	/	/	<=38.45	Pass
		Edge_1RB_Right	21.10	/	/	16.83	/	/	<=38.45	Pass
		Outer_Full	21.25	/	/	16.98	/	/	<=38.45	Pass
		Inner_Full	22.69	/	/	18.42	/	/	<=38.45	Pass
		Inner_1RB_Left	22.81	/	/	18.54	/	/	<=38.45	Pass
		Inner_1RB_Right	22.49	/	/	18.22	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.35	/	/	17.08	/	/	<=38.45	Pass
		Edge_1RB_Right	21.07	/	/	16.80	/	/	<=38.45	Pass
		Outer_Full	21.25	/	/	16.98	/	/	<=38.45	Pass
		Inner_Full	22.66	/	/	18.39	/	/	<=38.45	Pass
		Inner_1RB_Left	22.81	/	/	18.54	/	/	<=38.45	Pass
		Inner_1RB_Right	22.51	/	/	18.24	/	/	<=38.45	Pass
	839	Edge_1RB_Left	21.24	/	/	16.97	/	/	<=38.45	Pass
		Edge_1RB_Right	20.94	/	/	16.67	/	/	<=38.45	Pass
		Outer_Full	21.20	/	/	16.93	/	/	<=38.45	Pass
		Inner_Full	22.61	/	/	18.34	/	/	<=38.45	Pass
		Inner_1RB_Left	22.64	/	/	18.37	/	/	<=38.45	Pass
		Inner_1RB_Right	22.31	/	/	18.04	/	/	<=38.45	Pass
CP-OFDM 16 QAM	834	Edge_1RB_Left	21.54	/	/	17.27	/	/	<=38.45	Pass
		Edge_1RB_Right	21.13	/	/	16.86	/	/	<=38.45	Pass
		Outer_Full	21.24	/	/	16.97	/	/	<=38.45	Pass
		Inner_Full	22.27	/	/	18.00	/	/	<=38.45	Pass
		Inner_1RB_Left	22.49	/	/	18.22	/	/	<=38.45	Pass
		Inner_1RB_Right	22.15	/	/	17.88	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.39	/	/	17.12	/	/	<=38.45	Pass
		Edge_1RB_Right	21.12	/	/	16.85	/	/	<=38.45	Pass
		Outer_Full	21.26	/	/	16.99	/	/	<=38.45	Pass
		Inner_Full	22.22	/	/	17.95	/	/	<=38.45	Pass
		Inner_1RB_Left	22.47	/	/	18.20	/	/	<=38.45	Pass
		Inner_1RB_Right	22.04	/	/	17.77	/	/	<=38.45	Pass
	839	Edge_1RB_Left	21.34	/	/	17.07	/	/	<=38.45	Pass
		Edge_1RB_Right	21.09	/	/	16.82	/	/	<=38.45	Pass
		Outer_Full	21.21	/	/	16.94	/	/	<=38.45	Pass
		Inner_Full	22.18	/	/	17.91	/	/	<=38.45	Pass
		Inner_1RB_Left	22.34	/	/	18.07	/	/	<=38.45	Pass

		Inner_1RB_Right	22.07	/	/	17.80	/	/	<=38.45	Pass
CP-OFDM 64 QAM	834	Edge_1RB_Left	21.01	/	/	16.74	/	/	<=38.45	Pass
		Edge_1RB_Right	20.61	/	/	16.34	/	/	<=38.45	Pass
		Outer_Full	20.78	/	/	16.51	/	/	<=38.45	Pass
		Inner_Full	20.66	/	/	16.39	/	/	<=38.45	Pass
		Inner_1RB_Left	20.91	/	/	16.64	/	/	<=38.45	Pass
		Inner_1RB_Right	20.55	/	/	16.28	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.95	/	/	16.68	/	/	<=38.45	Pass
		Edge_1RB_Right	20.51	/	/	16.24	/	/	<=38.45	Pass
		Outer_Full	20.79	/	/	16.52	/	/	<=38.45	Pass
		Inner_Full	20.75	/	/	16.48	/	/	<=38.45	Pass
		Inner_1RB_Left	20.93	/	/	16.66	/	/	<=38.45	Pass
		Inner_1RB_Right	20.59	/	/	16.32	/	/	<=38.45	Pass
	839	Edge_1RB_Left	20.85	/	/	16.58	/	/	<=38.45	Pass
		Edge_1RB_Right	20.68	/	/	16.41	/	/	<=38.45	Pass
		Outer_Full	20.78	/	/	16.51	/	/	<=38.45	Pass
		Inner_Full	20.77	/	/	16.50	/	/	<=38.45	Pass
		Inner_1RB_Left	20.95	/	/	16.68	/	/	<=38.45	Pass
		Inner_1RB_Right	20.56	/	/	16.29	/	/	<=38.45	Pass
CP-OFDM 256 QAM	834	Edge_1RB_Left	17.60	/	/	13.33	/	/	<=38.45	Pass
		Edge_1RB_Right	17.45	/	/	13.18	/	/	<=38.45	Pass
		Outer_Full	17.77	/	/	13.50	/	/	<=38.45	Pass
		Inner_Full	17.74	/	/	13.47	/	/	<=38.45	Pass
		Inner_1RB_Left	17.55	/	/	13.28	/	/	<=38.45	Pass
		Inner_1RB_Right	17.29	/	/	13.02	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	17.47	/	/	13.20	/	/	<=38.45	Pass
		Edge_1RB_Right	17.41	/	/	13.14	/	/	<=38.45	Pass
		Outer_Full	17.76	/	/	13.49	/	/	<=38.45	Pass
		Inner_Full	17.70	/	/	13.43	/	/	<=38.45	Pass
		Inner_1RB_Left	17.47	/	/	13.20	/	/	<=38.45	Pass
		Inner_1RB_Right	17.28	/	/	13.01	/	/	<=38.45	Pass
	839	Edge_1RB_Left	17.41	/	/	13.14	/	/	<=38.45	Pass
		Edge_1RB_Right	17.18	/	/	12.91	/	/	<=38.45	Pass
		Outer_Full	17.74	/	/	13.47	/	/	<=38.45	Pass
		Inner_Full	17.68	/	/	13.41	/	/	<=38.45	Pass
		Inner_1RB_Left	17.44	/	/	13.17	/	/	<=38.45	Pass
		Inner_1RB_Right	17.17	/	/	12.90	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant0: -2.12dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.4 15_S_20M_NTNV_ERP

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_20M

5G NR n5 SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	836.5	Outer_Full	20	LV	-10.70	-0.0128	>=-2.5 & <=2.5	Pass
				HV	-8.30	-0.0099	>=-2.5 & <=2.5	Pass
			-30	NV	-8.50	-0.0102	>=-2.5 & <=2.5	Pass
			-20	NV	-8.60	-0.0103	>=-2.5 & <=2.5	Pass
			-10	NV	-5.70	-0.0068	>=-2.5 & <=2.5	Pass
			0	NV	-9.90	-0.0118	>=-2.5 & <=2.5	Pass
			10	NV	-10.00	-0.0120	>=-2.5 & <=2.5	Pass
			20	NV	-10.50	-0.0126	>=-2.5 & <=2.5	Pass
			30	NV	-7.70	-0.0092	>=-2.5 & <=2.5	Pass
			40	NV	-6.50	-0.0078	>=-2.5 & <=2.5	Pass
			50	NV	-8.20	-0.0098	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV

5G NR n5 SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	4.55	5.24	/	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	4.53	5.28	/	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	4.56	5.24	/	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	4.54	5.26	/	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	4.57	5.31	/	Pass
CP-OFDM QPSK	836.5	Outer_Full	4.55	5.38	/	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	4.61	5.35	/	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	4.57	5.35	/	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	4.57	5.33	/	Pass

3.1.2 15_S_10M_NTNV

5G NR n5 SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	9.05	10.00	/	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	9.07	10.06	/	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	9.07	10.07	/	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	9.05	10.10	/	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	9.06	10.00	/	Pass
CP-OFDM QPSK	836.5	Outer_Full	9.38	10.46	/	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	9.39	10.44	/	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	9.34	10.32	/	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	9.41	10.45	/	Pass

3.1.3 15_S_15M_NTNV


5G NR n5 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	13.57	14.77	/	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	13.58	14.75	/	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	13.65	14.88	/	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	13.54	14.79	/	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	13.59	14.82	/	Pass
CP-OFDM QPSK	836.5	Outer_Full	14.23	15.50	/	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	14.26	15.63	/	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	14.30	15.56	/	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	14.22	15.49	/	Pass

3.1.4 15_S_20M_NTNV


5G NR n5 SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	18.05	19.46	/	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	18.01	19.57	/	Pass
DFT-s-OFDM 16 QAM	836.5	Outer_Full	17.99	19.42	/	Pass
DFT-s-OFDM 64 QAM	836.5	Outer_Full	18.00	19.60	/	Pass
DFT-s-OFDM 256 QAM	836.5	Outer_Full	18.03	19.42	/	Pass
CP-OFDM QPSK	836.5	Outer_Full	19.03	20.67	/	Pass
CP-OFDM 16 QAM	836.5	Outer_Full	19.08	20.61	/	Pass
CP-OFDM 64 QAM	836.5	Outer_Full	19.07	20.57	/	Pass
CP-OFDM 256 QAM	836.5	Outer_Full	19.14	20.63	/	Pass

3.2 Test Graph

3.2.1 15_S_5M_NTNV




n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256_QAM_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM 836.5MHz_Outer_Full_Ant0




3.2.2 15_S_10M_NTNV




n5_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_836.5MHz_Outer_Full_Ant0




3.2.3 15_S_15M_NTNV




n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant0



n5_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_256_QAM_836.5MHz_Outer_Full_Ant0




3.2.4 15_S_20M_NTNV




n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM 836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_836.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 836.5MHz_Outer_Full_Ant0



n5_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 836.5MHz_Outer_Full_Ant0



n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_836.5MHz_Outer_Full_Ant0



4. Peak-Average Ratio


4.1 Test Result

4.1.1 15_S_20M_NTNV


5G NR n5 SCS=15kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	836.5	Outer_Full	3.89	/	/	<=13	Pass
DFT-s-OFDM QPSK	836.5	Outer_Full	5.17	/	/	<=13	Pass
CP-OFDM QPSK	836.5	Outer_Full	7.04	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_20M_NTNV



n5_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_836.5MHz_Outer_Full_Ant0



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n5 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	826.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	846.5	Outer_Full	Refer To Test Graph				Pass
							Pass
DFT-s-OFDM QPSK	826.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	846.5	Outer_Full	Refer To Test Graph				Pass
							Pass
CP-OFDM QPSK	826.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	846.5	Outer_Full	Refer To Test Graph				Pass
							Pass

5.1.2 15_S_15M_NTNV


5G NR n5 SCS=15kHz SISO 15MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant0	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	831.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	841.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	831.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	841.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	831.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	841.5	Outer_Full	Refer To Test Graph				Pass

5.1.3 15_S_20M_NTNV


5G NR n5 SCS=15kHz SISO 20MHz NTN								
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict	
			Ant0	Ant2	Sum	Limit		
DFT-s-OFDM PI/2 BPSK	834	Edge_1RB_Left	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
		839	Edge_1RB_Right	Refer To Test Graph				Pass
			Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	834	Edge_1RB_Left	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
	839	Edge_1RB_Right	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
CP-OFDM QPSK	834	Edge_1RB_Left	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	
	836.5	Edge_1RB_Left	Refer To Test Graph				Pass	
		Edge_1RB_Right	Refer To Test Graph				Pass	
	839	Edge_1RB_Right	Refer To Test Graph				Pass	
		Outer_Full	Refer To Test Graph				Pass	

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_826.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1649.000	-43.26	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_826.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	821.890	-36.21	-13	Pass
823	824	0.05276	CHP	2	823.990	-25.85	-13	Pass
824	829	0.05276	CHP	/	/	/	/	/


n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant0



n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant0




n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_846.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-26.20	-13	Pass
850	854	0.1	CHP	2	850.730	-45.82	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_846.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.650	-61.37	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	889.750	-53.39	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_846.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1697.500	-43.76	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_846.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05276	CHP	/	/	/	/	/
849	850	0.05276	CHP	1	849.010	-25.01	-13	Pass
850	854	0.1	CHP	2	851.070	-34.57	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.192	-46.32	-13	Pass
823	824	0.003	/	2	823.992	-26.40	-13	Pass
824	829	0.003	/	/	/	/	/	/

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	813.450	-56.88	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	873.650	-54.61	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1649.000	-43.83	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_826.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.910	-32.78	-13	Pass
823	824	0.05276	CHP	2	823.990	-25.71	-13	Pass
824	829	0.05276	CHP	/	/	/	/	/

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	815.300	-56.61	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	880.050	-54.06	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1669.000	-42.65	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.009	-26.09	-13	Pass
850	854	0.1	CHP	2	850.772	-47.69	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	792.600	-62.99	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	890.800	-52.69	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1697.500	-43.63	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_846.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05276	CHP	/	/	/	/	/
849	850	0.05276	CHP	1	849.010	-26.92	-13	Pass
850	854	0.1	CHP	2	850.370	-34.49	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.143	-47.90	-13	Pass
823	824	0.003	/	2	823.991	-27.30	-13	Pass
824	829	0.003	/	/	/	/	/	/

n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	813.500	-58.03	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	873.250	-53.75	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_826.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1649.000	-45.23	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_826.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.910	-33.60	-13	Pass
823	824	0.05276	CHP	2	823.990	-27.22	-13	Pass
824	829	0.05276	CHP	/	/	/	/	/

n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	815.300	-59.48	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	881.350	-54.45	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1669.000	-43.78	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.023	-29.45	-13	Pass
850	854	0.1	CHP	2	850.805	-48.88	-13	Pass

n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.650	-62.83	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	889.350	-52.97	-13	Pass


n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_846.5MHz_Edge_1RB_Right_Ant0




n5_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_846.5MHz_Outer_Full_Ant0



5.2.2 15_S_15M_NTNV




n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_831.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1649.000	-42.64	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_831.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	822.920	-39.79	-13	Pass
823	824	0.14751	CHP	2	823.900	-32.87	-13	Pass
824	839	0.14751	CHP	/	/	/	/	/

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	815.850	-56.49	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	874.850	-57.20	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1659.000	-43.32	-13	Pass


n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_841.5MHz_Edge_1RB_Right_Ant0



n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_841.5MHz_Edge_1RB_Right_Ant0




n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_841.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1697.500	-44.19	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_841.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.14751	CHP	/	/	/	/	/
849	850	0.14751	CHP	1	849.280	-38.16	-13	Pass
850	854	0.1	/	2	851.260	-41.37	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.918	-50.40	-13	Pass
823	824	0.003	/	2	823.991	-32.87	-13	Pass
824	839	0.003	/	/	/	/	/	/

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	813.550	-57.69	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	873.050	-57.72	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1649.000	-44.34	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_831.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	822.940	-37.80	-13	Pass
823	824	0.14751	CHP	2	823.980	-29.87	-13	Pass
824	839	0.14751	CHP	/	/	/	/	/

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	813.100	-56.64	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	877.750	-57.69	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1659.000	-43.26	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.011	-32.59	-13	Pass
850	854	0.1	CHP	2	850.055	-50.78	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.400	-62.38	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	880.700	-58.06	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1697.000	-44.87	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_841.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.14751	CHP	/	/	/	/	/
849	850	0.14751	CHP	1	849.060	-37.54	-13	Pass
850	854	0.1	/	2	850.300	-39.86	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.903	-51.51	-13	Pass
823	824	0.003	/	2	823.994	-32.76	-13	Pass
824	839	0.003	/	/	/	/	/	/

n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	813.550	-58.39	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	875.000	-57.62	-13	Pass


n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_831.5MHz_Edge_1RB_Left_Ant0



n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_831.5MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	813.150	-58.03	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	877.750	-57.17	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1659.000	-45.79	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.008	-35.40	-13	Pass
850	854	0.1	CHP	2	850.050	-52.19	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_841.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	818.500	-63.08	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	892.050	-56.88	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK 841.5MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1697.500	-47.47	-13	Pass

n5_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK 841.5MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.14751	CHP	/	/	/	/	/
849	850	0.14751	CHP	1	849.020	-35.60	-13	Pass
850	854	0.1	/	2	851.560	-38.25	-13	Pass

5.2.3 15_S_20M_NTNV




n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_834MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1649.500	-43.59	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_834MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	821.500	-38.96	-13	Pass
823	824	0.19569	CHP	2	823.975	-32.22	-13	Pass
824	844	0.19569	CHP	/	/	/	/	/

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	810.600	-57.31	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	875.700	-58.58	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1654.500	-43.20	-13	Pass


n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_839MHz_Edge_1RB_Right_Ant0



n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_839MHz_Edge_1RB_Right_Ant0




n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_839MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1697.000	-43.94	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_839MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.19569	CHP	/	/	/	/	/
849	850	0.19569	CHP	1	849.725	-41.26	-13	Pass
850	854	0.1	/	2	850.125	-41.82	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.944	-50.65	-13	Pass
823	824	0.003	/	2	823.992	-36.36	-13	Pass
824	844	0.003	/	/	/	/	/	/

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	813.550	-57.77	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	873.400	-58.77	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1649.500	-43.96	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_834MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	/	1	819.200	-36.71	-13	Pass
823	824	0.19569	CHP	2	823.975	-29.19	-13	Pass
824	844	0.19569	CHP	/	/	/	/	/


n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0



n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.011	-36.27	-13	Pass
850	854	0.1	CHP	2	850.055	-51.42	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	817.750	-62.93	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	875.600	-58.38	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1697.000	-45.37	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_839MHz_Outer_Full_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
829	849	0.19569	CHP	/	/	/	/	/
849	850	0.19569	CHP	1	849.625	-38.16	-13	Pass
850	854	0.1	/	2	850.075	-38.78	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.944	-51.82	-13	Pass
823	824	0.003	/	2	823.995	-36.73	-13	Pass
824	844	0.003	/	/	/	/	/	/

n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	810.800	-59.03	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	875.200	-59.20	-13	Pass


n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_834MHz_Edge_1RB_Left_Ant0



n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_834MHz_Outer_Full_Ant0




n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	823	0.1	/	1	816.100	-57.98	-13	Pass
823	854	0.1	/	/	/	/	/	/
854	1000	0.1	/	2	875.000	-58.33	-13	Pass

n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_836.5MHz_Edge_1RB_Left_Ant0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	8490	1	/	1	1654.500	-46.28	-13	Pass


n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant0



n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant0



n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_839MHz_Edge_1RB_Right_Ant0



n5_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_839MHz_Outer_Full_Ant0

