

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_S_10M_NTNV_EIRP

5G NR n38 SCS=30kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2575	Edge 1RB Left	23.24	/	/	21.79	/	/	<=33.01	Pass
		Edge 1RB Right	23.10	/	/	21.65	/	/	<=33.01	Pass
		Outer Full	23.14	/	/	21.70	/	/	<=33.01	Pass
		Inner Full	23.59	/	/	22.14	/	/	<=33.01	Pass
		Inner 1RB Left	23.72	/	/	22.27	/	/	<=33.01	Pass
		Inner 1RB Right	23.51	/	/	22.06	/	/	<=33.01	Pass
	2595	Edge 1RB Left	22.85	/	/	21.40	/	/	<=33.01	Pass
		Edge 1RB Right	22.87	/	/	21.42	/	/	<=33.01	Pass
		Outer Full	22.86	/	/	21.41	/	/	<=33.01	Pass
		Inner Full	23.29	/	/	21.84	/	/	<=33.01	Pass
		Inner 1RB Left	23.37	/	/	21.92	/	/	<=33.01	Pass
		Inner 1RB Right	23.37	/	/	21.92	/	/	<=33.01	Pass
	2615	Edge 1RB Left	22.86	/	/	21.41	/	/	<=33.01	Pass
		Edge 1RB Right	22.96	/	/	21.51	/	/	<=33.01	Pass
		Outer Full	22.96	/	/	21.51	/	/	<=33.01	Pass
		Inner Full	23.41	/	/	21.96	/	/	<=33.01	Pass
		Inner 1RB Left	23.46	/	/	22.01	/	/	<=33.01	Pass
		Inner 1RB Right	23.54	/	/	22.09	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	2575	Edge 1RB Left	22.72	/	/	21.27	/	/	<=33.01	Pass
		Edge 1RB Right	22.60	/	/	21.15	/	/	<=33.01	Pass
		Outer Full	22.64	/	/	21.19	/	/	<=33.01	Pass
		Inner Full	23.50	/	/	22.05	/	/	<=33.01	Pass
		Inner 1RB Left	23.78	/	/	22.33	/	/	<=33.01	Pass
		Inner 1RB Right	23.64	/	/	22.19	/	/	<=33.01	Pass
	2595	Edge 1RB Left	22.38	/	/	20.93	/	/	<=33.01	Pass
		Edge 1RB Right	22.35	/	/	20.90	/	/	<=33.01	Pass
		Outer Full	22.43	/	/	20.98	/	/	<=33.01	Pass
		Inner Full	23.40	/	/	21.95	/	/	<=33.01	Pass
		Inner 1RB Left	23.48	/	/	22.03	/	/	<=33.01	Pass
		Inner 1RB Right	23.45	/	/	22.00	/	/	<=33.01	Pass
	2615	Edge 1RB Left	22.55	/	/	21.10	/	/	<=33.01	Pass
		Edge 1RB Right	22.71	/	/	21.26	/	/	<=33.01	Pass
		Outer Full	22.63	/	/	21.18	/	/	<=33.01	Pass
		Inner Full	23.61	/	/	22.16	/	/	<=33.01	Pass
		Inner 1RB Left	23.62	/	/	22.17	/	/	<=33.01	Pass
		Inner 1RB Right	23.58	/	/	22.13	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	2575	Edge 1RB Left	21.67	/	/	20.22	/	/	<=33.01	Pass
		Edge 1RB Right	21.53	/	/	20.08	/	/	<=33.01	Pass
		Outer Full	21.67	/	/	20.22	/	/	<=33.01	Pass
		Inner Full	22.65	/	/	21.20	/	/	<=33.01	Pass
		Inner 1RB Left	22.94	/	/	21.49	/	/	<=33.01	Pass
		Inner 1RB Right	22.70	/	/	21.25	/	/	<=33.01	Pass
	2595	Edge 1RB Left	21.29	/	/	19.84	/	/	<=33.01	Pass
		Edge 1RB Right	21.34	/	/	19.90	/	/	<=33.01	Pass
		Outer Full	21.33	/	/	19.88	/	/	<=33.01	Pass
		Inner Full	22.29	/	/	20.84	/	/	<=33.01	Pass
		Inner 1RB Left	22.47	/	/	21.02	/	/	<=33.01	Pass
		Inner 1RB Right	22.46	/	/	21.01	/	/	<=33.01	Pass
	2615	Edge 1RB Left	21.43	/	/	19.98	/	/	<=33.01	Pass

		Edge_1RB_Right	21.58	/	/	20.13	/	/	<=33.01	Pass
		Outer_Full	21.58	/	/	20.13	/	/	<=33.01	Pass
		Inner_Full	22.50	/	/	21.05	/	/	<=33.01	Pass
		Inner_1RB_Left	22.69	/	/	21.24	/	/	<=33.01	Pass
		Inner_1RB_Right	22.67	/	/	21.22	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	2575	Edge_1RB_Left	21.17	/	/	19.72	/	/	<=33.01	Pass
		Edge_1RB_Right	20.84	/	/	19.39	/	/	<=33.01	Pass
		Outer_Full	21.12	/	/	19.67	/	/	<=33.01	Pass
		Inner_Full	21.12	/	/	19.67	/	/	<=33.01	Pass
		Inner_1RB_Left	21.03	/	/	19.58	/	/	<=33.01	Pass
		Inner_1RB_Right	20.89	/	/	19.44	/	/	<=33.01	Pass
	2595	Edge_1RB_Left	20.91	/	/	19.46	/	/	<=33.01	Pass
		Edge_1RB_Right	20.90	/	/	19.45	/	/	<=33.01	Pass
		Outer_Full	20.86	/	/	19.42	/	/	<=33.01	Pass
		Inner_Full	20.78	/	/	19.33	/	/	<=33.01	Pass
		Inner_1RB_Left	20.88	/	/	19.43	/	/	<=33.01	Pass
		Inner_1RB_Right	20.86	/	/	19.41	/	/	<=33.01	Pass
	2615	Edge_1RB_Left	21.24	/	/	19.79	/	/	<=33.01	Pass
		Edge_1RB_Right	21.21	/	/	19.76	/	/	<=33.01	Pass
		Outer_Full	21.11	/	/	19.66	/	/	<=33.01	Pass
		Inner_Full	21.10	/	/	19.65	/	/	<=33.01	Pass
		Inner_1RB_Left	21.11	/	/	19.66	/	/	<=33.01	Pass
		Inner_1RB_Right	21.18	/	/	19.73	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	2575	Edge_1RB_Left	19.20	/	/	17.75	/	/	<=33.01	Pass
		Edge_1RB_Right	18.95	/	/	17.50	/	/	<=33.01	Pass
		Outer_Full	19.16	/	/	17.72	/	/	<=33.01	Pass
		Inner_Full	19.16	/	/	17.72	/	/	<=33.01	Pass
		Inner_1RB_Left	19.14	/	/	17.70	/	/	<=33.01	Pass
		Inner_1RB_Right	19.11	/	/	17.66	/	/	<=33.01	Pass
	2595	Edge_1RB_Left	18.68	/	/	17.23	/	/	<=33.01	Pass
		Edge_1RB_Right	18.68	/	/	17.23	/	/	<=33.01	Pass
		Outer_Full	18.95	/	/	17.50	/	/	<=33.01	Pass
		Inner_Full	18.73	/	/	17.28	/	/	<=33.01	Pass
		Inner_1RB_Left	18.64	/	/	17.19	/	/	<=33.01	Pass
		Inner_1RB_Right	18.65	/	/	17.20	/	/	<=33.01	Pass
	2615	Edge_1RB_Left	19.02	/	/	17.58	/	/	<=33.01	Pass
		Edge_1RB_Right	19.21	/	/	17.76	/	/	<=33.01	Pass
		Outer_Full	19.20	/	/	17.75	/	/	<=33.01	Pass
		Inner_Full	19.05	/	/	17.60	/	/	<=33.01	Pass
		Inner_1RB_Left	19.09	/	/	17.64	/	/	<=33.01	Pass
		Inner_1RB_Right	19.19	/	/	17.74	/	/	<=33.01	Pass
CP-OFDM QPSK	2575	Edge_1RB_Left	20.84	/	/	19.39	/	/	<=33.01	Pass
		Edge_1RB_Right	20.62	/	/	19.17	/	/	<=33.01	Pass
		Outer_Full	20.62	/	/	19.17	/	/	<=33.01	Pass
		Inner_Full	22.19	/	/	20.74	/	/	<=33.01	Pass
		Inner_1RB_Left	22.38	/	/	20.93	/	/	<=33.01	Pass
		Inner_1RB_Right	22.21	/	/	20.76	/	/	<=33.01	Pass
	2595	Edge_1RB_Left	20.26	/	/	18.81	/	/	<=33.01	Pass
		Edge_1RB_Right	20.28	/	/	18.83	/	/	<=33.01	Pass
		Outer_Full	20.30	/	/	18.86	/	/	<=33.01	Pass
		Inner_Full	21.84	/	/	20.39	/	/	<=33.01	Pass
		Inner_1RB_Left	22.00	/	/	20.55	/	/	<=33.01	Pass
		Inner_1RB_Right	21.92	/	/	20.47	/	/	<=33.01	Pass
	2615	Edge_1RB_Left	20.45	/	/	19.00	/	/	<=33.01	Pass
		Edge_1RB_Right	20.57	/	/	19.12	/	/	<=33.01	Pass
		Outer_Full	20.52	/	/	19.07	/	/	<=33.01	Pass
		Inner_Full	22.08	/	/	20.63	/	/	<=33.01	Pass
		Inner_1RB_Left	22.15	/	/	20.70	/	/	<=33.01	Pass
		Inner_1RB_Right	22.30	/	/	20.85	/	/	<=33.01	Pass

CP-OFDM 16 QAM	2575	Edge 1RB Left	20.77	/	/	19.32	/	/	<=33.01	Pass
		Edge 1RB Right	20.66	/	/	19.21	/	/	<=33.01	Pass
		Outer Full	20.68	/	/	19.23	/	/	<=33.01	Pass
		Inner Full	21.60	/	/	20.15	/	/	<=33.01	Pass
		Inner 1RB Left	21.69	/	/	20.24	/	/	<=33.01	Pass
		Inner 1RB Right	21.69	/	/	20.24	/	/	<=33.01	Pass
	2595	Edge 1RB Left	20.41	/	/	18.96	/	/	<=33.01	Pass
		Edge 1RB Right	20.43	/	/	18.98	/	/	<=33.01	Pass
		Outer Full	20.36	/	/	18.91	/	/	<=33.01	Pass
		Inner Full	21.29	/	/	19.84	/	/	<=33.01	Pass
		Inner 1RB Left	21.40	/	/	19.95	/	/	<=33.01	Pass
		Inner 1RB Right	21.43	/	/	19.98	/	/	<=33.01	Pass
	2615	Edge 1RB Left	20.67	/	/	19.22	/	/	<=33.01	Pass
		Edge 1RB Right	20.70	/	/	19.25	/	/	<=33.01	Pass
		Outer Full	20.64	/	/	19.19	/	/	<=33.01	Pass
		Inner Full	21.59	/	/	20.14	/	/	<=33.01	Pass
		Inner 1RB Left	21.57	/	/	20.12	/	/	<=33.01	Pass
		Inner 1RB Right	21.70	/	/	20.25	/	/	<=33.01	Pass
CP-OFDM 64 QAM	2575	Edge 1RB Left	20.40	/	/	18.95	/	/	<=33.01	Pass
		Edge 1RB Right	20.10	/	/	18.65	/	/	<=33.01	Pass
		Outer Full	20.07	/	/	18.62	/	/	<=33.01	Pass
		Inner Full	20.06	/	/	18.61	/	/	<=33.01	Pass
		Inner 1RB Left	20.27	/	/	18.82	/	/	<=33.01	Pass
		Inner 1RB Right	20.19	/	/	18.74	/	/	<=33.01	Pass
	2595	Edge 1RB Left	20.01	/	/	18.56	/	/	<=33.01	Pass
		Edge 1RB Right	20.05	/	/	18.60	/	/	<=33.01	Pass
		Outer Full	19.83	/	/	18.38	/	/	<=33.01	Pass
		Inner Full	19.76	/	/	18.31	/	/	<=33.01	Pass
		Inner 1RB Left	19.90	/	/	18.45	/	/	<=33.01	Pass
		Inner 1RB Right	20.05	/	/	18.60	/	/	<=33.01	Pass
	2615	Edge 1RB Left	20.10	/	/	18.65	/	/	<=33.01	Pass
		Edge 1RB Right	20.32	/	/	18.87	/	/	<=33.01	Pass
		Outer Full	20.07	/	/	18.62	/	/	<=33.01	Pass
		Inner Full	20.07	/	/	18.62	/	/	<=33.01	Pass
		Inner 1RB Left	20.38	/	/	18.93	/	/	<=33.01	Pass
		Inner 1RB Right	20.33	/	/	18.88	/	/	<=33.01	Pass
CP-OFDM 256 QAM	2575	Edge 1RB Left	17.06	/	/	15.61	/	/	<=33.01	Pass
		Edge 1RB Right	16.96	/	/	15.51	/	/	<=33.01	Pass
		Outer Full	17.14	/	/	15.69	/	/	<=33.01	Pass
		Inner Full	17.24	/	/	15.79	/	/	<=33.01	Pass
		Inner 1RB Left	17.02	/	/	15.57	/	/	<=33.01	Pass
		Inner 1RB Right	16.83	/	/	15.38	/	/	<=33.01	Pass
	2595	Edge 1RB Left	16.61	/	/	15.16	/	/	<=33.01	Pass
		Edge 1RB Right	16.61	/	/	15.16	/	/	<=33.01	Pass
		Outer Full	16.98	/	/	15.53	/	/	<=33.01	Pass
		Inner Full	16.92	/	/	15.47	/	/	<=33.01	Pass
		Inner 1RB Left	16.84	/	/	15.39	/	/	<=33.01	Pass
		Inner 1RB Right	16.91	/	/	15.46	/	/	<=33.01	Pass
	2615	Edge 1RB Left	16.78	/	/	15.33	/	/	<=33.01	Pass
		Edge 1RB Right	17.04	/	/	15.59	/	/	<=33.01	Pass
		Outer Full	17.17	/	/	15.72	/	/	<=33.01	Pass
		Inner Full	17.15	/	/	15.70	/	/	<=33.01	Pass
		Inner 1RB Left	16.85	/	/	15.40	/	/	<=33.01	Pass
		Inner 1RB Right	16.99	/	/	15.54	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant4: -1.45dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 30_S_20M_NTNV_EIRP

5G NR n38 SCS=30kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2580	Edge_1RB_Left	23.19	/	/	21.74	/	/	<=33.01	Pass
		Edge_1RB_Right	22.79	/	/	21.34	/	/	<=33.01	Pass
		Outer_Full	23.21	/	/	21.76	/	/	<=33.01	Pass
		Inner_Full	23.67	/	/	22.22	/	/	<=33.01	Pass
		Inner_1RB_Left	23.59	/	/	22.14	/	/	<=33.01	Pass
		Inner_1RB_Right	23.30	/	/	21.85	/	/	<=33.01	Pass
	2595	Edge_1RB_Left	22.77	/	/	21.32	/	/	<=33.01	Pass
		Edge_1RB_Right	22.82	/	/	21.37	/	/	<=33.01	Pass
		Outer_Full	22.94	/	/	21.49	/	/	<=33.01	Pass
		Inner_Full	23.41	/	/	21.96	/	/	<=33.01	Pass
		Inner_1RB_Left	23.47	/	/	22.02	/	/	<=33.01	Pass
		Inner_1RB_Right	23.34	/	/	21.89	/	/	<=33.01	Pass
	2610	Edge_1RB_Left	22.67	/	/	21.22	/	/	<=33.01	Pass
		Edge_1RB_Right	22.90	/	/	21.45	/	/	<=33.01	Pass
		Outer_Full	22.91	/	/	21.47	/	/	<=33.01	Pass
		Inner_Full	23.48	/	/	22.03	/	/	<=33.01	Pass
		Inner_1RB_Left	23.27	/	/	21.82	/	/	<=33.01	Pass
		Inner_1RB_Right	23.49	/	/	22.04	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	2580	Edge_1RB_Left	22.71	/	/	21.26	/	/	<=33.01	Pass
		Edge_1RB_Right	22.57	/	/	21.12	/	/	<=33.01	Pass
		Outer_Full	22.77	/	/	21.32	/	/	<=33.01	Pass
		Inner_Full	23.83	/	/	22.38	/	/	<=33.01	Pass
		Inner_1RB_Left	23.70	/	/	22.25	/	/	<=33.01	Pass
		Inner_1RB_Right	23.65	/	/	22.20	/	/	<=33.01	Pass
	2595	Edge_1RB_Left	22.44	/	/	20.99	/	/	<=33.01	Pass
		Edge_1RB_Right	22.45	/	/	21.00	/	/	<=33.01	Pass
		Outer_Full	22.70	/	/	21.25	/	/	<=33.01	Pass
		Inner_Full	23.55	/	/	22.10	/	/	<=33.01	Pass
		Inner_1RB_Left	23.49	/	/	22.04	/	/	<=33.01	Pass
		Inner_1RB_Right	23.42	/	/	21.97	/	/	<=33.01	Pass
	2610	Edge_1RB_Left	22.45	/	/	21.00	/	/	<=33.01	Pass
		Edge_1RB_Right	22.67	/	/	21.22	/	/	<=33.01	Pass
		Outer_Full	22.70	/	/	21.25	/	/	<=33.01	Pass
		Inner_Full	23.67	/	/	22.22	/	/	<=33.01	Pass
		Inner_1RB_Left	23.41	/	/	21.97	/	/	<=33.01	Pass
		Inner_1RB_Right	23.69	/	/	22.24	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	2580	Edge_1RB_Left	21.66	/	/	20.21	/	/	<=33.01	Pass
		Edge_1RB_Right	21.53	/	/	20.08	/	/	<=33.01	Pass
		Outer_Full	21.72	/	/	20.27	/	/	<=33.01	Pass
		Inner_Full	22.85	/	/	21.40	/	/	<=33.01	Pass
		Inner_1RB_Left	22.63	/	/	21.18	/	/	<=33.01	Pass
		Inner_1RB_Right	22.48	/	/	21.03	/	/	<=33.01	Pass
	2595	Edge_1RB_Left	21.58	/	/	20.13	/	/	<=33.01	Pass
		Edge_1RB_Right	21.52	/	/	20.07	/	/	<=33.01	Pass
		Outer_Full	21.46	/	/	20.01	/	/	<=33.01	Pass
		Inner_Full	22.49	/	/	21.04	/	/	<=33.01	Pass
		Inner_1RB_Left	22.56	/	/	21.11	/	/	<=33.01	Pass
		Inner_1RB_Right	22.50	/	/	21.05	/	/	<=33.01	Pass
	2610	Edge_1RB_Left	21.39	/	/	19.95	/	/	<=33.01	Pass
		Edge_1RB_Right	21.73	/	/	20.28	/	/	<=33.01	Pass
		Outer_Full	21.57	/	/	20.12	/	/	<=33.01	Pass
		Inner_Full	22.68	/	/	21.23	/	/	<=33.01	Pass
		Inner_1RB_Left	22.50	/	/	21.05	/	/	<=33.01	Pass
		Inner_1RB_Right	22.79	/	/	21.34	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	2580	Edge_1RB_Left	21.26	/	/	19.81	/	/	<=33.01	Pass
		Edge_1RB_Right	21.02	/	/	19.58	/	/	<=33.01	Pass

		Outer Full	21.15	/	/	19.70	/	/	<=33.01	Pass
		Inner Full	21.23	/	/	19.79	/	/	<=33.01	Pass
		Inner 1RB Left	21.22	/	/	19.77	/	/	<=33.01	Pass
		Inner 1RB Right	21.09	/	/	19.64	/	/	<=33.01	Pass
	2595	Edge 1RB Left	21.00	/	/	19.55	/	/	<=33.01	Pass
		Edge 1RB Right	21.02	/	/	19.57	/	/	<=33.01	Pass
		Outer Full	20.97	/	/	19.52	/	/	<=33.01	Pass
		Inner Full	20.96	/	/	19.51	/	/	<=33.01	Pass
		Inner 1RB Left	20.94	/	/	19.49	/	/	<=33.01	Pass
		Inner 1RB Right	20.99	/	/	19.54	/	/	<=33.01	Pass
	2610	Edge 1RB Left	20.85	/	/	19.40	/	/	<=33.01	Pass
		Edge 1RB Right	21.08	/	/	19.63	/	/	<=33.01	Pass
		Outer Full	21.11	/	/	19.66	/	/	<=33.01	Pass
		Inner Full	21.20	/	/	19.75	/	/	<=33.01	Pass
		Inner 1RB Left	20.90	/	/	19.45	/	/	<=33.01	Pass
		Inner 1RB Right	21.14	/	/	19.69	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	2580	Edge 1RB Left	19.08	/	/	17.63	/	/	<=33.01	Pass
		Edge 1RB Right	18.77	/	/	17.32	/	/	<=33.01	Pass
		Outer Full	19.26	/	/	17.81	/	/	<=33.01	Pass
		Inner Full	19.19	/	/	17.74	/	/	<=33.01	Pass
		Inner 1RB Left	19.13	/	/	17.68	/	/	<=33.01	Pass
		Inner 1RB Right	18.93	/	/	17.48	/	/	<=33.01	Pass
	2595	Edge 1RB Left	18.80	/	/	17.35	/	/	<=33.01	Pass
		Edge 1RB Right	18.69	/	/	17.24	/	/	<=33.01	Pass
		Outer Full	19.09	/	/	17.64	/	/	<=33.01	Pass
		Inner Full	19.00	/	/	17.55	/	/	<=33.01	Pass
		Inner 1RB Left	18.85	/	/	17.40	/	/	<=33.01	Pass
		Inner 1RB Right	18.85	/	/	17.40	/	/	<=33.01	Pass
	2610	Edge 1RB Left	18.69	/	/	17.24	/	/	<=33.01	Pass
		Edge 1RB Right	18.98	/	/	17.53	/	/	<=33.01	Pass
		Outer Full	19.14	/	/	17.70	/	/	<=33.01	Pass
		Inner Full	19.16	/	/	17.71	/	/	<=33.01	Pass
		Inner 1RB Left	18.63	/	/	17.18	/	/	<=33.01	Pass
		Inner 1RB Right	18.92	/	/	17.47	/	/	<=33.01	Pass
CP-OFDM QPSK	2580	Edge 1RB Left	20.86	/	/	19.41	/	/	<=33.01	Pass
		Edge 1RB Right	20.55	/	/	19.10	/	/	<=33.01	Pass
		Outer Full	20.73	/	/	19.28	/	/	<=33.01	Pass
		Inner Full	22.26	/	/	20.81	/	/	<=33.01	Pass
		Inner 1RB Left	22.25	/	/	20.80	/	/	<=33.01	Pass
		Inner 1RB Right	22.07	/	/	20.62	/	/	<=33.01	Pass
	2595	Edge 1RB Left	20.48	/	/	19.03	/	/	<=33.01	Pass
		Edge 1RB Right	20.57	/	/	19.12	/	/	<=33.01	Pass
		Outer Full	20.49	/	/	19.04	/	/	<=33.01	Pass
		Inner Full	21.99	/	/	20.54	/	/	<=33.01	Pass
		Inner 1RB Left	22.02	/	/	20.57	/	/	<=33.01	Pass
		Inner 1RB Right	22.03	/	/	20.58	/	/	<=33.01	Pass
	2610	Edge 1RB Left	20.41	/	/	18.96	/	/	<=33.01	Pass
		Edge 1RB Right	20.71	/	/	19.26	/	/	<=33.01	Pass
		Outer Full	20.66	/	/	19.21	/	/	<=33.01	Pass
		Inner Full	22.15	/	/	20.70	/	/	<=33.01	Pass
		Inner 1RB Left	21.99	/	/	20.54	/	/	<=33.01	Pass
		Inner 1RB Right	22.30	/	/	20.85	/	/	<=33.01	Pass
CP-OFDM 16 QAM	2580	Edge 1RB Left	20.86	/	/	19.41	/	/	<=33.01	Pass
		Edge 1RB Right	20.48	/	/	19.03	/	/	<=33.01	Pass
		Outer Full	20.84	/	/	19.40	/	/	<=33.01	Pass
		Inner Full	21.79	/	/	20.34	/	/	<=33.01	Pass
		Inner 1RB Left	21.82	/	/	20.37	/	/	<=33.01	Pass
		Inner 1RB Right	21.67	/	/	20.22	/	/	<=33.01	Pass
	2595	Edge 1RB Left	20.43	/	/	18.98	/	/	<=33.01	Pass

		Edge_1RB_Right	20.43	/	/	18.99	/	/	<=33.01	Pass
		Outer_Full	20.55	/	/	19.10	/	/	<=33.01	Pass
		Inner_Full	21.52	/	/	20.07	/	/	<=33.01	Pass
		Inner_1RB_Left	21.53	/	/	20.08	/	/	<=33.01	Pass
		Inner_1RB_Right	21.64	/	/	20.19	/	/	<=33.01	Pass
	2610	Edge_1RB_Left	20.38	/	/	18.93	/	/	<=33.01	Pass
		Edge_1RB_Right	20.77	/	/	19.32	/	/	<=33.01	Pass
		Outer_Full	20.68	/	/	19.23	/	/	<=33.01	Pass
		Inner_Full	21.66	/	/	20.21	/	/	<=33.01	Pass
		Inner_1RB_Left	21.36	/	/	19.91	/	/	<=33.01	Pass
		Inner_1RB_Right	21.75	/	/	20.31	/	/	<=33.01	Pass
	CP-OFDM 64 QAM	2580	Edge_1RB_Left	20.33	/	/	18.88	/	/	<=33.01
Edge_1RB_Right			20.13	/	/	18.68	/	/	<=33.01	Pass
Outer_Full			20.14	/	/	18.69	/	/	<=33.01	Pass
Inner_Full			20.36	/	/	18.91	/	/	<=33.01	Pass
Inner_1RB_Left			20.28	/	/	18.83	/	/	<=33.01	Pass
Inner_1RB_Right			20.05	/	/	18.60	/	/	<=33.01	Pass
2595		Edge_1RB_Left	19.90	/	/	18.45	/	/	<=33.01	Pass
		Edge_1RB_Right	19.87	/	/	18.42	/	/	<=33.01	Pass
		Outer_Full	19.98	/	/	18.53	/	/	<=33.01	Pass
		Inner_Full	20.11	/	/	18.66	/	/	<=33.01	Pass
		Inner_1RB_Left	19.86	/	/	18.41	/	/	<=33.01	Pass
		Inner_1RB_Right	19.99	/	/	18.54	/	/	<=33.01	Pass
2610		Edge_1RB_Left	19.89	/	/	18.44	/	/	<=33.01	Pass
		Edge_1RB_Right	20.29	/	/	18.84	/	/	<=33.01	Pass
		Outer_Full	20.08	/	/	18.63	/	/	<=33.01	Pass
		Inner_Full	20.21	/	/	18.76	/	/	<=33.01	Pass
		Inner_1RB_Left	19.87	/	/	18.42	/	/	<=33.01	Pass
		Inner_1RB_Right	20.22	/	/	18.77	/	/	<=33.01	Pass
CP-OFDM 256 QAM	2580	Edge_1RB_Left	17.00	/	/	15.55	/	/	<=33.01	Pass
		Edge_1RB_Right	16.81	/	/	15.36	/	/	<=33.01	Pass
		Outer_Full	17.23	/	/	15.78	/	/	<=33.01	Pass
		Inner_Full	17.21	/	/	15.76	/	/	<=33.01	Pass
		Inner_1RB_Left	16.94	/	/	15.49	/	/	<=33.01	Pass
		Inner_1RB_Right	16.82	/	/	15.37	/	/	<=33.01	Pass
	2595	Edge_1RB_Left	16.87	/	/	15.42	/	/	<=33.01	Pass
		Edge_1RB_Right	16.68	/	/	15.23	/	/	<=33.01	Pass
		Outer_Full	17.08	/	/	15.63	/	/	<=33.01	Pass
		Inner_Full	17.07	/	/	15.63	/	/	<=33.01	Pass
		Inner_1RB_Left	16.84	/	/	15.39	/	/	<=33.01	Pass
		Inner_1RB_Right	16.78	/	/	15.33	/	/	<=33.01	Pass
	2610	Edge_1RB_Left	16.61	/	/	15.16	/	/	<=33.01	Pass
		Edge_1RB_Right	16.79	/	/	15.34	/	/	<=33.01	Pass
		Outer_Full	17.13	/	/	15.68	/	/	<=33.01	Pass
Inner_Full		17.13	/	/	15.68	/	/	<=33.01	Pass	
Inner_1RB_Left		16.69	/	/	15.24	/	/	<=33.01	Pass	
	Inner_1RB_Right	16.91	/	/	15.46	/	/	<=33.01	Pass	
Note1: Antenna Gain: Ant4: -1.45dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 30_S_30M_NTNV_EIRP

5G NR n38 SCS=30kHz SISO 30MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2585	Edge_1RB_Left	23.23	/	/	21.78	/	/	<=33.01	Pass
		Edge_1RB_Right	22.98	/	/	21.53	/	/	<=33.01	Pass
		Outer_Full	23.15	/	/	21.70	/	/	<=33.01	Pass

		Inner Full	23.62	/	/	22.17	/	/	<=33.01	Pass
		Inner 1RB Left	23.80	/	/	22.35	/	/	<=33.01	Pass
		Inner 1RB Right	23.46	/	/	22.01	/	/	<=33.01	Pass
	2595	Edge 1RB Left	23.15	/	/	21.70	/	/	<=33.01	Pass
		Edge 1RB Right	23.01	/	/	21.56	/	/	<=33.01	Pass
		Outer Full	23.03	/	/	21.58	/	/	<=33.01	Pass
		Inner Full	23.40	/	/	21.95	/	/	<=33.01	Pass
		Inner 1RB Left	23.52	/	/	22.07	/	/	<=33.01	Pass
		Inner 1RB Right	23.47	/	/	22.02	/	/	<=33.01	Pass
		Edge 1RB Left	22.98	/	/	21.53	/	/	<=33.01	Pass
	2605	Edge 1RB Right	23.14	/	/	21.69	/	/	<=33.01	Pass
		Outer Full	23.09	/	/	21.65	/	/	<=33.01	Pass
		Inner Full	23.53	/	/	22.08	/	/	<=33.01	Pass
		Inner 1RB Left	23.52	/	/	22.08	/	/	<=33.01	Pass
		Inner 1RB Right	23.69	/	/	22.24	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	2585	Edge 1RB Left	22.87	/	/	21.42	/	/	<=33.01	Pass
		Edge 1RB Right	22.57	/	/	21.13	/	/	<=33.01	Pass
		Outer Full	22.77	/	/	21.32	/	/	<=33.01	Pass
		Inner Full	23.64	/	/	22.19	/	/	<=33.01	Pass
		Inner 1RB Left	23.91	/	/	22.46	/	/	<=33.01	Pass
		Inner 1RB Right	23.53	/	/	22.08	/	/	<=33.01	Pass
	2595	Edge 1RB Left	22.73	/	/	21.28	/	/	<=33.01	Pass
		Edge 1RB Right	22.65	/	/	21.20	/	/	<=33.01	Pass
		Outer Full	22.63	/	/	21.18	/	/	<=33.01	Pass
		Inner Full	23.58	/	/	22.13	/	/	<=33.01	Pass
		Inner 1RB Left	23.76	/	/	22.31	/	/	<=33.01	Pass
		Inner 1RB Right	23.66	/	/	22.21	/	/	<=33.01	Pass
	2605	Edge 1RB Left	22.65	/	/	21.20	/	/	<=33.01	Pass
		Edge 1RB Right	22.95	/	/	21.50	/	/	<=33.01	Pass
		Outer Full	22.67	/	/	21.22	/	/	<=33.01	Pass
		Inner Full	23.60	/	/	22.15	/	/	<=33.01	Pass
		Inner 1RB Left	23.67	/	/	22.22	/	/	<=33.01	Pass
		Inner 1RB Right	23.83	/	/	22.38	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	2585	Edge 1RB Left	21.95	/	/	20.50	/	/	<=33.01	Pass
		Edge 1RB Right	21.58	/	/	20.13	/	/	<=33.01	Pass
		Outer Full	21.65	/	/	20.20	/	/	<=33.01	Pass
		Inner Full	22.71	/	/	21.26	/	/	<=33.01	Pass
		Inner 1RB Left	23.01	/	/	21.56	/	/	<=33.01	Pass
		Inner 1RB Right	22.65	/	/	21.20	/	/	<=33.01	Pass
	2595	Edge 1RB Left	21.78	/	/	20.33	/	/	<=33.01	Pass
		Edge 1RB Right	21.73	/	/	20.28	/	/	<=33.01	Pass
		Outer Full	21.69	/	/	20.24	/	/	<=33.01	Pass
		Inner Full	22.67	/	/	21.22	/	/	<=33.01	Pass
		Inner 1RB Left	22.82	/	/	21.37	/	/	<=33.01	Pass
		Inner 1RB Right	22.76	/	/	21.31	/	/	<=33.01	Pass
	2605	Edge 1RB Left	21.70	/	/	20.25	/	/	<=33.01	Pass
		Edge 1RB Right	21.84	/	/	20.39	/	/	<=33.01	Pass
		Outer Full	21.62	/	/	20.17	/	/	<=33.01	Pass
		Inner Full	22.79	/	/	21.34	/	/	<=33.01	Pass
		Inner 1RB Left	22.75	/	/	21.30	/	/	<=33.01	Pass
		Inner 1RB Right	22.95	/	/	21.50	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	2585	Edge 1RB Left	21.38	/	/	19.93	/	/	<=33.01	Pass
		Edge 1RB Right	21.11	/	/	19.66	/	/	<=33.01	Pass
		Outer Full	21.09	/	/	19.64	/	/	<=33.01	Pass
		Inner Full	21.20	/	/	19.76	/	/	<=33.01	Pass
		Inner 1RB Left	21.48	/	/	20.03	/	/	<=33.01	Pass
		Inner 1RB Right	21.15	/	/	19.70	/	/	<=33.01	Pass
	2595	Edge 1RB Left	21.12	/	/	19.67	/	/	<=33.01	Pass
		Edge 1RB Right	21.06	/	/	19.61	/	/	<=33.01	Pass

		Outer Full	21.15	/	/	19.70	/	/	<=33.01	Pass
		Inner Full	21.06	/	/	19.61	/	/	<=33.01	Pass
		Inner 1RB Left	21.15	/	/	19.70	/	/	<=33.01	Pass
		Inner 1RB Right	21.19	/	/	19.74	/	/	<=33.01	Pass
	2605	Edge 1RB Left	21.04	/	/	19.59	/	/	<=33.01	Pass
		Edge 1RB Right	21.28	/	/	19.83	/	/	<=33.01	Pass
		Outer Full	21.11	/	/	19.66	/	/	<=33.01	Pass
		Inner Full	21.12	/	/	19.67	/	/	<=33.01	Pass
		Inner 1RB Left	21.15	/	/	19.70	/	/	<=33.01	Pass
		Inner 1RB Right	21.31	/	/	19.86	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	2585	Edge 1RB Left	19.25	/	/	17.80	/	/	<=33.01	Pass
		Edge 1RB Right	18.87	/	/	17.42	/	/	<=33.01	Pass
		Outer Full	19.27	/	/	17.82	/	/	<=33.01	Pass
		Inner Full	19.13	/	/	17.68	/	/	<=33.01	Pass
		Inner 1RB Left	19.25	/	/	17.80	/	/	<=33.01	Pass
		Inner 1RB Right	18.91	/	/	17.46	/	/	<=33.01	Pass
	2595	Edge 1RB Left	19.03	/	/	17.58	/	/	<=33.01	Pass
		Edge 1RB Right	19.13	/	/	17.68	/	/	<=33.01	Pass
		Outer Full	19.13	/	/	17.68	/	/	<=33.01	Pass
		Inner Full	18.99	/	/	17.54	/	/	<=33.01	Pass
		Inner 1RB Left	19.04	/	/	17.59	/	/	<=33.01	Pass
		Inner 1RB Right	18.94	/	/	17.49	/	/	<=33.01	Pass
	2605	Edge 1RB Left	18.97	/	/	17.52	/	/	<=33.01	Pass
		Edge 1RB Right	19.16	/	/	17.71	/	/	<=33.01	Pass
		Outer Full	19.22	/	/	17.77	/	/	<=33.01	Pass
		Inner Full	19.17	/	/	17.72	/	/	<=33.01	Pass
		Inner 1RB Left	19.00	/	/	17.55	/	/	<=33.01	Pass
		Inner 1RB Right	19.08	/	/	17.63	/	/	<=33.01	Pass
CP-OFDM QPSK	2585	Edge 1RB Left	20.89	/	/	19.44	/	/	<=33.01	Pass
		Edge 1RB Right	20.53	/	/	19.08	/	/	<=33.01	Pass
		Outer Full	20.72	/	/	19.27	/	/	<=33.01	Pass
		Inner Full	22.18	/	/	20.73	/	/	<=33.01	Pass
		Inner 1RB Left	22.46	/	/	21.01	/	/	<=33.01	Pass
		Inner 1RB Right	22.03	/	/	20.58	/	/	<=33.01	Pass
	2595	Edge 1RB Left	20.87	/	/	19.42	/	/	<=33.01	Pass
		Edge 1RB Right	20.75	/	/	19.30	/	/	<=33.01	Pass
		Outer Full	20.66	/	/	19.22	/	/	<=33.01	Pass
		Inner Full	22.03	/	/	20.58	/	/	<=33.01	Pass
		Inner 1RB Left	22.38	/	/	20.93	/	/	<=33.01	Pass
		Inner 1RB Right	22.35	/	/	20.90	/	/	<=33.01	Pass
	2605	Edge 1RB Left	20.59	/	/	19.14	/	/	<=33.01	Pass
		Edge 1RB Right	20.78	/	/	19.33	/	/	<=33.01	Pass
		Outer Full	20.71	/	/	19.26	/	/	<=33.01	Pass
		Inner Full	21.98	/	/	20.53	/	/	<=33.01	Pass
		Inner 1RB Left	22.22	/	/	20.77	/	/	<=33.01	Pass
		Inner 1RB Right	22.31	/	/	20.86	/	/	<=33.01	Pass
CP-OFDM 16 QAM	2585	Edge 1RB Left	21.07	/	/	19.63	/	/	<=33.01	Pass
		Edge 1RB Right	20.74	/	/	19.29	/	/	<=33.01	Pass
		Outer Full	20.68	/	/	19.23	/	/	<=33.01	Pass
		Inner Full	21.66	/	/	20.21	/	/	<=33.01	Pass
		Inner 1RB Left	21.96	/	/	20.51	/	/	<=33.01	Pass
		Inner 1RB Right	21.64	/	/	20.19	/	/	<=33.01	Pass
	2595	Edge 1RB Left	20.86	/	/	19.41	/	/	<=33.01	Pass
		Edge 1RB Right	20.73	/	/	19.29	/	/	<=33.01	Pass
		Outer Full	20.62	/	/	19.17	/	/	<=33.01	Pass
		Inner Full	21.42	/	/	19.97	/	/	<=33.01	Pass
		Inner 1RB Left	21.82	/	/	20.37	/	/	<=33.01	Pass
		Inner 1RB Right	21.80	/	/	20.35	/	/	<=33.01	Pass
	2605	Edge 1RB Left	20.70	/	/	19.25	/	/	<=33.01	Pass

		Edge_1RB_Right	20.79	/	/	19.34	/	/	<=33.01	Pass
		Outer_Full	20.58	/	/	19.13	/	/	<=33.01	Pass
		Inner_Full	21.55	/	/	20.10	/	/	<=33.01	Pass
		Inner_1RB_Left	21.66	/	/	20.21	/	/	<=33.01	Pass
		Inner_1RB_Right	21.82	/	/	20.37	/	/	<=33.01	Pass
CP-OFDM 64 QAM	2585	Edge_1RB_Left	20.52	/	/	19.07	/	/	<=33.01	Pass
		Edge_1RB_Right	20.10	/	/	18.65	/	/	<=33.01	Pass
		Outer_Full	20.18	/	/	18.73	/	/	<=33.01	Pass
		Inner_Full	20.16	/	/	18.71	/	/	<=33.01	Pass
		Inner_1RB_Left	20.55	/	/	19.10	/	/	<=33.01	Pass
		Inner_1RB_Right	20.14	/	/	18.69	/	/	<=33.01	Pass
		Edge_1RB_Left	20.20	/	/	18.75	/	/	<=33.01	Pass
		Edge_1RB_Right	20.12	/	/	18.67	/	/	<=33.01	Pass
	2595	Outer_Full	20.13	/	/	18.68	/	/	<=33.01	Pass
		Inner_Full	20.12	/	/	18.67	/	/	<=33.01	Pass
		Inner_1RB_Left	20.13	/	/	18.68	/	/	<=33.01	Pass
		Inner_1RB_Right	20.23	/	/	18.78	/	/	<=33.01	Pass
		Edge_1RB_Left	20.02	/	/	18.57	/	/	<=33.01	Pass
		Edge_1RB_Right	20.24	/	/	18.79	/	/	<=33.01	Pass
	2605	Outer_Full	20.15	/	/	18.70	/	/	<=33.01	Pass
		Inner_Full	20.11	/	/	18.66	/	/	<=33.01	Pass
		Inner_1RB_Left	20.06	/	/	18.61	/	/	<=33.01	Pass
		Inner_1RB_Right	20.29	/	/	18.84	/	/	<=33.01	Pass
		Edge_1RB_Left	17.14	/	/	15.69	/	/	<=33.01	Pass
		Edge_1RB_Right	16.84	/	/	15.39	/	/	<=33.01	Pass
CP-OFDM 256 QAM	2585	Outer_Full	17.19	/	/	15.74	/	/	<=33.01	Pass
		Inner_Full	17.17	/	/	15.72	/	/	<=33.01	Pass
		Inner_1RB_Left	17.26	/	/	15.81	/	/	<=33.01	Pass
		Inner_1RB_Right	16.88	/	/	15.43	/	/	<=33.01	Pass
		Edge_1RB_Left	16.93	/	/	15.48	/	/	<=33.01	Pass
		Edge_1RB_Right	16.97	/	/	15.52	/	/	<=33.01	Pass
	2595	Outer_Full	17.04	/	/	15.59	/	/	<=33.01	Pass
		Inner_Full	17.02	/	/	15.57	/	/	<=33.01	Pass
		Inner_1RB_Left	16.95	/	/	15.50	/	/	<=33.01	Pass
		Inner_1RB_Right	17.01	/	/	15.56	/	/	<=33.01	Pass
		Edge_1RB_Left	16.98	/	/	15.53	/	/	<=33.01	Pass
		Edge_1RB_Right	17.03	/	/	15.58	/	/	<=33.01	Pass
	2605	Outer_Full	17.23	/	/	15.78	/	/	<=33.01	Pass
		Inner_Full	17.09	/	/	15.64	/	/	<=33.01	Pass
		Inner_1RB_Left	16.91	/	/	15.46	/	/	<=33.01	Pass
Inner_1RB_Right		17.05	/	/	15.60	/	/	<=33.01	Pass	
Note1: Antenna Gain: Ant4: -1.45dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 30_S_40M_NTNV_EIRP

5G NR n38 SCS=30kHz SISO 40MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant4	Ant2	Sum	Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2590	Edge 1RB Left	23.30	/	/	21.85	/	/	<=33.01	Pass
		Edge 1RB Right	23.07	/	/	21.62	/	/	<=33.01	Pass
		Outer Full	23.08	/	/	21.63	/	/	<=33.01	Pass
		Inner Full	23.59	/	/	22.14	/	/	<=33.01	Pass
		Inner 1RB Left	23.82	/	/	22.38	/	/	<=33.01	Pass
		Inner 1RB Right	23.60	/	/	22.15	/	/	<=33.01	Pass
	2595	Edge 1RB Left	23.33	/	/	21.88	/	/	<=33.01	Pass
		Edge 1RB Right	23.08	/	/	21.63	/	/	<=33.01	Pass
		Outer Full	23.03	/	/	21.58	/	/	<=33.01	Pass

		Inner Full	23.43	/	/	21.98	/	/	<=33.01	Pass
		Inner 1RB Left	23.87	/	/	22.42	/	/	<=33.01	Pass
		Inner 1RB Right	23.62	/	/	22.17	/	/	<=33.01	Pass
	2600	Edge 1RB Left	23.18	/	/	21.73	/	/	<=33.01	Pass
		Edge 1RB Right	23.16	/	/	21.72	/	/	<=33.01	Pass
		Outer Full	23.04	/	/	21.59	/	/	<=33.01	Pass
		Inner Full	23.53	/	/	22.08	/	/	<=33.01	Pass
		Inner 1RB Left	23.70	/	/	22.25	/	/	<=33.01	Pass
		Inner 1RB Right	23.68	/	/	22.23	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	2590	Edge 1RB Left	23.09	/	/	21.64	/	/	<=33.01	Pass
		Edge 1RB Right	22.81	/	/	21.36	/	/	<=33.01	Pass
		Outer Full	22.69	/	/	21.24	/	/	<=33.01	Pass
		Inner Full	23.61	/	/	22.16	/	/	<=33.01	Pass
		Inner 1RB Left	23.96	/	/	22.51	/	/	<=33.01	Pass
		Inner 1RB Right	23.88	/	/	22.43	/	/	<=33.01	Pass
	2595	Edge 1RB Left	22.92	/	/	21.47	/	/	<=33.01	Pass
		Edge 1RB Right	22.81	/	/	21.36	/	/	<=33.01	Pass
		Outer Full	22.59	/	/	21.14	/	/	<=33.01	Pass
		Inner Full	23.52	/	/	22.08	/	/	<=33.01	Pass
		Inner 1RB Left	23.90	/	/	22.45	/	/	<=33.01	Pass
		Inner 1RB Right	23.77	/	/	22.32	/	/	<=33.01	Pass
	2600	Edge 1RB Left	22.79	/	/	21.34	/	/	<=33.01	Pass
		Edge 1RB Right	22.80	/	/	21.35	/	/	<=33.01	Pass
		Outer Full	22.63	/	/	21.18	/	/	<=33.01	Pass
		Inner Full	23.66	/	/	22.22	/	/	<=33.01	Pass
		Inner 1RB Left	23.83	/	/	22.38	/	/	<=33.01	Pass
		Inner 1RB Right	23.74	/	/	22.29	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	2590	Edge 1RB Left	22.04	/	/	20.59	/	/	<=33.01	Pass
		Edge 1RB Right	21.90	/	/	20.45	/	/	<=33.01	Pass
		Outer Full	21.68	/	/	20.23	/	/	<=33.01	Pass
		Inner Full	22.63	/	/	21.18	/	/	<=33.01	Pass
		Inner 1RB Left	23.04	/	/	21.59	/	/	<=33.01	Pass
		Inner 1RB Right	22.89	/	/	21.44	/	/	<=33.01	Pass
	2595	Edge 1RB Left	22.00	/	/	20.55	/	/	<=33.01	Pass
		Edge 1RB Right	21.87	/	/	20.42	/	/	<=33.01	Pass
		Outer Full	21.70	/	/	20.25	/	/	<=33.01	Pass
		Inner Full	22.54	/	/	21.09	/	/	<=33.01	Pass
		Inner 1RB Left	22.99	/	/	21.54	/	/	<=33.01	Pass
		Inner 1RB Right	22.88	/	/	21.43	/	/	<=33.01	Pass
	2600	Edge 1RB Left	21.70	/	/	20.25	/	/	<=33.01	Pass
		Edge 1RB Right	21.77	/	/	20.32	/	/	<=33.01	Pass
		Outer Full	21.78	/	/	20.33	/	/	<=33.01	Pass
		Inner Full	22.54	/	/	21.09	/	/	<=33.01	Pass
		Inner 1RB Left	22.88	/	/	21.43	/	/	<=33.01	Pass
		Inner 1RB Right	23.00	/	/	21.55	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	2590	Edge 1RB Left	21.47	/	/	20.02	/	/	<=33.01	Pass
		Edge 1RB Right	21.24	/	/	19.79	/	/	<=33.01	Pass
		Outer Full	21.20	/	/	19.75	/	/	<=33.01	Pass
		Inner Full	21.12	/	/	19.67	/	/	<=33.01	Pass
		Inner 1RB Left	21.55	/	/	20.10	/	/	<=33.01	Pass
		Inner 1RB Right	21.24	/	/	19.79	/	/	<=33.01	Pass
	2595	Edge 1RB Left	21.33	/	/	19.88	/	/	<=33.01	Pass
		Edge 1RB Right	21.30	/	/	19.85	/	/	<=33.01	Pass
		Outer Full	21.11	/	/	19.67	/	/	<=33.01	Pass
		Inner Full	21.12	/	/	19.68	/	/	<=33.01	Pass
		Inner 1RB Left	21.39	/	/	19.94	/	/	<=33.01	Pass
		Inner 1RB Right	21.22	/	/	19.77	/	/	<=33.01	Pass
	2600	Edge 1RB Left	21.21	/	/	19.77	/	/	<=33.01	Pass
		Edge 1RB Right	21.30	/	/	19.85	/	/	<=33.01	Pass

		Outer Full	21.22	/	/	19.77	/	/	<=33.01	Pass
		Inner Full	21.02	/	/	19.57	/	/	<=33.01	Pass
		Inner 1RB Left	21.20	/	/	19.75	/	/	<=33.01	Pass
		Inner 1RB Right	21.19	/	/	19.74	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	2590	Edge 1RB Left	19.34	/	/	17.89	/	/	<=33.01	Pass
		Edge 1RB Right	18.94	/	/	17.49	/	/	<=33.01	Pass
		Outer Full	19.31	/	/	17.86	/	/	<=33.01	Pass
		Inner Full	19.23	/	/	17.78	/	/	<=33.01	Pass
		Inner 1RB Left	19.34	/	/	17.89	/	/	<=33.01	Pass
		Inner 1RB Right	19.03	/	/	17.58	/	/	<=33.01	Pass
	2595	Edge 1RB Left	19.16	/	/	17.71	/	/	<=33.01	Pass
		Edge 1RB Right	19.13	/	/	17.68	/	/	<=33.01	Pass
		Outer Full	19.10	/	/	17.65	/	/	<=33.01	Pass
		Inner Full	19.14	/	/	17.69	/	/	<=33.01	Pass
		Inner 1RB Left	19.16	/	/	17.71	/	/	<=33.01	Pass
		Inner 1RB Right	19.02	/	/	17.57	/	/	<=33.01	Pass
	2600	Edge 1RB Left	19.07	/	/	17.62	/	/	<=33.01	Pass
		Edge 1RB Right	19.09	/	/	17.65	/	/	<=33.01	Pass
		Outer Full	19.11	/	/	17.66	/	/	<=33.01	Pass
		Inner Full	19.02	/	/	17.57	/	/	<=33.01	Pass
		Inner 1RB Left	19.03	/	/	17.58	/	/	<=33.01	Pass
		Inner 1RB Right	19.19	/	/	17.74	/	/	<=33.01	Pass
CP-OFDM QPSK	2590	Edge 1RB Left	21.00	/	/	19.56	/	/	<=33.01	Pass
		Edge 1RB Right	20.81	/	/	19.36	/	/	<=33.01	Pass
		Outer Full	20.76	/	/	19.31	/	/	<=33.01	Pass
		Inner Full	22.08	/	/	20.63	/	/	<=33.01	Pass
		Inner 1RB Left	22.56	/	/	21.11	/	/	<=33.01	Pass
		Inner 1RB Right	22.32	/	/	20.87	/	/	<=33.01	Pass
	2595	Edge 1RB Left	20.90	/	/	19.45	/	/	<=33.01	Pass
		Edge 1RB Right	20.83	/	/	19.38	/	/	<=33.01	Pass
		Outer Full	20.66	/	/	19.21	/	/	<=33.01	Pass
		Inner Full	22.06	/	/	20.61	/	/	<=33.01	Pass
		Inner 1RB Left	22.44	/	/	20.99	/	/	<=33.01	Pass
		Inner 1RB Right	22.32	/	/	20.87	/	/	<=33.01	Pass
	2600	Edge 1RB Left	20.67	/	/	19.22	/	/	<=33.01	Pass
		Edge 1RB Right	20.80	/	/	19.35	/	/	<=33.01	Pass
		Outer Full	20.64	/	/	19.19	/	/	<=33.01	Pass
		Inner Full	22.02	/	/	20.57	/	/	<=33.01	Pass
		Inner 1RB Left	22.34	/	/	20.89	/	/	<=33.01	Pass
		Inner 1RB Right	22.41	/	/	20.96	/	/	<=33.01	Pass
CP-OFDM 16 QAM	2590	Edge 1RB Left	21.03	/	/	19.58	/	/	<=33.01	Pass
		Edge 1RB Right	20.83	/	/	19.38	/	/	<=33.01	Pass
		Outer Full	20.65	/	/	19.20	/	/	<=33.01	Pass
		Inner Full	21.50	/	/	20.05	/	/	<=33.01	Pass
		Inner 1RB Left	21.94	/	/	20.49	/	/	<=33.01	Pass
		Inner 1RB Right	21.63	/	/	20.18	/	/	<=33.01	Pass
	2595	Edge 1RB Left	20.86	/	/	19.41	/	/	<=33.01	Pass
		Edge 1RB Right	20.94	/	/	19.49	/	/	<=33.01	Pass
		Outer Full	20.75	/	/	19.30	/	/	<=33.01	Pass
		Inner Full	21.61	/	/	20.16	/	/	<=33.01	Pass
		Inner 1RB Left	22.04	/	/	20.59	/	/	<=33.01	Pass
		Inner 1RB Right	21.86	/	/	20.41	/	/	<=33.01	Pass
	2600	Edge 1RB Left	20.78	/	/	19.33	/	/	<=33.01	Pass
		Edge 1RB Right	21.00	/	/	19.55	/	/	<=33.01	Pass
		Outer Full	20.73	/	/	19.28	/	/	<=33.01	Pass
		Inner Full	21.57	/	/	20.12	/	/	<=33.01	Pass
		Inner 1RB Left	21.83	/	/	20.38	/	/	<=33.01	Pass
		Inner 1RB Right	21.91	/	/	20.46	/	/	<=33.01	Pass
CP-OFDM 64 QAM	2590	Edge 1RB Left	20.61	/	/	19.16	/	/	<=33.01	Pass

	2595	Edge_1RB_Right	20.36	/	/	18.91	/	/	<=33.01	Pass
		Outer_Full	20.22	/	/	18.77	/	/	<=33.01	Pass
		Inner_Full	20.18	/	/	18.73	/	/	<=33.01	Pass
		Inner_1RB_Left	20.61	/	/	19.17	/	/	<=33.01	Pass
		Inner_1RB_Right	20.34	/	/	18.89	/	/	<=33.01	Pass
		Edge_1RB_Left	20.41	/	/	18.97	/	/	<=33.01	Pass
		Edge_1RB_Right	20.40	/	/	18.95	/	/	<=33.01	Pass
		Outer_Full	20.14	/	/	18.69	/	/	<=33.01	Pass
		Inner_Full	20.10	/	/	18.65	/	/	<=33.01	Pass
		Inner_1RB_Left	20.49	/	/	19.04	/	/	<=33.01	Pass
	Inner_1RB_Right	20.38	/	/	18.93	/	/	<=33.01	Pass	
	2600	Edge_1RB_Left	20.31	/	/	18.86	/	/	<=33.01	Pass
		Edge_1RB_Right	20.45	/	/	19.00	/	/	<=33.01	Pass
		Outer_Full	20.14	/	/	18.69	/	/	<=33.01	Pass
		Inner_Full	20.16	/	/	18.71	/	/	<=33.01	Pass
		Inner_1RB_Left	20.31	/	/	18.86	/	/	<=33.01	Pass
		Inner_1RB_Right	20.42	/	/	18.97	/	/	<=33.01	Pass
	CP-OFDM 256 QAM	2590	Edge_1RB_Left	17.28	/	/	15.83	/	/	<=33.01
Edge_1RB_Right			17.08	/	/	15.63	/	/	<=33.01	Pass
Outer_Full			17.16	/	/	15.71	/	/	<=33.01	Pass
Inner_Full			17.17	/	/	15.72	/	/	<=33.01	Pass
Inner_1RB_Left			17.28	/	/	15.83	/	/	<=33.01	Pass
Inner_1RB_Right			17.15	/	/	15.70	/	/	<=33.01	Pass
2595		Edge_1RB_Left	17.21	/	/	15.76	/	/	<=33.01	Pass
		Edge_1RB_Right	17.03	/	/	15.58	/	/	<=33.01	Pass
		Outer_Full	17.18	/	/	15.73	/	/	<=33.01	Pass
		Inner_Full	17.19	/	/	15.74	/	/	<=33.01	Pass
		Inner_1RB_Left	17.11	/	/	15.66	/	/	<=33.01	Pass
		Inner_1RB_Right	17.13	/	/	15.68	/	/	<=33.01	Pass
2600		Edge_1RB_Left	17.02	/	/	15.57	/	/	<=33.01	Pass
		Edge_1RB_Right	17.12	/	/	15.67	/	/	<=33.01	Pass
		Outer_Full	17.18	/	/	15.73	/	/	<=33.01	Pass
		Inner_Full	17.08	/	/	15.63	/	/	<=33.01	Pass
		Inner_1RB_Left	17.01	/	/	15.56	/	/	<=33.01	Pass
		Inner_1RB_Right	17.09	/	/	15.64	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant4: -1.45dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 30_S_40M

5G NR n38 SCS=30kHz SISO 40MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	2595	Outer_Full	20	LV	-10.63	-0.0041	>=-2.5 & <=2.5	Pass
				HV	-18.78	-0.0072	>=-2.5 & <=2.5	Pass
			-30	NV	-5.88	-0.0023	>=-2.5 & <=2.5	Pass
			-20	NV	-16.59	-0.0064	>=-2.5 & <=2.5	Pass
			-10	NV	-13.34	-0.0051	>=-2.5 & <=2.5	Pass
			0	NV	-23.79	-0.0092	>=-2.5 & <=2.5	Pass
			10	NV	-8.34	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	-7.04	-0.0027	>=-2.5 & <=2.5	Pass
			30	NV	-19.77	-0.0076	>=-2.5 & <=2.5	Pass
			40	NV	-1.26	-0.0005	>=-2.5 & <=2.5	Pass
			50	NV	-11.48	-0.0044	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 30_S_10M_NTNV

5G NR n38 SCS=30kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	2595	Outer_Full	8.73	10.30	/	Pass
DFT-s-OFDM QPSK	2595	Outer_Full	8.79	10.46	/	Pass
DFT-s-OFDM 16 QAM	2595	Outer_Full	8.76	10.38	/	Pass
DFT-s-OFDM 64 QAM	2595	Outer_Full	8.72	10.33	/	Pass
DFT-s-OFDM 256 QAM	2595	Outer_Full	8.78	10.41	/	Pass
CP-OFDM QPSK	2595	Outer_Full	8.73	10.38	/	Pass
CP-OFDM 16 QAM	2595	Outer_Full	8.76	10.43	/	Pass
CP-OFDM 64 QAM	2595	Outer_Full	8.73	10.22	/	Pass
CP-OFDM 256 QAM	2595	Outer_Full	8.75	10.47	/	Pass

3.1.2 30_S_20M_NTNV

5G NR n38 SCS=30kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	2595	Outer_Full	18.17	19.71	/	Pass
DFT-s-OFDM QPSK	2595	Outer_Full	18.13	19.93	/	Pass
DFT-s-OFDM 16 QAM	2595	Outer_Full	18.11	20.01	/	Pass
DFT-s-OFDM 64 QAM	2595	Outer_Full	18.09	20.06	/	Pass
DFT-s-OFDM 256 QAM	2595	Outer_Full	18.14	20.13	/	Pass
CP-OFDM QPSK	2595	Outer_Full	18.43	20.45	/	Pass
CP-OFDM 16 QAM	2595	Outer_Full	18.42	20.50	/	Pass

CP-OFDM 64 QAM	2595	Outer_Full	18.52	20.45	/	Pass
CP-OFDM 256 QAM	2595	Outer_Full	18.46	20.41	/	Pass

3.1.3 30_S_30M_NTNV


5G NR n38 SCS=30kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	2595	Outer_Full	27.01	29.59	/	Pass
DFT-s-OFDM QPSK	2595	Outer_Full	27.13	29.49	/	Pass
DFT-s-OFDM 16 QAM	2595	Outer_Full	27.13	29.52	/	Pass
DFT-s-OFDM 64 QAM	2595	Outer_Full	27.06	29.71	/	Pass
DFT-s-OFDM 256 QAM	2595	Outer_Full	27.11	29.65	/	Pass
CP-OFDM QPSK	2595	Outer_Full	28.10	30.54	/	Pass
CP-OFDM 16 QAM	2595	Outer_Full	28.14	30.57	/	Pass
CP-OFDM 64 QAM	2595	Outer_Full	28.25	32.63	/	Pass
CP-OFDM 256 QAM	2595	Outer_Full	28.13	30.69	/	Pass

3.1.4 30_S_40M_NTNV


5G NR n38 SCS=30kHz SISO 40MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	2595	Outer_Full	36.08	39.01	/	Pass
DFT-s-OFDM QPSK	2595	Outer_Full	36.07	38.79	/	Pass
DFT-s-OFDM 16 QAM	2595	Outer_Full	36.24	38.99	/	Pass
DFT-s-OFDM 64 QAM	2595	Outer_Full	36.11	39.14	/	Pass
DFT-s-OFDM 256 QAM	2595	Outer_Full	36.13	39.34	/	Pass
CP-OFDM QPSK	2595	Outer_Full	38.16	40.85	/	Pass
CP-OFDM 16 QAM	2595	Outer_Full	38.23	41.00	/	Pass
CP-OFDM 64 QAM	2595	Outer_Full	38.27	41.21	/	Pass
CP-OFDM 256 QAM	2595	Outer_Full	38.22	41.09	/	Pass

3.2 Test Graph


3.2.1 30_S_10M_NTNV




n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_2595MHz_Outer_Full_Ant4







3.2.2 30_S_20M_NTNV




n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_20MHz_CP-OFDM_64_QAM_2595MHz_Outer_Full_Ant4






3.2.3 30_S_30M_NTNV


n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM QPSK_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_16_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_64_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_256_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_30MHz_CP-OFDM_16_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_30MHz_CP-OFDM_64_QAM_2595MHz_Outer_Full_Ant4







3.2.4 30_S_40M_NTNV




n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_16_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_64_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_2595MHz_Outer_Full_Ant4




n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 16 QAM 2595MHz_Outer_Full Ant4



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM 2595MHz_Outer_Full Ant4





4. Peak-Average Ratio


4.1 Test Result

4.1.1 30_S_40M_NTNV


5G NR n38 SCS=30kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2595	Outer_Full	3.86	/	/	<=13	Pass
DFT-s-OFDM QPSK	2595	Outer_Full	5.31	/	/	<=13	Pass
CP-OFDM QPSK	2595	Outer_Full	7.96	/	/	<=13	Pass

4.2 Test Graph

4.2.1 30_S_40M_NTNV



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_2595MHz_Outer_Full_Ant4



5. Spurious Emission

5.1 Test Result

5.1.1 30_S_10M_NTNV

5G NR n38 SCS=30kHz SISO 10MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	2575	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2615	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.2 30_S_30M_NTNV


5G NR n38 SCS=30kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2605	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2605	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	2585	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
	2605	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass

5.1.3 30_S_40M_NTNV


5G NR n38 SCS=30kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant4	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	2600	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	2600	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	2590	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	2595	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	2600	Outer_Full	Refer To Test Graph				Pass

5.2 Test Graph


5.2.1 30_S_10M_NTNV




n38 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 2575MHz Edge 1RB Left Ant4



n38 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 2575MHz Outer Full Ant4




n38 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 2595MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	780.800	-51.88	-25	Pass

n38 30kHz SISO NTN 10MHz DFT-s-OFDM PI/2 BPSK 2595MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-43.89	-25	Pass
2490.5	2496	1	/	2	2494.990	-48.85	-13	Pass
2496	2560	1	/	3	2552.320	-47.80	-25	Pass
2560	2565	1	/	4	2563.660	-48.86	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2627.920	-48.02	-13	Pass
2630	26200	1	/	6	25752.070	-35.63	-25	Pass

n38 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.105	-32.29	-10	Pass
2621	2625	1	CHP	2	2621.500	-41.78	-10	Pass
2625	2630	1	CHP	3	2627.425	-47.39	-13	Pass
2630	2750	1	CHP	4	2631.625	-48.55	-25	Pass

n38 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	795.650	-51.81	-25	Pass

n38 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2462.230	-44.36	-25	Pass
2490.5	2496	1	/	2	2492.470	-48.95	-13	Pass
2496	2560	1	/	3	2542.240	-48.40	-25	Pass
2560	2565	1	/	4	2563.030	-49.27	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2626.660	-47.06	-13	Pass
2630	26200	1	/	6	25730.020	-35.42	-25	Pass

n38 30kHz SISO NTV 10MHz DFT-s-OFDM PI/2 BPSK 2615MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.209	CHP	/	/	/	/	/
2620	2621	0.209	CHP	1	2620.050	-28.43	-10	Pass
2621	2625	1	CHP	2	2621.550	-29.19	-10	Pass
2625	2630	1	CHP	3	2625.050	-33.08	-13	Pass
2630	2750	1	CHP	4	2630.200	-41.79	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_2575MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.070	-49.71	-25	Pass
2490.5	2496	1	CHP	2	2493.775	-49.23	-13	Pass
2496	2560	1	CHP	3	2532.190	-47.32	-25	Pass
2560	2565	1	CHP	4	2562.395	-47.87	-13	Pass
2565	2569	1	CHP	5	2568.500	-38.28	-10	Pass
2569	2570	0.02	CHP	6	2569.990	-27.85	-10	Pass
2570	2585	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_2575MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	785.300	-51.85	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_2575MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2463.490	-43.51	-25	Pass
2490.5	2496	1	/	2	2493.730	-48.90	-13	Pass
2496	2560	1	/	3	2532.160	-47.07	-25	Pass
2560	2565	1	/	4	2563.030	-47.54	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2627.290	-47.99	-13	Pass
2630	26200	1	/	6	25743.250	-35.50	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_2575MHz_Outer_Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.950	-49.87	-25	Pass
2490.5	2496	1	CHP	2	2493.250	-49.90	-13	Pass
2496	2560	1	CHP	3	2560.000	-43.13	-25	Pass
2560	2565	1	CHP	4	2564.850	-29.76	-13	Pass
2565	2569	1	CHP	5	2568.350	-26.80	-10	Pass
2569	2570	0.209	CHP	6	2569.750	-27.05	-10	Pass
2570	2585	0.209	CHP	/	/	/	/	/


n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_2595MHz_Edge_1RB_Left Ant4



n38_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_2595MHz_Edge_1RB_Left Ant4




n38 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.065	-27.21	-10	Pass
2621	2625	1	CHP	2	2621.500	-39.78	-10	Pass
2625	2630	1	CHP	3	2627.275	-46.91	-13	Pass
2630	2750	1	CHP	4	2630.510	-48.42	-25	Pass

n38 30kHz SISO NTN 10MHz DFT-s-OFDM QPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	939.350	-51.95	-25	Pass

n38 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2461.600	-44.44	-25	Pass
2490.5	2496	1	/	2	2494.990	-48.67	-13	Pass
2496	2560	1	/	3	2552.320	-48.43	-25	Pass
2560	2565	1	/	4	2561.140	-48.56	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2627.290	-47.52	-13	Pass
2630	26200	1	/	6	24917.320	-35.50	-25	Pass

n38 30kHz SISO NTV 10MHz DFT-s-OFDM QPSK 2615MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.209	CHP	/	/	/	/	/
2620	2621	0.209	CHP	1	2620.050	-24.98	-10	Pass
2621	2625	1	CHP	2	2621.650	-25.56	-10	Pass
2625	2630	1	CHP	3	2625.050	-30.64	-13	Pass
2630	2750	1	CHP	4	2634.300	-44.85	-25	Pass

n38 30kHz SISO NTN 10MHz CP-OFDM QPSK 2575MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.750	-49.83	-25	Pass
2490.5	2496	1	CHP	2	2493.765	-49.48	-13	Pass
2496	2560	1	CHP	3	2532.565	-48.36	-25	Pass
2560	2565	1	CHP	4	2562.615	-48.25	-13	Pass
2565	2569	1	CHP	5	2568.325	-41.50	-10	Pass
2569	2570	0.02	CHP	6	2569.940	-25.18	-10	Pass
2570	2575	0.02	CHP	/	/	/	/	/

n38 30kHz SISO NTN 10MHz CP-OFDM QPSK 2575MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	747.200	-51.68	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_2575MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.970	-42.37	-25	Pass
2490.5	2496	1	/	2	2493.730	-49.19	-13	Pass
2496	2560	1	/	3	2532.790	-48.41	-25	Pass
2560	2565	1	/	4	2562.400	-47.28	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2626.660	-48.14	-13	Pass
2630	26200	1	/	6	25709.230	-35.53	-25	Pass

n38_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_2575MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.750	-49.81	-25	Pass
2490.5	2496	1	CHP	2	2491.350	-49.72	-13	Pass
2496	2560	1	CHP	3	2560.000	-44.79	-25	Pass
2560	2565	1	CHP	4	2564.950	-33.47	-13	Pass
2565	2569	1	CHP	5	2567.300	-30.89	-10	Pass
2569	2570	0.209	CHP	6	2569.950	-29.21	-10	Pass
2570	2585	0.209	CHP	/	/	/	/	/


n38 30kHz SISO NTN 10MHz CP-OFDM QPSK 2595MHz Edge 1RB Left Ant4



n38 30kHz SISO NTN 10MHz CP-OFDM QPSK 2595MHz Edge 1RB Left Ant4




n38 30kHz SISO NTN 10MHz CP-OFDM QPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.020	-30.41	-10	Pass
2621	2625	1	CHP	2	2621.500	-41.75	-10	Pass
2625	2630	1	CHP	3	2627.300	-47.35	-13	Pass
2630	2750	1	CHP	4	2633.570	-48.32	-25	Pass

n38 30kHz SISO NTN 10MHz CP-OFDM QPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	915.200	-51.82	-25	Pass

n38 30kHz SISO NTN 10MHz CP-OFDM QPSK 2615MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-44.43	-25	Pass
2490.5	2496	1	/	2	2494.990	-49.09	-13	Pass
2496	2560	1	/	3	2540.350	-48.60	-25	Pass
2560	2565	1	/	4	2563.030	-49.32	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2630	1	/	5	2627.290	-45.15	-13	Pass
2630	26200	1	/	6	24922.360	-35.62	-25	Pass

n38 30kHz SISO NTN 10MHz CP-OFDM QPSK 2615MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2605	2620	0.209	CHP	/	/	/	/	/
2620	2621	0.209	CHP	1	2620.050	-27.51	-10	Pass
2621	2625	1	CHP	2	2621.500	-29.95	-10	Pass
2625	2630	1	CHP	3	2625.050	-35.30	-13	Pass
2630	2750	1	CHP	4	2630.050	-41.54	-25	Pass

5.2.2 30_S_30M_NTNV




n38 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 2585MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-41.68	-25	Pass
2490.5	2496	1	/	2	2494.360	-49.14	-13	Pass
2496	2540	1	/	3	2537.200	-47.94	-25	Pass
2540	2565	1	/	4	2563.660	-47.81	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2650	1	/	5	2626.660	-47.41	-13	Pass
2650	26200	1	/	6	24917.950	-35.63	-25	Pass

n38 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 2585MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.520	-49.39	-25	Pass
2490.5	2496	1	CHP	2	2492.930	-49.33	-13	Pass
2496	2540	1	CHP	3	2538.430	-44.62	-25	Pass
2540	2565	1	CHP	4	2562.610	-34.11	-13	Pass
2565	2569	1	CHP	5	2568.460	-31.96	-10	Pass
2569	2570	0.59	CHP	6	2569.890	-29.44	-10	Pass
2570	2615	0.59	CHP	/	/	/	/	/


n38 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 2595MHz Edge 1RB Left Ant4



n38 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 2595MHz Edge 1RB Left Ant4




n38 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 2605MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2575	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.005	-37.26	-10	Pass
2621	2625	1	CHP	2	2621.500	-42.13	-10	Pass
2625	2650	1	CHP	3	2646.510	-47.47	-13	Pass
2650	2750	1	CHP	4	2650.220	-48.61	-25	Pass

n38 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 2605MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	57.750	-51.43	-25	Pass

n38 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 2605MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.970	-43.07	-25	Pass
2490.5	2496	1	/	2	2494.990	-48.77	-13	Pass
2496	2540	1	/	3	2526.490	-48.03	-25	Pass
2540	2565	1	/	4	2563.030	-48.52	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2650	1	/	5	2635.480	-46.93	-13	Pass
2650	26200	1	/	6	24916.690	-35.39	-25	Pass

n38 30kHz SISO NTV 30MHz DFT-s-OFDM PI/2 BPSK 2605MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2575	2620	0.59	CHP	/	/	/	/	/
2620	2621	0.59	CHP	1	2620.326	-34.04	-10	Pass
2621	2625	1	CHP	2	2621.827	-32.66	-10	Pass
2625	2650	1	CHP	3	2625.129	-34.89	-13	Pass
2650	2750	1	CHP	4	2650.493	-44.58	-25	Pass

n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2585MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.560	-49.68	-25	Pass
2490.5	2496	1	CHP	2	2495.990	-49.61	-13	Pass
2496	2540	1	CHP	3	2534.330	-49.37	-25	Pass
2540	2565	1	CHP	4	2543.650	-48.12	-13	Pass
2565	2569	1	CHP	5	2568.430	-40.63	-10	Pass
2569	2570	0.02	CHP	6	2569.970	-30.85	-10	Pass
2570	2615	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2585MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	771.950	-51.81	-25	Pass

n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2585MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-44.44	-25	Pass
2490.5	2496	1	/	2	2493.730	-49.16	-13	Pass
2496	2540	1	/	3	2510.110	-47.66	-25	Pass
2540	2565	1	/	4	2542.870	-47.64	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2650	1	/	5	2638.000	-47.46	-13	Pass
2650	26200	1	/	6	24928.660	-35.35	-25	Pass

n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2585MHz_Outer_Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.520	-49.31	-25	Pass
2490.5	2496	1	CHP	2	2491.760	-49.43	-13	Pass
2496	2540	1	CHP	3	2528.810	-47.78	-25	Pass
2540	2565	1	CHP	4	2563.000	-33.07	-13	Pass
2565	2569	1	CHP	5	2568.200	-32.58	-10	Pass
2569	2570	0.59	CHP	6	2569.890	-31.14	-10	Pass
2570	2615	0.59	CHP	/	/	/	/	/


n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2595MHz_Edge_1RB_Left Ant4




n38_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_2595MHz_Edge_1RB_Left Ant4




n38 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 2605MHz Edge 1RB Right Ant4



n38 30kHz SISO NTN 30MHz DFT-s-OFDM QPSK 2605MHz Edge 1RB Right Ant4




n38 30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 2605MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-42.46	-25	Pass
2490.5	2496	1	/	2	2495.620	-48.63	-13	Pass
2496	2540	1	/	3	2518.300	-48.48	-25	Pass
2540	2565	1	/	4	2540.350	-48.24	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2650	1	/	5	2646.820	-46.45	-13	Pass
2650	26200	1	/	6	25345.720	-35.84	-25	Pass

n38 30kHz SISO NTV 30MHz DFT-s-OFDM QPSK 2605MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2575	2620	0.59	CHP	/	/	/	/	/
2620	2621	0.59	CHP	1	2620.626	-31.15	-10	Pass
2621	2625	1	CHP	2	2621.827	-28.01	-10	Pass
2625	2650	1	CHP	3	2626.630	-31.00	-13	Pass
2650	2750	1	CHP	4	2657.547	-44.37	-25	Pass

n38_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2585MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.510	-49.69	-25	Pass
2490.5	2496	1	CHP	2	2492.680	-49.62	-13	Pass
2496	2540	1	CHP	3	2497.300	-49.53	-25	Pass
2540	2565	1	CHP	4	2543.345	-48.59	-13	Pass
2565	2569	1	CHP	5	2568.500	-41.48	-10	Pass
2569	2570	0.02	CHP	6	2569.945	-40.01	-10	Pass
2570	2615	0.02	CHP	/	/	/	/	/

n38_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_2585MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	811.700	-51.90	-25	Pass

n38 30kHz SISO NTN 30MHz CP-OFDM QPSK 2585MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.970	-43.04	-25	Pass
2490.5	2496	1	/	2	2493.730	-48.72	-13	Pass
2496	2540	1	/	3	2533.420	-47.89	-25	Pass
2540	2565	1	/	4	2543.500	-47.07	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2650	1	/	5	2648.710	-47.47	-13	Pass
2650	26200	1	/	6	24918.580	-35.00	-25	Pass

n38 30kHz SISO NTN 30MHz CP-OFDM QPSK 2585MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.640	-49.57	-25	Pass
2490.5	2496	1	CHP	2	2493.450	-49.39	-13	Pass
2496	2540	1	CHP	3	2539.600	-44.32	-25	Pass
2540	2565	1	CHP	4	2562.090	-35.00	-13	Pass
2565	2569	1	CHP	5	2568.460	-32.83	-10	Pass
2569	2570	0.59	CHP	6	2569.890	-33.38	-10	Pass
2570	2615	0.59	CHP	/	/	/	/	/


n38 30kHz SISO NTN 30MHz CP-OFDM QPSK 2595MHz Edge 1RB Left Ant4



n38 30kHz SISO NTN 30MHz CP-OFDM QPSK 2595MHz Edge 1RB Left Ant4




n38 30kHz SISO NTV 30MHz CP-OFDM QPSK 2605MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2575	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	1	2620.125	-38.81	-10	Pass
2621	2625	1	CHP	2	2621.500	-42.37	-10	Pass
2625	2650	1	CHP	3	2646.455	-47.42	-13	Pass
2650	2750	1	CHP	4	2650.650	-48.59	-25	Pass

n38 30kHz SISO NTV 30MHz CP-OFDM QPSK 2605MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	790.250	-51.76	-25	Pass

n38 30kHz SISO NTN 30MHz CP-OFDM QPSK 2605MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-43.31	-25	Pass
2490.5	2496	1	/	2	2493.730	-49.13	-13	Pass
2496	2540	1	/	3	2503.810	-48.27	-25	Pass
2540	2565	1	/	4	2548.540	-48.33	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2650	1	/	5	2641.150	-44.97	-13	Pass
2650	26200	1	/	6	24915.430	-35.57	-25	Pass

n38 30kHz SISO NTN 30MHz CP-OFDM QPSK 2605MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2575	2620	0.59	CHP	/	/	/	/	/
2620	2621	0.59	CHP	1	2620.326	-35.61	-10	Pass
2621	2625	1	CHP	2	2621.527	-32.63	-10	Pass
2625	2650	1	CHP	3	2629.631	-34.92	-13	Pass
2650	2750	1	CHP	4	2651.093	-43.37	-25	Pass

5.2.3 30_S_40M_NTNV




n38 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 2590MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-44.24	-25	Pass
2490.5	2496	1	/	2	2495.620	-48.57	-13	Pass
2496	2530	1	/	3	2512.000	-48.36	-25	Pass
2530	2565	1	/	4	2563.660	-47.99	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2660	1	/	5	2648.080	-47.22	-13	Pass
2660	26200	1	/	6	24903.460	-35.74	-25	Pass

n38 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 2590MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.885	-49.65	-25	Pass
2490.5	2496	1	CHP	2	2491.670	-49.08	-13	Pass
2496	2530	1	CHP	3	2528.790	-45.79	-25	Pass
2530	2565	1	CHP	4	2563.155	-35.37	-13	Pass
2565	2569	1	CHP	5	2567.360	-35.14	-10	Pass
2569	2570	0.776	CHP	6	2569.970	-29.47	-10	Pass
2570	2620	0.776	CHP	/	/	/	/	/
2620	2621	0.776	CHP	7	2620.285	-38.55	-10	Pass
2621	2625	1	CHP	8	2622.460	-36.78	-10	Pass
2625	2630	1	CHP	9	2626.955	-37.08	-13	Pass

n38 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 2595MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	756.450	-51.81	-25	Pass

n38 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 2595MHz Edge 1RB Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.970	-43.74	-25	Pass
2490.5	2496	1	/	2	2494.990	-49.00	-13	Pass
2496	2530	1	/	3	2522.080	-48.38	-25	Pass
2530	2565	1	/	4	2559.880	-48.15	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2660	1	/	5	2653.120	-46.86	-13	Pass
2660	26200	1	/	6	25707.340	-35.62	-25	Pass

n38 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 2600MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2560	2565	1	CHP	1	2562.460	-49.23	-13	Pass
2565	2569	1	CHP	2	2567.870	-49.38	-10	Pass
2569	2570	0.02	CHP	3	2569.215	-64.98	-10	Pass
2570	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	4	2620.015	-35.04	-10	Pass
2621	2625	1	CHP	5	2621.500	-41.35	-10	Pass
2625	2660	1	CHP	6	2656.760	-47.40	-13	Pass
2660	2750	1	CHP	7	2663.695	-48.74	-25	Pass

n38 30kHz SISO NTV 40MHz DFT-s-OFDM PI/2 BPSK 2600MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	792.950	-51.86	-25	Pass

n38 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 2600MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.970	-42.79	-25	Pass
2490.5	2496	1	/	2	2490.580	-48.58	-13	Pass
2496	2530	1	/	3	2512.000	-48.22	-25	Pass
2530	2565	1	/	4	2543.500	-47.45	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2660	1	/	5	2635.480	-46.81	-13	Pass
2660	26200	1	/	6	24909.760	-35.44	-25	Pass

n38 30kHz SISO NTN 40MHz DFT-s-OFDM PI/2 BPSK 2600MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2560	2565	1	CHP	1	2562.551	-41.14	-13	Pass
2565	2569	1	CHP	2	2568.404	-39.90	-10	Pass
2569	2570	0.776	CHP	3	2569.605	-43.21	-10	Pass
2570	2620	0.776	CHP	/	/	/	/	/
2620	2621	0.776	CHP	4	2620.182	-31.94	-10	Pass
2621	2625	1	CHP	5	2621.532	-31.68	-10	Pass
2625	2660	1	CHP	6	2625.284	-33.44	-13	Pass
2660	2750	1	CHP	7	2662.204	-43.24	-25	Pass

n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2590MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.625	-49.73	-25	Pass
2490.5	2496	1	CHP	2	2494.540	-49.66	-13	Pass
2496	2530	1	CHP	3	2521.550	-49.45	-25	Pass
2530	2565	1	CHP	4	2533.375	-48.34	-13	Pass
2565	2569	1	CHP	5	2568.500	-40.64	-10	Pass
2569	2570	0.02	CHP	6	2569.985	-32.50	-10	Pass
2570	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	7	2620.035	-64.33	-10	Pass
2621	2625	1	CHP	8	2624.875	-48.63	-10	Pass
2625	2630	1	CHP	9	2625.035	-48.63	-13	Pass

n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2590MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	958.750	-51.76	-25	Pass

n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2590MHz_Edge_1RB_Left Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-43.43	-25	Pass
2490.5	2496	1	/	2	2495.620	-48.89	-13	Pass
2496	2530	1	/	3	2518.930	-47.91	-25	Pass
2530	2565	1	/	4	2561.770	-46.76	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2660	1	/	5	2647.450	-46.55	-13	Pass
2660	26200	1	/	6	24917.950	-35.41	-25	Pass

n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2590MHz_Outer_Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.015	-49.59	-25	Pass
2490.5	2496	1	CHP	2	2493.990	-49.44	-13	Pass
2496	2530	1	CHP	3	2529.225	-46.67	-25	Pass
2530	2565	1	CHP	4	2563.590	-31.89	-13	Pass
2565	2569	1	CHP	5	2568.230	-30.75	-10	Pass
2569	2570	0.776	CHP	6	2569.970	-27.46	-10	Pass
2570	2620	0.776	CHP	/	/	/	/	/
2620	2621	0.776	CHP	7	2620.430	-37.02	-10	Pass
2621	2625	1	CHP	8	2622.750	-35.37	-10	Pass
2625	2630	1	CHP	9	2626.810	-36.49	-13	Pass


n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2595MHz_Edge_1RB_Left Ant4



n38_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_QPSK_2595MHz_Edge_1RB_Left Ant4




n38 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 2600MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2560	2565	1	CHP	1	2562.405	-49.00	-13	Pass
2565	2569	1	CHP	2	2565.540	-49.32	-10	Pass
2569	2570	0.02	CHP	3	2569.980	-65.54	-10	Pass
2570	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	4	2620.005	-31.94	-10	Pass
2621	2625	1	CHP	5	2621.500	-38.97	-10	Pass
2625	2660	1	CHP	6	2656.665	-46.63	-13	Pass
2660	2750	1	CHP	7	2721.995	-48.79	-25	Pass

n38 30kHz SISO NTN 40MHz DFT-s-OFDM QPSK 2600MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	57.450	-51.28	-25	Pass

n38 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 2600MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.970	-42.58	-25	Pass
2490.5	2496	1	/	2	2494.360	-47.97	-13	Pass
2496	2530	1	/	3	2506.330	-47.92	-25	Pass
2530	2565	1	/	4	2542.240	-47.63	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2660	1	/	5	2629.810	-46.42	-13	Pass
2660	26200	1	/	6	24923.620	-35.14	-25	Pass

n38 30kHz SISO NTV 40MHz DFT-s-OFDM QPSK 2600MHz Outer Full Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2560	2565	1	CHP	1	2562.852	-35.42	-13	Pass
2565	2569	1	CHP	2	2566.453	-37.58	-10	Pass
2569	2570	0.776	CHP	3	2569.905	-38.43	-10	Pass
2570	2620	0.776	CHP	/	/	/	/	/
2620	2621	0.776	CHP	4	2620.332	-42.01	-10	Pass
2621	2625	1	CHP	5	2624.234	-40.74	-10	Pass
2625	2660	1	CHP	6	2633.389	-40.11	-13	Pass
2660	2750	1	CHP	7	2661.453	-48.44	-25	Pass

n38_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_2590MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.120	-49.87	-25	Pass
2490.5	2496	1	CHP	2	2492.055	-49.69	-13	Pass
2496	2530	1	CHP	3	2518.900	-49.55	-25	Pass
2530	2565	1	CHP	4	2533.015	-48.78	-13	Pass
2565	2569	1	CHP	5	2568.500	-41.60	-10	Pass
2569	2570	0.02	CHP	6	2569.935	-34.71	-10	Pass
2570	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	7	2620.460	-64.57	-10	Pass
2621	2625	1	CHP	8	2622.620	-48.77	-10	Pass
2625	2630	1	CHP	9	2626.600	-48.68	-13	Pass

n38_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_2590MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	796.100	-51.92	-25	Pass

n38_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_2590MHz_Edge_1RB_Left_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.340	-42.32	-25	Pass
2490.5	2496	1	/	2	2491.840	-48.58	-13	Pass
2496	2530	1	/	3	2520.820	-48.17	-25	Pass
2530	2565	1	/	4	2537.830	-47.76	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2660	1	/	5	2625.400	-46.93	-13	Pass
2660	26200	1	/	6	25686.550	-35.74	-25	Pass

n38_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_2590MHz_Outer_Full_Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.885	-49.28	-25	Pass
2490.5	2496	1	CHP	2	2494.860	-48.84	-13	Pass
2496	2530	1	CHP	3	2523.570	-45.31	-25	Pass
2530	2565	1	CHP	4	2563.155	-34.54	-13	Pass
2565	2569	1	CHP	5	2566.635	-33.56	-10	Pass
2569	2570	0.776	CHP	6	2569.970	-28.33	-10	Pass
2570	2620	0.776	CHP	/	/	/	/	/
2620	2621	0.776	CHP	7	2620.430	-40.43	-10	Pass
2621	2625	1	CHP	8	2622.315	-38.16	-10	Pass
2625	2630	1	CHP	9	2625.505	-38.39	-13	Pass


n38_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_2595MHz_Edge_1RB_Left_Ant4



n38_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_2595MHz_Edge_1RB_Left_Ant4




n38 30kHz SISO NTN 40MHz CP-OFDM QPSK 2600MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2560	2565	1	CHP	1	2562.345	-49.42	-13	Pass
2565	2569	1	CHP	2	2566.040	-49.57	-10	Pass
2569	2570	0.02	CHP	3	2569.505	-65.11	-10	Pass
2570	2620	0.02	CHP	/	/	/	/	/
2620	2621	0.02	CHP	4	2620.120	-35.27	-10	Pass
2621	2625	1	CHP	5	2621.500	-41.46	-10	Pass
2625	2660	1	CHP	6	2656.565	-47.17	-13	Pass
2660	2750	1	CHP	7	2666.735	-48.72	-25	Pass

n38 30kHz SISO NTN 40MHz CP-OFDM QPSK 2600MHz Edge 1RB Right Ant4




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	57.850	-51.87	-25	Pass

n38 30kHz SISO NTN 40MHz CP-OFDM QPSK 2600MHz Edge 1RB Right Ant4



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2460.970	-45.09	-25	Pass
2490.5	2496	1	/	2	2495.620	-48.29	-13	Pass
2496	2530	1	/	3	2526.490	-47.86	-25	Pass
2530	2565	1	/	4	2541.610	-47.95	-13	Pass
2565	2625	1	/	/	/	/	/	/
2625	2660	1	/	5	2626.660	-46.28	-13	Pass
2660	26200	1	/	6	24914.170	-35.44	-25	Pass

n38 30kHz SISO NTN 40MHz CP-OFDM QPSK 2600MHz Outer Full Ant4



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2560	2565	1	CHP	1	2564.202	-36.60	-13	Pass
2565	2569	1	CHP	2	2567.504	-35.80	-10	Pass
2569	2570	0.776	CHP	3	2569.755	-39.20	-10	Pass
2570	2620	0.776	CHP	/	/	/	/	/
2620	2621	0.776	CHP	4	2620.032	-40.81	-10	Pass
2621	2625	1	CHP	5	2621.532	-42.71	-10	Pass
2625	2660	1	CHP	6	2651.548	-48.58	-13	Pass
2660	2750	1	CHP	7	2711.430	-48.07	-25	Pass