


APPENDIX REPORT

Project No.	SHT2203065706EW	Radio Specification	Bluetooth BLE
Test sample No.	YPHT22030657009	Model No.	L100
Start test date	2022-04-25	Finish date	2022-05-10
Temperature	24.6℃	Humidity	41%
Test Engineer	Xiaoqin Li	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS


Appendix A: Peak Output Power

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
BT-BLE	00	-5.13	-5.15	≤ 30.00	Pass
	19	-6.04	-6.05		
	39	-3.99	-4.01		



Appendix B: Power Spectral Density


Type	Channel	Power Spectral Density(dBm/3KHz)	Limit (dBm/3KHz)	Result
BT-BLE	00	-17.95	≤8.00	Pass
	19	-19.95		
	39	-20.86		




Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth(kHz)	Limit (kHz)	Result
BT-BLE	00	948.00	≥500	Pass
	19	912.00		
	39	940.00		


CH00



CH19




CH39




Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Occupied Bandwidth(MHz)	Limit (kHz)	Result
BT-BLE	00	1.83	-	Pass
	19	1.82		
	39	1.78		


CH00



CH19




CH39






Appendix E: Duty cycle

Test Frequency (MHz)	T _{on} time for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on} time (kHz)
2440	1.06	1.17	90.6%	0.94




Appendix F: Band edge and Spurious Emissions (conducted)


Test Item:	Band edge																																										
CH00	MultiView Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 1.02 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 8 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm M1 -25.04 dBm M1[1] -5.04 dBm 2.4020100 GHz M2[1] -42.79 dBm 2.4000000 GHz 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.40201 GHz</td><td>-5.04 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-42.79 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-60.15 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-64.20 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399965 GHz</td><td>-43.52 dBm</td><td></td><td></td></tr></table> Date: 25 APR 2022 16:58:11	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40201 GHz	-5.04 dBm			M2	1		2.4 GHz	-42.79 dBm			M3	1		2.39 GHz	-60.15 dBm			M4	1		2.31 GHz	-64.20 dBm			M5	1		2.399965 GHz	-43.52 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																					
M1	1		2.40201 GHz	-5.04 dBm																																							
M2	1		2.4 GHz	-42.79 dBm																																							
M3	1		2.39 GHz	-60.15 dBm																																							
M4	1		2.31 GHz	-64.20 dBm																																							
M5	1		2.399965 GHz	-43.52 dBm																																							
CH39	MultiView Spectrum Ref Level 10.50 dBm Offset 1.00 dB RBW 100 kHz Att 20 dB SWT 1.02 ms VBW 300 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep 8 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm -80 dBm M1 -27.35 dBm M1[1] -7.35 dBm 2.4800110 GHz M2[1] -64.81 dBm 2.4835000 GHz 2.478 GHz 1001 pts 2.2 MHz/ 2.5 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.480011 GHz</td><td>-7.35 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-64.81 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-73.54 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.483808 GHz</td><td>-63.45 dBm</td><td></td><td></td></tr></table> Date: 25 APR 2022 17:05:14	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480011 GHz	-7.35 dBm			M2	1		2.4835 GHz	-64.81 dBm			M3	1		2.5 GHz	-73.54 dBm			M4	1		2.483808 GHz	-63.45 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																					
M1	1		2.480011 GHz	-7.35 dBm																																							
M2	1		2.4835 GHz	-64.81 dBm																																							
M3	1		2.5 GHz	-73.54 dBm																																							
M4	1		2.483808 GHz	-63.45 dBm																																							

Test Item:	SE
CH00 Reference level	 Spectrum Ref Level 21.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 100/100 1Pk Max M1[1] -6.75 dBm 2.4020430 GHz CF 2.402 GHz 691 pts Span 30.0 MHz Date: 10 MAY 2022 14:16:50
CH00 30MHz~1000MHz	 Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -50.89 dBm 871.0750 MHz Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 10 MAY 2022 14:17:05
CH00 1GHz~26GHz	 Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1Pk Max M1[1] -42.73 dBm 17.420000 GHz Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 10 MAY 2022 14:17:20


CH19
Reference level




CH19
30MHz~1000MHz




CH19
1GHz~26GHz




CH39
Reference level



CH39
30MHz~1000MHz



CH39
1GHz~26GHz



-----End of Report-----