Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Handheld GNSS Receiver

Test Model: P6H

Environmental Conditions

Temperature:	23.5° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng

A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.024	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.035	N/A	Pass
NVNT	1-DH5	2480	Ant1	1.034	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.282	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.288	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.314	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.289	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.282	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.3	N/A	Pass

Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1

-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1



A.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.06	21	Pass
NVNT	1-DH5	2441	Ant1	-0.41	21	Pass
NVNT	1-DH5	2480	Ant1	-0.13	21	Pass
NVNT	2-DH5	2402	Ant1	-1.37	21	Pass
NVNT	2-DH5	2441	Ant1	-0.8	21	Pass
NVNT	2-DH5	2480	Ant1	-0.42	21	Pass
NVNT	3-DH5	2402	Ant1	-1.28	21	Pass
NVNT	3-DH5	2441	Ant1	-0.64	21	Pass
NVNT	3-DH5	2480	Ant1	-0.3	21	Pass

Test Graphs

Power NVNT 1-DH5 2402MHz Ant1



Power NVNT 1-DH5 2441MHz Ant1



Power NVNT 1-DH5 2480MHz Ant1



Power NVNT 2-DH5 2402MHz Ant1



Power NVNT 2-DH5 2441MHz Ant1



Power NVNT 2-DH5 2480MHz Ant1



Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1



Power NVNT 3-DH5 2480MHz Ant1



A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.982	2403.008	1.026	0.690	Pass
NVNT	2-DH5	Ant1	2402.006	2403.164	1.158	0.876	Pass
NVNT	3-DH5	Ant1	2402.158	2403.158	1.000	0.867	Pass

Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1



CFS NVNT 3-DH5 2402MHz Ant1



A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	308.374	107	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	279.845	97	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.887	314.683	109	31600	400	Pass

Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst



Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated



Dwell NVNT 2-DH5 2402MHz Ant1 One Burst



Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated



Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated



A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass

Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Hopping No. NVNT 3-DH5 2402MHz Ant1



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.26	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.18	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-54.38	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-56.06	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-52.36	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.48	-20	Pass

Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-54.99	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-55.77	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.17	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54.05	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-53.96	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-54.93	-20	Pass

Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission