


802.11ac40 Mode:**Common Information**

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac40 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 26.2℃
Humidity: 52%
Atmospheric Pressure: 101.3kPa
Test Engineer: Destine Hu
Test Date: 2025/8/28

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5096.700000	56.16	---	74.00	17.84	H	7.4
5096.700000	---	44.96	54.00	9.04	H	7.4
5115.400000	53.81	---	74.00	20.19	V	7.4
5115.400000	---	45.81	54.00	8.19	V	7.4

Common Information

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac40 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 26.2°C
Humidity: 52%
Atmospheric Pressure: 101.3kPa
Test Engineer: Destine Hu
Test Date: 2025/8/28

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μV/m)	Average (dB μV/m)	Limit (dB μV/m)	Margin (dB)	Pol	Corr. (dB/m)
5352.564000	64.44	---	74.00	9.56	V	7.6
5352.564000	---	51.26	54.00	2.74	V	7.6
5352.816000	60.82	---	74.00	13.18	V	7.6
5352.816000	---	51.63	54.00	2.37	V	7.6

802.11ac80 Mode:**Common Information**

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac80
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 26.2°C
Humidity: 52%
Atmospheric Pressure: 101.3kPa
Test Engineer: Destine Hu
Test Date: 2025/8/28

Full Spectrum

**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5033.760000	---	43.94	54.00	10.06	V	7.4
5033.760000	55.63	---	74.00	18.37	V	7.4
5122.080000	54.08	---	74.00	19.92	H	7.4
5122.080000	---	45.33	54.00	8.67	H	7.4
5352.480000	60.88	---	74.00	13.12	V	7.6
5352.480000	---	52.85	54.00	1.15	V	7.6
5358.240000	65.46	---	74.00	8.54	V	7.6
5358.240000	---	51.84	54.00	2.16	V	7.6

Band Edge Test (5470-5725MHz Band):


Note:

1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

802.11a Mode:**Common Information**

Project No.:	RKSA250820001
EUT Model:	R80
Test Mode:	5G WIFI 802.11a mode Low Channel
Standard:	FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment:	ESU40,3115,PAM-0118P
Receiver Setting:	RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature:	25.8°C
Humidity:	52%
Atmospheric Pressure:	101.9kPa
Test Engineer:	Destine Hu
Test Date:	2025/9/18

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5459.032000	60.15	---	74.00	13.85	V	7.7
5459.032000	---	50.28	54.00	3.72	V	7.7
5468.008000	66.54	---	68.20	1.66	V	7.7

Common Information

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11a mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.8°C
Humidity: 52%
Atmospheric Pressure: 101.9kPa
Test Engineer: Destine Hu
Test Date: 2025/9/18

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5727.658000	65.12	---	68.20	3.08	V	7.8
5728.570000	64.34	---	68.20	3.86	V	7.8

802.11ac20 Mode:**Common Information**

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac20 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.8℃
Humidity: 52%
Atmospheric Pressure: 101.9kPa
Test Engineer: Destine Hu
Test Date: 2025/9/18

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5459.472000	56.66	---	74.00	17.34	V	7.7
5459.472000	---	48.68	54.00	5.32	V	7.7
5468.448000	64.15	---	68.20	4.05	V	7.7

Common Information

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac20 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.8℃
Humidity: 52%
Atmospheric Pressure: 101.9kPa
Test Engineer: Destine Hu
Test Date: 2025/9/18

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μV/m)	Average (dB μV/m)	Limit (dB μV/m)	Margin (dB)	Pol	Corr. (dB/m)
5725.036000	63.15	---	68.20	5.05	V	7.8
5726.632000	62.51	---	68.20	5.69	V	7.8

802.11ac40 Mode:**Common Information**

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac40 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.8℃
Humidity: 52%
Atmospheric Pressure: 101.9kPa
Test Engineer: Destine Hu
Test Date: 2025/9/18


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5453.840000	56.86	---	74.00	17.14	V	7.7
5453.840000	---	48.76	54.00	5.24	V	7.7
5466.248000	62.92	---	68.20	5.28	V	7.7

Common Information

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac40 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.8°C
Humidity: 52%
Atmospheric Pressure: 101.9kPa
Test Engineer: Destine Hu
Test Date: 2025/9/18


Full Spectrum

**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μV/m)	Average (dB μV/m)	Limit (dB μV/m)	Margin (dB)	Pol	Corr. (dB/m)
5727.088000	58.75	---	68.20	9.45	V	7.8
5727.886000	58.14	---	68.20	10.06	V	7.8

802.11ac80 Mode:**Common Information**

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac80 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.8°C
Humidity: 52%
Atmospheric Pressure: 101.9kPa
Test Engineer: Destine Hu
Test Date: 2025/9/18


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5457.532000	---	52.72	54.00	1.28	V	7.7
5457.532000	61.87	---	74.00	12.13	V	7.7
5461.186000	66.48	---	68.20	1.72	V	7.7
5733.670000	55.91	---	68.20	12.29	V	7.8
5739.064000	56.13	---	68.20	12.07	H	7.8

Common Information

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac80 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 25.8℃
Humidity: 52%
Atmospheric Pressure: 101.9kPa
Test Engineer: Destine Hu
Test Date: 2025/9/18

Full Spectrum

**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5729.710000	57.80	---	68.20	10.40	H	7.8
5731.648000	57.17	---	68.20	11.03	V	7.8


Bandedge Emissions Test (5725-5850MHz Band):

Note:

1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

802.11a Mode:**Common Information**

Project No.:	RKSA250820001
EUT Model:	R80
Test Mode:	5G WIFI 802.11a mode Low Channel
Standard:	FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment:	ESU40,3115,PAM-0118P
Receiver Setting:	RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature:	27.4°C
Humidity:	48%
Atmospheric Pressure:	101.3kPa
Test Engineer:	Destine Hu
Test Date:	2025/8/30


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5503.000000	56.58	---	68.20	11.62	H	7.7
5675.600000	56.59	---	87.14	30.55	V	7.8
5715.400000	66.40	---	109.51	43.11	V	7.8
5723.200000	71.65	---	118.10	46.44	V	7.8

Common Information

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11a mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 27.4°C
Humidity: 48%
Atmospheric Pressure: 101.3kPa
Test Engineer: Destine Hu
Test Date: 2025/8/30

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5854.000000	65.06	---	113.08	48.02	H	7.9
5867.600000	59.78	---	107.27	47.49	V	7.9
5897.400000	56.39	---	88.62	32.23	V	7.9
5979.000000	55.83	---	68.20	12.37	V	8.0

802.11ac20 Mode:**Common Information**

Project No.:	RKSA250820001
EUT Model:	R80
Test Mode:	5G WIFI 802.11ac20 mode Low Channel
Standard:	FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment:	ESU40,3115,PAM-0118P
Receiver Setting:	RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature:	27.4℃
Humidity:	48%
Atmospheric Pressure:	101.3kPa
Test Engineer:	Destine Hu
Test Date:	2025/8/30

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μV/m)	Average (dB μV/m)	Limit (dB μV/m)	Margin (dB)	Pol	Corr. (dB/m)
5573.200000	57.04	---	68.20	11.16	V	7.8
5685.000000	56.55	---	94.10	37.55	V	7.8
5716.600000	64.33	---	109.85	45.52	V	7.8
5722.200000	70.99	---	115.82	44.82	V	7.8

Common Information

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac20 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 27.4℃
Humidity: 48%
Atmospheric Pressure: 101.3kPa
Test Engineer: Destine Hu
Test Date: 2025/8/30

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5850.600000	67.37	---	120.83	53.46	V	7.9
5855.400000	65.97	---	110.69	44.71	V	7.9
5892.600000	55.31	---	92.18	36.86	V	7.9
5960.200000	55.63	---	68.20	12.57	V	7.9

802.11ac40 Mode:**Common Information**

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac40 mode Low Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 27.4℃
Humidity: 48%
Atmospheric Pressure: 101.3kPa
Test Engineer: Destine Hu
Test Date: 2025/8/30

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μV/m)	Average (dB μV/m)	Limit (dB μV/m)	Margin (dB)	Pol	Corr. (dB/m)
5639.400000	56.96	---	68.20	11.24	V	7.8
5691.400000	61.51	---	98.84	37.33	V	7.8
5715.000000	67.70	---	109.40	41.70	V	7.8
5723.200000	71.70	---	118.10	46.40	V	7.8

Common Information

Project No.: RKSA250820001
EUT Model: R80
Test Mode: 5G WIFI 802.11ac40 mode High Channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Equipment: ESU40,3115,PAM-0118P
Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
Temperature: 27.4℃
Humidity: 48%
Atmospheric Pressure: 101.3kPa
Test Engineer: Destine Hu
Test Date: 2025/8/30

Full Spectrum




Critical Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5853.200000	57.75	---	114.90	57.15	V	7.9
5857.000000	57.71	---	110.24	52.53	V	7.9
5876.200000	56.42	---	104.31	47.90	H	7.9
5937.800000	55.62	---	68.20	12.58	H	7.9

802.11ac80 Mode:**Common Information**

Project No.: RKSA250820001
 EUT Model: R80
 Test Mode: 5G WIFI 802.11ac80
 Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
 Test Equipment: ESU40,3115,PAM-0118P
 Receiver Setting: RBW: 1MHz, VBW: 3MHz, Sweep Time: Auto
 Temperature: 27.4℃
 Humidity: 48%
 Atmospheric Pressure: 101.3kPa
 Test Engineer: Destine Hu
 Test Date: 2025/8/30

Full Spectrum

**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5643.600000	58.70	---	68.20	9.50	V	7.8
5689.000000	70.33	---	97.06	26.73	V	7.8
5715.800000	75.69	---	109.62	33.93	V	7.8
5724.200000	73.11	---	120.38	47.27	V	7.8
5850.400000	64.65	---	121.29	56.63	V	7.9
5869.000000	63.65	---	106.88	43.23	V	7.9
5881.200000	58.54	---	100.61	42.07	V	7.9
5937.200000	55.99	---	68.20	12.21	V	7.9

EMISSION BANDWIDTH**Environmental Conditions & Test Information**

Test Date:	2025-09-22
Temperature:	25.6 °C
Relative Humidity:	54 %
ATM Pressure:	101.3 kPa
Test Result:	Pass
Test Engineer:	Neil Zhou

Test Result: Compliant*5150-5250 MHz:*

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5180	20.401	16.600
	Middle	5200	20.452	16.600
	High	5240	20.251	16.550
802.11 ac20	Low	5180	20.705	17.650
	Middle	5200	20.756	17.700
	High	5240	20.705	17.650
802.11 ac40	Low	5190	41.200	36.300
	High	5230	41.100	36.300
802.11 ac80	Middle	5210	81.800	75.200

Note: the 99% Occupied Bandwidth have not fall into the band 5250-5350MHz

5250-5350 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5260	21.109	16.550
	Middle	5300	20.301	16.600
	High	5320	20.402	16.600
802.11 ac20	Low	5260	21.064	17.650
	Middle	5300	20.655	17.600
	High	5320	20.961	17.650
802.11 ac40	Low	5270	41.200	36.300
	High	5310	41.300	36.300
802.11 ac80	Middle	5290	82	75.400

5470-5725 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11a	Low	5500	20.857	16.650
	Middle	5580	20.301	16.600
	High	5700	20.957	16.600
	Cross	5720	21.261	16.600
802.11ac20	Low	5500	20.705	17.650
	Middle	5580	20.755	17.650
	High	5700	20.757	17.650
	Cross	5720	21.218	17.650
802.11ac40	Low	5510	41.100	36.200
	Middle	5550	41.500	36.300
	High	5670	41.300	36.300
	Cross	5710	41.200	36.300
802.11ac80	Low	5530	81.800	75.400
	Middle	5610	87.800	75.600
	High	5690	91.980	75.600


5725-5850MHz:

Test mode	Channel	Frequency (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5745	16.550
	Middle	5785	16.600
	High	5825	16.600
802.11 ac20	Low	5745	17.650
	Middle	5785	17.650
	High	5825	17.700
802.11 ac40	Low	5755	36.200
	High	5795	36.200
802.11 ac80	Middle	5775	75.600

Note: the 99% Occupied Bandwidth have not fall into the band 5470-5725MHz


Test mode	Channel	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)
802.11 a	Low	5745	15.550	0.5
	Middle	5785	15.400	
	High	5825	15.500	
802.11 ac20	Low	5745	15.550	
	Middle	5785	15.550	
	High	5825	16.050	
802.11 ac40	Low	5755	35.400	
	High	5795	35.400	
802.11 ac80	Middle	5775	75.600	

802.11a mode, 5785MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22-SEP-2025 13:53:33

802.11ac20 mode, 5745MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 14:01:20

802.11 ac20 mode, 5785MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 14:04:40

802.11 ac20 mode, 5825MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 14:07:47

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 14:13:14

802.11 ac40 mode, 5795MHz



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 14:54:57

802.11ac80 mode, 5775MHz



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 15:15:56

802.11a mode, 5180MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 10:59:06

ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:12:25


ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:18:51

802.11 ac20 mode, 5200MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:25:32

802.11 ac20 mode, 5240MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:29:58

802.11ac40 mode, 5190MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:34:46

802.11 ac40 mode, 5230MHz



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:40:42

802.11ac80 mode, 5210MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22,SEP,2025 11:46:02

26 Bandwidth


5250-5350MHz Band:

802.11a mode, 5260MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:53:46

802.11a mode, 5300MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:58:10

802.11a mode, 5320MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:11:15

802.11ac20 mode, 5260MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:20:39

802.11 ac20 mode, 5300MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:24:31

802.11 ac20 mode, 5320MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:28:59

802.11ac40 mode, 5270MHz



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:35:13

802.11 ac40 mode, 5310MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:40:38

*RM 1 Mhz Delta 1 [T1] 2.41 dB
 *VM 3 Mhz
 Ref 30.5 dBm Att 30 dB SWT 20 ms 82.0000000000 MHz
 30 Offset 10.5 dB
 Mark 1 [T1] -24.75 dBm 2.24880000 GHz
 D1 3.66 dBm
 D2 -12.38 dBm
 SWP 1000 GHz
 Center 5.29 GHz 20 MHz/
 Span 200 MHz

ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:45:45


5470-5725 MHz Band:

802.11a mode, 5500MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 17:44:33

802.11a mode, 5580MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 16:24:35

802.11a mode, 5700MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 16:28:35

802.11a mode, 5720MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 16:35:52

802.11 ac20 mode, 5500MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 16:41:05

802.11 ac20 mode, 5580MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 16:45:41

802.11 ac20 mode, 5700MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 16:49:54

802.11 ac20 mode, 5720MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 16:54:24

802.11ac40 mode, 5510MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 16:59:25

802.11ac40 mode, 5550MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 17:05:38

802.11 ac40 mode, 5670MHz



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 17:11:30


802.11 ac40 mode, 5710MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 17:17:46



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 17:24:10



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 17:30:05



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 17:38:50

802.11a mode, 5180MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:00:05

ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:13:29


ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:19:50

802.11 ac20 mode, 5200MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:26:30

802.11 ac20 mode, 5240MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:31:02

802.11ac40 mode, 5190MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:36:31

802.11 ac40 mode, 5230MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 11:42:26

802.11ac80 mode, 5210MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22,SEP,2025 11:47:47

5250-5350MHz Band:
802.11a mode, 5260MHz




ProjectNo.:RKSA250820001 Testert:Neil Zhou
Date: 22.SEP.2025 11:54:45

802.11a mode, 5300MHz




ProjectNo.:RKSA250820001 Testert:Neil Zhou
Date: 22.SEP.2025 11:59:09

802.11a mode, 5320MHz




ProjectNo.:RKSA250820001 Testert:Neil Zhou
Date: 22.SEP.2025 13:12:14

802.11ac20 mode, 5260MHz




ProjectNo.:RKSA250820001 Testert:Neil Zhou
Date: 22.SEP.2025 13:21:38

802.11 ac20 mode, 5300MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:25:30

802.11 ac20 mode, 5320MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:29:58

802.11ac40 mode, 5270MHz




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:36:58

802.11 ac40 mode, 5310MHz



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:42:18

802.11ac80 mode, 5290MHz



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 22.SEP.2025 13:47:27