



Note: the maximum path attenuation of 30MHz~25GHz was added into the offset

GFSK_Low




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 10:59:20

GFSK_Middle




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 11:06:38


GFSK_High




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 11:11:30

 $\pi/4$ DQPSK_Low

ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 11:16:37


 $\pi/4$ DQPSK_Middle

ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 11:21:38

 $\pi/4$ DQPSK_High


ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 11:26:37

8DPSK_Low




ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 11:31:44

8DPSK_Middle



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 11:36:35

8DPSK_High



ProjectNo.:RKSA250820001 Tester:Neil Zhou
Date: 17.OCT.2025 11:42:05

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT C - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

******* END OF REPORT *******