


Test Positions

Front Side (Separation distance of 0mm)	Back Side (Separation distance of 0mm)
 A close-up photograph showing the front of a black tablet mounted on a white plastic stand. The stand has a handle and several adjustment knobs. The tablet is positioned horizontally, and the stand is placed on a grey surface.	 A close-up photograph showing the back of a black tablet mounted on a white plastic stand. The stand is similar to the one in the front view, with a handle and adjustment knobs. The tablet is positioned horizontally, and the stand is placed on a grey surface.
Left Side (Separation distance of 0mm)	Right Side (Separation distance of 0mm)
 A photograph showing the left side of a black tablet mounted on a white plastic stand. The tablet is positioned vertically, and the stand is placed on a grey surface. The background shows a laboratory setting with white containers.	 A photograph showing the right side of a black tablet mounted on a white plastic stand. The tablet is positioned vertically, and the stand is placed on a grey surface. The background shows a laboratory setting with white containers.
Top Side (Separation distance of 0mm)	Bottom Side (Separation distance of 0mm)
 A photograph showing the top of a black tablet mounted on a white plastic stand. The tablet is positioned vertically, and the stand is placed on a grey surface. The background shows a laboratory setting with white containers.	 A photograph showing the bottom of a black tablet mounted on a white plastic stand. The tablet is positioned vertically, and the stand is placed on a grey surface. The background shows a laboratory setting with white containers.