

Test Report No.60359813 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 60359813 001Appendix D)


Contents

Spurious Emissions, Band Edges for 1M	2
Spurious Emissions, TX Mode, 9kHz-30MHz for 1M	14
Spurious Emissions, TX Mode, 30MHz-1GHz for 1M	16
Spurious Emissions, TX Mode, 1GHz-26.5GHz for 1M	18
Spurious Emissions, Band Edges for 2M	24
Spurious Emissions, TX Mode, 1GHz-26.5GHz for 2M	36
Spurious Emissions, AC Mains.....	42


Spurious Emissions, Band Edges for Bluetooth Low Energy 1Mbps




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2310.118	40.02	2.90	37.12	54.00	-13.98	245	69	Average	Horizontal
2 *	2402.000	97.84	60.69	37.15	54.00	43.84	245	69	Average	Horizontal
3	2530.188	41.67	3.85	37.82	54.00	-12.33	245	69	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2322.272	40.05	2.91	37.14	54.00	-13.95	101	158	Average	Vertical
2 *	2402.000	92.35	55.20	37.15	54.00	38.35	101	158	Average	Vertical
3	2762.648	41.57	3.49	38.08	54.00	-12.43	101	158	Average	Vertical




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2341.860	52.89	15.73	37.16	74.00	-21.11	245	69	Peak	Horizontal
2 *	2402.000	98.81	61.66	37.15	74.00	24.81	245	69	Peak	Horizontal
3	2621.874	54.77	17.09	37.68	74.00	-19.23	245	69	Peak	Horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2378.204	53.24	16.09	37.15	74.00	-20.76	101	158 Peak	Vertical
2 *	2402.000	93.34	56.19	37.15	74.00	19.34	101	158 Peak	Vertical
3	2619.986	54.55	16.86	37.69	74.00	-19.45	101	158 Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.962	41.63	4.47	37.16	54.00	-12.37	170	196	Average	Horizontal
2 *	2440.000	96.79	59.44	37.35	54.00	42.79	170	196	Average	Horizontal
3	2833.212	41.67	3.57	38.10	54.00	-12.33	170	196	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.298	39.90	2.77	37.13	54.00	-14.10	123	157	Average	Vertical
2 *	2440.000	90.76	53.41	37.35	54.00	36.76	123	157	Average	Vertical
3	2801.116	41.59	3.46	38.13	54.00	-12.41	123	157	Average	Vertical







	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2322.508	54.52	17.38	37.14	74.00	-19.48	123	157	Peak	Vertical
2 *	2440.000	91.77	54.42	37.35	74.00	17.77	123	157	Peak	Vertical
3	2771.262	54.91	16.82	38.09	74.00	-19.09	123	157	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2320.856	40.10	2.96	37.14	54.00	-13.90	268	56	Average	Horizontal
2 *	2480.000	96.31	58.75	37.56	54.00	42.31	268	56	Average	Horizontal
3	2826.132	41.51	3.40	38.11	54.00	-12.49	268	56	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.890	40.75	3.57	37.18	54.00	-13.25	360	176	Average	Vertical
2 *	2480.000	92.52	54.96	37.56	54.00	38.52	360	176	Average	Vertical
3	2826.722	41.55	3.44	38.11	54.00	-12.45	360	176	Average	Vertical






	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2370.416	52.84	15.68	37.16	74.00	-21.16	360	176	Peak	Vertical
2 *	2480.000	93.46	55.90	37.56	74.00	19.46	360	176	Peak	Vertical
3	2850.322	54.44	16.35	38.09	74.00	-19.56	360	176	Peak	Vertical


Spurious Emissions, TX Mode, 9kHz-30MHz for Bluetooth Low Energy 1Mbps



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	0.014	80.18	3.78	76.40	124.74	-44.56	100	329 QP	vertical
2	0.027	73.70	2.34	71.36	119.11	-45.41	100	259 QP	vertical
3	0.050	64.46	-0.58	65.04	113.60	-49.14	100	44 QP	vertical
4	0.085	58.75	-2.08	60.83	108.98	-50.23	100	168 QP	vertical
5	0.109	55.50	-3.25	58.75	106.87	-51.37	100	155 QP	vertical
6	0.130	54.23	-3.26	57.49	105.29	-51.06	100	349 QP	vertical




	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit				
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2.213	51.65	13.06	38.59	69.50	-17.85	100	198	QP	vertical
2	5.407	50.26	11.91	38.35	69.50	-19.24	100	147	QP	vertical
3	8.586	49.46	11.56	37.90	69.50	-20.04	100	360	QP	vertical
4	14.248	50.03	12.39	37.64	69.50	-19.47	100	297	QP	vertical
5	19.439	49.26	12.90	36.36	69.50	-20.24	100	169	QP	vertical
6	23.514	47.57	12.35	35.22	69.50	-21.93	100	326	QP	vertical


Spurious Emissions, TX Mode, 30MHz-1GHz for Bluetooth Low Energy 1Mbps



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Line	Limit				
			Factor						
						cm	deg		
1	159.980	23.17	29.16	-5.99	43.50	-20.33	400	48 QP	horizontal
2	277.447	23.96	29.41	-5.45	46.00	-22.04	100	337 QP	horizontal
3	439.728	27.32	29.65	-2.33	46.00	-18.68	400	112 QP	horizontal
4	611.321	29.92	29.59	0.33	46.00	-16.08	400	190 QP	horizontal
5	751.486	32.36	29.96	2.40	46.00	-13.64	400	327 QP	horizontal
6	846.546	33.76	30.32	3.44	46.00	-12.24	400	128 QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	167.158	22.13	28.08	-5.95	43.50	-21.37	344	360	QP	vertical
2	430.901	26.56	29.08	-2.52	46.00	-19.44	200	248	QP	vertical
3	577.565	30.09	30.50	-0.41	46.00	-15.91	400	340	QP	vertical
4	731.019	32.77	30.88	1.89	46.00	-13.23	200	11	QP	vertical
5	772.147	32.70	30.20	2.50	46.00	-13.30	239	0	QP	vertical
6	844.994	34.22	30.79	3.43	46.00	-11.78	100	294	QP	vertical


Spurious Emissions, TX Mode, 1GHz-26.5GHz for Bluetooth Low Energy 1Mbps




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	46.17	55.61	-9.44	54.00	-7.83	100	30	Average	horizontal
2	4804.000	51.48	60.92	-9.44	74.00	-22.52	100	30	Peak	horizontal
3	7206.000	52.74	59.56	-6.82	54.00	-1.26	100	65	Average	horizontal
4	7206.000	60.90	67.72	-6.82	74.00	-13.10	100	65	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	45.78	55.22	-9.44	74.00	-28.22	300	175	Peak	vertical
2	7206.000	48.59	55.41	-6.82	54.00	-5.41	400	34	Average	vertical
3	7206.000	57.61	64.43	-6.82	74.00	-16.39	400	34	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4880.000	48.93	58.24	-9.31	54.00	-5.07	100	115	Average	horizontal
2	4880.000	53.93	63.24	-9.31	74.00	-20.07	100	115	Peak	horizontal
3 !	7320.000	49.18	55.88	-6.70	54.00	-4.82	100	63	Average	horizontal
4	7320.000	57.80	64.50	-6.70	74.00	-16.20	100	63	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4879.000	47.04	56.35	-9.31	74.00	-26.96	300	205	Peak	vertical
2	7320.000	44.18	50.88	-6.70	54.00	-9.82	400	197	Average	vertical
3	7320.000	52.92	59.62	-6.70	74.00	-21.08	400	197	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	53.64	62.77	-9.13	54.00	-0.36	100	77	Average	horizontal
2	4960.000	58.16	67.29	-9.13	74.00	-15.84	100	77	Peak	horizontal
3	7440.000	45.57	52.27	-6.70	54.00	-8.43	100	63	Average	horizontal
4	7440.000	54.83	61.53	-6.70	74.00	-19.17	100	63	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	49.26	58.39	-9.13	54.00	-4.74	342	337	Average	vertical
2	4960.000	54.15	63.28	-9.13	74.00	-19.85	342	337	Peak	vertical
3	7440.000	48.19	54.89	-6.70	74.00	-25.81	336	360	Peak	vertical


Spurious Emissions, Band Edges for Bluetooth Low Energy 2Mbps




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2337.730	40.20	3.04	37.16	54.00	-13.80	135	196 Average	Horizontal
2 *	2402.000	95.67	58.52	37.15	54.00	41.67	135	196 Average	Horizontal
3	2836.044	41.53	3.43	38.10	54.00	-12.47	135	196 Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2319.322	40.08	2.94	37.14	54.00	-13.92	101	158	Average	Vertical
2 *	2402.000	90.23	53.08	37.15	54.00	36.23	101	158	Average	Vertical
3	2819.642	41.70	3.59	38.11	54.00	-12.30	101	158	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2370.770	53.60	16.44	37.16	74.00	-20.40	135	196	Peak	Horizontal
2 *	2402.000	98.28	61.13	37.15	74.00	24.28	135	196	Peak	Horizontal
3	2691.140	54.20	16.53	37.67	74.00	-19.80	135	196	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2358.498	53.13	15.97	37.16	74.00	-20.87	101	158	Peak	Vertical
2 *	2402.000	92.89	55.74	37.15	74.00	18.89	101	158	Peak	Vertical
3	2825.660	54.54	16.43	38.11	74.00	-19.46	101	158	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.726	39.81	2.65	37.16	54.00	-14.19	171	196	Average	Horizontal
2 *	2440.000	94.56	57.21	37.35	54.00	40.56	171	196	Average	Horizontal
3	2830.262	40.33	2.23	38.10	54.00	-13.67	171	196	Average	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2373.130	38.35	1.20	37.15	54.00	-15.65	124	158	Average	Vertical
2 *	2440.000	88.60	51.25	37.35	54.00	34.60	124	158	Average	Vertical
3	2835.218	40.29	2.19	38.10	54.00	-13.71	124	158	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.914	51.09	13.92	37.17	74.00	-22.91	171	196	Peak	Horizontal
2 *	2440.000	97.16	59.81	37.35	74.00	23.16	171	196	Peak	Horizontal
3	2804.774	53.53	15.41	38.12	74.00	-20.47	171	196	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2345.282	51.72	14.55	37.17	74.00	-22.28	124	158	Peak	Vertical
2 *	2440.000	91.20	53.85	37.35	74.00	17.20	124	158	Peak	Vertical
3	2862.358	53.94	15.86	38.08	74.00	-20.06	124	158	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2350.946	38.42	1.24	37.18	54.00	-15.58	268	56	Average	Horizontal
2 *	2480.000	93.83	56.27	37.56	54.00	39.83	268	56	Average	Horizontal
3	2830.262	40.23	2.13	38.10	54.00	-13.77	268	56	Average	Horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.536	38.96	1.78	37.18	54.00	-15.04	363	177	Average	Vertical
2 *	2480.000	90.37	52.81	37.56	54.00	36.37	363	177	Average	Vertical
3	2807.724	40.21	2.09	38.12	54.00	-13.79	363	177	Average	Vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2356.138	50.96	13.79	37.17	74.00	-23.04	268	56	Peak	Horizontal
2 *	2480.000	96.75	59.19	37.56	74.00	22.75	268	56	Peak	Horizontal
3	2483.500	56.49	18.92	37.57	74.00	-17.51	268	56	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.570	50.74	13.60	37.14	74.00	-23.26	363	177	Peak	Vertical
2 *	2480.000	93.12	55.56	37.56	74.00	19.12	363	177	Peak	Vertical
3	2795.098	52.87	14.75	38.12	74.00	-21.13	363	177	Peak	Vertical


Spurious Emissions, TX Mode, 1GHz-26.5GHz for Bluetooth Low Energy 2Mbps




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	48.34	57.78	-9.44	74.00	-25.66	200	23	Peak	horizontal
2	7206.000	52.41	59.23	-6.82	54.00	-1.59	100	64	Average	horizontal
3	7206.000	61.17	67.99	-6.82	74.00	-12.83	100	64	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	45.05	54.49	-9.44	74.00	-28.95	300	134	Peak	vertical
2	7206.000	48.66	55.48	-6.82	54.00	-5.34	400	34	Average	vertical
3	7206.000	57.56	64.38	-6.82	74.00	-16.44	400	34	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.000	45.28	54.59	-9.31	54.00	-8.72	100	115	Average	horizontal
2	4880.000	53.70	63.01	-9.31	74.00	-20.30	100	115	Peak	horizontal
3	7320.000	49.57	56.27	-6.70	54.00	-4.43	107	64	Average	horizontal
4	7320.000	58.06	64.76	-6.70	74.00	-15.94	107	64	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.000	46.85	56.16	-9.31	74.00	-27.15	400	188	Peak	vertical
2	7320.000	44.16	50.86	-6.70	54.00	-9.84	316	360	Average	vertical
3	7320.000	53.26	59.96	-6.70	74.00	-20.74	316	360	Peak	vertical



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4960.000	49.02	58.75	-9.73	54.00	-4.98	313	66	Average	horizontal
2	4960.000	57.85	67.58	-9.73	74.00	-16.15	313	66	Peak	horizontal
3	7440.000	44.80	52.29	-7.49	54.00	-9.20	100	64	Average	horizontal
4	7440.000	54.07	61.56	-7.49	74.00	-19.93	100	64	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	44.52	54.25	-9.73	54.00	-9.48	343	336	Average	vertical
2	4960.000	53.91	63.64	-9.73	74.00	-20.09	343	336	Peak	vertical
3	7440.000	45.22	52.71	-7.49	74.00	-28.78	308	360	Peak	vertical

Spurious Emissions, AC Mains




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.16	7.83	-1.78	9.61	55.34	-47.51	Average	line1
2	0.16	26.19	16.58	9.61	65.34	-39.15	QP	line1
3	0.18	7.21	-2.40	9.61	54.63	-47.42	Average	line1
4	0.18	17.98	8.37	9.61	64.63	-46.65	QP	line1
5	0.22	6.17	-3.44	9.61	52.77	-46.60	Average	line1
6	0.22	10.85	1.24	9.61	62.77	-51.92	QP	line1
7	0.96	5.08	-4.54	9.62	46.00	-40.92	Average	line1
8	0.96	7.93	-1.69	9.62	56.00	-48.07	QP	line1
9	1.18	5.09	-4.53	9.62	46.00	-40.91	Average	line1
10	1.18	8.20	-1.42	9.62	56.00	-47.80	QP	line1
11	27.43	10.30	0.53	9.77	50.00	-39.70	Average	line1
12	27.43	16.71	6.94	9.77	60.00	-43.29	QP	line1



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level	Factor	Line	Limit	Remark	Pol/Phase
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.15	7.97	-1.65	9.62	55.88	-47.91	Average	neutral
2	0.15	27.77	18.15	9.62	65.88	-38.11	QP	neutral
3	0.17	7.63	-1.99	9.62	55.13	-47.50	Average	neutral
4	0.17	23.33	13.71	9.62	65.13	-41.80	QP	neutral
5	0.18	7.10	-2.52	9.62	54.30	-47.20	Average	neutral
6	0.18	19.27	9.65	9.62	64.30	-45.03	QP	neutral
7	0.31	5.85	-3.77	9.62	50.08	-44.23	Average	neutral
8	0.31	8.86	-0.76	9.62	60.08	-51.22	QP	neutral
9	30.00	24.95	15.11	9.84	50.00	-25.05	Average	neutral
10	30.00	32.20	22.36	9.84	60.00	-27.80	QP	neutral