































11AC20SISO_Ant1_5825_5925~40000





11A_Ant1_5180_30~5140





11A_Ant1_5180_5360~40000
















11N20SISO_Ant1_5240_5360~40000





11N20SISO_Ant1_5745_30~5650




11N20SISO_Ant1_5745_5925~40000












11AC20SISO_Ant1_5240_5360~40000





11AC20SISO_Ant1_5745_30~5650



11AC20SISO_Ant1_5745_5925~40000







Appendix G: Frequency Stability

Test Result

Operating frequency: 5180 MHz			
Power Supply (VDC)	Temperature (°C)	Measured Frequency (MHz)	Frequency Deviation (ppm)
12V	-20	5180.015	2.91
	-10	5180.016	3.18
	0	5180.016	3.02
	10	5180.012	2.25
	20	5180.011	2.13
	30	5180.013	2.51
	40	5180.019	3.58
	50	5180.019	3.58
	60	5180.018	3.51
	70	5180.014	2.63
10.8V	20	5180.017	3.19
13.2V	20	5180.014	2.74

Operating frequency: 5785 MHz			
Power Supply (VDC)	Temperature (°C)	Measured Frequency (MHz)	Frequency Deviation
12V	-20	5785.018	3.18
	-10	5785.012	2.09
	0	5785.011	1.98
	10	5785.011	1.97
	20	5785.011	1.87
	30	5785.015	2.58
	40	5785.011	1.85
	50	5785.019	3.24
	60	5785.018	3.13
	70	5785.017	3.00
10.8V	20	5785.014	2.42
13.2V	20	5785.017	2.91

Photographs of the Test Setup

See the Appendix – Test Setup Photos.

Photographs of the EUT

See the Appendix - EUT Photos.

----End of Report----