


Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2458.500	68.10	33.63	101.73	74.00	27.73	peak	Fundamental frequency, no limit
2	*	2459.400	55.38	33.63	89.01	54.00	35.01	AVG	Fundamental frequency, no limit
3		2483.500	27.68	33.66	61.34	74.00	-12.66	peak	
4		2483.500	16.13	33.66	49.79	54.00	-4.21	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4923.950	41.14	8.37	49.51	74.00	-24.49	peak	
2	*	4924.150	35.59	8.37	43.96	54.00	-10.04	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2458.400	78.07	33.63	111.70	74.00	37.70	peak	Fundamental frequency, no limit
2	*	2469.000	64.97	33.65	98.62	54.00	44.62	AVG	Fundamental frequency, no limit
3		2483.500	30.28	33.66	63.94	74.00	-10.06	peak	
4		2483.500	18.22	33.66	51.88	54.00	-2.12	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4924.150	29.08	8.37	37.45	54.00	-16.55	AVG	
2		4924.250	39.32	8.37	47.69	74.00	-26.31	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	27.87	33.54	61.41	74.00	-12.59	peak	
2		2390.000	15.91	33.54	49.45	54.00	-4.55	AVG	
3	*	2425.400	49.51	33.58	83.09	54.00	29.09	AVG	Fundamental frequency, no limit
4	X	2434.400	63.22	33.60	96.82	74.00	22.82	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4844.150	39.08	8.19	47.27	54.00	-6.73	AVG	
2		4844.250	44.88	8.19	53.07	74.00	-20.93	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	30.96	33.54	64.50	74.00	-9.50	peak	
2		2390.000	18.24	33.54	51.78	54.00	-2.22	AVG	
3	X	2414.600	72.60	33.57	106.17	74.00	32.17	peak	Fundamental frequency, no limit
4	*	2416.000	59.37	33.57	92.94	54.00	38.94	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4844.000	38.85	8.19	47.04	74.00	-26.96	peak	
2	*	4844.100	32.25	8.19	40.44	54.00	-13.56	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2434.400	63.39	33.60	96.99	74.00	22.99	peak	Fundamental frequency, no limit
2	*	2435.000	51.92	33.60	85.52	54.00	31.52	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.050	43.75	8.26	52.01	74.00	-21.99	peak	
2	*	4874.150	38.74	8.26	47.00	54.00	-7.00	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2434.400	74.41	33.60	108.01	74.00	34.01	peak	Fundamental frequency, no limit
2	*	2435.000	61.54	33.60	95.14	54.00	41.14	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4874.050	30.40	8.26	38.66	54.00	-15.34	AVG	
2		4874.300	37.90	8.26	46.16	74.00	-27.84	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2447.600	49.07	33.61	82.68	54.00	28.68	AVG	Fundamental frequency, no limit
2	X	2458.800	63.57	33.63	97.20	74.00	23.20	peak	Fundamental frequency, no limit
3		2483.500	26.79	33.66	60.45	74.00	-13.55	peak	
4		2483.500	16.03	33.66	49.69	54.00	-4.31	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4904.150	41.62	8.33	49.95	74.00	-24.05	peak	
2	*	4904.150	36.46	8.33	44.79	54.00	-9.21	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2438.600	74.44	33.60	108.04	74.00	34.04	peak	Fundamental frequency, no limit
2	*	2447.200	60.10	33.61	93.71	54.00	39.71	AVG	Fundamental frequency, no limit
3		2483.500	30.15	33.66	63.81	74.00	-10.19	peak	
4		2483.500	18.12	33.66	51.78	54.00	-2.22	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4904.050	37.39	8.33	45.72	74.00	-28.28	peak	
2	*	4904.150	29.21	8.33	37.54	54.00	-16.46	AVG	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11_ANT 1


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	9.08	15.05	500	Complies
2437 MHz	9.13	15.05	500	Complies
2462 MHz	10.07	15.00	500	Complies

TX CH01




Date: 31.JUL.2014 09:13:27

TX CH06



Date: 31.JUL.2014 09:16:32

TX CH11




Date: 31.JUL.2014 09:18:06

Test Mode : TX B Mode_CH01/06/11_ANT 2


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	10.07	15.05	500	Complies
2437 MHz	9.07	15.05	500	Complies
2462 MHz	9.63	15.00	500	Complies

TX CH01




Date: 31.JUL.2014 09:51:06

TX CH06



Date: 31.JUL.2014 10:00:52

TX CH11




Date: 31.JUL.2014 10:02:35

Test Mode: TX G Mode_CH01/06/11_ANT 1


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	16.26	16.50	500	Complies
2437 MHz	16.36	16.50	500	Complies
2462 MHz	16.31	16.50	500	Complies

TX CH01




Date: 31.JUL.2014 09:22:26

TX CH06



Date: 31.JUL.2014 09:25:22

TX CH11




Date: 31.JUL.2014 09:27:48

Test Mode: TX G Mode_CH01/06/11_ANT 2


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	16.31	16.55	500	Complies
2437 MHz	16.31	16.55	500	Complies
2462 MHz	16.31	16.55	500	Complies

TX CH01




Date: 31.JUL.2014 10:04:11

TX CH06



Date: 31.JUL.2014 10:05:49

TX CH11




Date: 31.JUL.2014 10:07:04

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 1


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	17.45	17.65	500	Complies
2437 MHz	17.61	17.70	500	Complies
2462 MHz	17.61	17.70	500	Complies

TX CH01




Date: 31.JUL.2014 09:29:41

TX CH06



Date: 31.JUL.2014 09:32:24

TX CH11




Date: 31.JUL.2014 09:37:34

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 2


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412 MHz	17.51	17.65	500	Complies
2437 MHz	17.56	17.70	500	Complies
2462 MHz	17.56	17.70	500	Complies

TX CH01




Date: 31.JUL.2014 10:11:18

TX CH06



Date: 31.JUL.2014 10:13:15

TX CH11




Date: 31.JUL.2014 10:14:40

Test Mode : TX N-40MHz Mode_CH03/06/09_ANT 1


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422 MHz	35.21	36.00	500	Complies
2437 MHz	35.31	36.00	500	Complies
2452 MHz	35.71	36.00	500	Complies

TX CH03




Date: 31.JUL.2014 09:39:47

TX CH06



Date: 31.JUL.2014 09:41:29

TX CH09




Date: 31.JUL.2014 09:42:48

Test Mode : TX N-40MHz Mode_CH03/06/09_ANT 2


Frequency	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422 MHz	36.10	36.10	500	Complies
2437 MHz	35.50	36.10	500	Complies
2452 MHz	36.10	36.10	500	Complies

TX CH03




Date: 31.JUL.2014 10:16:16

TX CH06



Date: 31.JUL.2014 10:18:48

TX CH09



Date: 31.JUL.2014 10:20:23

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode : TX B Mode ANT 1					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	14.03	0.0253	30.00	1.00	Complies
2437 MHz	14.00	0.0251	30.00	1.00	Complies
2462 MHz	14.33	0.0271	30.00	1.00	Complies

Test Mode : TX B Mode Ant 2					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	14.24	0.0265	30.00	1.00	Complies
2437 MHz	14.41	0.0276	30.00	1.00	Complies
2462 MHz	14.31	0.0270	30.00	1.00	Complies

Test Mode : TX B Mode Total					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	17.15	0.0518	30.00	1.00	Complies
2437 MHz	17.22	0.0527	30.00	1.00	Complies
2462 MHz	17.33	0.0541	30.00	1.00	Complies

Test Mode : TX G Mode ANT 1					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	20.03	0.1007	30.00	1.00	Complies
2437 MHz	20.25	0.1059	30.00	1.00	Complies
2462 MHz	20.43	0.1104	30.00	1.00	Complies

Test Mode : TX G Mode Ant 2					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	18.02	0.0634	30.00	1.00	Complies
2437 MHz	18.89	0.0774	30.00	1.00	Complies
2462 MHz	18.92	0.0780	30.00	1.00	Complies

Test Mode : TX G Mode Total					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	22.15	0.1641	30.00	1.00	Complies
2437 MHz	22.63	0.1834	30.00	1.00	Complies
2462 MHz	22.75	0.1884	30.00	1.00	Complies

Test Mode : TX N-20M Mode ANT 1					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	20.25	0.1059	30.00	1.00	Complies
2437 MHz	20.35	0.1084	30.00	1.00	Complies
2462 MHz	20.08	0.1019	30.00	1.00	Complies

Test Mode : TX N-20M Mode ANT 2					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	18.03	0.0635	30.00	1.00	Complies
2437 MHz	18.74	0.0748	30.00	1.00	Complies
2462 MHz	18.63	0.0729	30.00	1.00	Complies

Test Mode : TX N-20M Mode Total					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2412 MHz	22.29	0.1695	30.00	1.00	Complies
2437 MHz	22.63	0.1832	30.00	1.00	Complies
2462 MHz	22.43	0.1748	30.00	1.00	Complies

Test Mode : TX N-40M Mode ANT 1					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	19.32	0.0855	30.00	1.00	Complies
2437 MHz	20.36	0.1086	30.00	1.00	Complies
2452 MHz	20.17	0.1040	30.00	1.00	Complies


Test Mode : TX N-40M Mode ANT 2					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	16.93	0.0493	30.00	1.00	Complies
2437 MHz	17.54	0.0568	30.00	1.00	Complies
2452 MHz	16.92	0.0492	30.00	1.00	Complies

Test Mode : TX N-40M Mode Total					
Frequency	Conducted Power (dBm)	Conducted Power (W)	Max. Limit(dBm)	Max. Limit(W)	Result
2422 MHz	21.30	0.1348	30.00	1.00	Complies
2437 MHz	22.19	0.1654	30.00	1.00	Complies
2452 MHz	21.85	0.1532	30.00	1.00	Complies

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode :	TX B Mode_ANT 1
-------------	-----------------

TX B mode CH01




Date: 31.JUL.2014 09:14:06

TX B mode CH11




Date: 31.JUL.2014 09:21:06

TX B mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:12:29

TX B mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:15:43


TX B mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:17:33


Test Mode :	TX B Mode_ANT 2
--------------------	------------------------

TX B mode CH01




Date: 31.JUL.2014 09:51:26

TX B mode CH11




Date: 31.JUL.2014 10:02:51

TX B mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:50:29

TX B mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:59:52


TX B mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:01:43


Test Mode :	TX G Mode_ANT 1
--------------------	------------------------

TX G mode CH01




Date: 31.JUL.2014 09:22:59

TX G mode CH11




Date: 31.JUL.2014 09:28:22

TX G mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:22:06

TX G mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:24:48


TX G mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:27:17


Test Mode :	TX G Mode_ANT 2
-------------	-----------------

TX G mode CH01




Date: 31.JUL.2014 10:04:35

TX G mode CH11




Date: 31.JUL.2014 10:07:27

TX G mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 10:03:45

TX G mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:05:22


TX G mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:06:39


Test Mode :	TX N-20M Mode_ANT 1
--------------------	----------------------------

TX HT20 mode CH01




Date: 31.JUL.2014 09:30:12

TX HT20 mode CH11




Date: 31.JUL.2014 09:38:08

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:29:17

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:31:55


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:36:53


Test Mode :	TX N-20M Mode_ANT 2
--------------------	----------------------------

TX HT20 mode CH01




Date: 31.JUL.2014 10:11:38

TX HT20 mode CH11




Date: 31.JUL.2014 10:15:02

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 31.JUL.2014 10:10:41

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:12:50


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:14:16


Test Mode :	TX N-40M Mode_ANT 1
--------------------	----------------------------

TX HT40 mode CH03




Date: 31.JUL.2014 09:40:13

TX HT40 mode CH09




Date: 31.JUL.2014 09:43:57

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 31.JUL.2014 09:39:21

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:41:04


TX HT40 mode CH09 (10 Harmonic of the frequency)



Date: 31.JUL.2014 09:42:21


Test Mode :	TX N-40M Mode_ANT 2
--------------------	----------------------------

TX HT40 mode CH03




Date: 31.JUL.2014 10:16:39

TX HT40 mode CH09




Date: 31.JUL.2014 10:21:51

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 31.JUL.2014 10:15:53

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 31.JUL.2014 10:17:29

TX HT40 mode CH09 (10 Harmonic of the frequency)




Date: 31.JUL.2014 10:19:53

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11_ANT 1


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-7.20	0.19	8.00	Complies
2437 MHz	-9.30	0.12	8.00	Complies
2462 MHz	-5.26	0.30	8.00	Complies

TX CH01




Date: 31.JUL.2014 09:15:07

TX CH06



Date: 31.JUL.2014 09:16:48

TX CH11




Date: 31.JUL.2014 09:21:21

Test Mode :TX B Mode_CH01/06/11_ANT 2


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-5.59	0.28	8.00	Complies
2437 MHz	-5.70	0.27	8.00	Complies
2462 MHz	-3.49	0.45	8.00	Complies

TX CH01




Date: 31.JUL.2014 09:58:44

TX CH06



Date: 31.JUL.2014 10:01:06

TX CH11



Date: 31.JUL.2014 10:03:05


Test Mode :TX B Mode_CH01/06/11_Total

Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-3.31	0.47	8.00	Complies
2437 MHz	-4.13	0.39	8.00	Complies
2462 MHz	-1.28	0.75	8.00	Complies

Test Mode :TX G Mode_CH01/06/11_ANT 1


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-14.21	0.04	8.00	Complies
2437 MHz	-13.42	0.05	8.00	Complies
2462 MHz	-12.32	0.06	8.00	Complies

TX CH01




Date: 31.JUL.2014 09:23:58

TX CH06



Date: 31.JUL.2014 09:25:50

TX CH11




Date: 31.JUL.2014 09:28:41

Test Mode :TX G Mode_CH01/06/11_ANT 2


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-12.48	0.06	8.00	Complies
2437 MHz	-11.47	0.07	8.00	Complies
2462 MHz	-13.41	0.05	8.00	Complies

TX CH01




Date: 31.JUL.2014 10:04:49

TX CH06



Date: 31.JUL.2014 10:06:03

TX CH11



Date: 31.JUL.2014 10:07:44


Test Mode :TX G Mode_CH01/06/11_Total

Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-10.25	0.09	8.00	Complies
2437 MHz	-9.33	0.12	8.00	Complies
2462 MHz	-9.82	0.10	8.00	Complies

Test Mode : TX N-20M Mode_CH01/06/11_ANT 1


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-14.37	0.04	8.00	Complies
2437 MHz	-14.19	0.04	8.00	Complies
2462 MHz	-14.01	0.04	8.00	Complies

TX CH01




Date: 31.JUL.2014 09:30:56

TX CH06



Date: 31.JUL.2014 09:32:43

TX CH11




Date: 31.JUL.2014 09:38:30

Test Mode : TX N-20M Mode_CH01/06/11_ANT 2


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-12.32	0.06	8.00	Complies
2437 MHz	-12.86	0.05	8.00	Complies
2462 MHz	-12.38	0.06	8.00	Complies

TX CH01




Date: 31.JUL.2014 10:11:53

TX CH06



Date: 31.JUL.2014 10:13:30

TX CH11



Date: 31.JUL.2014 10:15:17


Test Mode : TX N-20M Mode_CH01/06/11_Total

Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2412 MHz	-10.21	0.10	8.00	Complies
2437 MHz	-10.46	0.09	8.00	Complies
2462 MHz	-10.11	0.10	8.00	Complies

Test Mode : TX N-40M Mode_CH03/06/09_ANT 1


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2422 MHz	-17.12	0.02	8.00	Complies
2437 MHz	-16.83	0.02	8.00	Complies
2452 MHz	-15.78	0.03	8.00	Complies

TX CH03




Date: 31.JUL.2014 09:40:33

TX CH06



Date: 31.JUL.2014 09:41:46

TX CH09




Date: 31.JUL.2014 09:46:06

Test Mode : TX N-40M Mode_CH03/06/09_ANT 2


Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2422 MHz	-15.51	0.03	8.00	Complies
2437 MHz	-14.93	0.03	8.00	Complies
2452 MHz	-14.52	0.04	8.00	Complies

TX CH03




Date: 31.JUL.2014 10:16:59

TX CH06



Date: 31.JUL.2014 10:19:11

TX CH09



Date: 31.JUL.2014 10:22:13

Test Mode : TX N-40M Mode_CH03/06/09_Total

Frequency	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm)	Result
2422 MHz	-13.23	0.05	8.00	Complies
2437 MHz	-12.77	0.05	8.00	Complies
2452 MHz	-12.09	0.06	8.00	Complies