



Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref



Tx. Spurious NVNT b 2412MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Ref



Tx. Spurious NVNT b 2462MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission






Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission







Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref



Tx. Spurious NVNT n20 2462MHz Ant1 Emission




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT n40 2422MHz Ant1 Ref




Tx. Spurious NVNT n40 2422MHz Ant1 Emission






Tx. Spurious NVNT n40 2437MHz Ant1 Ref




Tx. Spurious NVNT n40 2437MHz Ant1 Emission






Tx. Spurious NVNT n40 2452MHz Ant1 Ref



Tx. Spurious NVNT n40 2452MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



C.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant0	99.64	0	0.12
NVNT	b	2437	Ant0	99.64	0	0.12
NVNT	b	2462	Ant0	99.67	0	0.12
NVNT	g	2412	Ant0	97.62	0.1	0.72
NVNT	g	2437	Ant0	97.48	0.11	0.72
NVNT	g	2462	Ant0	97.62	0.1	0.72
NVNT	n20	2412	Ant0	97.31	0.12	0.77
NVNT	n20	2437	Ant0	97.31	0.12	0.77
NVNT	n20	2462	Ant0	97.31	0.12	0.77
NVNT	n40	2422	Ant0	95.03	0.22	1.54
NVNT	n40	2437	Ant0	95.03	0.22	1.54
NVNT	n40	2452	Ant0	95.03	0.22	1.54






Test Graphs

Duty Cycle NVNT b 2412MHz Ant0




Duty Cycle NVNT b 2437MHz Ant0






Duty Cycle NVNT b 2462MHz Ant0




Duty Cycle NVNT g 2412MHz Ant0






Duty Cycle NVNT g 2437MHz Ant0




Duty Cycle NVNT g 2462MHz Ant0






Duty Cycle NVNT n20 2412MHz Ant0




Duty Cycle NVNT n20 2437MHz Ant0






Duty Cycle NVNT n20 2462MHz Ant0




Duty Cycle NVNT n40 2422MHz Ant0






Duty Cycle NVNT n40 2437MHz Ant0




Duty Cycle NVNT n40 2452MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.67	0	0.12
NVNT	b	2437	Ant1	99.64	0	0.12
NVNT	b	2462	Ant1	99.67	0	0.12
NVNT	g	2412	Ant1	97.62	0.1	0.72
NVNT	g	2437	Ant1	97.62	0.1	0.72
NVNT	g	2462	Ant1	97.48	0.11	0.72
NVNT	n20	2412	Ant1	97.46	0.11	0.77
NVNT	n20	2437	Ant1	97.31	0.12	0.77
NVNT	n20	2462	Ant1	97.46	0.11	0.77
NVNT	n40	2422	Ant1	95.03	0.22	1.54
NVNT	n40	2437	Ant1	95.03	0.22	1.54
NVNT	n40	2452	Ant1	95.03	0.22	1.54






Test Graphs

Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1






Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1






Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1






Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1






Duty Cycle NVNT n20 2462MHz Ant1




Duty Cycle NVNT n40 2422MHz Ant1






Duty Cycle NVNT n40 2437MHz Ant1



Duty Cycle NVNT n40 2452MHz Ant1






C.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-57.46	2	39.8	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-60.6	2	36.66	Average	54	Pass
NVNT	b	2412	Ant0	2386.986	-46.66	2	50.6	Peak	74	Pass
NVNT	b	2412	Ant0	2386.401	-56.4	2	40.86	Average	54	Pass
NVNT	b	2412	Ant0	2390	-55.07	2	42.19	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-57.73	2	39.53	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-46.12	2	51.14	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-55.64	2	41.62	Average	54	Pass
NVNT	b	2462	Ant0	2485.69	-45.46	2	51.8	Peak	74	Pass
NVNT	b	2462	Ant0	2486.644	-54.89	2	42.37	Average	54	Pass
NVNT	b	2462	Ant0	2500	-50.64	2	46.62	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-59.97	2	37.29	Average	54	Pass
NVNT	g	2412	Ant0	2310	-51.55	2	45.71	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-60.2	2	37.06	Average	54	Pass
NVNT	g	2412	Ant0	2389.56	-43.66	2	53.6	Peak	74	Pass
NVNT	g	2412	Ant0	2389.911	-54.24	2	43.02	Average	54	Pass
NVNT	g	2412	Ant0	2390	-44.1	2	53.16	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-54.07	2	43.19	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-49.99	2	47.27	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-59.41	2	37.85	Average	54	Pass
NVNT	g	2462	Ant0	2487.492	-47.35	2	49.91	Peak	74	Pass
NVNT	g	2462	Ant0	2491.043	-59.3	2	37.96	Average	54	Pass
NVNT	g	2462	Ant0	2500	-50.95	2	46.31	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-59.66	2	37.6	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-51.33	2	45.93	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-60.23	2	37.03	Average	54	Pass
NVNT	n20	2412	Ant0	2389.794	-36.51	2	60.75	Peak	74	Pass
NVNT	n20	2412	Ant0	2389.911	-52.74	2	44.52	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-39.89	2	57.37	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-52.65	2	44.61	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-48.39	2	48.87	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-58.16	2	39.1	Average	54	Pass
NVNT	n20	2462	Ant0	2490.142	-37.02	2	60.24	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.994	-58.03	2	39.23	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-47.83	2	49.43	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-58.34	2	38.92	Average	54	Pass
NVNT	n40	2422	Ant0	2310	-50.32	2	46.94	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	n40	2422	Ant0	2310	-60.03	2	37.23	Average	54	Pass
NVNT	n40	2422	Ant0	2389.52	-24.62	2	72.64	Peak	74	Pass
NVNT	n40	2422	Ant0	2389.946	-44.84	2	52.42	Average	54	Pass
NVNT	n40	2422	Ant0	2390	-33.05	2	64.21	Peak	74	Pass
NVNT	n40	2422	Ant0	2390	-44.73	2	52.53	Average	54	Pass
NVNT	n40	2452	Ant0	2483.5	-44.77	2	52.49	Peak	74	Pass
NVNT	n40	2452	Ant0	2483.5	-56.87	2	40.39	Average	54	Pass
NVNT	n40	2452	Ant0	2488.456	-33.28	2	63.98	Peak	74	Pass
NVNT	n40	2452	Ant0	2484.79	-56.13	2	41.13	Average	54	Pass
NVNT	n40	2452	Ant0	2500	-48.99	2	48.27	Peak	74	Pass
NVNT	n40	2452	Ant0	2500	-56.53	2	40.73	Average	54	Pass

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-58.44	2	38.82	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-60.75	2	36.51	Average	54	Pass
NVNT	b	2412	Ant1	2385.933	-47.94	2	49.32	Peak	74	Pass
NVNT	b	2412	Ant1	2387.688	-58.34	2	38.92	Average	54	Pass
NVNT	b	2412	Ant1	2390	-53.05	2	44.21	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-58.82	2	38.44	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-48.53	2	48.73	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-57.8	2	39.46	Average	54	Pass
NVNT	b	2462	Ant1	2485.955	-46.06	2	51.2	Peak	74	Pass
NVNT	b	2462	Ant1	2483.517	-57.8	2	39.46	Average	54	Pass
NVNT	b	2462	Ant1	2500	-50.74	2	46.52	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-60.02	2	37.24	Average	54	Pass
NVNT	g	2412	Ant1	2310	-52.1	2	45.16	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-60.36	2	36.9	Average	54	Pass
NVNT	g	2412	Ant1	2388.975	-43.88	2	53.38	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-54.6	2	42.66	Average	54	Pass
NVNT	g	2412	Ant1	2390	-44.16	2	53.1	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-54.37	2	42.89	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-48.39	2	48.87	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-57.23	2	40.03	Average	54	Pass
NVNT	g	2462	Ant1	2486.061	-46.17	2	51.09	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-57.23	2	40.03	Average	54	Pass
NVNT	g	2462	Ant1	2500	-48.79	2	48.47	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-59.48	2	37.78	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-50.54	2	46.72	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-60.21	2	37.05	Average	54	Pass
NVNT	n20	2412	Ant1	2389.56	-41.91	2	55.35	Peak	74	Pass





NVNT	n20	2412	Ant1	2389.794	-54.5	2	42.76	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-44.15	2	53.11	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-54.43	2	42.83	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-46.57	2	50.69	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-56.85	2	40.41	Average	54	Pass
NVNT	n20	2462	Ant1	2485.266	-37.52	2	59.74	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.782	-56.48	2	40.78	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-49.14	2	48.12	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-58.63	2	38.63	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-50.78	2	46.48	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-59.99	2	37.27	Average	54	Pass
NVNT	n40	2422	Ant1	2388.384	-31.82	2	65.44	Peak	74	Pass
NVNT	n40	2422	Ant1	2388.952	-49.43	2	47.83	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-39.81	2	57.45	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-49.57	2	47.69	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-35.13	2	62.13	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-53.71	2	43.55	Average	54	Pass
NVNT	n40	2452	Ant1	2490.64	-30.39	2	66.87	Peak	74	Pass
NVNT	n40	2452	Ant1	2484.79	-51.98	2	45.28	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-48.12	2	49.14	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-54.6	2	42.66	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)			E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
				Ant0	Ant1	Ant0+Ant1				
NVNT	n20	2412	2310	-51.33	-50.54	-47.91	47.32	Peak	74	Pass
NVNT	n20	2412	2310	-60.23	-60.21	-57.21	38.02	Average	54	Pass
NVNT	n20	2412	2389.794	-36.51	-41.91	-35.41	59.82	Peak	74	Pass
NVNT	n20	2412	2389.911	-52.74	-54.5	-50.52	44.71	Average	54	Pass
NVNT	n20	2412	2390	-39.89	-44.15	-38.51	56.72	Peak	74	Pass
NVNT	n20	2412	2390	-52.65	-54.43	-50.44	44.79	Average	54	Pass
NVNT	n20	2462	2483.5	-48.39	-46.57	-44.38	50.85	Peak	74	Pass
NVNT	n20	2462	2483.5	-58.16	-56.85	-54.45	40.78	Average	54	Pass
NVNT	n20	2462	2490.142	-37.02	-37.52	-34.25	60.98	Peak	74	Pass
NVNT	n20	2462	2483.994	-58.03	-56.48	-54.18	41.05	Average	54	Pass
NVNT	n20	2462	2500	-47.83	-49.14	-45.43	49.80	Peak	74	Pass
NVNT	n20	2462	2500	-58.34	-58.63	-55.47	39.76	Average	54	Pass
NVNT	n40	2422	2310	-50.32	-50.78	-47.53	47.69	Peak	74	Pass
NVNT	n40	2422	2310	-60.03	-59.99	-57.00	38.23	Average	54	Pass
NVNT	n40	2422	2389.52	-24.62	-31.82	-23.86	71.37	Peak	74	Pass
NVNT	n40	2422	2389.946	-44.84	-49.43	-43.54	51.68	Average	54	Pass
NVNT	n40	2422	2390	-33.05	-39.81	-32.22	63.01	Peak	74	Pass
NVNT	n40	2422	2390	-44.73	-49.57	-43.50	51.73	Average	54	Pass
NVNT	n40	2452	2483.5	-44.77	-35.13	-34.68	60.55	Peak	74	Pass
NVNT	n40	2452	2483.5	-56.87	-53.71	-52.00	43.23	Average	54	Pass
NVNT	n40	2452	2488.456	-33.28	-30.39	-28.59	66.64	Peak	74	Pass
NVNT	n40	2452	2484.79	-56.13	-51.98	-50.57	44.66	Average	54	Pass
NVNT	n40	2452	2500	-48.99	-48.12	-45.52	49.70	Peak	74	Pass
NVNT	n40	2452	2500	-56.53	-54.6	-52.45	42.78	Average	54	Pass

Note: The Antenna Gain is compensated in the graph




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Restrict Band NVNT b 2412MHz Ant0 Peak




Restrict Band NVNT b 2412MHz Ant0 Average








Restrict Band NVNT g 2412MHz Ant0 Peak




Restrict Band NVNT g 2412MHz Ant0 Average






Restrict Band NVNT g 2462MHz Ant0 Peak




Restrict Band NVNT g 2462MHz Ant0 Average






Restrict Band NVNT n20 2412MHz Ant0 Peak



Restrict Band NVNT n20 2412MHz Ant0 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2462MHz Ant0 Peak




Restrict Band NVNT n20 2462MHz Ant0 Average






Restrict Band NVNT n40 2422MHz Ant0 Peak




Restrict Band NVNT n40 2422MHz Ant0 Average







Restrict Band NVNT n40 2452MHz Ant0 Peak



Restrict Band NVNT n40 2452MHz Ant0 Average







LCSA051222131EC

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average






LCSA051222131EC

Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average






LCSA051222131EC

Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average






LCSA051222131EC

Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average






LCSA051222131EC

Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average







LCSA051222131EC

Restrict Band NVNT n20 2462MHz Ant1 Peak



Restrict Band NVNT n20 2462MHz Ant1 Average







LCSA051222131EC

Restrict Band NVNT n40 2422MHz Ant1 Peak




Restrict Band NVNT n40 2422MHz Ant1 Average






LCSA051222131EC

Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity