



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: MINI PC

Test Model: B00JP1

Environmental Conditions

Temperature:	24.1℃
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Bill Zhu
Supervised by:	Li Huan





A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.814	--	Pass
NVNT	1-DH5	2441	Ant1	0.921	--	Pass
NVNT	1-DH5	2480	Ant1	0.853	--	Pass
NVNT	2-DH5	2402	Ant1	1.275	--	Pass
NVNT	2-DH5	2441	Ant1	1.283	--	Pass
NVNT	2-DH5	2480	Ant1	1.277	--	Pass
NVNT	3-DH5	2402	Ant1	1.268	--	Pass
NVNT	3-DH5	2441	Ant1	1.298	--	Pass
NVNT	3-DH5	2480	Ant1	1.311	--	Pass






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1





A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	1.73	21	Pass
NVNT	1-DH5	2441	Ant1	2.52	21	Pass
NVNT	1-DH5	2480	Ant1	3.07	21	Pass
NVNT	2-DH5	2402	Ant1	0.57	21	Pass
NVNT	2-DH5	2441	Ant1	1.93	21	Pass
NVNT	2-DH5	2480	Ant1	2.98	21	Pass
NVNT	3-DH5	2402	Ant1	0.55	21	Pass
NVNT	3-DH5	2441	Ant1	1.9	21	Pass
NVNT	3-DH5	2480	Ant1	2.94	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1





A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.972	2403.06	1.088	0.543	Pass
NVNT	2-DH5	Ant1	2402.004	2403.142	1.138	0.85	Pass
NVNT	3-DH5	Ant1	2402.168	2403.154	0.986	0.845	Pass






Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1





A.4 Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.882	319.902	111	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.881	290.981	101	31600	400	Pass
NVNT	1-DH5	2480	Ant1	2.881	267.933	93	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.885	285.615	99	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.883	296.949	103	31600	400	Pass
NVNT	2-DH5	2480	Ant1	2.885	276.96	96	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.886	305.916	106	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.885	317.35	110	31600	400	Pass
NVNT	3-DH5	2480	Ant1	2.885	297.155	103	31600	400	Pass






Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst



Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Dwell NVNT 1-DH5 2441MHz Ant1 One Burst




Dwell NVNT 1-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 1-DH5 2480MHz Ant1 One Burst




Dwell NVNT 1-DH5 2480MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2441MHz Ant1 One Burst




Dwell NVNT 2-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2480MHz Ant1 One Burst




Dwell NVNT 2-DH5 2480MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Dwell NVNT 3-DH5 2441MHz Ant1 One Burst




Dwell NVNT 3-DH5 2441MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2480MHz Ant1 One Burst



Dwell NVNT 3-DH5 2480MHz Ant1 Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-57.56	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-59.27	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-55.31	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-58.14	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-56.4	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-59.46	-20	Pass






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



**(Hopping)**


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-57.25	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-58.81	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-54.63	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-58.81	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-54.9	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-58.78	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-57.19	-20	Pass
NVNT	1-DH5	2441	Ant1	-57.63	-20	Pass
NVNT	1-DH5	2480	Ant1	-58.51	-20	Pass
NVNT	2-DH5	2402	Ant1	-55.93	-20	Pass
NVNT	2-DH5	2441	Ant1	-56	-20	Pass
NVNT	2-DH5	2480	Ant1	-58.27	-20	Pass
NVNT	3-DH5	2402	Ant1	-55.81	-20	Pass
NVNT	3-DH5	2441	Ant1	-57.27	-20	Pass
NVNT	3-DH5	2480	Ant1	-57.46	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.8 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.75	2	46.51	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-60.78	2	36.48	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2360.4	-47.37	2	49.89	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2375.184	-60.22	2	37.04	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-49.76	2	47.5	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-60.44	2	36.82	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.85	2	47.41	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-59.58	2	37.68	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2498.92	-46.75	2	50.51	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.512	-59.58	2	37.68	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-48.97	2	48.29	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-60.11	2	37.15	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.65	2	46.61	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-60.71	2	36.55	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2348.688	-48.03	2	49.23	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2371.824	-60.24	2	37.02	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.83	2	46.43	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-60.5	2	36.76	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-50.34	2	46.92	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-59.32	2	37.94	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2498.512	-46.88	2	50.38	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.536	-59.3	2	37.96	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.92	2	46.34	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-60.18	2	37.08	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.72	2	46.54	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-60.7	2	36.56	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2333.04	-47.65	2	49.61	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2381.616	-60.26	2	37	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.01	2	47.25	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-60.46	2	36.8	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.56	2	47.7	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-59.41	2	37.85	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2492.872	-47.32	2	49.94	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-59.41	2	37.85	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-48.99	2	48.27	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-60.06	2	37.2	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

