





EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

|            |                                                                                                                                                                                                                                                                                                                                                         |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EUT View 1 |  A photograph showing the ZillionSense ZS-300 L device, a small black rectangular unit with a charging indicator and IP65 rating. It is placed next to a black L-shaped ruler for scale. To the right of the device are a small black antenna and a black USB cable. |
| EUT View 2 |  A close-up photograph of the ZillionSense ZS-300 L device, showing the charging indicator and IP65 rating. It is placed next to a black L-shaped ruler for scale.                                                                                                  |

|            |                                                                                     |
|------------|-------------------------------------------------------------------------------------|
| EUT View 3 |   |
| EUT View 4 |  |

|            |                                                                                     |
|------------|-------------------------------------------------------------------------------------|
| EUT View 5 |   |
| EUT View 6 |  |

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>EUT View 7</p> |  A top-down view of a black, rectangular ZillionSense ZS-300 L device. The device is placed on a black ruler with white markings. The ruler shows measurements in millimeters (0 to 100) and centimeters (0 to 10). The device has a "ZillionSense®" logo in the center, "ZS-300 L" at the bottom right, and "IP65" and "Charging" indicators at the top. A small blue circular mark is visible on the ruler near the device. |
| <p>EUT View 8</p> |  A bottom-up view of the ZillionSense ZS-300 L device. The device is black and rectangular. It features a small, dark, rectangular component protruding from the top. Below this component, there are two circular ports, likely for charging or data transfer. The device is set against a light blue background.                                                                                                           |