



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: IP Phone

Test Model: UCV50

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Ling Zhu





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.813	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.829	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.811	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.273	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.272	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.256	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.252	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.293	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.255	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	2.36	21	Pass
NVNT	1-DH5	2441	Ant1	1.95	21	Pass
NVNT	1-DH5	2480	Ant1	2.12	21	Pass
NVNT	2-DH5	2402	Ant1	1.65	21	Pass
NVNT	2-DH5	2441	Ant1	1.18	21	Pass
NVNT	2-DH5	2480	Ant1	1.50	21	Pass
NVNT	3-DH5	2402	Ant1	1.51	21	Pass
NVNT	3-DH5	2441	Ant1	1.06	21	Pass
NVNT	3-DH5	2480	Ant1	1.44	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1








Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1









Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.996	2402.994	0.998	0.542	Pass
NVNT	2-DH5	Ant1	2401.83	2403.006	1.176	0.849	Pass
NVNT	3-DH5	Ant1	2401.85	2403.006	1.156	0.835	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.879	299.416	104	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.883	305.598	106	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.885	308.695	107	31600	400	Pass






Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass







Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-59.24	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.78	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-56.19	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.71	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-58.05	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.99	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-58.54	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-54.6	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-56.79	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-52.56	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-57.24	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-50.44	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-57.7	-20	Pass
NVNT	1-DH5	2441	Ant1	-56.43	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.06	-20	Pass
NVNT	2-DH5	2402	Ant1	-56.05	-20	Pass
NVNT	2-DH5	2441	Ant1	-56.59	-20	Pass
NVNT	2-DH5	2480	Ant1	-51.65	-20	Pass
NVNT	3-DH5	2402	Ant1	-56.74	-20	Pass
NVNT	3-DH5	2441	Ant1	-55.8	-20	Pass
NVNT	3-DH5	2480	Ant1	-51.7	-20	Pass






Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.33	3.8	48.70	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-60.46	3.8	38.57	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2388.336	-46.77	3.8	52.26	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2385.552	-59.9	3.8	39.13	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.19	3.8	48.84	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-60.05	3.8	38.98	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.72	3.8	49.31	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-59.68	3.8	39.35	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.672	-47.32	3.8	51.71	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2485.192	-59.45	3.8	39.58	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.22	3.8	48.81	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-59.77	3.8	39.26	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.94	3.8	47.09	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-60.26	3.8	38.77	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2329.488	-48	3.8	51.03	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2388.912	-59.84	3.8	39.19	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.27	3.8	48.76	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-60.09	3.8	38.94	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-47.95	3.8	51.08	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-59.75	3.8	39.28	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2491.864	-47.27	3.8	51.76	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2497.888	-59.48	3.8	39.55	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.94	3.8	48.09	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-59.74	3.8	39.29	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.79	3.8	48.24	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-60.42	3.8	38.61	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2368.848	-46.18	3.8	52.85	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2389.584	-59.85	3.8	39.18	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.36	3.8	47.67	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-60.03	3.8	39.00	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.41	3.8	48.62	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-59.75	3.8	39.28	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2496.712	-47.28	3.8	51.75	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2488.576	-59.46	3.8	39.57	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.25	3.8	48.78	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-59.69	3.8	39.34	Average	54	Pass






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity