User Manual

Product Name: RB-500HB

Brand: REMAX

Model:RB-500HB,RB-195HB,RB-200HB,

RB-350F,RB-600HB,RB-700HB,RB-705HB,

RB-S10,RB-S2,RB-S3,RB-S5,RB-S6,RB-S7,

RB-S8,RB-S9,RB-T10,RB-T5,RB-T16C,RB-T7,

RB-T8,RB-T9,RB-520HB,RB-560HB,RB-590HB,

RB-602HB, RB-630HB

Manufacture: Shenzhen Remax Co., Ltd.

High-quality stereo bluetooth headphone

RB-500HB

Please keep and read this manual carefully before use the headphone.

Note the following items:

1. Please use the reasonable control of the time and the volume of the headphone.
2. If the environment (such as thrunder storm) are potentially dangerous, please stop using to ensure safety.
3. Don't use the headphones to listen to music or calling or while driving in potentially dangerous environment, in order to avoid distracting.
4. Place the headphone out of the reach of children to avoid improper use may caused deadly danger.
5. Do not watering inside the headphone, to avoid sound or electronic damage.
6. Continue to increase the volume should be avoided cause you do not hear the sound around, such as tinnitus or turn up the volume to high, please transferred to the appropriate volume.
7. Feels obvious discomfort, irritation or other adverse reactions, should stop using immediately.

Warning:

1. While in charging process please don't use, to avoid electrocuted
2. Built-in rechargeable battery is not removable. Do not try to remove battery from headphone, otherwise it could be damaged.

Charging:

1. While charging, the headphone power will be shuted down.
2. Plug micro usb in the headphone USB jack, then connect with computer usb hub or adaptor. red led will flash slowly like brease
3. Charging time is 2.5 hours; Red led be lighted on when charge complete

Frequently question

Button have no function:Please use the palyer witch is the smart phone's player. Can't start : take off the USB charging and 3.5mm plug.

Function Buttons:



RB-500HB Stereo bluetooth headphone package list

Stereo Bluetooth Headphone 1PC 3.5mm Audio Cable 1PC
USB Charging Cable 1PC RB-500HB User Manual 1PC

ON & OFF:

1. In the OFF state, press MF button for 2 seconds (White LED flash while "POWER ON" voice prompts).
2. In the ON state, press MF button for 3 seconds (red LED lighted on 1.5 second while "POWER OFF" voice prompts).

Bluetooth pairing steps:

1. Connect Bluetooth headphone to your moblie (or other device used for connection) in the range of im
2. In the OFF state, press MF button for 5 seconds, noted "POWER ON" and "Pairing" then open the Bluetooth function of your mobile.
3. Search and choose "RB-500HB" to connect

PS. NOTE:

1. If headphone had paired, under the off states press MF button" for 2 seconds to power on it will reconnect the last used device automatically. also if the headphone have no device to reconnect, after 10 seconds it enter the pairing mode automatically, it good at use a new device to pair, absolutely you can press MF button" for 5 seconds to enter the pairing mode directly then repeat the up

"bluetooth pairing steps".
2. Pairing time lasts for 3 minutes, if time out it will power off automatically, repeat use it please restart.

Disconnected and reconnecting:

1. When the connect distance out of rang, a "du du" voice prompt every 10 seconds and white lights flash 2 times, if the headphone near the mobile back within 3 minutes, it will be reconnected, otherwise it will be shut down automatically.
2. If select shut down the mobile bluetooth function to disconnect, the headphone will enter the pairing mode automatically.

Phone Call Pick-up:

Click the MF button" to answer the call.

Phone Call Hang-up:

During a call, short press the MF button" to end the call

Phone Call Reject:

Press and hold MF button" 1 second to reject the call.

Call Waiting:

During a call, when a second incoming calls, double-click the MF once to hold the first call and answer the second call. Then double-click the MF button" again to hold the second call and answer the first call. Click the MF button" to end the current call and turn call to the second party.

Connect Two Mobiles:

1. After connected with the first mobile, turn off the headpset, then long press MF button" for 5 seconds until enter the paiting mode, open blue function of the second phone, search for blue devices and click "RB-500HB" to complete the connection; find "RB-500HB" on the firstmobile and click to connect.
2. When the first mobile calls, press the MF button" to answer the phone call; When the second mobile calls, double-click the MF button to hold the first phone call and answer the second call.
3. Double-click MF button" to switch calls between two mobile.

4. Short press the MF button" one time to hang up the current call and recover a call on hold.

Last number redial:

In any mode, double-click MF button" to redial the last number.

Voice Dialing:

Press and hold MF button" 1 second to reject the call. (Option)

Playing/Pause:

Playing music mode, click the MF button" for playing or pause.

Music Selections:

Playing music mode, short press "volume -" to jump to the next song, double-click the "volume +" to jump to the previous one.

Volume Control:

Call or playing music mode, press and hold "volume +" and "volume -" to adjust the volume.

LINE-IN Playing:

Connect the 3.5mm audio plug to the headphone and mobile or other audio device, headphone shutdown immediately and use the audio cable to listen to music.

Reset

Afte power on (Except for playing mode), Press an hold"VOL+"&"VOL-" 3S to reset, then the headphone enter the pairing mode automatically.

Change the prompt languege

Under the pairing mode, press and hold MF & V- button 3 seconds until the LED be lighted 2 seconds, it indicator change successfull.

Low voltage alarm:

"Battery low" warning note when the battery voltage is less then 3.4V.

Specification:

Working Range: 10 M Frequency: 20Hz-20KHz
Playing/Call Time: 16 hours Impedance: 32Ω Speaker: Φ40mm
Battery: 3.7V/400mAh Support: A2DP/AVRCP/HSP/HFP
Charge Temperature:0 -45℃ Working Temperature: -10 -60℃
Bypass cable: 3.5mm cable Bluetooth version:4.1 Net Weight: 218g

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

-Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.