



HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	6000.267	62.89	-7.39	55.50	68.20	-12.70	peak		
2		10421.400	48.48	-0.36	48.12	68.20	-20.08	peak		
3		15630.300	48.51	3.15	51.66	74.00	-22.34	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	26.68	33.43	60.11	74.00	-13.89	peak		
2	*	5150.000	16.22	33.43	49.65	54.00	-4.35	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5999.700	62.50	-7.39	55.11	68.20	-13.09	peak		
2		10579.500	47.07	-0.03	47.04	68.20	-21.16	peak		
3		15873.867	47.38	3.12	50.50	74.00	-23.50	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	26.21	33.47	59.68	74.00	-14.32	peak		
2	*	5350.000	15.26	33.47	48.73	54.00	-5.27	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	6000.267	62.67	-7.39	55.28	68.20	-12.92	peak		
2		10574.967	48.33	-0.05	48.28	68.20	-19.92	peak		
3		15874.567	48.19	3.12	51.31	74.00	-22.69	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	26.40	33.47	59.87	74.00	-14.13	peak		
2	*	5350.000	15.26	33.47	48.73	54.00	-5.27	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5999.700	62.57	-7.39	55.18	68.20	-13.02	peak		
2		11057.200	48.01	2.00	50.01	74.00	-23.99	peak		
3		16592.930	47.25	4.49	51.74	68.20	-16.46	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	25.62	33.49	59.11	74.00	-14.89	peak		
2	*	5460.000	15.42	33.49	48.91	54.00	-5.09	AVG		
3		5470.000	27.27	33.49	60.76	68.20	-7.44	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	6000.267	63.50	-7.39	56.11	68.20	-12.09	peak	
2		11061.733	47.46	2.01	49.47	74.00	-24.53	peak	
3		16592.310	47.36	4.48	51.84	68.20	-16.36	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5460.000	26.17	33.49	59.66	74.00	-14.34	peak	
2	*	5460.000	15.23	33.49	48.72	54.00	-5.28	AVG	
3		5470.000	27.73	33.49	61.22	68.20	-6.98	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5999.700	62.52	-7.39	55.13	68.20	-13.07	peak		
2		11220.400	47.73	2.48	50.21	74.00	-23.79	peak		
3		16832.330	47.15	5.04	52.19	68.20	-16.01	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	28.82	33.91	62.73	68.20	-5.47	peak		
2	*	5750.800	29.86	33.95	63.81	68.20	-4.39	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	6000.267	62.47	-7.39	55.08	68.20	-13.12	peak		
2		11219.833	46.91	2.48	49.39	74.00	-24.61	peak		
3		16834.367	46.43	5.05	51.48	68.20	-16.72	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5725.000	28.04	33.91	61.95	68.20	-6.25	peak		
2	*	5766.800	29.86	33.98	63.84	68.20	-4.36	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		6000.267	60.34	-7.39	52.95	68.20	-15.25	peak		
2		11551.367	47.06	3.09	50.15	74.00	-23.85	peak		
3 *		17325.633	46.39	6.66	53.05	68.20	-15.15	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5607.000	29.48	33.69	63.17	68.20	-5.03	peak		
2 !		5633.000	28.99	33.74	62.73	68.20	-5.47	peak		
3 *		5968.600	30.53	34.34	64.87	68.20	-3.33	peak		

HORIZONTALA

Radiated Emission




Radiated Emission




VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	6000.267	62.26	-7.39	54.87	68.20	-13.33	peak		
2		10498.467	48.59	-0.38	48.21	68.20	-19.99	peak		
3		15744.667	48.30	3.14	51.44	74.00	-22.56	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	25.93	33.43	59.36	74.00	-14.64	peak		
2	*	5150.000	15.34	33.43	48.77	54.00	-5.23	AVG		
3		5350.000	25.99	33.47	59.46	74.00	-14.54	peak		
4		5350.000	14.80	33.47	48.27	54.00	-5.73	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1 *		5999.700	61.92	-7.39	54.53	68.20	-13.67	peak	
2		10500.733	47.23	-0.38	46.85	68.20	-21.35	peak	
3		15753.533	47.95	3.13	51.08	74.00	-22.92	peak	


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		5150.000	25.77	33.43	59.20	74.00	-14.80	peak	
2		5150.000	14.77	33.43	48.20	54.00	-5.80	AVG	
3		5350.000	26.23	33.47	59.70	74.00	-14.30	peak	
4 *		5350.000	14.78	33.47	48.25	54.00	-5.75	AVG	

VERTICAL

Radiated Emission




Radiated Emission




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	6000.267	62.35	-7.39	54.96	68.20	-13.24	peak		
2		11141.733	46.46	2.25	48.71	74.00	-25.29	peak		
3		16713.267	48.02	4.76	52.78	68.20	-15.42	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	25.85	33.49	59.34	74.00	-14.66	peak		
2	*	5460.000	15.18	33.49	48.67	54.00	-5.33	AVG		
3		5470.000	27.06	33.49	60.55	68.20	-7.65	peak		
4		5725.000	26.47	33.91	60.38	68.20	-7.82	peak		

WiFi 5 Chip (RTL8811CU):


Above 1GHz (1GHz~18GHz)

Test mode:11A ANT3

Test Channel:36


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	dBuV	Factor	ment	dBuV/m	dB	Height	Degree	Comment
1		2125.400	60.97	-18.91	42.06	68.20	-26.14	peak		
2		3190.167	53.07	-15.98	37.09	68.20	-31.11	peak		
3 *		10361.533	47.16	-0.34	46.82	68.20	-21.38	peak		
4		15542.733	48.80	3.16	51.96	74.00	-22.04	peak		


Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	dBuV	Factor	ment	dBuV/m	dB	Height	Degree	Comment
1		5150.000	25.24	33.43	58.67	74.00	-15.33	peak		
2 *		5150.000	14.69	33.43	48.12	54.00	-5.88	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		2131.633	60.10	-18.90	41.20	68.20	-27.00	peak	
2		6054.100	52.62	-7.18	45.44	68.20	-22.76	peak	
3 *		10364.933	47.35	-0.34	47.01	68.20	-21.19	peak	
4		15540.300	47.49	3.16	50.65	74.00	-23.35	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5150.000	25.54	33.43	58.97	74.00	-15.03	peak	
2 *		5150.000	14.66	33.43	48.09	54.00	-5.91	AVG	

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2129.933	63.58	-18.90	44.68	68.20	-23.52	peak		
2		4258.900	53.70	-12.42	41.28	74.00	-32.72	peak		
3 *		10400.767	46.73	-0.35	46.38	68.20	-21.82	peak		
4		15603.567	48.15	3.15	51.30	74.00	-22.70	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2130.500	59.82	-18.90	40.92	68.20	-27.28	peak		
2		4447.033	51.45	-11.81	39.64	68.20	-28.56	peak		
3 *		10400.467	47.24	-0.35	46.89	68.20	-21.31	peak		
4		15604.133	47.30	3.15	50.45	74.00	-23.55	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2990.700	61.14	-16.26	44.88	68.20	-23.32	peak		
2		6386.167	52.42	-5.86	46.56	68.20	-21.64	peak		
3 *		10482.967	47.19	-0.37	46.82	68.20	-21.38	peak		
4		15727.667	48.14	3.14	51.28	74.00	-22.72	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2990.700	61.62	-16.26	45.36	68.20	-22.84	peak		
2		5246.033	51.65	-8.61	43.04	68.20	-25.16	peak		
3 *		10483.167	47.76	-0.37	47.39	68.20	-20.81	peak		
4		15722.567	48.32	3.14	51.46	74.00	-22.54	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2123.700	62.03	-18.91	43.12	68.20	-25.08	peak		
2		5253.967	51.72	-8.59	43.13	68.20	-25.07	peak		
3 *		10520.400	48.08	-0.29	47.79	68.20	-20.41	peak		
4		15780.900	48.03	3.13	51.16	74.00	-22.84	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2132.200	57.34	-18.89	38.45	68.20	-29.75	peak		
2		5264.733	54.04	-8.57	45.47	68.20	-22.73	peak		
3 *		10516.600	47.22	-0.31	46.91	68.20	-21.29	peak		
4		15781.700	48.10	3.13	51.23	74.00	-22.77	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2123.133	65.71	-18.91	46.80	68.20	-21.40	peak		
2		5277.200	51.74	-8.54	43.20	68.20	-25.00	peak		
3 *		10563.067	48.10	-0.10	48.00	68.20	-20.20	peak		
4		15841.000	47.27	3.13	50.40	74.00	-23.60	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2131.067	60.14	-18.90	41.24	68.20	-26.96	peak		
2		5275.500	55.87	-8.54	47.33	68.20	-20.87	peak		
3 *		10563.067	47.95	-0.10	47.85	68.20	-20.35	peak		
4		15841.733	48.36	3.13	51.49	74.00	-22.51	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	2128.800	66.10	-18.90	47.20	68.20	-21.00	peak		
2		5325.367	53.27	-8.44	44.83	68.20	-23.37	peak		
3		10642.764	46.92	0.25	47.17	74.00	-26.83	peak		
4		15956.033	48.54	3.11	51.65	74.00	-22.35	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	24.30	33.47	57.77	74.00	-16.23	peak		
2	*	5350.000	14.41	33.47	47.88	54.00	-6.12	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4265.133	54.12	-12.40	41.72	74.00	-32.28	peak		
2 *		5324.233	55.36	-8.44	46.92	68.20	-21.28	peak		
3		10639.567	47.61	0.24	47.85	74.00	-26.15	peak		
4		15958.867	47.44	3.11	50.55	74.00	-23.45	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	25.46	33.47	58.93	74.00	-15.07	peak		
2 *		5350.000	15.09	33.47	48.56	54.00	-5.44	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2132.200	63.38	-18.89	44.49	68.20	-23.71	peak		
2		5498.200	49.64	-8.06	41.58	68.20	-26.62	peak		
3		10994.300	46.59	1.80	48.39	74.00	-25.61	peak		
4 *		16491.533	47.87	4.25	52.12	68.20	-16.08	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	25.23	33.49	58.72	74.00	-15.28	peak		
2 *		5460.000	15.32	33.49	48.81	54.00	-5.19	AVG		
3		5470.000	26.71	33.49	60.20	68.20	-8.00	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2126.533	63.97	-18.91	45.06	68.20	-23.14	peak		
2		5495.933	50.86	-8.07	42.79	68.20	-25.41	peak		
3		11000.900	47.84	1.83	49.67	74.00	-24.33	peak		
4 *		16500.867	48.39	4.27	52.66	68.20	-15.54	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	25.18	33.49	58.67	74.00	-15.33	peak		
2 *		5460.000	15.14	33.49	48.63	54.00	-5.37	AVG		
3		5470.000	26.64	33.49	60.13	68.20	-8.07	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2132.767	65.76	-18.89	46.87	68.20	-21.33	peak		
2		4265.133	53.36	-12.40	40.96	74.00	-33.04	peak		
3		11160.900	46.59	2.31	48.90	74.00	-25.10	peak		
4 *		16743.700	47.11	4.84	51.95	68.20	-16.25	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2128.233	56.68	-18.90	37.78	68.20	-30.42	peak		
2		5573.567	50.32	-7.96	42.36	68.20	-25.84	peak		
3		11164.867	46.45	2.32	48.77	74.00	-25.23	peak		
4 *		16735.767	47.13	4.82	51.95	68.20	-16.25	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2124.267	60.47	-18.91	41.56	68.20	-26.64	peak		
2		5704.467	52.63	-7.79	44.84	68.20	-23.36	peak		
3		11397.767	46.43	3.01	49.44	74.00	-24.56	peak		
4 *		17100.900	46.61	5.81	52.42	68.20	-15.78	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	28.67	33.91	62.58	68.20	-5.62	peak		
2 *		5810.400	30.45	34.06	64.51	68.20	-3.69	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		2124.267	60.71	-18.91	41.80	68.20	-26.40	peak	
2		5706.167	55.38	-7.78	47.60	68.20	-20.60	peak	
3		11402.330	46.73	3.02	49.75	74.00	-24.25	peak	
4 *		17100.333	46.64	5.81	52.45	68.20	-15.75	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5725.000	31.36	33.91	65.27	68.20	-2.93	peak	
2 *		5726.800	32.24	33.91	66.15	68.20	-2.05	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2133.333	61.23	-18.89	42.34	68.20	-25.86	peak		
2		4253.800	56.21	-12.44	43.77	74.00	-30.23	peak		
3		5738.467	50.18	-7.74	42.44	68.20	-25.76	peak		
4 *		11490.100	46.04	3.28	49.32	74.00	-24.68	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5613.000	24.96	33.70	58.66	68.20	-9.54	peak		
2		5664.600	25.04	33.80	58.84	79.04	-20.20	peak		
3 *		5928.600	25.52	34.27	59.79	68.20	-8.41	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		2131.633	56.88	-18.90	37.98	68.20	-30.22	peak		
2		5740.167	49.86	-7.74	42.12	68.20	-26.08	peak		
3		11490.133	45.75	3.28	49.03	74.00	-24.97	peak		
4 *		17235.133	46.49	6.32	52.81	68.20	-15.39	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1 !		5613.000	25.70	33.70	59.40	68.20	-8.80	peak		
2		5749.000	70.03	33.95	103.98	122.20	-18.22	peak		
3 *		5944.200	25.40	34.30	59.70	68.20	-8.50	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2130.500	61.36	-18.90	42.46	68.20	-25.74	peak		
2		6396.933	49.86	-5.82	44.04	68.20	-24.16	peak		
3		11571.933	46.06	3.00	49.06	74.00	-24.94	peak		
4 *		17355.300	44.83	6.77	51.60	68.20	-16.60	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2126.533	60.00	-18.91	41.09	68.20	-27.11	peak		
2		4254.933	51.91	-12.43	39.48	74.00	-34.52	peak		
3		11569.467	46.20	3.01	49.21	74.00	-24.79	peak		
4 *		17355.600	45.62	6.77	52.39	68.20	-15.81	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2130.500	63.61	-18.90	44.71	68.20	-23.49	peak		
2		6396.367	53.95	-5.82	48.13	68.20	-20.07	peak		
3		11650.500	46.61	2.66	49.27	74.00	-24.73	peak		
4 *		17475.767	45.23	7.23	52.46	68.20	-15.74	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5629.400	25.20	33.73	58.93	68.20	-9.27	peak		
2		5831.000	62.19	34.10	96.29	122.20	-25.91	peak		
3 *		6007.400	26.72	34.42	61.14	68.20	-7.06	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4257.200	54.17	-12.43	41.74	74.00	-32.26	peak		
2		2128.800	62.10	-18.90	43.20	68.20	-25.00	peak		
3		11652.200	47.02	2.65	49.67	74.00	-24.33	peak		
4 *		17473.567	45.16	7.22	52.38	68.20	-15.82	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5643.000	24.38	33.76	58.14	68.20	-10.06	peak		
2		5829.800	68.34	34.09	102.43	122.20	-19.77	peak		
3 *		6003.000	26.61	34.41	61.02	68.20	-7.18	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2128.800	64.18	-18.90	45.28	68.20	-22.92	peak		
2		4263.433	53.84	-12.41	41.43	74.00	-32.57	peak		
3 *		10365.300	47.93	-0.34	47.59	68.20	-20.61	peak		
4		15538.400	48.44	3.16	51.60	74.00	-22.40	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	25.03	33.43	58.46	74.00	-15.54	peak		
2 *		5150.000	14.72	33.43	48.15	54.00	-5.85	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2125.967	57.95	-18.91	39.04	68.20	-29.16	peak		
2		4262.300	53.14	-12.41	40.73	74.00	-33.27	peak		
3 *		10362.267	47.81	-0.34	47.47	68.20	-20.73	peak		
4		15546.333	48.16	3.16	51.32	74.00	-22.68	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	25.30	33.43	58.73	74.00	-15.27	peak		
2 *		5150.000	14.87	33.43	48.30	54.00	-5.70	AVG		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2131.067	61.94	-18.90	43.04	68.20	-25.16	peak		
2		6584.500	49.47	-5.52	43.95	68.20	-24.25	peak		
3 *		10401.633	47.73	-0.35	47.38	68.20	-20.82	peak		
4		15603.567	49.27	3.15	52.42	74.00	-21.58	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2123.700	56.35	-18.91	37.44	68.20	-30.76	peak		
2 *		10400.733	48.22	-0.35	47.87	68.20	-20.33	peak		
3		11703.200	49.17	2.43	51.60	74.00	-22.40	peak		
4		15599.600	47.98	3.15	51.13	74.00	-22.87	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2131.633	63.18	-18.90	44.28	68.20	-23.92	peak		
2		4249.833	56.97	-12.45	44.52	74.00	-29.48	peak		
3 *		10476.933	47.93	-0.37	47.56	68.20	-20.64	peak		
4		15721.633	48.76	3.14	51.90	74.00	-22.10	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2125.400	61.85	-18.91	42.94	68.20	-25.26	peak		
2		5246.600	51.92	-8.61	43.31	68.20	-24.89	peak		
3		9000.200	50.17	-2.31	47.86	74.00	-26.14	peak		
4 *		15725.967	49.10	3.14	52.24	74.00	-21.76	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2125.400	61.31	-18.91	42.40	68.20	-25.80	peak		
2		5265.300	51.41	-8.57	42.84	68.20	-25.36	peak		
3 *		10520.067	48.15	-0.29	47.86	68.20	-20.34	peak		
4		15783.767	47.80	3.13	50.93	74.00	-23.07	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2995.800	61.98	-16.24	45.74	68.20	-22.46	peak		
2		5267.000	54.07	-8.56	45.51	68.20	-22.69	peak		
3 *		10517.733	49.96	-0.30	49.66	68.20	-18.54	peak		
4		15780.933	48.01	3.13	51.14	74.00	-22.86	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2131.633	60.46	-18.90	41.56	68.20	-26.64	peak		
2		5277.200	52.72	-8.54	44.18	68.20	-24.02	peak		
3 *		10558.533	47.68	-0.12	47.56	68.20	-20.64	peak		
4		15842.333	47.74	3.13	50.87	74.00	-23.13	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5276.633	54.90	-8.54	46.36	68.20	-21.84	peak		
2		2129.933	64.15	-18.90	45.25	68.20	-22.95	peak		
3 *		10561.933	48.43	-0.11	48.32	68.20	-19.88	peak		
4		15844.967	48.28	3.13	51.41	74.00	-22.59	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2126.533	60.09	-18.91	41.18	68.20	-27.02	peak		
2		2850.167	56.05	-16.79	39.26	74.00	-34.74	peak		
3		10640.700	49.18	0.24	49.42	74.00	-24.58	peak		
4 *		15955.467	47.90	3.11	51.01	74.00	-22.99	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	24.90	33.47	58.37	74.00	-15.63	peak		
2 *		5350.000	14.64	33.47	48.11	54.00	-5.89	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2124.833	59.20	-18.91	40.29	68.20	-27.91	peak		
2		5325.933	53.26	-8.44	44.82	68.20	-23.38	peak		
3		10639.000	46.91	0.23	47.14	74.00	-26.86	peak		
4 *		15955.467	48.18	3.11	51.29	74.00	-22.71	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	25.50	33.47	58.97	74.00	-15.03	peak		
2 *		5350.000	15.33	33.47	48.80	54.00	-5.20	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2127.667	61.20	-18.90	42.30	68.20	-25.90	peak		
2		4258.333	56.08	-12.42	43.66	74.00	-30.34	peak		
3		5498.200	49.88	-8.06	41.82	68.20	-26.38	peak		
4 *		10993.167	46.57	1.80	48.37	74.00	-25.63	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	25.47	33.49	58.96	74.00	-15.04	peak		
2 *		5460.000	15.28	33.49	48.77	54.00	-5.23	AVG		
3		5470.000	26.72	33.49	60.21	68.20	-7.99	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4252.100	53.79	-12.44	41.35	74.00	-32.65	peak		
2		5494.233	50.21	-8.07	42.14	68.20	-26.06	peak		
3		9000.200	51.51	-2.31	49.20	74.00	-24.80	peak		
4 *		11000.850	47.89	1.83	49.72	74.00	-24.28	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5460.000	25.27	33.49	58.76	74.00	-15.24	peak		
2 *		5460.000	15.21	33.49	48.70	54.00	-5.30	AVG		
3		5470.000	26.62	33.49	60.11	68.20	-8.09	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2128.800	59.62	-18.90	40.72	68.20	-27.48	peak		
2		9387.800	48.37	-0.72	47.65	74.00	-26.35	peak		
3		11160.133	47.79	2.30	50.09	74.00	-23.91	peak		
4 *		16742.933	47.53	4.83	52.36	68.20	-15.84	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2128.800	61.41	-18.90	42.51	68.20	-25.69	peak		
2		5575.267	49.57	-7.96	41.61	68.20	-26.59	peak		
3		11160.333	47.02	2.30	49.32	74.00	-24.68	peak		
4 *		16741.067	47.00	4.83	51.83	68.20	-16.37	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	2123.123	67.88	-18.91	48.97	68.20	-19.23	peak		
2		4267.267	58.28	-12.39	45.89	74.00	-28.11	peak		
3		5696.697	54.04	-7.80	46.24	68.20	-21.96	peak		
4		11397.397	46.62	3.01	49.63	74.00	-24.37	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	28.70	33.91	62.61	68.20	-5.59	peak		
2	*	5834.000	30.31	34.10	64.41	68.20	-3.79	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2123.133	60.02	-18.91	41.11	68.20	-27.09	peak		
2		2999.767	59.04	-16.22	42.82	68.20	-25.38	peak		
3 *		5704.467	56.31	-7.79	48.52	68.20	-19.68	peak		
4		11397.200	46.62	3.01	49.63	74.00	-24.37	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	29.11	33.91	63.02	68.20	-5.18	peak		
2 *		5731.200	31.89	33.92	65.81	68.20	-2.39	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2126.533	62.36	-18.91	43.45	68.20	-24.75	peak		
2		5739.033	50.46	-7.74	42.72	68.20	-25.48	peak		
3 *		6377.100	52.82	-5.90	46.92	68.20	-21.28	peak		
4		11489.567	46.88	3.28	50.16	74.00	-23.84	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5637.800	25.03	33.75	58.78	68.20	-9.42	peak		
2		5751.400	62.45	33.95	96.40	122.20	-25.80	peak		
3 *		5927.800	26.11	34.27	60.38	68.20	-7.82	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2124.833	60.04	-18.91	41.13	68.20	-27.07	peak		
2		5748.667	50.07	-7.73	42.34	68.20	-25.86	peak		
3		11490.033	45.69	3.28	48.97	74.00	-25.03	peak		
4 *		17237.267	45.70	6.33	52.03	68.20	-16.17	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5617.400	25.51	33.71	59.22	68.20	-8.98	peak		
2		5739.800	68.88	33.93	102.81	122.20	-19.39	peak		
3 *		5928.600	25.49	34.27	59.76	68.20	-8.44	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2130.500	66.04	-18.90	47.14	68.20	-21.06	peak		
2		4261.167	55.49	-12.41	43.08	74.00	-30.92	peak		
3		11570.033	47.91	3.01	50.92	74.00	-23.08	peak		
4 *		17353.433	45.81	6.77	52.58	68.20	-15.62	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2124.833	64.91	-18.91	46.00	68.20	-22.20	peak		
2		4252.667	51.59	-12.44	39.15	74.00	-34.85	peak		
3		11577.967	45.09	2.97	48.06	74.00	-25.94	peak		
4 *		17355.133	45.89	6.77	52.66	68.20	-15.54	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2125.400	65.57	-18.91	46.66	68.20	-21.54	peak		
2		2893.233	53.58	-16.63	36.95	74.00	-37.05	peak		
3		11656.167	47.18	2.63	49.81	74.00	-24.19	peak		
4 *		17475.330	45.30	7.23	52.53	68.20	-15.67	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5633.400	24.24	33.74	57.98	68.20	-10.22	peak		
2		5828.200	62.13	34.09	96.22	122.20	-25.98	peak		
3 *		5974.600	25.96	34.35	60.31	68.20	-7.89	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2128.800	59.83	-18.90	40.93	68.20	-27.27	peak		
2		4246.433	52.09	-12.46	39.63	74.00	-34.37	peak		
3		11652.567	46.76	2.65	49.41	74.00	-24.59	peak		
4 *		17478.667	44.91	7.24	52.15	68.20	-16.05	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5635.000	25.10	33.74	58.84	68.20	-9.36	peak		
2		5827.800	68.12	34.09	102.21	122.20	-19.99	peak		
3 *		5994.200	25.82	34.39	60.21	68.20	-7.99	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2132.767	62.03	-18.89	43.14	68.20	-25.06	peak		
2		6395.233	50.68	-5.82	44.86	68.20	-23.34	peak		
3 *		10383.233	48.21	-0.34	47.87	68.20	-20.33	peak		
4		15572.600	48.82	3.15	51.97	74.00	-22.03	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	28.35	33.43	61.78	74.00	-12.22	peak		
2 *		5150.000	18.37	33.43	51.80	54.00	-2.20	AVG		

HORIZONTALA

Radiated Emission




Radiated Emission



VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2132.767	61.28	-18.89	42.39	68.20	-25.81	peak		
2		9077.833	49.02	-1.99	47.03	74.00	-26.97	peak		
3 *		10461.467	48.42	-0.37	48.05	68.20	-20.15	peak		
4		15690.067	48.21	3.14	51.35	74.00	-22.65	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2132.767	56.75	-18.89	37.86	68.20	-30.34	peak		
2		4264.000	50.55	-12.40	38.15	74.00	-35.85	peak		
3 *		10462.600	47.75	-0.37	47.38	68.20	-20.82	peak		
4		15691.567	47.34	3.14	50.48	74.00	-23.52	peak		

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment					
			dBuV	dB	dBuV/m	dBuV/m	dB	Height	Degree	Comment
1		2132.767	63.30	-18.89	44.41	68.20	-23.79	peak		
2		5760.567	50.66	-7.71	42.95	68.20	-25.25	peak		
3		9000.200	51.80	-2.31	49.49	74.00	-24.51	peak		
4 *		15812.300	48.81	3.13	51.94	74.00	-22.06	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	Level	Factor	ment					
			dBuV	dB	dBuV/m	dBuV/m	dB	Height	Degree	Comment
1		2122.567	59.16	-18.91	40.25	68.20	-27.95	peak		
2		5282.300	52.28	-8.53	43.75	68.20	-24.45	peak		
3 *		10539.267	48.21	-0.21	48.00	68.20	-20.20	peak		
4		15810.033	48.12	3.13	51.25	74.00	-22.75	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2127.667	61.83	-18.90	42.93	68.20	-25.27	peak		
2		2999.767	59.74	-16.22	43.52	68.20	-24.68	peak		
3		10620.100	48.65	0.15	48.80	74.00	-25.20	peak		
4 *		15930.733	48.53	3.12	51.65	74.00	-22.35	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	27.51	33.47	60.98	74.00	-13.02	peak		
2 *		5350.000	17.16	33.47	50.63	54.00	-3.37	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2127.667	62.10	-18.90	43.20	68.20	-25.00	peak		
2		5325.367	50.19	-8.44	41.75	68.20	-26.45	peak		
3		10624.833	47.45	0.17	47.62	74.00	-26.38	peak		
4 *		15930.633	47.54	3.12	50.66	74.00	-23.34	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	30.40	33.47	63.87	74.00	-10.13	peak		
2		5350.000	20.08	33.47	53.55	54.00	-0.45	AVG		
3		5350.400	31.32	33.47	64.79	74.00	-9.21	peak		
4 *		5350.400	20.35	33.47	53.82	54.00	-0.18	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		2132.200	63.06	-18.89	44.17	68.20	-24.03	peak		
2		4980.267	50.69	-9.24	41.45	74.00	-32.55	peak		
3		11020.500	46.78	1.89	48.67	74.00	-25.33	peak		
4 *		16530.067	46.96	4.34	51.30	68.20	-16.90	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5460.000	25.61	33.49	59.10	74.00	-14.90	peak		
2 *		5460.000	15.74	33.49	49.23	54.00	-4.77	AVG		
3		5470.000	27.83	33.49	61.32	68.20	-6.88	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	Level	Factor	ment			Height	Degree
			dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		2128.233	63.01	-18.90	44.11	68.20	-24.09	peak	
2		5505.000	49.60	-8.05	41.55	68.20	-26.65	peak	
3		11020.800	47.18	1.89	49.07	74.00	-24.93	peak	
4 *		16530.633	47.62	4.34	51.96	68.20	-16.24	peak	


Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	Level	Factor	ment			Height	Degree
			dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5460.000	25.64	33.49	59.13	74.00	-14.87	peak	
2 *		5460.000	16.08	33.49	49.57	54.00	-4.43	AVG	
3		5470.000	27.71	33.49	61.20	68.20	-7.00	peak	

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2131.067	59.15	-18.90	40.25	68.20	-27.95	peak		
2		4254.367	53.09	-12.44	40.65	74.00	-33.35	peak		
3		11100.633	47.00	2.13	49.13	74.00	-24.87	peak		
4 *		16650.400	47.66	4.62	52.28	68.20	-15.92	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2130.500	60.82	-18.90	41.92	68.20	-26.28	peak		
2		5556.000	50.29	-7.98	42.31	68.20	-25.89	peak		
3		11103.100	46.55	2.14	48.69	74.00	-25.31	peak		
4 *		16652.300	46.57	4.62	51.19	68.20	-17.01	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2131.633	62.37	-18.90	43.47	68.20	-24.73	peak		
2		4254.367	52.45	-12.44	40.01	74.00	-33.99	peak		
3		11340.133	47.23	2.84	50.07	74.00	-23.93	peak		
4 *		17012.700	47.10	5.48	52.58	68.20	-15.62	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5725.000	29.06	33.91	62.97	68.20	-5.23	peak		
2 *		5808.800	30.72	34.06	64.78	68.20	-3.42	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		2127.667	57.95	-18.90	39.05	68.20	-29.15	peak	
2		4248.700	52.43	-12.45	39.98	74.00	-34.02	peak	
3		11341.150	47.04	2.84	49.88	74.00	-24.12	peak	
4 *		17011.567	46.27	5.47	51.74	68.20	-16.46	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5725.000	30.70	33.91	64.61	68.20	-3.59	peak	
2 *		5728.400	30.71	33.91	64.62	68.20	-3.58	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2126.533	63.44	-18.91	44.53	68.20	-23.67	peak		
2		4254.933	55.27	-12.43	42.84	74.00	-31.16	peak		
3		11503.167	47.62	3.30	50.92	74.00	-23.08	peak		
4 *		17265.333	45.32	6.43	51.75	68.20	-16.45	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5638.600	24.54	33.75	58.29	68.20	-9.91	peak		
2		5752.600	66.80	33.95	100.75	122.20	-21.45	peak		
3 *		5948.200	25.78	34.31	60.09	68.20	-8.11	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2128.233	57.45	-18.90	38.55	68.20	-29.65	peak		
2		8240.300	48.93	-3.46	45.47	74.00	-28.53	peak		
3		11510.733	45.91	3.26	49.17	74.00	-24.83	peak		
4 *		17265.867	46.64	6.43	53.07	68.20	-15.13	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5596.200	25.88	33.67	59.55	68.20	-8.65	peak		
2 !		5648.600	25.36	33.77	59.13	68.20	-9.07	peak		
3 *		5949.800	26.62	34.31	60.93	68.20	-7.27	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		2128.233	61.87	-18.90	42.97	68.20	-25.23	peak		
2		4258.333	57.01	-12.42	44.59	74.00	-29.41	peak		
3		11590.567	46.45	2.92	49.37	74.00	-24.63	peak		
4 *		17385.233	45.99	6.89	52.88	68.20	-15.32	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1 !		5639.000	24.60	33.75	58.35	68.20	-9.85	peak		
2 *		5928.200	25.94	34.27	60.21	68.20	-7.99	peak		
3 !		5979.400	25.20	34.36	59.56	68.20	-8.64	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2125.400	58.34	-18.91	39.43	68.20	-28.77	peak		
2		4257.767	51.50	-12.42	39.08	74.00	-34.92	peak		
3		11587.033	46.62	2.93	49.55	74.00	-24.45	peak		
4 *		17385.000	45.02	6.89	51.91	68.20	-16.29	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 !		5635.800	25.88	33.74	59.62	68.20	-8.58	peak		
2		5797.800	65.70	34.04	99.74	122.20	-22.46	peak		
3 *		5957.400	26.48	34.32	60.80	68.20	-7.40	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2123.700	60.63	-18.91	41.72	68.20	-26.48	peak		
2		5759.433	50.61	-7.71	42.90	68.20	-25.30	peak		
3 *		10424.233	47.09	-0.36	46.73	68.20	-21.47	peak		
4		15632.567	47.42	3.15	50.57	74.00	-23.43	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5150.000	30.21	33.43	63.64	74.00	-10.36	peak		
2 *		5150.000	20.41	33.43	53.84	54.00	-0.16	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2128.233	57.69	-18.90	38.79	68.20	-29.41	peak		
2		4250.967	56.22	-12.45	43.77	74.00	-30.23	peak		
3 *		10420.633	47.57	-0.36	47.21	68.20	-20.99	peak		
4		15631.533	48.31	3.15	51.46	74.00	-22.54	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5149.400	30.21	33.43	63.64	74.00	-10.36	peak		
2 *		5149.400	20.33	33.43	53.76	54.00	-0.24	AVG		
3		5150.000	29.32	33.43	62.75	74.00	-11.25	peak		
4		5150.000	19.00	33.43	52.43	54.00	-1.57	AVG		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2132.767	64.48	-18.89	45.59	68.20	-22.61	peak		
2		5399.033	50.93	-8.28	42.65	74.00	-31.35	peak		
3 *		10583.267	47.81	-0.01	47.80	68.20	-20.40	peak		
4		15868.767	47.98	3.12	51.10	74.00	-22.90	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	29.54	33.47	63.01	74.00	-10.99	peak		
2		5350.000	18.24	33.47	51.71	54.00	-2.29	AVG		
3		5351.000	29.22	33.47	62.69	74.00	-11.31	peak		
4 *		5351.000	18.58	33.47	52.05	54.00	-1.95	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		2129.933	61.73	-18.90	42.83	68.20	-25.37	peak		
2		5386.567	53.92	-8.31	45.61	74.00	-28.39	peak		
3 *		10580.133	47.38	-0.03	47.35	68.20	-20.85	peak		
4		15868.767	48.25	3.12	51.37	74.00	-22.63	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	30.40	33.47	63.87	74.00	-10.13	peak		
2		5350.000	20.06	33.47	53.53	54.00	-0.47	AVG		
3		5351.600	31.24	33.47	64.71	74.00	-9.29	peak		
4 *		5351.600	20.25	33.47	53.72	54.00	-0.28	AVG		