




## 802.11ac/40MHz/MCS0/5190MHz/Ch38/Ant.1




## 802.11ac/40MHz/MCS0/5230MHz/Ch46/Ant.1




## 802.11ac/80MHz/MCS0/5210MHz/Ch42/Ant.1




## 802.11ax/20MHz/MCS0/5180MHz/Ch36/Ant.1




## 802.11ax/20MHz/MCS0/5220MHz/Ch44/Ant.1




## 802.11ax/20MHz/MCS0/5240MHz/Ch48/Ant.1




802.11ax/40MHz/MCS0/5190MHz/Ch38/Ant.1




802.11ax/40MHz/MCS0/5230MHz/Ch46/Ant.1




802.11ax/80MHz/MCS0/5210MHz/Ch42/Ant.1




**For 6dB Bandwidth:**


802.11ac/40MHz/MCS0/5755MHz/Ch151/Ant.1




802.11ac/40MHz/MCS0/5795MHz/Ch159/Ant.1




802.11ac/80MHz/MCS0/5775MHz/Ch155/Ant.1




802.11ax/20MHz/MCS0/5745MHz/Ch149/Ant.1




802.11ax/20MHz/MCS0/5785MHz/Ch157/Ant.1




802.11ax/20MHz/MCS0/5825MHz/Ch165/Ant.1




802.11ax/40MHz/MCS0/5755MHz/Ch151/Ant.1



802.11ax/40MHz/MCS0/5795MHz/Ch159/Ant.1



802.11ax/80MHz/MCS0/5775MHz/Ch155/Ant.1




### Appendix C. Test Result of Maximum Conducted Output Power


| Modulation       | Frequency (MHz) | Maximum Conducted Output Power (dBm) | Limit (dBm) | Result |
|------------------|-----------------|--------------------------------------|-------------|--------|
|                  |                 | Ant. 1                               |             |        |
| 802.11a (20MHz)  | 5180            | 8.48                                 | 30.00       | Pass   |
|                  | 5220            | 8.32                                 | 30.00       | Pass   |
|                  | 5240            | 8.35                                 | 30.00       | Pass   |
|                  | 5745            | 8.21                                 | 30.00       | Pass   |
|                  | 5785            | 8.45                                 | 30.00       | Pass   |
|                  | 5825            | 8.46                                 | 30.00       | Pass   |
| 802.11ac (20MHz) | 5180            | 8.37                                 | 30.00       | Pass   |
|                  | 5220            | 8.24                                 | 30.00       | Pass   |
|                  | 5240            | 8.19                                 | 30.00       | Pass   |
|                  | 5745            | 8.25                                 | 30.00       | Pass   |
|                  | 5785            | 8.49                                 | 30.00       | Pass   |
|                  | 5825            | 8.55                                 | 30.00       | Pass   |
| 802.11ac (40MHz) | 5190            | 8.41                                 | 30.00       | Pass   |
|                  | 5230            | 8.22                                 | 30.00       | Pass   |
|                  | 5755            | 8.32                                 | 30.00       | Pass   |
|                  | 5795            | 8.56                                 | 30.00       | Pass   |
| 802.11ac (80MHz) | 5210            | 8.49                                 | 30.00       | Pass   |
|                  | 5775            | 8.55                                 | 30.00       | Pass   |
| 802.11ax (20MHz) | 5180            | 8.61                                 | 30.00       | Pass   |
|                  | 5220            | 8.64                                 | 30.00       | Pass   |
|                  | 5240            | 8.52                                 | 30.00       | Pass   |
|                  | 5745            | 8.56                                 | 30.00       | Pass   |
|                  | 5785            | 8.72                                 | 30.00       | Pass   |
|                  | 5825            | 8.79                                 | 30.00       | Pass   |
| 802.11ax (40MHz) | 5190            | 8.63                                 | 30.00       | Pass   |
|                  | 5230            | 8.56                                 | 30.00       | Pass   |
|                  | 5755            | 8.62                                 | 30.00       | Pass   |
|                  | 5795            | 8.91                                 | 30.00       | Pass   |
| 802.11ax (80MHz) | 5210            | 8.85                                 | 30.00       | Pass   |
|                  | 5775            | 8.91                                 | 30.00       | Pass   |

## Appendix D. Test Result of Maximum Power Spectral Density


| Modulation       | Frequency (MHz) | Power Spectral Density dBm/MHz | Limit dBm/MHz | Result |
|------------------|-----------------|--------------------------------|---------------|--------|
|                  |                 | Ant. 1                         |               |        |
| 802.11a (20MHz)  | 5180            | -3.83                          | 17.00         | Pass   |
|                  | 5220            | -4.52                          | 17.00         | Pass   |
|                  | 5240            | -4.02                          | 17.00         | Pass   |
| 802.11ac (20MHz) | 5180            | -4.44                          | 17.00         | Pass   |
|                  | 5220            | -4.03                          | 17.00         | Pass   |
|                  | 5240            | -4.22                          | 17.00         | Pass   |
| 802.11ac (40MHz) | 5190            | -6.87                          | 17.00         | Pass   |
|                  | 5230            | -6.83                          | 17.00         | Pass   |
| 802.11ac (80MHz) | 5210            | -10.22                         | 17.00         | Pass   |
| 802.11ax (20MHz) | 5180            | -4.17                          | 17.00         | Pass   |
|                  | 5220            | -4.28                          | 17.00         | Pass   |
|                  | 5240            | -4.00                          | 17.00         | Pass   |
| 802.11ax (40MHz) | 5190            | -6.91                          | 17.00         | Pass   |
|                  | 5230            | -6.40                          | 17.00         | Pass   |
| 802.11ax (80MHz) | 5210            | -8.96                          | 17.00         | Pass   |

| Modulation       | Frequency (MHz) | Power Spectral Density dBm/500kHz | Limit dBm/500kHz | Result |
|------------------|-----------------|-----------------------------------|------------------|--------|
|                  |                 | Ant. 1                            |                  |        |
| 802.11a (20MHz)  | 5745            | -6.76                             | 30.00            | Pass   |
|                  | 5785            | -7.60                             | 30.00            | Pass   |
|                  | 5825            | -6.77                             | 30.00            | Pass   |
| 802.11ac (20MHz) | 5745            | -7.94                             | 30.00            | Pass   |
|                  | 5785            | -7.40                             | 30.00            | Pass   |
|                  | 5825            | -7.20                             | 30.00            | Pass   |
| 802.11ac (40MHz) | 5755            | -10.73                            | 30.00            | Pass   |
|                  | 5795            | -9.87                             | 30.00            | Pass   |
| 802.11ac (80MHz) | 5775            | -12.94                            | 30.00            | Pass   |
| 802.11ax (20MHz) | 5745            | -7.38                             | 30.00            | Pass   |
|                  | 5785            | -7.05                             | 30.00            | Pass   |
|                  | 5825            | -6.95                             | 30.00            | Pass   |
| 802.11ax (40MHz) | 5755            | -10.10                            | 30.00            | Pass   |
|                  | 5795            | -9.39                             | 30.00            | Pass   |
| 802.11ax (80MHz) | 5775            | -12.32                            | 30.00            | Pass   |







## 802.11ax/40MHz/MCS0/5190MHz/Ch38/Ant.1




## 802.11ax/40MHz/MCS0/5230MHz/Ch46/Ant.1




## 802.11ax/80MHz/MCS0/5210MHz/Ch42/Ant.1




## 802.11a/20MHz/6M/5745MHz/Ch149/Ant.1




## 802.11a/20MHz/6M/5785MHz/Ch157/Ant.1




## 802.11a/20MHz/6M/5825MHz/Ch165/Ant.1




802.11ac/20MHz/MCS0/5745MHz/Ch149/Ant.1




802.11ac/20MHz/MCS0/5785MHz/Ch157/Ant.1




802.11ac/20MHz/MCS0/5825MHz/Ch165/Ant.1




802.11ac/40MHz/MCS0/5755MHz/Ch151/Ant.1




802.11ac/40MHz/MCS0/5795MHz/Ch159/Ant.1




802.11ac/80MHz/MCS0/5775MHz/Ch155/Ant.1




802.11ax/20MHz/MCS0/5745MHz/Ch149/Ant.1




802.11ax/20MHz/MCS0/5785MHz/Ch157/Ant.1




802.11ax/20MHz/MCS0/5825MHz/Ch165/Ant.1




802.11ax/40MHz/MCS0/5755MHz/Ch151/Ant.1







802.11ax/40MHz/MCS0/5795MHz/Ch159/Ant.1



802.11ax/80MHz/MCS0/5775MHz/Ch155/Ant.1




**Appendix E. Test Result of Transmitter Radiated Spurious Emission**

| TX a 5180MHz H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           | TX a 5180MHz V |           |        |       |        |        |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------|-----------|--------|-------|--------|--------|--------|--------|--|-----|--------|--------|----|------|------|--|---|-----------|-------|-------|--------|-------|-------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----|-----------|-------|-------|------|------|--------|--------|--|-----|--------|--------|----|------|------|--|---|-----------|-------|-------|--------|-------|-------|------|
| <div>Site :HY-CB03<br/>Condition :3m ,Horizontal<br/>Mode :TX_a_5180MHz<br/>Test BY :Ashton</div> <div><div>Level (dBuV/m)</div><div>Date: 2025-04-28</div></div> <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th></tr><tr><td>1</td><td>10360.000</td><td>43.11</td><td>68.22</td><td>-25.11</td><td>47.87</td><td>-4.76</td><td>Peak</td></tr></table> <div>Note:<br/>1. Level = Read Level + Factor<br/>2. Factor = Antenna Factor + Cable Loss - Preamp Factor<br/>3. Over Limit = Level - Limit Line<br/>4. The emission levels of other frequencies are very lower than the limit and not show in test report.</div>   |           | No.            | Frequency | Level  | Limit | Over   | Read   | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m |  | 1 | 10360.000 | 43.11 | 68.22 | -25.11 | 47.87 | -4.76 | Peak | <div>Site :HY-CB03<br/>Condition :3m ,Vertical<br/>Mode :TX_a_5180MHz<br/>Test BY :Ashton</div> <div><div>Level (dBuV/m)</div><div>Date: 2025-04-28</div></div> <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th></tr><tr><td>1</td><td>10360.000</td><td>43.03</td><td>68.22</td><td>-25.19</td><td>47.79</td><td>-4.76</td><td>Peak</td></tr></table> <div>Note:<br/>1. Level = Read Level + Factor<br/>2. Factor = Antenna Factor + Cable Loss - Preamp Factor<br/>3. Over Limit = Level - Limit Line<br/>4. The emission levels of other frequencies are very lower than the limit and not show in test report.</div>   |  | No. | Frequency | Level | Limit | Over | Read | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m |  | 1 | 10360.000 | 43.03 | 68.22 | -25.19 | 47.79 | -4.76 | Peak |
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Frequency | Level          | Limit     | Over   | Read  | Factor | Remark |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MHz       | dBuV/m         | dBuV/m    | dB     | dBuV  | dB/m   |        |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 10360.000 | 43.11          | 68.22     | -25.11 | 47.87 | -4.76  | Peak   |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Frequency | Level          | Limit     | Over   | Read  | Factor | Remark |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MHz       | dBuV/m         | dBuV/m    | dB     | dBuV  | dB/m   |        |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 10360.000 | 43.03          | 68.22     | -25.19 | 47.79 | -4.76  | Peak   |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
| TX a 5220MHz H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           | TX a 5220MHz V |           |        |       |        |        |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
| <div>Site :HY-CB03<br/>Condition :3m ,Horizontal<br/>Mode :TX_a_5220MHz<br/>Test BY :Ashton</div> <div><div>Level (dBuV/m)</div><div>Date: 2025-04-28</div></div> <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th></tr><tr><td>1</td><td>10440.000</td><td>43.35</td><td>68.22</td><td>-24.87</td><td>48.25</td><td>-4.90</td><td>Peak</td></tr></table> <div>Note:<br/>1. Level = Read Level + Factor<br/>2. Factor = Antenna Factor + Cable Loss - Preamp Factor<br/>3. Over Limit = Level - Limit Line<br/>4. The emission levels of other frequencies are very lower than the limit and not show in test report.</div> |           | No.            | Frequency | Level  | Limit | Over   | Read   | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m |  | 1 | 10440.000 | 43.35 | 68.22 | -24.87 | 48.25 | -4.90 | Peak | <div>Site :HY-CB03<br/>Condition :3m ,Vertical<br/>Mode :TX_a_5220MHz<br/>Test BY :Ashton</div> <div><div>Level (dBuV/m)</div><div>Date: 2025-04-28</div></div> <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th></tr><tr><td>1</td><td>10440.000</td><td>42.76</td><td>68.22</td><td>-25.46</td><td>47.66</td><td>-4.90</td><td>Peak</td></tr></table> <div>Note:<br/>1. Level = Read Level + Factor<br/>2. Factor = Antenna Factor + Cable Loss - Preamp Factor<br/>3. Over Limit = Level - Limit Line<br/>4. The emission levels of other frequencies are very lower than the limit and not show in test report.</div> |  | No. | Frequency | Level | Limit | Over | Read | Factor | Remark |  | MHz | dBuV/m | dBuV/m | dB | dBuV | dB/m |  | 1 | 10440.000 | 42.76 | 68.22 | -25.46 | 47.66 | -4.90 | Peak |
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Frequency | Level          | Limit     | Over   | Read  | Factor | Remark |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MHz       | dBuV/m         | dBuV/m    | dB     | dBuV  | dB/m   |        |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 10440.000 | 43.35          | 68.22     | -24.87 | 48.25 | -4.90  | Peak   |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
| No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Frequency | Level          | Limit     | Over   | Read  | Factor | Remark |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | MHz       | dBuV/m         | dBuV/m    | dB     | dBuV  | dB/m   |        |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 10440.000 | 42.76          | 68.22     | -25.46 | 47.66 | -4.90  | Peak   |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |     |           |       |       |      |      |        |        |  |     |        |        |    |      |      |  |   |           |       |       |        |       |       |      |

## TX\_a\_5240MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5240MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line   | Limit  | Level |        |        |
|     |           |        | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 10480.000 | 43.39  | 68.22  | -24.83 | 48.30 | -4.91  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5240MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5240MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line   | Limit  | Level |        |        |
|     |           |        | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 10480.000 | 43.96  | 68.22  | -24.26 | 48.87 | -4.91  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5745MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5745MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line   | Limit  | Level |        |        |
|     |           |        | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 11490.000 | 46.54  | 74.00  | -27.46 | 48.53 | -1.99  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5745MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5745MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | Line   | Limit  | Level |        |        |
|     |           |        | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 11490.000 | 44.80  | 74.00  | -29.20 | 46.79 | -1.99  | Peak   |

## Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5785MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5785MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 11570.000 | 45.24  | 74.00  | -28.76 | 47.07 | -1.83  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5785MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5785MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 11570.000 | 44.69  | 74.00  | -29.31 | 46.52 | -1.83  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5825MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_a\_5825MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 11650.000 | 46.40  | 74.00  | -27.60 | 48.28 | -1.88  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_a\_5825MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_a\_5825MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 11650.000 | 45.56  | 74.00  | -28.44 | 47.44 | -1.88  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5180MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5180MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 10360.000 | 43.24  | 68.22  | -24.98 | 48.00 | -4.76  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5180MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5180MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 10360.000 | 42.05  | 68.22  | -26.17 | 46.81 | -4.76  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5220MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5220MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 10440.000 | 42.63  | 68.22  | -25.59 | 47.53 | -4.90  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5220MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5220MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 10440.000 | 43.30  | 68.22  | -24.92 | 48.20 | -4.90  | Peak   |

Note:  
1. Level = Read Level + Factor  
2. Factor = Antenna Factor + Cable Loss - Preamp Factor  
3. Over Limit = Level - Limit Line  
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5240MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5240MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 10480.000 | 44.53  | 68.22  | -23.69 | 49.44 | -4.91  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5240MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5240MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 10480.000 | 43.47  | 68.22  | -24.75 | 48.38 | -4.91  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5745MHz\_H

Site :HY-CB03  
Condition :3m ,Horizontal  
Mode :TX\_ac20\_5745MHz  
Test BY :Ashton




| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 11490.000 | 45.29  | 74.00  | -28.71 | 47.28 | -1.99  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

## TX\_ac20\_5745MHz\_V

Site :HY-CB03  
Condition :3m ,Vertical  
Mode :TX\_ac20\_5745MHz  
Test BY :Ashton



| No. | Frequency | Level  | Limit  | Over   | Read  | Factor | Remark |
|-----|-----------|--------|--------|--------|-------|--------|--------|
|     | MHz       | dBuV/m | dBuV/m | dB     | dBuV  | dB/m   |        |
| 1   | 11490.000 | 44.81  | 74.00  | -29.19 | 46.80 | -1.99  | Peak   |

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.