

建檔日期：2025-09-05

修改日期：

製作版本：V1版-I

客戶名稱：j5create

產品名稱：JVAW60

需求內容：QIG

成型尺寸：90X140mm


展開尺寸：540X420mm

材 質：70p模造紙

黑白雙面印W折對折

Español

- Conectarse al televisor y la alimentación**
 - Conecte el conector HDMI™ a un puerto HDMI™ disponible del televisor o la pantalla.
 - Conecta el conector USB™ a un adaptador USB™ (5V/1A o superior).



2. TV inschakelen en ingang selecteren


- Zet uw tv aan om de ScreenCast in te schakelen en selecteer de ingang totdat u het instelscherm ziet.
- Als uw tv-scherm zwart blijft, levert uw tv mogelijk niet voldoende stroom. Steek in dat geval de USB™-kabel in een USB™-voedingsadapter en steek deze in een stopcontact.



Português

1. Ligar à TV e fornecer energia

- Ligue o conector HDMI™ a uma porta HDMI™ disponível na TV/monitor
- Conecte o conector USB™ a um adaptador USB™ (5V/1A ou superior).




- Encienda el televisor para encender su ScreenCast y seleccione la entrada hasta que vea la pantalla de configuración
- Si la pantalla del televisor permanece negra, es posible que dicho televisor no esté suministrando suficiente energía. En este caso, conecte el cable USB™ a un adaptador de alimentación USB™ y conéctelo a una toma de corriente.



Svenska

1. Anslut till din TV och ström

- Anslut HDMI™-kontakten till en ledig HDMI™-port på TV:n/bildskärmen
- Anslut USB™-kontakten till en USB™-adapter (5V/1A eller högre).



2. Ligar a TV e selecionar a entrada


- Ligue a sua TV para fornecer energia ao ScreenCast e selecione a entrada para aceder ao ecrã de configuração
- Se o ecrã da sua TV não exibir qualquer imagem, a TV poderá não estar a fornecer energia suficiente. Nesse caso, ligue o cabo USB™ a um adaptador de corrente USB™ e ligue-o a uma tomada elétrica.



日本語

1. テレビと電源に接続する

- HDMI™端子をテレビ/プロジェクター側のHDMI™ポートに接続してください。
- USB™コネクタをUSB™アダプター (5V/1A以上) に差し込んでください。



2. テレビの電源を入れ、入力を選択する


- 電源を入れ、ScreenCastを接続したテレビのHDMI™ポートに対応する入力ソースを選択してください。
- テレビ画面が黒いままの場合、テレビ側から十分な電力が供給されていない可能性があります。USB™端子をUSB™電源アダプターに接続し、コンセントに差し込んでください。



繁中


1. 連接電視及電源

- 將HDMI™端連接到電視/投影端的HDMI™埠
- 將USB™接頭插入USB™變壓器 (5V/1A或以上)。



2. 打開電源並選擇ScreenCast連接至電視HDMI™孔相對應的訊號源

- 打開電視電源並選擇訊號輸入端，直到看到ScreenCast設定畫面為止。
- 如果電視螢幕仍為黑色，則電視可能未提供足夠的電源。




將設備通過 TX 投射 (建議用於具備 USB-C® DP™ 輸出的設備)

1. 直接連接筆電或是行動裝置

- 將插入筆電或是行動裝置的USB-C®孔。等待數秒後，TX上的指示燈將會停止閃爍並開始傳輸畫面。
- 如果指示燈閃爍超過20秒，請先檢查接收器是否安裝正確或是重新進行配對。

注意：TX支援最高1080p的解析度。










2. 暫停或是繼續傳輸畫面

按下TX上的按鈕可暫停或是繼續傳輸畫面。

※注意：TX適用於具備USB-C® DP™視訊輸出功能的筆電與行動裝置，相容Windows®、macOS®、iPadOS®與Android™作業系統。

如何鏡像投射您的智慧裝置



LIMITATION OF WARRANTY

j5create offers a limited 2-year warranty. User's wear & tear damage is not included. The user shall call or email j5create customer service with the defect information of the product and obtain a return authorization number. Users are responsible for one-way return freight cost and we will take care of one-way freight back. In order to obtain a return authorization number, users should have the following information handy when calling or emailing the service team:

- a copy of the original purchase invoice to verify your warranty
- a product serial number
- a description of the problem
- customer's name, address, and telephone number

j5create does not warrant that the operation of the product will be uninterrupted or error-free. j5create is not responsible for damage arising from failure to follow instructions relating to the product's use. This warranty does not apply to: (a) consumable parts, unless damage has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents, and broken plastic on ports; (c) damage caused by use with non-j5create products; (d) damage caused by natural disasters; (e) damage caused by human misuse (lost, accident, abuse, misuse or other external causes); (f) damage caused by operating the product outside the permitted or intended uses described by j5create; (g) damage caused by service (including upgrades and expansions) performed by anyone who is not a representative of j5create or a j5create Authorized Service Provider; (h) a product or part that has been modified to alter functionality or capability without the written permission of j5create; or (i) any j5create serial number on the product has been removed or defaced. If such a situation occurs, j5create will calculate the cost of materials and repair for your reference. This warranty is given by j5create in lieu of any other warranties expressed or implied.

LIMITATION OF WARRANTY

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE (OR BY COUNTRY OR PROVINCE), OTHER THAN AS PERMITTED BY LAW. j5create DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU MAY HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR COUNTRY, PROVINCE OR STATE. TO THE EXTENT NOT PROHIBITED BY LAW IN YOUR STATE, PROVINCE, JURISDICTION OR COUNTRY, THIS WARRANTY AND THE REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED.

j5create'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE AND/OR SOFTWARE IS LIMITED TO REPAIR OR REPLACEMENT AS SET FORTH IN THIS WARRANTY. j5create'S LIABILITY DOES NOT EXTEND BEYOND THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY, AND j5create DOES NOT ACCEPT LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES. FOR THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES, FOR PRODUCTS NOT BEING AVAILABLE FOR USE, OR FOR LOST OR DAMAGED DATA OR SOFTWARE, j5create DOES NOT WARRANT THAT THE OPERATION OF ANY j5create PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE.

j5create'S LIABILITY IN ANY SITUATION WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE SPECIFIC PRODUCT THAT IS THE SUBJECT OF A CLAIM. THIS IS THE MAXIMUM AMOUNT FOR WHICH WE ARE RESPONSIBLE.

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS WARRANTY AND TO THE EXTENT NOT PROHIBITED BY LAW, j5create DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, MERCHANTABLE QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AND CONDITIONS AGAINST HIDDEN OR LATENT DEFECTS. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES AND CONDITIONS, SO THIS DISCLAIMER MAY NOT APPLY TO YOU.

TO THE EXTENT SUCH WARRANTIES AND CONDITIONS CANNOT BE DISCLAIMED UNDER THE LAWS OF THE UNITED STATES, CANADA (AND ITS PROVINCES) OR OTHERWISE, j5create LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES AND CONDITIONS TO THE DURATION OF THIS EXPRESS LIMITED WARRANTY AND, AT j5create'S OPTION, REPAIR OR REPLACEMENT SERVICES. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES MAY NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION MAY LAST, SO THE LIMITATION DESCRIBED ABOVE MAY NOT APPLY TO YOU.

NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE LIMITED WARRANTY PERIOD HAS EXPIRED. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

WARRANTY SUPPORT ONLY APPLIES WHEN THE COVERED PRODUCT IS LOCATED WITHIN THE COUNTRY IN WHICH j5create ORIGINALLY SOLD THE SYSTEM, AS REFLECTED IN j5create'S RECORDS. IF YOU NEED SUPPORT FOR THE PRODUCT OUTSIDE OF THE COUNTRY OF ORIGIN (FOR EXAMPLE, WHILE TRAVELING, OR IF THE SYSTEM HAS BEEN RELOCATED TO A NEW COUNTRY), THEN j5create MAY OFFER YOU OTHER SUPPORT OPTIONS FOR AN ADDITIONAL CHARGE.

For more information, please visit our website at <http://www.j5create.com>

Copyright© 2025 j5create. All rights reserved. All trade names are registered trademarks of their respective owners. Features and specifications are subject to change without notice. Product may not be exactly as shown in the diagrams.

USB and USB-C are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Apple, iPhone, iOS, macOS and iPadOS are trademarks of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Miracast is a trademark of Wi-Fi Alliance, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Samsung is a trademark of Samsung Electronics Co., Ltd., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. DP and DisplayPort are trademarks of Video Electronics Standards Association, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Android and Google Pixel are trademarks of Google, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Windows is a trademark of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. LG is a trademark of LG Electronics, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any intent in the marks of others.

NCC 警告

「取得審驗明之低功率射頻器材，非經核准，公司、商號或使用均不得擅自變更頻率、加大功率或變更設計之特性及功能。低功率射頻器材之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。前述合法通信，指依電信管理法規規定作業之無線電通信。低功率射頻器材須忍受合法通信或工業、科學及醫療用電波辐射性電機設備之干擾。」

STOP

If you have any problems with this product please contact our technical support team for assistance.

TECHNICAL SUPPORT

Customer Service: **888-988-0488**
Technical Support: **888-689-4088**
Email: **service@j5create.com**

SOPORTE TÉCNICO
Número gratuito: +1-888-988-0488
Horario de atención:
Lun-Vier, 10:00 a.m. - 6:00 EST
Email: service@J5create.com

Kajiet Technology International B.V.
Phone Number: +31 (0) 796117
Customer service hours:
Mon. - Fri. 10:00 a.m. - 6:00 p.m. EST
E-mail: service@J5create.com

TECHNICAL SUPPORT
Kostenloser Anruf bei:
+1-888-988-0488
Sprechstunden:
Mon.-Frei. 10.00 – 18.00 EST
E-mail: service@J5create.com

SUPPORT TECHNIQUE
Numéro gratuit:
+1-888-988-0488
Heures d'ouverture:
Lun.-Ven. 10:00 a.m. - 06:00 EST
Email: service@J5create.com

TECHNICKÁ PODPORA
Zákaznická linka: 888-988-0488
Technická podpora: 888-689-4088
E-mail: service@J5create.com


凱捷國際科技股份有限公司
236新北市土城區忠孝路109號8樓
台灣客服專線: 02-2269-5538#19
客服時間: 星期一至五 9:30-18:00
Email 信稱: service.tw@j5create.com

CTransmitir un dispositivo con el TX (recomendado para dispositivos con salida USB-C® DP™)

1. Simplemente conéctelo a una computadora portátil o dispositivo móvil


- Conecte el TX a un puerto USB-C™ en una computadora portátil o dispositivo móvil. Espere unos segundos hasta que la luz parpadeante del TX se detenga y comencará a reflejarse automáticamente.
- asegúrese de instalar y emparejar el TX con el receptor de pantalla inalámbrico RX si se enciende durante más de 20 segundos.

Nota: El TX admite una resolución de hasta 1080p.










2. Detenga y reinicie la duplicación

Presione el botón TX para detener o reiniciar la duplicación.
Nota: TX admite la duplicación para todas las computadoras portátiles y dispositivos móviles que ejecutan los sistemas operativos Windows®, macOS®, iPadOS® y Android™. El puerto USB-C™ del dispositivo también debe admitir la salida DP™.



Zo spiegelt u het apparaat




Transmissão de um dispositivo com o TX (recomendado para dispositivos com saída USB-C® DP™)

1. Basta ligar a um computador portátil ou dispositivo móvel

- Ligue o TX a uma porta USB-C™ de um computador portátil ou dispositivo móvel. Aguarde alguns segundos até que a luz do JAV601 TX deixe de piscar e o espelhamento iniciará automaticamente.
- Instale e emparelhe o TX ao receptor de monitor sem fios RX se o indicador piscar durante mais de 20 segundos.

Observação: o TX é compatível com resolução de até 1080p.











2. Parar e reiniciar o espelhamento

Pressione o botão do TX para parar ou reiniciar o espelhamento.
Nota: O TX suporta o espelhamento de todos os computadores portáteis e dispositivos móveis com os sistemas operativos Windows®, macOS®, iPadOS® e Android™. A porta USB-C™ do dispositivo deve também suportar a saída DP™.



¿Cómo reflejar el dispositivo?




Strömma en enhet med TX (rekommenderas för enheter med USB-C®-DP™-utgång)

1. Anslut till en bärbar dator eller en mobil enhet

- Anslut TX till en USB-C™-port på en bärbar dator eller mobil enhet. Vänta några sekunder tills den blinkande lampan på JAV601 TX slutar att blinka, så börjar speglingen automatiskt.
- Se till att installera och koppla TX till RX-mottagaren för trådlös visning om den blinkar i över 20 sekunder.

Obs: TX stöder upp till 1080p-upplösning.








2. Stoppa och starta om spegling

Tryck på TX-knappen för att stoppa eller starta om speglingen.
Obs: TX stöder spegling för alla bärbara datorer och mobila enheter som kör operativsystemen Windows®, macOS®, iPadOS® och Android™. USB-C™-porten på enheten måste också stödja DP™-utgång.



Como espelhar o seu dispositivo



TXを使用してデバイスをキャスト USB-C® DP™出力対応機器でのご使用を推奨いたします

1. ノートパソコンまたはモバイル機器に直接接続してください。


- RX (受信機) をテレビに接続し、TX (送信機) をUSB-C®搭載のノートPCまたはモバイル端末に接続してください。TXのLEDライトが点滅し、しばらく待つとミラーリングが開始されます。
- 20秒以上点滅してもミラーリングが開始しない場合は、TXとRXを再度ペアリングしてください。ペアリング方法については下記の手順をご参照ください。

ご注意：TXは最大1080pの解像度まで対応しております。



2. ミラーリングを停止・再開します。

TXボタンはミラーリング停止と再開ができます



デバイスをミラーリングする方法

