

EXHIBIT 4 - EQUIPMENT IDENTIFICATION LABEL

Section 2.1033 (c)(11) EQUIPMENT IDENTIFICATION LABEL

A photograph or drawing of the equipment identification plate or label showing the information to be placed thereon.

Response

A drawing/photo showing the information and placement of the equipment identification label to be affixed for the EUT is attached to this exhibit.



AZQCRH1 RF Module Label Placement & Detail

The Photo below identifies the FCC ID Label Location on the bottom of the AZQC unit.

Label Location on AZQC Bottom



	1	2	3	4		
A			REVISION HISTORY			
			REV	ZONE	DESCRIPTION	DATE
			00	ALL	RELEASE FOR PRODUCTION	20180530
B	6.5 FCC ID: 2AD8UAZQCRH1 MODEL: AZQC 42					
C						
D						
Notes: 1. Material: PC (Sabic Lexan 8B35 or Bayer Makrofold DE6). Thickness is 0.175mm 2. Text Font: Arial Narrow Bold, 2.0 mm High, unless other specified. 3. Text color: Black, RAL 9005. 4. Background color: RAL7047 or other specified in drawing. 5. Must have removable backing to protect adhesive. 6. Adhesive: 3M 467 MP or 3M 7953 MP. 7. General tolerance +/-0.3. 8. All material and manufacturing methods should be according to Nokia Substance List and RoHs Compliant.						
E	CRITICAL DIMENSION KEY Process Capability Study pieces of dimension(s) marked with  Continuous Statistical Process Control pieces of dimension(s) marked with 		05			
			04			
			03			
F	Material : SEE NOTE 1.		Tolerance 1:			
	Finish :		Tolerance 2:			
	Item code	Item ver	DES	K.WANG	20180530	MASS: 0.0 g
	833332	A	PREP	K.WANG	20180530	Volume: NA dm³
	Drawing code	Drawing ver	CHK	B.ZHAO	20180530	Scale(s): 1:1
P398861	00	APP	L.ZHAO	20180530		
Title		NOKIA			  Dimension in mm	
AIRSCALE MICRO RRH TA LABEL(AZQC)					Sheet(s): 1 / 2	

	1	2	3	4
A				
B	Align the coverup label to FCC label from this side by 42x6.5mm text direction should be the same on FCC label and Coverup label. 10 6.5 This device has not been authorized as required by the rules of the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased, until authorization is obtained. DO NOT REMOVE THIS LABEL UNTIL ADVISED TO BY NOKIA 42			
C				
D	Notes: 1. General: Coverup Label, for temporary use before FCC certificate, 2. Surface Material: Art paper. Material+Adhesive Thickness: 0.092+/-10%mm 3. Text Font: Arial Narrow Bold, 1.5 mm High, unless other specified. 4. Text color: Black, RAL 9005. 5. Surface Material color: White. 6. Adhesive: Acrylic. 7. Release Force:>10+/-6gf/inch 8. General tolerance +/-0.3. 9. All material and manufacturing methods should be according to Nokia Substance List and RoHs Compliant.			
E	CRITICAL DIMENSION KEY Process Capability Study pieces of dimension(s) marked with Continuous Statistical Process Control pieces of dimension(s) marked with 05 04 03 02 01 M Date Name Change No			
F	Material : SEE NOTE 1. Finish : Item code 833332 Drawing code P398861 Title AIRSCALE MICRO RRH TA LABEL(AZQC) Item ver A Drawing ver 00 Tolerance 1: Tolerance 2: DES K.WANG 20180530 PREP K.WANG 20180530 CHK B.ZHAO 20180530 APP L.ZHAO 20180530 MASS: 0.0 g Volume: NA dm³ Scale(s): 1:1 Dimension in mm Sheet(s): 2 / 2 NOKIA			
MDL: 11228477 .0 NON_FCC_COVERUP_LABEL DRW: .0 AZQC_TA_LABEL Creo Parametric 4.0 Size: A4				