































5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	1.60
			2	1.79
		2437	1	1.69
			2	1.52
		2462	1	1.66
			2	1.78
802.11g	SISO	2412	1	-7.20
			2	-7.08
		2437	1	-7.22
			2	-6.60
		2462	1	-7.56
			2	-7.39
802.11n (HT20)	MIMO	2412	1	-11.27
			2	-10.80
		2437	1	-10.96
			2	-10.36
		2462	1	-11.21
			2	-11.31
802.11n (HT40)	MIMO	2422	1	-13.97
			2	-13.03
		2437	1	-13.82
			2	-12.73
		2452	1	-14.03
			2	-12.72

5.1.2 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	1.69	-18.31	Pass
			2	1.79	-18.21	Pass
		2437	1	1.69	-18.31	Pass
			2	1.79	-18.21	Pass
		2462	1	1.69	-18.31	Pass
			2	1.79	-18.21	Pass
802.11g	SISO	2412	1	-7.20	-27.20	Pass
			2	-6.60	-26.60	Pass
		2437	1	-7.20	-27.20	Pass
			2	-6.60	-26.60	Pass
		2462	1	-7.20	-27.20	Pass
			2	-6.60	-26.60	Pass
802.11n	MIMO	2412	1	-10.96	-30.96	Pass

(HT20)			2	-10.36	-30.36	Pass
		2437	1	-10.96	-30.96	Pass
			2	-10.36	-30.36	Pass
		2462	1	-10.96	-30.96	Pass
			2	-10.36	-30.36	Pass
802.11n (HT40)	MIMO	2422	1	-13.82	-33.82	Pass
			2	-12.72	-32.72	Pass
		2437	1	-13.82	-33.82	Pass
			2	-12.72	-32.72	Pass
		2452	1	-13.82	-33.82	Pass
			2	-12.72	-32.72	Pass

5.2 Test Graph

5.2.1 Ref

