



















5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11 a	SISO	5180	/	/	20	LV	5180.020	5150 to 5250	Pass
						NV	5180.060	5150 to 5250	Pass
						HV	5180.020	5150 to 5250	Pass
					-30	NV	5180.060	5150 to 5250	Pass
					-20	NV	5179.980	5150 to 5250	Pass
					-10	NV	5180.000	5150 to 5250	Pass
					0	NV	5180.040	5150 to 5250	Pass
					10	NV	5180.000	5150 to 5250	Pass
					30	NV	5180.020	5150 to 5250	Pass
					40	NV	5180.040	5150 to 5250	Pass
					50	NV	5180.040	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5200.020	5150 to 5250	Pass
						HV	5199.980	5150 to 5250	Pass
					-30	NV	5200.020	5150 to 5250	Pass
					-20	NV	5200.020	5150 to 5250	Pass
					-10	NV	5200.060	5150 to 5250	Pass
					0	NV	5200.040	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5200.020	5150 to 5250	Pass

		5240	/	/	40	NV	5200.0 20	5150 to 5250	Pass
					50	NV	5200.0 40	5150 to 5250	Pass
					20	LV	5240.0 20	5150 to 5250	Pass
						NV	5240.0 20	5150 to 5250	Pass
						HV	5240.0 40	5150 to 5250	Pass
					-30	NV	5240.0 20	5150 to 5250	Pass
					-20	NV	5240.0 40	5150 to 5250	Pass
					-10	NV	5240.0 00	5150 to 5250	Pass
					0	NV	5240.0 00	5150 to 5250	Pass
					10	NV	5240.0 40	5150 to 5250	Pass
					30	NV	5240.0 20	5150 to 5250	Pass
					40	NV	5240.0 60	5150 to 5250	Pass
					50	NV	5240.0 20	5150 to 5250	Pass
		5745	/	/	20	LV	5745.0 40	5725 to 5850	Pass
						NV	5745.0 60	5725 to 5850	Pass
						HV	5744.9 80	5725 to 5850	Pass
					-30	NV	5745.0 20	5725 to 5850	Pass
					-20	NV	5745.0 00	5725 to 5850	Pass
					-10	NV	5745.0 40	5725 to 5850	Pass
					0	NV	5745.0 20	5725 to 5850	Pass
					10	NV	5745.0 40	5725 to 5850	Pass
					30	NV	5745.0 40	5725 to 5850	Pass
					40	NV	5745.0 00	5725 to 5850	Pass
					50	NV	5745.0 20	5725 to 5850	Pass
		5785	/	/	20	LV	5785.0 20	5725 to 5850	Pass
						NV	5784.9 60	5725 to 5850	Pass
						HV	5785.0 20	5725 to 5850	Pass
					-30	NV	5785.0 60	5725 to 5850	Pass
					-20	NV	5785.0	5725	Pass

802.11 n (HT20)						20	to 5850				
					-10	NV	5785.0 00	5725 to 5850	Pass		
					0	NV	5785.0 60	5725 to 5850	Pass		
					10	NV	5785.0 20	5725 to 5850	Pass		
					30	NV	5785.0 20	5725 to 5850	Pass		
					40	NV	5785.0 00	5725 to 5850	Pass		
					50	NV	5784.9 80	5725 to 5850	Pass		
		5825	/	/	20	LV	5825.0 00	5725 to 5850	Pass		
						NV	5825.0 00	5725 to 5850	Pass		
						HV	5825.0 40	5725 to 5850	Pass		
					-30	NV	5825.0 00	5725 to 5850	Pass		
					-20	NV	5825.0 40	5725 to 5850	Pass		
					-10	NV	5825.0 00	5725 to 5850	Pass		
					0	NV	5825.0 00	5725 to 5850	Pass		
	10				NV	5825.0 40	5725 to 5850	Pass			
	30				NV	5825.0 00	5725 to 5850	Pass			
	40				NV	5824.9 80	5725 to 5850	Pass			
	50				NV	5825.0 20	5725 to 5850	Pass			
	MIMO				5180	/	20	LV	5180.0 60	5150 to 5250	Pass
								NV	5180.0 40	5150 to 5250	Pass
								HV	5180.0 80	5150 to 5250	Pass
		-30	NV	5180.0 00			5150 to 5250	Pass			
		-20	NV	5180.0 60			5150 to 5250	Pass			
		-10	NV	5179.9 80			5150 to 5250	Pass			
		0	NV	5180.0 20			5150 to 5250	Pass			
		10	NV	5180.0 20			5150 to 5250	Pass			
		30	NV	5180.0 80			5150 to 5250	Pass			
		40	NV	5180.0 40			5150 to 5250	Pass			
		50	NV	5180.0 20			5150 to 5250	Pass			

		5200	/	/	20	LV	5200.0 20	5150 to 5250	Pass
						NV	5200.0 60	5150 to 5250	Pass
						HV	5200.0 00	5150 to 5250	Pass
					-30	NV	5200.0 60	5150 to 5250	Pass
					-20	NV	5200.0 00	5150 to 5250	Pass
					-10	NV	5200.0 60	5150 to 5250	Pass
					0	NV	5200.0 20	5150 to 5250	Pass
					10	NV	5200.0 80	5150 to 5250	Pass
					30	NV	5200.0 00	5150 to 5250	Pass
					40	NV	5200.0 80	5150 to 5250	Pass
					50	NV	5199.9 80	5150 to 5250	Pass
		5240	/	/	20	LV	5240.0 20	5150 to 5250	Pass
						NV	5240.0 80	5150 to 5250	Pass
						HV	5240.0 80	5150 to 5250	Pass
					-30	NV	5240.0 40	5150 to 5250	Pass
					-20	NV	5240.0 80	5150 to 5250	Pass
					-10	NV	5240.0 80	5150 to 5250	Pass
					0	NV	5240.0 20	5150 to 5250	Pass
					10	NV	5240.0 60	5150 to 5250	Pass
					30	NV	5240.0 20	5150 to 5250	Pass
					40	NV	5240.0 60	5150 to 5250	Pass
					50	NV	5240.0 60	5150 to 5250	Pass
		5745	/	/	20	LV	5745.0 60	5725 to 5850	Pass
						NV	5745.0 20	5725 to 5850	Pass
						HV	5745.0 40	5725 to 5850	Pass
					-30	NV	5744.9 80	5725 to 5850	Pass
					-20	NV	5745.0 40	5725 to 5850	Pass
					-10	NV	5745.0 40	5725 to 5850	Pass
					0	NV	5745.0	5725	Pass

							00	to 5850				
					10	NV	5745.0 40	5725 to 5850	Pass			
					30	NV	5745.0 40	5725 to 5850	Pass			
					40	NV	5745.0 60	5725 to 5850	Pass			
					50	NV	5745.0 80	5725 to 5850	Pass			
		5785	/	/	20	LV	5785.0 60	5725 to 5850	Pass			
						NV	5785.0 00	5725 to 5850	Pass			
						HV	5785.0 00	5725 to 5850	Pass			
					-30	NV	5785.0 40	5725 to 5850	Pass			
					-20	NV	5785.0 40	5725 to 5850	Pass			
					-10	NV	5785.0 00	5725 to 5850	Pass			
					0	NV	5785.0 00	5725 to 5850	Pass			
					10	NV	5785.0 00	5725 to 5850	Pass			
					30	NV	5785.0 00	5725 to 5850	Pass			
					40	NV	5785.0 00	5725 to 5850	Pass			
					50	NV	5785.0 20	5725 to 5850	Pass			
					5825	/	/	20	LV	5825.0 40	5725 to 5850	Pass
									NV	5825.0 20	5725 to 5850	Pass
									HV	5824.9 80	5725 to 5850	Pass
								-30	NV	5825.0 60	5725 to 5850	Pass
		-20	NV	5824.9 80				5725 to 5850	Pass			
		-10	NV	5825.0 40				5725 to 5850	Pass			
		0	NV	5824.9 60				5725 to 5850	Pass			
		10	NV	5824.9 80				5725 to 5850	Pass			
		30	NV	5825.0 40				5725 to 5850	Pass			
		40	NV	5825.1 00				5725 to 5850	Pass			
		50	NV	5825.0 40				5725 to 5850	Pass			
802.11 n (HT40)	MIMO	5190	/	/				20	LV	5190.0 00	5150 to 5250	Pass
					NV	5190.0 40	5150 to 5250		Pass			

						HV	5190.0 40	5150 to 5250	Pass
					-30	NV	5190.0 40	5150 to 5250	Pass
					-20	NV	5190.0 40	5150 to 5250	Pass
					-10	NV	5190.0 80	5150 to 5250	Pass
					0	NV	5190.0 40	5150 to 5250	Pass
					10	NV	5190.0 40	5150 to 5250	Pass
					30	NV	5190.0 00	5150 to 5250	Pass
					40	NV	5190.0 40	5150 to 5250	Pass
					50	NV	5190.0 80	5150 to 5250	Pass
		5230	/	/	20	LV	5230.0 40	5150 to 5250	Pass
						NV	5230.0 40	5150 to 5250	Pass
						HV	5230.0 80	5150 to 5250	Pass
					-30	NV	5230.0 40	5150 to 5250	Pass
					-20	NV	5230.0 40	5150 to 5250	Pass
					-10	NV	5230.1 20	5150 to 5250	Pass
					0	NV	5230.0 00	5150 to 5250	Pass
					10	NV	5230.0 40	5150 to 5250	Pass
					30	NV	5230.0 40	5150 to 5250	Pass
					40	NV	5230.0 40	5150 to 5250	Pass
					50	NV	5230.0 40	5150 to 5250	Pass
		5755	/	/	20	LV	5755.0 40	5725 to 5850	Pass
						NV	5755.0 00	5725 to 5850	Pass
						HV	5755.0 40	5725 to 5850	Pass
					-30	NV	5755.0 40	5725 to 5850	Pass
					-20	NV	5755.0 40	5725 to 5850	Pass
					-10	NV	5755.0 40	5725 to 5850	Pass
					0	NV	5755.0 40	5725 to 5850	Pass
					10	NV	5755.0 00	5725 to 5850	Pass
					30	NV	5755.0	5725	Pass

802.11 ac (VHT20)	MIMO	5795	/	/	40	NV	5755.0 80	40 to 5850	Pass
					50	NV	5755.0 80	5725 to 5850	Pass
					20	LV	5795.0 40	5725 to 5850	Pass
						NV	5795.0 00	5725 to 5850	Pass
						HV	5795.0 00	5725 to 5850	Pass
					-30	NV	5795.0 40	5725 to 5850	Pass
					-20	NV	5795.0 00	5725 to 5850	Pass
					-10	NV	5795.0 40	5725 to 5850	Pass
					0	NV	5795.0 00	5725 to 5850	Pass
					10	NV	5795.0 00	5725 to 5850	Pass
					30	NV	5795.0 80	5725 to 5850	Pass
					40	NV	5795.0 40	5725 to 5850	Pass
					50	NV	5795.0 00	5725 to 5850	Pass
		5180	/	/	20	LV	5180.0 40	5150 to 5250	Pass
						NV	5180.0 60	5150 to 5250	Pass
						HV	5180.1 00	5150 to 5250	Pass
					-30	NV	5180.0 80	5150 to 5250	Pass
					-20	NV	5180.0 00	5150 to 5250	Pass
					-10	NV	5180.0 40	5150 to 5250	Pass
					0	NV	5180.0 20	5150 to 5250	Pass
					10	NV	5180.0 20	5150 to 5250	Pass
					30	NV	5179.9 80	5150 to 5250	Pass
					40	NV	5180.0 60	5150 to 5250	Pass
					50	NV	5180.0 40	5150 to 5250	Pass
		5200	/	/	20	LV	5200.0 80	5150 to 5250	Pass
						NV	5200.0 40	5150 to 5250	Pass
						HV	5200.0 40	5150 to 5250	Pass
					-30	NV	5200.0 60	5150 to 5250	Pass

				-20	NV	5199.9 60	5150 to 5250	Pass
				-10	NV	5200.0 40	5150 to 5250	Pass
				0	NV	5200.0 20	5150 to 5250	Pass
				10	NV	5200.1 00	5150 to 5250	Pass
				30	NV	5200.0 80	5150 to 5250	Pass
				40	NV	5200.0 60	5150 to 5250	Pass
				50	NV	5200.0 80	5150 to 5250	Pass
		5240	/	20	LV	5240.0 80	5150 to 5250	Pass
					NV	5240.0 20	5150 to 5250	Pass
					HV	5240.0 00	5150 to 5250	Pass
				-30	NV	5240.0 60	5150 to 5250	Pass
				-20	NV	5240.0 20	5150 to 5250	Pass
				-10	NV	5240.0 00	5150 to 5250	Pass
				0	NV	5240.0 40	5150 to 5250	Pass
				10	NV	5240.0 00	5150 to 5250	Pass
				30	NV	5240.0 20	5150 to 5250	Pass
				40	NV	5240.0 80	5150 to 5250	Pass
				50	NV	5239.9 60	5150 to 5250	Pass
		5745	/	20	LV	5745.0 00	5725 to 5850	Pass
					NV	5745.0 60	5725 to 5850	Pass
					HV	5745.0 60	5725 to 5850	Pass
				-30	NV	5745.0 00	5725 to 5850	Pass
				-20	NV	5745.0 60	5725 to 5850	Pass
				-10	NV	5745.0 60	5725 to 5850	Pass
				0	NV	5745.0 40	5725 to 5850	Pass
				10	NV	5745.0 20	5725 to 5850	Pass
				30	NV	5745.0 20	5725 to 5850	Pass
				40	NV	5745.1 00	5725 to 5850	Pass
				50	NV	5745.0	5725	Pass

		5785	/	/	20	00	to 5850		
						LV	5785.0 00	5725 to 5850	Pass
						NV	5785.0 40	5725 to 5850	Pass
					-30	HV	5785.0 40	5725 to 5850	Pass
						NV	5785.0 60	5725 to 5850	Pass
						NV	5785.0 40	5725 to 5850	Pass
					-20	NV	5785.0 40	5725 to 5850	Pass
						NV	5785.0 20	5725 to 5850	Pass
						NV	5785.0 00	5725 to 5850	Pass
					0	NV	5785.0 60	5725 to 5850	Pass
						NV	5785.0 40	5725 to 5850	Pass
						NV	5785.0 40	5725 to 5850	Pass
		5825	/	/	20	40	5784.9 60	5725 to 5850	Pass
						NV	5785.0 60	5725 to 5850	Pass
						NV	5785.0 60	5725 to 5850	Pass
					-30	LV	5824.9 80	5725 to 5850	Pass
						NV	5825.0 80	5725 to 5850	Pass
						HV	5825.0 20	5725 to 5850	Pass
					-20	NV	5825.0 40	5725 to 5850	Pass
						NV	5825.0 20	5725 to 5850	Pass
						NV	5825.0 40	5725 to 5850	Pass
					-10	NV	5825.0 40	5725 to 5850	Pass
						NV	5824.9 80	5725 to 5850	Pass
						NV	5825.0 40	5725 to 5850	Pass
0	NV	5825.0 40	5725 to 5850	Pass					
	NV	5825.0 40	5725 to 5850	Pass					
	NV	5825.0 40	5725 to 5850	Pass					
802.11 ac (VHT40)	MIMO	5190	/	/	20	30	5825.0 40	5725 to 5850	Pass
						NV	5825.0 40	5725 to 5850	Pass
						NV	5824.9 60	5725 to 5850	Pass
					-30	NV	5825.0 00	5725 to 5850	Pass
						NV	5825.0 00	5725 to 5850	Pass
						NV	5825.0 00	5725 to 5850	Pass

					0	NV	5190.0 40	5150 to 5250	Pass
					10	NV	5190.0 40	5150 to 5250	Pass
					30	NV	5190.0 40	5150 to 5250	Pass
					40	NV	5190.0 80	5150 to 5250	Pass
					50	NV	5190.0 80	5150 to 5250	Pass
		5230	/	/	20	LV	5230.0 40	5150 to 5250	Pass
						NV	5230.0 40	5150 to 5250	Pass
						HV	5230.0 40	5150 to 5250	Pass
					-30	NV	5230.0 00	5150 to 5250	Pass
					-20	NV	5230.0 80	5150 to 5250	Pass
					-10	NV	5230.0 40	5150 to 5250	Pass
					0	NV	5230.0 00	5150 to 5250	Pass
					10	NV	5230.0 40	5150 to 5250	Pass
					30	NV	5230.0 40	5150 to 5250	Pass
					40	NV	5230.0 80	5150 to 5250	Pass
					50	NV	5229.9 60	5150 to 5250	Pass
		5755	/	/	20	LV	5755.0 40	5725 to 5850	Pass
						NV	5755.0 40	5725 to 5850	Pass
						HV	5755.0 80	5725 to 5850	Pass
					-30	NV	5755.0 40	5725 to 5850	Pass
					-20	NV	5755.0 40	5725 to 5850	Pass
					-10	NV	5755.0 40	5725 to 5850	Pass
					0	NV	5755.0 00	5725 to 5850	Pass
					10	NV	5755.0 00	5725 to 5850	Pass
					30	NV	5755.0 40	5725 to 5850	Pass
					40	NV	5755.0 40	5725 to 5850	Pass
					50	NV	5755.0 40	5725 to 5850	Pass
		5795	/	/	20	LV	5795.0 40	5725 to 5850	Pass
						NV	5795.0	5725	Pass

							40	to 5850	
						HV	5795.0 40	5725 to 5850	Pass
					-30	NV	5795.0 00	5725 to 5850	Pass
					-20	NV	5795.0 00	5725 to 5850	Pass
					-10	NV	5795.0 40	5725 to 5850	Pass
					0	NV	5795.0 40	5725 to 5850	Pass
					10	NV	5795.0 40	5725 to 5850	Pass
					30	NV	5795.0 00	5725 to 5850	Pass
					40	NV	5795.0 40	5725 to 5850	Pass
					50	NV	5794.9 60	5725 to 5850	Pass
802.11 ac (VHT80)	MIMO	5210	/	/	20	LV	5210.0 75	5150 to 5250	Pass
						NV	5210.0 75	5150 to 5250	Pass
						HV	5210.0 75	5150 to 5250	Pass
					-30	NV	5210.1 50	5150 to 5250	Pass
					-20	NV	5210.0 75	5150 to 5250	Pass
					-10	NV	5210.0 75	5150 to 5250	Pass
					0	NV	5210.1 50	5150 to 5250	Pass
					10	NV	5210.0 75	5150 to 5250	Pass
					30	NV	5210.0 75	5150 to 5250	Pass
					40	NV	5210.0 75	5150 to 5250	Pass
					50	NV	5210.0 75	5150 to 5250	Pass
		5775	/	/	20	LV	5775.0 75	5725 to 5850	Pass
						NV	5775.0 75	5725 to 5850	Pass
						HV	5775.1 50	5725 to 5850	Pass
					-30	NV	5775.1 50	5725 to 5850	Pass
					-20	NV	5775.0 75	5725 to 5850	Pass
					-10	NV	5775.0 75	5725 to 5850	Pass
					0	NV	5775.1 50	5725 to 5850	Pass
					10	NV	5775.0 75	5725 to 5850	Pass

802.11 ax (HEW2 0)	MIMO	5180	SU	/	30	NV	5775.1 50	5725 to 5850	Pass
					40	NV	5775.1 50	5725 to 5850	Pass
					50	NV	5775.0 75	5725 to 5850	Pass
					20	LV	5180.0 20	5150 to 5250	Pass
						NV	5180.0 40	5150 to 5250	Pass
						HV	5180.0 00	5150 to 5250	Pass
					-30	NV	5180.0 20	5150 to 5250	Pass
					-20	NV	5180.0 00	5150 to 5250	Pass
					-10	NV	5180.0 20	5150 to 5250	Pass
					0	NV	5180.0 20	5150 to 5250	Pass
					10	NV	5180.0 60	5150 to 5250	Pass
					30	NV	5180.0 60	5150 to 5250	Pass
					40	NV	5180.0 40	5150 to 5250	Pass
					50	NV	5180.0 40	5150 to 5250	Pass
		5200	SU	/	20	LV	5200.0 20	5150 to 5250	Pass
						NV	5200.0 60	5150 to 5250	Pass
						HV	5200.0 20	5150 to 5250	Pass
					-30	NV	5200.0 20	5150 to 5250	Pass
					-20	NV	5200.0 40	5150 to 5250	Pass
					-10	NV	5200.0 40	5150 to 5250	Pass
					0	NV	5200.0 00	5150 to 5250	Pass
					10	NV	5200.0 20	5150 to 5250	Pass
					30	NV	5200.0 20	5150 to 5250	Pass
					40	NV	5200.0 40	5150 to 5250	Pass
					50	NV	5200.0 20	5150 to 5250	Pass
		5240	SU	/	20	LV	5240.0 20	5150 to 5250	Pass
						NV	5240.0 20	5150 to 5250	Pass
						HV	5240.0 40	5150 to 5250	Pass
					-30	NV	5240.0	5150	Pass

						40	to 5250					
					-20	NV	5240.0 40	5150 to 5250	Pass			
					-10	NV	5240.0 20	5150 to 5250	Pass			
					0	NV	5240.0 20	5150 to 5250	Pass			
					10	NV	5240.0 20	5150 to 5250	Pass			
					30	NV	5240.0 00	5150 to 5250	Pass			
					40	NV	5240.0 00	5150 to 5250	Pass			
					50	NV	5239.9 80	5150 to 5250	Pass			
					5745	SU	/	20	LV	5745.0 40	5725 to 5850	Pass
									NV	5745.0 20	5725 to 5850	Pass
									HV	5745.0 20	5725 to 5850	Pass
									-30	NV	5745.0 20	5725 to 5850
								-20	NV	5745.0 20	5725 to 5850	Pass
								-10	NV	5744.9 80	5725 to 5850	Pass
								0	NV	5745.0 20	5725 to 5850	Pass
								10	NV	5745.0 20	5725 to 5850	Pass
								30	NV	5745.0 40	5725 to 5850	Pass
								40	NV	5745.0 20	5725 to 5850	Pass
								50	NV	5745.0 40	5725 to 5850	Pass
					5785	SU	/	20	LV	5785.0 80	5725 to 5850	Pass
									NV	5785.0 00	5725 to 5850	Pass
									HV	5785.0 60	5725 to 5850	Pass
								-30	NV	5784.9 80	5725 to 5850	Pass
								-20	NV	5785.0 40	5725 to 5850	Pass
								-10	NV	5785.0 20	5725 to 5850	Pass
								0	NV	5785.0 20	5725 to 5850	Pass
								10	NV	5785.0 20	5725 to 5850	Pass
								30	NV	5785.0 40	5725 to 5850	Pass
								40	NV	5785.0 60	5725 to 5850	Pass

802.11 ax (HEW40)	MIMO	5825	SU	/	50	NV	5785.0 00	5725 to 5850	Pass
					20	LV	5825.0 00	5725 to 5850	Pass
						NV	5825.0 40	5725 to 5850	Pass
						HV	5825.0 20	5725 to 5850	Pass
					-30	NV	5825.0 20	5725 to 5850	Pass
					-20	NV	5824.9 80	5725 to 5850	Pass
					-10	NV	5825.0 00	5725 to 5850	Pass
					0	NV	5825.0 00	5725 to 5850	Pass
					10	NV	5825.0 20	5725 to 5850	Pass
					30	NV	5825.0 00	5725 to 5850	Pass
					40	NV	5825.0 20	5725 to 5850	Pass
					50	NV	5825.0 00	5725 to 5850	Pass
		5190	SU	/	20	LV	5190.0 40	5150 to 5250	Pass
						NV	5190.0 40	5150 to 5250	Pass
						HV	5190.0 80	5150 to 5250	Pass
					-30	NV	5190.0 80	5150 to 5250	Pass
					-20	NV	5190.0 00	5150 to 5250	Pass
					-10	NV	5190.0 80	5150 to 5250	Pass
					0	NV	5190.0 80	5150 to 5250	Pass
					10	NV	5190.0 40	5150 to 5250	Pass
					30	NV	5190.0 80	5150 to 5250	Pass
					40	NV	5190.0 40	5150 to 5250	Pass
					50	NV	5190.0 80	5150 to 5250	Pass
		5230	SU	/	20	LV	5230.0 80	5150 to 5250	Pass
						NV	5230.0 40	5150 to 5250	Pass
						HV	5230.0 00	5150 to 5250	Pass
					-30	NV	5230.0 00	5150 to 5250	Pass
					-20	NV	5230.1 20	5150 to 5250	Pass
					-10	NV	5230.0	5150	Pass

							40	to 5250	
					0	NV	5230.0 00	5150 to 5250	Pass
					10	NV	5230.0 00	5150 to 5250	Pass
					30	NV	5230.0 40	5150 to 5250	Pass
					40	NV	5230.0 80	5150 to 5250	Pass
					50	NV	5230.0 80	5150 to 5250	Pass
		5755	SU	/	20	LV	5755.0 00	5725 to 5850	Pass
						NV	5755.0 40	5725 to 5850	Pass
						HV	5755.0 00	5725 to 5850	Pass
					-30	NV	5755.0 40	5725 to 5850	Pass
					-20	NV	5755.0 80	5725 to 5850	Pass
					-10	NV	5755.0 00	5725 to 5850	Pass
					0	NV	5755.0 00	5725 to 5850	Pass
					10	NV	5755.0 40	5725 to 5850	Pass
					30	NV	5755.0 40	5725 to 5850	Pass
					40	NV	5755.0 40	5725 to 5850	Pass
					50	NV	5755.0 00	5725 to 5850	Pass
		5795	SU	/	20	LV	5795.0 00	5725 to 5850	Pass
						NV	5795.0 40	5725 to 5850	Pass
						HV	5795.0 40	5725 to 5850	Pass
					-30	NV	5795.0 40	5725 to 5850	Pass
					-20	NV	5795.0 00	5725 to 5850	Pass
					-10	NV	5795.0 40	5725 to 5850	Pass
					0	NV	5795.0 00	5725 to 5850	Pass
					10	NV	5795.0 40	5725 to 5850	Pass
					30	NV	5794.9 60	5725 to 5850	Pass
					40	NV	5795.0 40	5725 to 5850	Pass
					50	NV	5795.0 00	5725 to 5850	Pass
802.11 ax	MIMO	5210	SU	/	20	LV	5210.0 75	5150 to 5250	Pass

(HEW80)						NV	5210.075	5150 to 5250	Pass
						HV	5210.075	5150 to 5250	Pass
						-30	5210.075	5150 to 5250	Pass
						-20	5210.075	5150 to 5250	Pass
						-10	5210.075	5150 to 5250	Pass
						0	5210.000	5150 to 5250	Pass
						10	5210.075	5150 to 5250	Pass
						30	5210.075	5150 to 5250	Pass
						40	5210.075	5150 to 5250	Pass
						50	5210.075	5150 to 5250	Pass
		5775	SU	/	20	LV	5775.075	5725 to 5850	Pass
						NV	5775.075	5725 to 5850	Pass
						HV	5775.075	5725 to 5850	Pass
					-30	NV	5775.075	5725 to 5850	Pass
						-20	5775.075	5725 to 5850	Pass
						-10	5775.000	5725 to 5850	Pass
					0	NV	5775.075	5725 to 5850	Pass
						10	5775.075	5725 to 5850	Pass
						30	5775.075	5725 to 5850	Pass
					40	NV	5775.000	5725 to 5850	Pass
						50	5775.075	5725 to 5850	Pass

5.1.2 Ant2

Ant2									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	LV	5180.020	5150 to 5250	Pass
						NV	5179.980	5150 to 5250	Pass
						HV	5180.0	5150	Pass

						00	to 5250	
					-30	NV 5180.0 40	5150 to 5250	Pass
					-20	NV 5180.0 20	5150 to 5250	Pass
					-10	NV 5180.0 00	5150 to 5250	Pass
					0	NV 5180.0 00	5150 to 5250	Pass
					10	NV 5179.9 80	5150 to 5250	Pass
					30	NV 5180.0 40	5150 to 5250	Pass
					40	NV 5180.0 40	5150 to 5250	Pass
					50	NV 5180.0 40	5150 to 5250	Pass
		5200	/	/	20	LV 5200.0 00	5150 to 5250	Pass
						NV 5199.9 80	5150 to 5250	Pass
						HV 5200.0 20	5150 to 5250	Pass
					-30	NV 5200.0 20	5150 to 5250	Pass
					-20	NV 5200.0 00	5150 to 5250	Pass
					-10	NV 5200.0 40	5150 to 5250	Pass
					0	NV 5199.9 20	5150 to 5250	Pass
					10	NV 5200.0 20	5150 to 5250	Pass
					30	NV 5200.0 00	5150 to 5250	Pass
					40	NV 5200.0 20	5150 to 5250	Pass
					50	NV 5200.0 20	5150 to 5250	Pass
		5240	/	/	20	LV 5240.0 20	5150 to 5250	Pass
						NV 5239.9 80	5150 to 5250	Pass
						HV 5240.0 20	5150 to 5250	Pass
					-30	NV 5240.0 00	5150 to 5250	Pass
					-20	NV 5240.0 40	5150 to 5250	Pass
					-10	NV 5240.0 20	5150 to 5250	Pass
					0	NV 5239.9 80	5150 to 5250	Pass
					10	NV 5240.0 20	5150 to 5250	Pass
					30	NV 5240.0 00	5150 to 5250	Pass

					40	NV	5240.0 00	5150 to 5250	Pass
					50	NV	5239.9 80	5150 to 5250	Pass
					20	LV	5745.0 40	5725 to 5850	Pass
						NV	5745.0 40	5725 to 5850	Pass
						HV	5745.0 20	5725 to 5850	Pass
					-30	NV	5745.0 20	5725 to 5850	Pass
					-20	NV	5745.0 20	5725 to 5850	Pass
					-10	NV	5745.0 00	5725 to 5850	Pass
					0	NV	5745.0 20	5725 to 5850	Pass
					10	NV	5745.0 20	5725 to 5850	Pass
					30	NV	5745.0 20	5725 to 5850	Pass
					40	NV	5745.0 20	5725 to 5850	Pass
					50	NV	5745.0 20	5725 to 5850	Pass
		5785	/	/	20	LV	5784.9 80	5725 to 5850	Pass
						NV	5785.0 20	5725 to 5850	Pass
						HV	5785.0 40	5725 to 5850	Pass
					-30	NV	5785.0 40	5725 to 5850	Pass
					-20	NV	5785.0 20	5725 to 5850	Pass
					-10	NV	5785.0 20	5725 to 5850	Pass
					0	NV	5785.0 60	5725 to 5850	Pass
					10	NV	5785.0 20	5725 to 5850	Pass
					30	NV	5785.0 40	5725 to 5850	Pass
					40	NV	5785.0 60	5725 to 5850	Pass
					50	NV	5785.0 20	5725 to 5850	Pass
		5825	/	/	20	LV	5825.0 40	5725 to 5850	Pass
						NV	5825.0 20	5725 to 5850	Pass
						HV	5825.0 00	5725 to 5850	Pass
					-30	NV	5825.0 80	5725 to 5850	Pass
					-20	NV	5825.0	5725	Pass

802.11 n (HT20)	MIMO	5180	/	/			20	to 5850	
					-10	NV	5825.0 40	5725 to 5850	Pass
					0	NV	5825.0 20	5725 to 5850	Pass
					10	NV	5825.0 40	5725 to 5850	Pass
					30	NV	5825.0 40	5725 to 5850	Pass
					40	NV	5825.0 60	5725 to 5850	Pass
					50	NV	5825.0 60	5725 to 5850	Pass
		5200	/	/	20	LV	5180.0 20	5150 to 5250	Pass
						NV	5179.9 80	5150 to 5250	Pass
						HV	5179.9 40	5150 to 5250	Pass
					-30	NV	5179.9 80	5150 to 5250	Pass
					-20	NV	5179.9 80	5150 to 5250	Pass
					-10	NV	5180.0 40	5150 to 5250	Pass
					0	NV	5180.0 20	5150 to 5250	Pass
10	NV				5180.0 60	5150 to 5250	Pass		
30	NV				5180.0 20	5150 to 5250	Pass		
40	NV				5180.0 40	5150 to 5250	Pass		
50	NV				5180.0 20	5150 to 5250	Pass		
20	LV				5199.9 80	5150 to 5250	Pass		
	NV				5200.0 60	5150 to 5250	Pass		
	HV				5199.9 60	5150 to 5250	Pass		
-30	NV				5200.0 40	5150 to 5250	Pass		
-20	NV				5200.0 20	5150 to 5250	Pass		
-10	NV				5199.9 40	5150 to 5250	Pass		
0	NV	5199.9 60	5150 to 5250	Pass					
10	NV	5199.9 40	5150 to 5250	Pass					
30	NV	5199.9 80	5150 to 5250	Pass					
40	NV	5199.9 80	5150 to 5250	Pass					
50	NV	5199.9 60	5150 to 5250	Pass					

		5240	/	/	20	LV	5240.0 00	5150 to 5250	Pass
						NV	5239.9 80	5150 to 5250	Pass
						HV	5239.9 60	5150 to 5250	Pass
					-30	NV	5239.9 40	5150 to 5250	Pass
					-20	NV	5239.9 80	5150 to 5250	Pass
					-10	NV	5239.9 80	5150 to 5250	Pass
					0	NV	5240.0 00	5150 to 5250	Pass
					10	NV	5239.9 80	5150 to 5250	Pass
					30	NV	5240.0 60	5150 to 5250	Pass
					40	NV	5239.9 80	5150 to 5250	Pass
					50	NV	5240.0 00	5150 to 5250	Pass
		5745	/	/	20	LV	5745.0 40	5725 to 5850	Pass
						NV	5744.9 80	5725 to 5850	Pass
						HV	5745.0 80	5725 to 5850	Pass
					-30	NV	5745.0 60	5725 to 5850	Pass
					-20	NV	5745.0 40	5725 to 5850	Pass
					-10	NV	5745.0 60	5725 to 5850	Pass
					0	NV	5745.0 40	5725 to 5850	Pass
					10	NV	5745.0 60	5725 to 5850	Pass
					30	NV	5745.0 40	5725 to 5850	Pass
					40	NV	5745.0 40	5725 to 5850	Pass
					50	NV	5745.0 60	5725 to 5850	Pass
		5785	/	/	20	LV	5785.0 40	5725 to 5850	Pass
						NV	5785.0 40	5725 to 5850	Pass
						HV	5785.0 40	5725 to 5850	Pass
					-30	NV	5785.0 60	5725 to 5850	Pass
					-20	NV	5785.0 60	5725 to 5850	Pass
					-10	NV	5785.0 60	5725 to 5850	Pass
					0	NV	5785.0	5725	Pass

802.11 n (HT40)	MIMO						40	to 5850	
					10	NV	5785.0 20	5725 to 5850	Pass
					30	NV	5785.0 60	5725 to 5850	Pass
					40	NV	5785.1 00	5725 to 5850	Pass
					50	NV	5785.0 80	5725 to 5850	Pass
		5825	/	/	20	LV	5825.0 60	5725 to 5850	Pass
						NV	5825.0 60	5725 to 5850	Pass
						HV	5825.0 20	5725 to 5850	Pass
					-30	NV	5825.1 00	5725 to 5850	Pass
					-20	NV	5825.0 40	5725 to 5850	Pass
					-10	NV	5825.0 40	5725 to 5850	Pass
					0	NV	5825.0 80	5725 to 5850	Pass
					10	NV	5825.0 80	5725 to 5850	Pass
					30	NV	5825.0 80	5725 to 5850	Pass
					40	NV	5825.1 20	5725 to 5850	Pass
					50	NV	5825.1 20	5725 to 5850	Pass
					5190	/	/	20	LV
		NV	5190.0 80	5150 to 5250					Pass
		HV	5190.0 40	5150 to 5250					Pass
		-30	NV	5190.0 00				5150 to 5250	Pass
		-20	NV	5190.0 40				5150 to 5250	Pass
		-10	NV	5190.1 20				5150 to 5250	Pass
		0	NV	5190.0 40				5150 to 5250	Pass
		10	NV	5190.0 40				5150 to 5250	Pass
		30	NV	5190.0 40				5150 to 5250	Pass
		40	NV	5190.0 40				5150 to 5250	Pass
		50	NV	5190.0 40				5150 to 5250	Pass
5230	/	/	20	LV				5230.0 80	5150 to 5250
				NV	5230.0 00	5150 to 5250	Pass		

						HV	5230.0 00	5150 to 5250	Pass
					-30	NV	5230.0 40	5150 to 5250	Pass
					-20	NV	5230.0 80	5150 to 5250	Pass
					-10	NV	5230.0 00	5150 to 5250	Pass
					0	NV	5230.0 40	5150 to 5250	Pass
					10	NV	5230.0 00	5150 to 5250	Pass
					30	NV	5230.0 00	5150 to 5250	Pass
					40	NV	5230.0 40	5150 to 5250	Pass
					50	NV	5230.0 40	5150 to 5250	Pass
		5755	/	/	20	LV	5755.0 80	5725 to 5850	Pass
						NV	5755.0 40	5725 to 5850	Pass
						HV	5755.0 00	5725 to 5850	Pass
					-30	NV	5755.0 40	5725 to 5850	Pass
					-20	NV	5755.0 40	5725 to 5850	Pass
					-10	NV	5755.0 40	5725 to 5850	Pass
					0	NV	5755.0 40	5725 to 5850	Pass
					10	NV	5755.0 80	5725 to 5850	Pass
					30	NV	5755.0 40	5725 to 5850	Pass
					40	NV	5755.0 40	5725 to 5850	Pass
					50	NV	5755.0 40	5725 to 5850	Pass
		5795	/	/	20	LV	5795.0 40	5725 to 5850	Pass
						NV	5795.0 40	5725 to 5850	Pass
						HV	5795.0 00	5725 to 5850	Pass
					-30	NV	5795.0 40	5725 to 5850	Pass
					-20	NV	5795.0 80	5725 to 5850	Pass
					-10	NV	5795.0 40	5725 to 5850	Pass
					0	NV	5795.0 40	5725 to 5850	Pass
					10	NV	5795.0 40	5725 to 5850	Pass
					30	NV	5795.0	5725	Pass

802.11 ac (VHT20)	MIMO	5180	/	/			00	to 5850	
					40	NV	5795.0 40	5725 to 5850	Pass
					50	NV	5795.0 40	5725 to 5850	Pass
					20	LV	5180.0 20	5150 to 5250	Pass
						NV	5180.0 40	5150 to 5250	Pass
						HV	5180.0 40	5150 to 5250	Pass
					-30	NV	5180.0 20	5150 to 5250	Pass
					-20	NV	5179.9 60	5150 to 5250	Pass
					-10	NV	5179.9 40	5150 to 5250	Pass
					0	NV	5180.0 40	5150 to 5250	Pass
		5200	/	/	10	NV	5179.9 40	5150 to 5250	Pass
					30	NV	5180.0 40	5150 to 5250	Pass
					40	NV	5180.0 60	5150 to 5250	Pass
					50	NV	5180.0 20	5150 to 5250	Pass
					20	LV	5200.0 40	5150 to 5250	Pass
						NV	5200.0 00	5150 to 5250	Pass
						HV	5200.0 00	5150 to 5250	Pass
					-30	NV	5200.0 00	5150 to 5250	Pass
					-20	NV	5200.0 00	5150 to 5250	Pass
					-10	NV	5199.9 80	5150 to 5250	Pass
		5240	/	/	0	NV	5200.0 80	5150 to 5250	Pass
					10	NV	5200.0 20	5150 to 5250	Pass
					30	NV	5200.0 20	5150 to 5250	Pass
					40	NV	5199.9 80	5150 to 5250	Pass
					50	NV	5199.9 60	5150 to 5250	Pass
					20	LV	5240.0 00	5150 to 5250	Pass
						NV	5239.9 60	5150 to 5250	Pass
						HV	5239.9 40	5150 to 5250	Pass
					-30	NV	5240.0 20	5150 to 5250	Pass