


Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.26	51.34	68.20	16.86	PASS	Horizont	PK
2	5150	24.08	14.45	38.53	54.00	15.47	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.09	54.17	68.20	14.03	PASS	Vertical	PK
2	5150	24.08	14.64	38.72	54.00	15.28	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.79	51.87	68.20	16.33	PASS	Horizont	PK
2	5150	24.08	14.12	38.20	54.00	15.80	PASS	Horizont	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.44	52.52	68.20	15.68	PASS	Vertical	PK
2	5150	24.08	13.74	37.82	54.00	16.18	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.12	51.20	68.20	17.00	PASS	Horizont	PK
2	5150	24.08	13.91	37.99	54.00	16.01	PASS	Horizont	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.21	50.29	68.20	17.91	PASS	Vertical	PK
2	5150	24.08	14.04	38.12	54.00	15.88	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.18	52.26	68.20	15.94	PASS	Horizont	PK
2	5150	24.08	13.80	37.88	54.00	16.12	PASS	Horizont	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.92	51.00	68.20	17.20	PASS	Vertical	PK
2	5150	24.08	13.45	37.53	54.00	16.47	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.33	52.41	68.20	15.79	PASS	Horizont	PK
2	5150	24.08	14.27	38.35	54.00	15.65	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.83	52.91	68.20	15.29	PASS	Vertical	PK
2	5150	24.08	14.09	38.17	54.00	15.83	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.65	51.73	68.20	16.47	PASS	Horizont	PK
2	5150	24.08	13.53	37.61	54.00	16.39	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.77	52.85	68.20	15.35	PASS	Vertical	PK
2	5150	24.08	13.51	37.59	54.00	16.41	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.80	50.88	68.20	17.32	PASS	Horizont	PK
2	5150	24.08	14.20	38.28	54.00	15.72	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.46	50.54	68.20	17.66	PASS	Vertical	PK
2	5150	24.08	14.43	38.51	54.00	15.49	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.67	51.75	68.20	16.45	PASS	Horizont	PK
2	5150	24.08	14.34	38.42	54.00	15.58	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.25	51.33	68.20	16.87	PASS	Vertical	PK
2	5150	24.08	13.72	37.80	54.00	16.20	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.34	51.42	68.20	16.78	PASS	Horizont	PK
2	5150	24.08	13.87	37.95	54.00	16.05	PASS	Horizont	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.20	51.28	68.20	16.92	PASS	Vertical	PK
2	5150	24.08	14.56	38.64	54.00	15.36	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.23	53.31	68.20	14.89	PASS	Horizontal	PK
2	5150	24.08	14.63	38.71	54.00	15.29	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.65	51.73	68.20	16.47	PASS	Vertical	PK
2	5150	24.08	14.40	38.48	54.00	15.52	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.33	51.41	68.20	16.79	PASS	Horizont	PK
2	5150	24.08	13.82	37.90	54.00	16.10	PASS	Horizont	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.23	51.31	68.20	16.89	PASS	Vertical	PK
2	5150	24.08	13.47	37.55	54.00	16.45	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.64	50.72	68.20	17.48	PASS	Horizont	PK
2	5150	24.08	13.63	37.71	54.00	16.29	PASS	Horizont	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.44	52.52	68.20	15.68	PASS	Vertical	PK
2	5150	24.08	13.92	38.00	54.00	16.00	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.51	51.59	68.20	16.61	PASS	Horizont	PK
2	5150	24.08	14.16	38.24	54.00	15.76	PASS	Horizont	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.68	50.76	68.20	17.44	PASS	Vertical	PK
2	5150	24.08	13.76	37.84	54.00	16.16	PASS	Vertical	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.26	51.34	68.20	16.86	PASS	Horizont	PK
2	5150	24.08	14.00	38.08	54.00	15.92	PASS	Horizont	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	26.97	51.05	68.20	17.15	PASS	Vertical	PK
2	5150	24.08	14.23	38.31	54.00	15.69	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5742.9615	-5.88	106.58	100.70	122.20	21.50	PASS	Horizont	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5742.9615	-5.88	107.08	101.20	122.20	21.00	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5822.6563	-5.42	106.42	101.00	122.20	21.20	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5820.8654	-5.43	106.16	100.73	122.20	21.47	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5748.3342	-5.85	106.53	100.68	122.20	21.52	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5748.3342	-5.85	106.79	100.94	122.20	21.26	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Remark:	\	Test_Date	2026/6/30


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5820.8654	-5.43	106.53	101.10	122.20	21.10	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825MHz
Remark:	\	Test_Date	2026/6/30

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5828.029	-5.37	105.65	100.28	122.20	21.92	PASS	Vertical	PK