


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/8/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18712.6685	-26.46	59.27	32.81	74.00	41.19	PASS	Horizontal	PK
2	20093.1237	-25.03	56.18	31.15	74.00	42.85	PASS	Horizontal	PK
3	21700.708	-25.63	56.51	30.88	74.00	43.12	PASS	Horizontal	PK
4	23425.937	-23.50	52.59	29.09	74.00	44.91	PASS	Horizontal	PK
5	24907.3763	-22.06	48.53	26.47	74.00	47.53	PASS	Horizontal	PK
6	25759.1104	-20.80	49.61	28.81	74.00	45.19	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/8/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18821.8129	-26.29	58.80	32.51	74.00	41.49	PASS	Vertical	PK
2	20137.3255	-25.23	56.92	31.69	74.00	42.31	PASS	Vertical	PK
3	21828.5531	-25.57	56.78	31.21	74.00	42.79	PASS	Vertical	PK
4	23569.7628	-23.13	52.52	29.39	74.00	44.61	PASS	Vertical	PK
5	24760.4904	-21.94	48.16	26.22	74.00	47.78	PASS	Vertical	PK
6	25808.0723	-20.82	49.76	28.94	74.00	45.06	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	\	Test_Date	2026/8/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1701.9135	14.08	36.08	50.16	74.00	23.84	PASS	Horizontal	PK
2	2779.452	17.06	36.55	53.61	74.00	20.39	PASS	Horizontal	PK
3	5504.1669	-6.49	52.80	46.31	74.00	27.69	PASS	Horizontal	PK
4	10726.5151	2.40	50.41	52.81	74.00	21.19	PASS	Horizontal	PK
5	13721.7148	7.22	50.96	58.18	74.00	15.82	PASS	Horizontal	PK
6	16347.8899	11.56	49.72	61.28	74.00	12.72	PASS	Horizontal	PK
7	13764.7176	7.34	39.25	46.59	54.00	7.41	PASS	Horizontal	AV
8	16345.8897	11.53	37.13	48.66	54.00	5.34	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	\	Test_Date	2026/8/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1673.5116	14.03	35.65	49.68	74.00	24.32	PASS	Vertical	PK
2	2965.1977	17.84	35.38	53.22	74.00	20.78	PASS	Vertical	PK
3	5856.1904	-5.46	53.02	47.56	74.00	26.44	PASS	Vertical	PK
4	10333.4889	1.85	50.61	52.46	74.00	21.54	PASS	Vertical	PK
5	13660.7107	7.40	50.39	57.79	74.00	16.21	PASS	Vertical	PK
6	16330.8887	11.35	48.83	60.18	74.00	13.82	PASS	Vertical	PK
7	13753.7169	7.20	39.59	46.79	54.00	7.21	PASS	Vertical	AV
8	16346.8898	11.54	37.28	48.82	54.00	5.18	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	\	Test_Date	2026/8/10


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18650.786	-26.59	58.93	32.34	74.00	41.66	PASS	Horizontal	PK
2	19642.9457	-25.51	58.49	32.98	74.00	41.02	PASS	Horizontal	PK
3	21240.6696	-25.77	56.87	31.10	74.00	42.90	PASS	Horizontal	PK
4	23229.7492	-24.17	52.07	27.90	74.00	46.10	PASS	Horizontal	PK
5	24873.0349	-22.02	48.93	26.91	74.00	47.09	PASS	Horizontal	PK
6	25786.9915	-20.81	49.70	28.89	74.00	45.11	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2452MHz
Tset_Engineer	\	Test_Date	2026/8/10

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18516.8207	-26.69	58.63	31.94	74.00	42.06	PASS	Vertical	PK
2	19747.3299	-25.32	56.49	31.17	74.00	42.83	PASS	Vertical	PK
3	20993.4797	-25.99	56.75	30.76	74.00	43.24	PASS	Vertical	PK
4	22409.6364	-25.09	53.45	28.36	74.00	45.64	PASS	Vertical	PK
5	23889.7156	-22.15	51.77	29.62	74.00	44.38	PASS	Vertical	PK
6	25812.1525	-20.83	49.49	28.66	74.00	45.34	PASS	Vertical	PK

MIMO:

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1599.5066	13.74	38.39	52.13	74.00	21.87	PASS	Horizontal	PK
2	2790.9194	17.30	36.52	53.82	74.00	20.18	PASS	Horizontal	PK
3	5656.1771	-6.26	51.37	45.11	74.00	28.89	PASS	Horizontal	PK
4	9288.4192	0.76	50.35	51.11	74.00	22.89	PASS	Horizontal	PK
5	12567.6378	4.43	52.48	56.91	74.00	17.09	PASS	Horizontal	PK
6	16349.89	11.58	49.07	60.65	74.00	13.35	PASS	Horizontal	PK
7	12564.6376	4.41	40.80	45.21	54.00	8.79	PASS	Horizontal	AV
8	16344.8897	11.52	36.80	48.32	54.00	5.68	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1600.1733	13.74	35.70	49.44	74.00	24.56	PASS	Vertical	PK
2	2826.5218	17.21	36.83	54.04	74.00	19.96	PASS	Vertical	PK
3	5550.17	-6.28	51.87	45.59	74.00	28.41	PASS	Vertical	PK
4	9480.432	0.88	49.50	50.38	74.00	23.62	PASS	Vertical	PK
5	13743.7162	7.18	50.09	57.27	74.00	16.73	PASS	Vertical	PK
6	16349.89	11.58	49.04	60.62	74.00	13.38	PASS	Vertical	PK
7	2811.9875	17.24	17.97	35.21	54.00	18.79	PASS	Vertical	AV
8	13678.7119	7.34	39.14	46.48	54.00	7.52	PASS	Vertical	AV
9	16334.889	11.40	36.86	48.26	54.00	5.74	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18693.6277	-26.50	62.30	35.80	74.00	38.20	PASS	Horizontal	PK
2	19726.249	-25.36	60.88	35.52	74.00	38.48	PASS	Horizontal	PK
3	21135.9454	-25.83	61.19	35.36	74.00	38.64	PASS	Horizontal	PK
4	22293.6917	-25.26	59.17	33.91	74.00	40.09	PASS	Horizontal	PK
5	23805.0522	-22.32	57.18	34.86	74.00	39.14	PASS	Horizontal	PK
6	25605.7642	-20.71	56.18	35.47	74.00	38.53	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2412MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18636.8455	-26.62	62.08	35.46	74.00	38.54	PASS	Vertical	PK
2	19766.0306	-25.29	61.27	35.98	74.00	38.02	PASS	Vertical	PK
3	21613.3245	-25.73	60.59	34.86	74.00	39.14	PASS	Vertical	PK
4	22978.8192	-25.61	58.44	32.83	74.00	41.17	PASS	Vertical	PK
5	24628.9052	-21.89	55.39	33.50	74.00	40.50	PASS	Vertical	PK
6	25964.4786	-20.89	55.67	34.78	74.00	39.22	PASS	Vertical	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1577.3718	13.52	35.76	49.28	74.00	24.72	PASS	Horizontal	PK
2	2861.1907	17.37	35.25	52.62	74.00	21.38	PASS	Horizontal	PK
3	5658.1772	-6.25	52.37	46.12	74.00	27.88	PASS	Horizontal	PK
4	9775.4517	1.19	51.02	52.21	74.00	21.79	PASS	Horizontal	PK
5	13725.715	7.21	50.44	57.65	74.00	16.35	PASS	Horizontal	PK
6	16348.8899	11.57	48.95	60.52	74.00	13.48	PASS	Horizontal	PK
7	13771.7181	7.42	39.16	46.58	54.00	7.42	PASS	Horizontal	AV
8	16426.8951	10.51	38.22	48.73	54.00	5.27	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1599.9067	13.74	36.99	50.73	74.00	23.27	PASS	Vertical	PK
2	2885.3257	17.52	35.92	53.44	74.00	20.56	PASS	Vertical	PK
3	5435.1623	-6.52	52.61	46.09	74.00	27.91	PASS	Vertical	PK
4	10167.4778	1.54	50.25	51.79	74.00	22.21	PASS	Vertical	PK
5	13747.7165	7.17	50.22	57.39	74.00	16.61	PASS	Vertical	PK
6	16329.8887	11.33	50.48	61.81	74.00	12.19	PASS	Vertical	PK
7	13767.7178	7.37	39.31	46.68	54.00	7.32	PASS	Vertical	AV
8	16345.8897	11.53	36.86	48.39	54.00	5.61	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18598.0839	-26.69	63.07	36.38	74.00	37.62	PASS	Horizontal	PK
2	19739.8496	-25.34	60.53	35.19	74.00	38.81	PASS	Horizontal	PK
3	20865.6346	-25.76	59.49	33.73	74.00	40.27	PASS	Horizontal	PK
4	22026.101	-25.75	59.58	33.83	74.00	40.17	PASS	Horizontal	PK
5	24225.309	-22.52	56.02	33.50	74.00	40.50	PASS	Horizontal	PK
6	25832.5533	-20.83	56.19	35.36	74.00	38.64	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18586.1834	-26.69	62.39	35.70	74.00	38.30	PASS	Vertical	PK
2	19622.2049	-25.55	60.19	34.64	74.00	39.36	PASS	Vertical	PK
3	20775.531	-25.70	59.36	33.66	74.00	40.34	PASS	Vertical	PK
4	22130.4852	-25.54	59.05	33.51	74.00	40.49	PASS	Vertical	PK
5	24179.0672	-22.57	56.37	33.80	74.00	40.20	PASS	Vertical	PK
6	25797.8719	-20.82	56.16	35.34	74.00	38.66	PASS	Vertical	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1540.5694	13.49	34.46	47.95	74.00	26.05	PASS	Horizontal	PK
2	2904.927	17.75	34.58	52.33	74.00	21.67	PASS	Horizontal	PK
3	6084.2056	-5.17	51.32	46.15	74.00	27.85	PASS	Horizontal	PK
4	10394.493	1.89	50.26	52.15	74.00	21.85	PASS	Horizontal	PK
5	13705.7137	7.25	50.37	57.62	74.00	16.38	PASS	Horizontal	PK
6	16468.8979	11.35	48.43	59.78	74.00	14.22	PASS	Horizontal	PK
7	13758.7172	7.26	38.98	46.24	54.00	7.76	PASS	Horizontal	AV
8	16337.8892	11.44	36.93	48.37	54.00	5.63	PASS	Horizontal	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1600.04	13.74	36.98	50.72	74.00	23.28	PASS	Vertical	PK
2	2776.7851	17.00	36.53	53.53	74.00	20.47	PASS	Vertical	PK
3	5341.1561	-6.97	52.98	46.01	74.00	27.99	PASS	Vertical	PK
4	10257.4838	1.97	50.09	52.06	74.00	21.94	PASS	Vertical	PK
5	13835.7224	7.30	50.50	57.80	74.00	16.20	PASS	Vertical	PK
6	16424.895	10.47	49.32	59.79	74.00	14.21	PASS	Vertical	PK
7	13759.7173	7.28	39.01	46.29	54.00	7.71	PASS	Vertical	AV
8	16436.8958	10.73	38.10	48.83	54.00	5.17	PASS	Vertical	AV

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18606.5843	-26.68	61.93	35.25	74.00	38.75	PASS	Horizontal	PK
2	19889.1156	-24.96	59.44	34.48	74.00	39.52	PASS	Horizontal	PK
3	21291.3317	-25.81	60.00	34.19	74.00	39.81	PASS	Horizontal	PK
4	23199.148	-24.28	57.67	33.39	74.00	40.61	PASS	Horizontal	PK
5	25108.3243	-21.55	55.37	33.82	74.00	40.18	PASS	Horizontal	PK
6	26308.9124	-21.25	56.66	35.41	74.00	38.59	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18377.4151	-26.73	63.41	36.68	74.00	37.32	PASS	Vertical	PK
2	19821.4529	-25.17	59.62	34.45	74.00	39.55	PASS	Vertical	PK
3	20934.9974	-25.89	60.20	34.31	74.00	39.69	PASS	Vertical	PK
4	22915.2366	-25.41	58.56	33.15	74.00	40.85	PASS	Vertical	PK
5	25325.253	-21.29	55.18	33.89	74.00	40.11	PASS	Vertical	PK
6	26349.034	-21.22	55.90	34.68	74.00	39.32	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1452.6968	13.05	36.58	49.63	74.00	24.37	PASS	Horizontal	PK
2	2823.9883	17.18	35.74	52.92	74.00	21.08	PASS	Horizontal	PK
3	5602.1735	-6.30	53.07	46.77	74.00	27.23	PASS	Horizontal	PK
4	9326.4218	0.94	51.09	52.03	74.00	21.97	PASS	Horizontal	PK
5	13779.7186	7.52	50.19	57.71	74.00	16.29	PASS	Horizontal	PK
6	16347.8899	11.56	49.63	61.19	74.00	12.81	PASS	Horizontal	PK
7	13722.7148	7.21	39.00	46.21	54.00	7.79	PASS	Horizontal	AV
8	16414.8943	10.27	38.61	48.88	54.00	5.12	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1600.3067	13.74	37.06	50.80	74.00	23.20	PASS	Vertical	PK
2	2841.1894	17.50	37.17	54.67	74.00	19.33	PASS	Vertical	PK
3	5438.1625	-6.49	52.33	45.84	74.00	28.16	PASS	Vertical	PK
4	9880.4587	1.43	50.91	52.34	74.00	21.66	PASS	Vertical	PK
5	13727.7152	7.21	50.68	57.89	74.00	16.11	PASS	Vertical	PK
6	16329.8887	11.33	49.19	60.52	74.00	13.48	PASS	Vertical	PK
7	2839.7226	17.51	17.68	35.19	54.00	18.81	PASS	Vertical	AV
8	13741.7161	7.18	39.08	46.26	54.00	7.74	PASS	Vertical	AV
9	16273.8849	10.69	37.63	48.32	54.00	5.68	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	18428.4171	-26.70	61.71	35.01	74.00	38.99	PASS	Horizontal	PK
2	19912.9165	-24.89	59.63	34.74	74.00	39.26	PASS	Horizontal	PK
3	21760.8904	-25.57	60.30	34.73	74.00	39.27	PASS	Horizontal	PK
4	23103.2641	-24.95	58.63	33.68	74.00	40.32	PASS	Horizontal	PK
5	24364.7146	-21.85	56.27	34.42	74.00	39.58	PASS	Horizontal	PK
6	25904.9762	-20.86	56.21	35.35	74.00	38.65	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/08/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18624.265	-26.64	62.10	35.46	74.00	38.54	PASS	Vertical	PK
2	19612.6845	-25.57	61.86	36.29	74.00	37.71	PASS	Vertical	PK
3	20962.8785	-25.94	60.34	34.40	74.00	39.60	PASS	Vertical	PK
4	22723.4689	-25.03	59.51	34.48	74.00	39.52	PASS	Vertical	PK
5	24417.4167	-21.69	57.94	36.25	74.00	37.75	PASS	Vertical	PK
6	25756.7303	-20.80	56.27	35.47	74.00	38.53	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/08/11

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1599.7733	13.74	35.02	48.76	74.00	25.24	PASS	Horizontal	PK
2	2818.2546	17.16	36.65	53.81	74.00	20.19	PASS	Horizontal	PK
3	5437.1625	-6.51	53.15	46.64	74.00	27.36	PASS	Horizontal	PK
4	9260.4174	0.66	51.44	52.10	74.00	21.90	PASS	Horizontal	PK
5	13212.6808	6.32	49.95	56.27	74.00	17.73	PASS	Horizontal	PK
6	16518.9013	11.90	47.59	59.49	74.00	14.51	PASS	Horizontal	PK
7	13199.68	6.35	39.56	45.91	54.00	8.09	PASS	Horizontal	AV
8	16498.8999	11.92	35.79	47.71	54.00	6.29	PASS	Horizontal	AV