


MIMO:

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2412MHz    |
| Tset_Engineer | \                        | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 15.96       | 36.88          | 52.84          | 74.00          | 21.16       | PASS   | Horizontal | PK     |
| 2              | 2390        | 15.96       | 22.15          | 38.11          | 54.00          | 15.89       | PASS   | Horizontal | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2412MHz    |
| Tset_Engineer | \                        | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 35.54          | 51.50          | 74.00          | 22.50       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 23.03          | 38.99          | 54.00          | 15.01       | PASS   | Vertical | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2462MHz    |
| Tset_Engineer | \                        | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2483.5      | 16.29       | 33.93          | 50.22          | 74.00          | 23.78       | PASS   | Horizontal | PK     |
| 2              | 2483.5      | 16.29       | 20.14          | 36.43          | 54.00          | 17.57       | PASS   | Horizontal | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2462MHz    |
| Tset_Engineer | \                        | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 33.08          | 49.37          | 74.00          | 24.63       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 20.83          | 37.12          | 54.00          | 16.88       | PASS   | Vertical | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| Test_Mode     | 802.11 g<br>Transmitting | Test_Frequency | 2412MHz    |
| Tset_Engineer | \                        | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 15.96       | 42.65          | 58.61          | 74.00          | 15.39       | PASS   | Horizontal | PK     |
| 2              | 2390        | 15.96       | 26.68          | 42.64          | 54.00          | 11.36       | PASS   | Horizontal | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| Test_Mode     | 802.11 g<br>Transmitting | Test_Frequency | 2412MHz    |
| Tset_Engineer | \                        | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 39.26          | 55.22          | 74.00          | 18.78       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 25.53          | 41.49          | 54.00          | 12.51       | PASS   | Vertical | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| Test_Mode     | 802.11 g<br>Transmitting | Test_Frequency | 2462MHz    |
| Tset_Engineer | \                        | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2483.5      | 16.29       | 35.54          | 51.83          | 74.00          | 22.17       | PASS   | Horizontal | PK     |
| 2              | 2483.5      | 16.29       | 21.19          | 37.48          | 54.00          | 16.52       | PASS   | Horizontal | AV     |

|               |                          |                |            |
|---------------|--------------------------|----------------|------------|
| Test_Mode     | 802.11 g<br>Transmitting | Test_Frequency | 2462MHz    |
| Tset_Engineer | \                        | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 34.26          | 50.55          | 74.00          | 23.45       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 21.85          | 38.14          | 54.00          | 15.86       | PASS   | Vertical | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 2412MHz    |
| Tset_Engineer | \                              | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 15.96       | 40.61          | 56.57          | 74.00          | 17.43       | PASS   | Horizontal | PK     |
| 2              | 2390        | 15.96       | 26.69          | 42.65          | 54.00          | 11.35       | PASS   | Horizontal | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 2412MHz    |
| Tset_Engineer | \                              | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 37.92          | 53.88          | 74.00          | 20.12       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 24.05          | 40.01          | 54.00          | 13.99       | PASS   | Vertical | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 2462MHz    |
| Tset_Engineer | \                              | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2483.5      | 16.29       | 35.41          | 51.70          | 74.00          | 22.30       | PASS   | Horizontal | PK     |
| 2              | 2483.5      | 16.29       | 21.14          | 37.43          | 54.00          | 16.57       | PASS   | Horizontal | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| Test_Mode     | 802.11 n(HT20)<br>Transmitting | Test_Frequency | 2462MHz    |
| Tset_Engineer | \                              | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 34.79          | 51.08          | 74.00          | 22.92       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 21.14          | 37.43          | 54.00          | 16.57       | PASS   | Vertical | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2422MHz    |
| Tset_Engineer | \                              | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 15.96       | 36.38          | 52.34          | 74.00          | 21.66       | PASS   | Horizontal | PK     |
| 2              | 2390        | 15.96       | 24.67          | 40.63          | 54.00          | 13.37       | PASS   | Horizontal | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2422MHz    |
| Tset_Engineer | \                              | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 35.89          | 51.85          | 74.00          | 22.15       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 23.58          | 39.54          | 54.00          | 14.46       | PASS   | Vertical | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2452MHz    |
| Tset_Engineer | \                              | Test_Date      | 2026/08/11 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2483.5      | 16.29       | 36.12          | 52.41          | 74.00          | 21.59       | PASS   | Horizontal | PK     |
| 2              | 2483.5      | 16.29       | 22.79          | 39.08          | 54.00          | 14.92       | PASS   | Horizontal | AV     |

|               |                                |                |            |
|---------------|--------------------------------|----------------|------------|
| Test_Mode     | 802.11 n(HT40)<br>Transmitting | Test_Frequency | 2452MHz    |
| Tset_Engineer | \                              | Test_Date      | 2026/08/11 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 37.06          | 53.35          | 74.00          | 20.65       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 22.63          | 38.92          | 54.00          | 15.08       | PASS   | Vertical | AV     |

Note:  
The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:  
Final Test Level =Receiver Reading - Correct Factor  
Correct Factor = Preamplifier Factor– Antenna Factor–Cable Factor

**6 Appendix A**

Refer to Appendix: 2.4G Wi-Fi of EED32S817411

**7 PHOTOGRAPHS**

Refer to Appendix Photographs of Report No. EED32S817410.

## Statement

1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
2. The Company Name shown on Report and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
3. The result(s) shown in this report refer(s) only to the sample(s) tested;
4. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule stated in ILAC-G8:09/2019/CNAS-GL015:2022;
5. Without written approval of CTI, this report can't be reproduced except in full;

\*\*\* End of Report \*\*\*