


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19371.0948	-25.69	60.42	34.73	74.00	39.27	PASS	Horizontal	PK
2	21425.097	-25.86	59.26	33.40	68.20	34.80	PASS	Horizontal	PK
3	25335.0934	-21.31	55.14	33.83	68.20	34.37	PASS	Horizontal	PK
4	28169.6868	-21.29	56.52	35.23	68.20	32.97	PASS	Horizontal	PK
5	33622.3849	-17.38	50.24	32.86	68.20	35.34	PASS	Horizontal	PK
6	38202.9681	-14.10	45.91	31.81	68.20	36.39	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19036.6815	-26.23	60.65	34.42	74.00	39.58	PASS	Vertical	PK
2	21969.8388	-25.77	59.41	33.64	68.20	34.56	PASS	Vertical	PK
3	24484.9794	-21.76	55.35	33.59	68.20	34.61	PASS	Vertical	PK
4	29241.5697	-21.45	55.18	33.73	68.20	34.47	PASS	Vertical	PK
5	33611.8245	-17.35	50.58	33.23	68.20	34.97	PASS	Vertical	PK
6	38122.0049	-14.47	45.74	31.27	68.20	36.93	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1550.022	13.62	33.04	46.66	74.00	27.34	PASS	Horizontal	PK
2	2799.012	17.37	33.62	50.99	74.00	23.01	PASS	Horizontal	PK
3	3959.3384	21.62	31.72	53.34	74.00	20.66	PASS	Horizontal	PK
4	5021.9809	25.11	32.61	57.72	74.00	16.28	PASS	Horizontal	PK
5	11830.6932	2.77	53.17	55.94	74.00	18.06	PASS	Horizontal	PK
6	15889.4356	10.04	50.90	60.94	74.00	13.06	PASS	Horizontal	PK
7	5006.8003	25.13	10.37	35.50	54.00	18.50	PASS	Horizontal	AV
8	11962.2585	2.85	41.74	44.59	54.00	9.41	PASS	Horizontal	AV
9	15895.8758	10.10	39.73	49.83	54.00	4.17	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1579.2832	13.69	32.70	46.39	74.00	27.61	PASS	Vertical	PK
2	2847.8539	17.49	34.21	51.70	74.00	22.30	PASS	Vertical	PK
3	3740.4296	20.30	36.30	56.60	74.00	17.40	PASS	Vertical	PK
4	4993.3797	24.94	32.95	57.89	74.00	16.11	PASS	Vertical	PK
5	12035.4014	3.59	53.27	56.86	74.00	17.14	PASS	Vertical	PK
6	15894.9558	10.08	51.46	61.54	74.00	12.46	PASS	Vertical	PK
7	3740.6496	20.30	14.56	34.86	54.00	19.14	PASS	Vertical	AV
8	5008.5603	25.17	10.29	35.46	54.00	18.54	PASS	Vertical	AV
9	11995.3798	3.33	41.10	44.43	54.00	9.57	PASS	Vertical	AV
10	15894.0358	10.08	39.85	49.93	54.00	4.07	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19440.6176	-25.61	60.00	34.39	74.00	39.61	PASS	Horizontal	PK
2	22130.0052	-25.54	59.38	33.84	74.00	40.16	PASS	Horizontal	PK
3	25660.7064	-20.75	55.27	34.52	68.20	33.68	PASS	Horizontal	PK
4	27807.9923	-21.07	55.16	34.09	68.20	34.11	PASS	Horizontal	PK
5	31877.2751	-20.16	52.72	32.56	68.20	35.64	PASS	Horizontal	PK
6	38191.5277	-14.15	47.13	32.98	68.20	35.22	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/8/11

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19144.9258	-26.12	60.02	33.90	74.00	40.10	PASS	Vertical	PK
2	22594.6638	-25.00	58.75	33.75	74.00	40.25	PASS	Vertical	PK
3	25104.5242	-21.57	55.41	33.84	68.20	34.36	PASS	Vertical	PK
4	28952.9181	-21.34	56.01	34.67	68.20	33.53	PASS	Vertical	PK
5	35151.8861	-15.95	47.09	31.14	68.20	37.06	PASS	Vertical	PK
6	38979.1592	-12.90	44.53	31.63	68.20	36.57	PASS	Vertical	PK

U-NII-3:

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1571.3629	13.66	33.93	47.59	74.00	26.41	PASS	Horizontal	PK
2	2814.8526	17.32	33.81	51.13	74.00	22.87	PASS	Horizontal	PK
3	3953.1781	21.50	31.41	52.91	74.00	21.09	PASS	Horizontal	PK
4	5009.0004	24.91	32.57	57.48	74.00	16.52	PASS	Horizontal	PK
5	11981.5793	3.13	52.62	55.75	74.00	18.25	PASS	Horizontal	PK
6	15902.7761	10.11	50.74	60.85	74.00	13.15	PASS	Horizontal	PK
7	5016.4807	24.84	10.52	35.36	54.00	18.64	PASS	Horizontal	AV
8	11959.0384	2.80	41.74	44.54	54.00	9.46	PASS	Horizontal	AV
9	15908.2963	10.09	39.89	49.98	54.00	4.02	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1513.0605	13.39	33.51	46.90	74.00	27.10	PASS	Vertical	PK
2	2850.054	17.47	33.98	51.45	74.00	22.55	PASS	Vertical	PK
3	3953.3981	21.50	31.73	53.23	74.00	20.77	PASS	Vertical	PK
4	5003.0601	24.77	33.31	58.08	74.00	15.92	PASS	Vertical	PK
5	11847.7139	3.07	53.54	56.61	74.00	17.39	PASS	Vertical	PK
6	15911.5165	10.06	51.28	61.34	74.00	12.66	PASS	Vertical	PK
7	5002.1801	24.75	10.39	35.14	54.00	18.86	PASS	Vertical	AV
8	11850.474	3.11	41.30	44.41	54.00	9.59	PASS	Vertical	AV
9	15894.0358	10.08	39.71	49.79	54.00	4.21	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18937.2375	-26.28	60.36	34.08	74.00	39.92	PASS	Horizontal	PK
2	21759.5104	-25.57	59.08	33.51	68.20	34.69	PASS	Horizontal	PK
3	25099.244	-21.59	55.32	33.73	68.20	34.47	PASS	Horizontal	PK
4	29716.7887	-20.82	54.36	33.54	68.20	34.66	PASS	Horizontal	PK
5	33577.5031	-17.41	50.43	33.02	68.20	35.18	PASS	Horizontal	PK
6	38943.9578	-12.97	44.73	31.76	68.20	36.44	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19851.5941	-25.07	58.88	33.81	74.00	40.19	PASS	Vertical	PK
2	22614.0246	-25.00	59.11	34.11	74.00	39.89	PASS	Vertical	PK
3	25833.1933	-20.83	55.58	34.75	68.20	33.45	PASS	Vertical	PK
4	29222.2089	-21.46	55.28	33.82	68.20	34.38	PASS	Vertical	PK
5	33581.0232	-17.40	49.95	32.55	68.20	35.65	PASS	Vertical	PK
6	38180.9672	-14.19	45.10	30.91	68.20	37.29	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1553.7622	13.67	32.73	46.40	74.00	27.60	PASS	Horizontal	PK
2	2803.6321	17.33	33.43	50.76	74.00	23.24	PASS	Horizontal	PK
3	3932.7173	21.56	31.78	53.34	74.00	20.66	PASS	Horizontal	PK
4	5004.6002	24.81	32.91	57.72	74.00	16.28	PASS	Horizontal	PK
5	11942.4777	2.73	53.19	55.92	74.00	18.08	PASS	Horizontal	PK
6	15890.3556	10.05	51.32	61.37	74.00	12.63	PASS	Horizontal	PK
7	5003.0601	24.77	10.37	35.14	54.00	18.86	PASS	Horizontal	AV
8	11954.4382	2.73	41.68	44.41	54.00	9.59	PASS	Horizontal	AV
9	15898.1759	10.12	39.78	49.90	54.00	4.10	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1544.5218	13.65	33.26	46.91	74.00	27.09	PASS	Vertical	PK
2	2804.5122	17.34	34.19	51.53	74.00	22.47	PASS	Vertical	PK
3	3951.198	21.50	31.30	52.80	74.00	21.20	PASS	Vertical	PK
4	5041.7817	24.98	33.38	58.36	74.00	15.64	PASS	Vertical	PK
5	11996.2999	3.34	52.58	55.92	74.00	18.08	PASS	Vertical	PK
6	15889.4356	10.04	51.97	62.01	74.00	11.99	PASS	Vertical	PK
7	5007.4603	24.87	10.37	35.24	54.00	18.76	PASS	Vertical	AV
8	11982.4993	3.14	41.19	44.33	54.00	9.67	PASS	Vertical	AV
9	15897.2559	10.11	39.77	49.88	54.00	4.12	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19105.3242	-26.16	60.82	34.66	74.00	39.34	PASS	Horizontal	PK
2	21807.9123	-25.54	58.87	33.33	68.20	34.87	PASS	Horizontal	PK
3	24570.3428	-21.84	55.37	33.53	68.20	34.67	PASS	Horizontal	PK
4	28686.2675	-21.74	56.26	34.52	68.20	33.68	PASS	Horizontal	PK
5	33580.1432	-17.40	50.31	32.91	68.20	35.29	PASS	Horizontal	PK
6	36500.98	-16.23	46.30	30.07	68.20	38.13	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19186.2875	-26.07	61.01	34.94	74.00	39.06	PASS	Vertical	PK
2	22367.6147	-25.15	58.51	33.36	74.00	40.64	PASS	Vertical	PK
3	26235.3694	-21.32	55.05	33.73	68.20	34.47	PASS	Vertical	PK
4	30110.1644	-21.21	53.31	32.10	68.20	36.10	PASS	Vertical	PK
5	33585.4234	-17.38	50.02	32.64	68.20	35.56	PASS	Vertical	PK
6	36795.7918	-16.86	47.42	30.56	68.20	37.64	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1549.582	13.66	33.55	47.21	74.00	26.79	PASS	Horizontal	PK
2	2808.6923	17.38	32.97	50.35	74.00	23.65	PASS	Horizontal	PK
3	3950.758	21.50	31.29	52.79	74.00	21.21	PASS	Horizontal	PK
4	4997.3399	24.69	34.51	59.20	74.00	14.80	PASS	Horizontal	PK
5	12002.2801	3.40	53.14	56.54	74.00	17.46	PASS	Horizontal	PK
6	15962.1185	9.88	50.74	60.62	74.00	13.38	PASS	Horizontal	PK
7	5009.4404	24.92	10.48	35.40	54.00	18.60	PASS	Horizontal	AV
8	11987.0995	3.20	41.43	44.63	54.00	9.37	PASS	Horizontal	AV
9	15901.8561	10.12	39.69	49.81	54.00	4.19	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1569.8228	13.64	33.47	47.11	74.00	26.89	PASS	Vertical	PK
2	2793.0717	17.31	33.97	51.28	74.00	22.72	PASS	Vertical	PK
3	3935.5774	21.59	32.23	53.82	74.00	20.18	PASS	Vertical	PK
4	5000.42	24.71	33.48	58.19	74.00	15.81	PASS	Vertical	PK
5	11991.6997	3.28	53.64	56.92	74.00	17.08	PASS	Vertical	PK
6	15955.6782	9.87	51.73	61.60	74.00	12.40	PASS	Vertical	PK
7	5005.9202	24.83	10.35	35.18	54.00	18.82	PASS	Vertical	AV
8	11985.7194	3.18	41.36	44.54	54.00	9.46	PASS	Vertical	AV
9	15896.7959	10.11	39.91	50.02	54.00	3.98	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19649.186	-25.50	59.38	33.88	74.00	40.12	PASS	Horizontal	PK
2	22237.3695	-25.35	58.51	33.16	74.00	40.84	PASS	Horizontal	PK
3	25370.2948	-21.38	55.93	34.55	68.20	33.65	PASS	Horizontal	PK
4	28148.5659	-21.27	55.94	34.67	68.20	33.53	PASS	Horizontal	PK
5	32611.2244	-18.93	51.76	32.83	68.20	35.37	PASS	Horizontal	PK
6	36460.4984	-16.43	47.30	30.87	74.00	43.13	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19146.6859	-26.12	60.23	34.11	74.00	39.89	PASS	Vertical	PK
2	22542.7417	-25.02	58.07	33.05	74.00	40.95	PASS	Vertical	PK
3	25935.2774	-20.87	56.11	35.24	68.20	32.96	PASS	Vertical	PK
4	29623.5049	-20.64	54.54	33.90	68.20	34.30	PASS	Vertical	PK
5	32397.3759	-18.05	52.20	34.15	68.20	34.05	PASS	Vertical	PK
6	35363.0945	-16.05	48.35	32.30	68.20	35.90	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1620.4248	14.04	33.45	47.49	74.00	26.51	PASS	Horizontal	PK
2	2811.3325	17.38	33.77	51.15	74.00	22.85	PASS	Horizontal	PK
3	3948.1179	21.53	31.35	52.88	74.00	21.12	PASS	Horizontal	PK
4	5018.9008	24.82	33.32	58.14	74.00	15.86	PASS	Horizontal	PK
5	11885.4354	3.07	53.11	56.18	74.00	17.82	PASS	Horizontal	PK
6	15887.5955	10.03	51.03	61.06	74.00	12.94	PASS	Horizontal	PK
7	5009.8804	24.93	10.56	35.49	54.00	18.51	PASS	Horizontal	AV
8	11987.0995	3.20	41.34	44.54	54.00	9.46	PASS	Horizontal	AV
9	15888.0555	10.03	39.76	49.79	54.00	4.21	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1564.1026	13.68	33.38	47.06	74.00	26.94	PASS	Vertical	PK
2	2820.5728	17.25	33.92	51.17	74.00	22.83	PASS	Vertical	PK
3	4160.6464	22.13	31.26	53.39	74.00	20.61	PASS	Vertical	PK
4	5002.1801	24.75	33.48	58.23	74.00	15.77	PASS	Vertical	PK
5	11975.139	3.04	52.88	55.92	74.00	18.08	PASS	Vertical	PK
6	15953.3781	9.85	51.04	60.89	74.00	13.11	PASS	Vertical	PK
7	5014.5006	24.87	10.40	35.27	54.00	18.73	PASS	Vertical	AV
8	11996.7599	3.35	41.32	44.67	54.00	9.33	PASS	Vertical	AV
9	15895.8758	10.10	39.73	49.83	54.00	4.17	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19525.101	-25.60	59.64	34.04	74.00	39.96	PASS	Horizontal	PK
2	22511.0604	-25.04	58.50	33.46	74.00	40.54	PASS	Horizontal	PK
3	25856.9543	-20.84	55.32	34.48	68.20	33.72	PASS	Horizontal	PK
4	30426.9771	-20.36	53.73	33.37	68.20	34.83	PASS	Horizontal	PK
5	34366.0146	-17.24	48.53	31.29	68.20	36.91	PASS	Horizontal	PK
6	38866.5147	-13.11	44.16	31.05	68.20	37.15	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19670.3068	-25.47	59.86	34.39	74.00	39.61	PASS	Vertical	PK
2	24026.4811	-22.04	56.46	34.42	68.20	33.78	PASS	Vertical	PK
3	27150.606	-21.89	56.35	34.46	68.20	33.74	PASS	Vertical	PK
4	29164.1266	-21.45	55.65	34.20	68.20	34.00	PASS	Vertical	PK
5	35136.9255	-15.96	47.92	31.96	68.20	36.24	PASS	Vertical	PK
6	38940.4376	-12.97	44.47	31.50	68.20	36.70	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/8/12

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1511.9605	13.39	33.50	46.89	74.00	27.11	PASS	Horizontal	PK
2	2793.9518	17.31	33.28	50.59	74.00	23.41	PASS	Horizontal	PK
3	3938.4375	21.61	32.30	53.91	74.00	20.09	PASS	Horizontal	PK
4	4992.4997	24.67	33.22	57.89	74.00	16.11	PASS	Horizontal	PK
5	11976.5191	3.06	53.24	56.30	74.00	17.70	PASS	Horizontal	PK
6	15905.0762	10.11	51.79	61.90	74.00	12.10	PASS	Horizontal	PK
7	5003.5001	24.78	10.55	35.33	54.00	18.67	PASS	Horizontal	AV
8	11983.8794	3.16	41.42	44.58	54.00	9.42	PASS	Horizontal	AV
9	15906.4563	10.10	39.66	49.76	54.00	4.24	PASS	Horizontal	AV