


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1532.8613	13.58	34.12	47.70	74.00	26.30	PASS	Vertical	PK
2	2797.9119	17.29	34.59	51.88	74.00	22.12	PASS	Vertical	PK
3	3953.1781	21.50	32.58	54.08	74.00	19.92	PASS	Vertical	PK
4	4992.7197	24.67	33.58	58.25	74.00	15.75	PASS	Vertical	PK
5	12461.8385	3.59	54.73	58.32	74.00	15.68	PASS	Vertical	PK
6	15915.1966	10.05	50.71	60.76	74.00	13.24	PASS	Vertical	PK
7	3956.0382	21.49	9.26	30.75	54.00	23.25	PASS	Vertical	AV
8	5005.9202	24.83	10.52	35.35	54.00	18.65	PASS	Vertical	AV
9	12548.3219	5.07	40.06	45.13	54.00	8.87	PASS	Vertical	AV
10	15894.0358	10.08	39.54	49.62	54.00	4.38	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19226.7691	-26.00	59.56	33.56	74.00	40.44	PASS	Horizontal	PK
2	21953.1181	-25.74	58.98	33.24	68.20	34.96	PASS	Horizontal	PK
3	25350.934	-21.34	55.17	33.83	68.20	34.37	PASS	Horizontal	PK
4	29546.0618	-20.79	53.86	33.07	68.20	35.13	PASS	Horizontal	PK
5	33518.5407	-17.65	50.67	33.02	68.20	35.18	PASS	Horizontal	PK
6	38199.448	-14.11	45.71	31.60	68.20	36.60	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18909.9564	-26.28	60.76	34.48	74.00	39.52	PASS	Vertical	PK
2	21744.5498	-25.59	59.14	33.55	68.20	34.65	PASS	Vertical	PK
3	23525.741	-23.25	57.09	33.84	68.20	34.36	PASS	Vertical	PK
4	26787.1515	-21.52	55.35	33.83	68.20	34.37	PASS	Vertical	PK
5	33421.7369	-18.06	50.80	32.74	68.20	35.46	PASS	Vertical	PK
6	38187.1275	-14.17	46.34	32.17	68.20	36.03	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1522.3009	13.46	33.52	46.98	74.00	27.02	PASS	Horizontal	PK
2	2743.7898	17.03	33.16	50.19	74.00	23.81	PASS	Horizontal	PK
3	3939.3176	21.63	31.97	53.60	74.00	20.40	PASS	Horizontal	PK
4	5031.6613	24.95	33.32	58.27	74.00	15.73	PASS	Horizontal	PK
5	11932.8173	2.80	53.53	56.33	74.00	17.67	PASS	Horizontal	PK
6	15908.2963	10.09	51.58	61.67	74.00	12.33	PASS	Horizontal	PK
7	5005.0402	24.82	10.47	35.29	54.00	18.71	PASS	Horizontal	AV
8	11839.4336	2.92	41.64	44.56	54.00	9.44	PASS	Horizontal	AV
9	15893.1157	10.07	39.93	50.00	54.00	4.00	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1544.5218	13.65	32.98	46.63	74.00	27.37	PASS	Vertical	PK
2	2811.3325	17.38	33.08	50.46	74.00	23.54	PASS	Vertical	PK
3	3955.8182	21.49	32.84	54.33	74.00	19.67	PASS	Vertical	PK
4	4997.7799	24.69	33.30	57.99	74.00	16.01	PASS	Vertical	PK
5	11843.1137	2.99	53.47	56.46	74.00	17.54	PASS	Vertical	PK
6	15887.1355	10.02	51.70	61.72	74.00	12.28	PASS	Vertical	PK
7	3957.3583	21.50	9.37	30.87	54.00	23.13	PASS	Vertical	AV
8	5011.4205	24.91	10.29	35.20	54.00	18.80	PASS	Vertical	AV
9	11989.3996	3.23	41.32	44.55	54.00	9.45	PASS	Vertical	AV
10	15897.2559	10.11	39.80	49.91	54.00	4.09	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	19910.5564	-24.89	58.33	33.44	74.00	40.56	PASS	Horizontal	PK
2	22108.8844	-25.58	58.83	33.25	74.00	40.75	PASS	Horizontal	PK
3	26252.0901	-21.31	54.96	33.65	68.20	34.55	PASS	Horizontal	PK
4	30669.8668	-20.26	53.27	33.01	68.20	35.19	PASS	Horizontal	PK
5	34612.4245	-16.12	47.79	31.67	68.20	36.53	PASS	Horizontal	PK
6	38745.0698	-13.44	44.81	31.37	68.20	36.83	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/8/12

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19826.9531	-25.14	59.00	33.86	74.00	40.14	PASS	Vertical	PK
2	22185.4474	-25.43	59.14	33.71	74.00	40.29	PASS	Vertical	PK
3	25835.8334	-20.83	54.76	33.93	68.20	34.27	PASS	Vertical	PK
4	29705.3482	-20.80	54.78	33.98	68.20	34.22	PASS	Vertical	PK
5	33603.9042	-17.33	50.38	33.05	68.20	35.15	PASS	Vertical	PK
6	38141.3657	-14.38	45.43	31.05	68.20	37.15	PASS	Vertical	PK

MIMO:
U-NII-1:

Test_Mode	802.11 a Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1550.462	13.62	32.35	45.97	74.00	28.03	PASS	Horizontal	PK
2	2782.2913	17.36	32.76	50.12	74.00	23.88	PASS	Horizontal	PK
3	3948.3379	21.55	31.47	53.02	74.00	20.98	PASS	Horizontal	PK
4	4997.9999	24.97	32.80	57.77	74.00	16.23	PASS	Horizontal	PK
5	11846.7939	3.06	52.85	55.91	74.00	18.09	PASS	Horizontal	PK
6	15823.6529	9.35	51.31	60.66	74.00	13.34	PASS	Horizontal	PK
7	5010.5404	25.19	10.36	35.55	54.00	18.45	PASS	Horizontal	AV
8	11819.1928	2.57	41.40	43.97	54.00	10.03	PASS	Horizontal	AV
9	15895.8758	10.10	39.72	49.82	54.00	4.18	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1519.0008	13.46	32.96	46.42	74.00	27.58	PASS	Vertical	PK
2	2824.093	17.36	33.14	50.50	74.00	23.50	PASS	Vertical	PK
3	3989.0396	21.65	31.37	53.02	74.00	20.98	PASS	Vertical	PK
4	5030.7812	25.30	32.49	57.79	74.00	16.21	PASS	Vertical	PK
5	12003.6601	3.41	52.51	55.92	74.00	18.08	PASS	Vertical	PK
6	15896.7959	10.11	51.61	61.72	74.00	12.28	PASS	Vertical	PK
7	5009.8804	25.20	10.40	35.60	54.00	18.40	PASS	Vertical	AV
8	11966.8587	2.91	41.53	44.44	54.00	9.56	PASS	Vertical	AV
9	15903.2361	10.11	39.83	49.94	54.00	4.06	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19369.3348	-25.69	59.68	33.99	74.00	40.01	PASS	Horizontal	PK
2	22181.9273	-25.44	58.71	33.27	74.00	40.73	PASS	Horizontal	PK
3	26048.802	-21.01	54.79	33.78	68.20	34.42	PASS	Horizontal	PK
4	30020.4008	-21.09	53.83	32.74	68.20	35.46	PASS	Horizontal	PK
5	34615.9446	-16.12	50.14	34.02	68.20	34.18	PASS	Horizontal	PK
6	38132.5653	-14.42	47.19	32.77	68.20	35.43	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19058.6823	-26.21	59.89	33.68	74.00	40.32	PASS	Vertical	PK
2	21412.7765	-25.87	59.85	33.98	68.20	34.22	PASS	Vertical	PK
3	24851.074	-22.01	55.59	33.58	68.20	34.62	PASS	Vertical	PK
4	29016.2807	-21.32	56.18	34.86	68.20	33.34	PASS	Vertical	PK
5	33577.5031	-17.41	50.77	33.36	68.20	34.84	PASS	Vertical	PK
6	38898.1959	-13.05	45.36	32.31	68.20	35.89	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1542.1017	13.63	32.61	46.24	74.00	27.76	PASS	Horizontal	PK
2	2837.2935	17.53	32.99	50.52	74.00	23.48	PASS	Horizontal	PK
3	4045.1418	21.66	31.24	52.90	74.00	21.10	PASS	Horizontal	PK
4	5033.8614	25.33	33.12	58.45	74.00	15.55	PASS	Horizontal	PK
5	11867.0347	3.09	53.20	56.29	74.00	17.71	PASS	Horizontal	PK
6	15937.7375	9.92	51.53	61.45	74.00	12.55	PASS	Horizontal	PK
7	5005.9202	25.11	10.41	35.52	54.00	18.48	PASS	Horizontal	AV
8	11844.4938	3.02	41.44	44.46	54.00	9.54	PASS	Horizontal	AV
9	15895.4158	10.10	39.70	49.80	54.00	4.20	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1555.3022	13.66	32.02	45.68	74.00	28.32	PASS	Vertical	PK
2	2810.4524	17.49	32.69	50.18	74.00	23.82	PASS	Vertical	PK
3	4028.2011	21.26	30.67	51.93	74.00	22.07	PASS	Vertical	PK
4	4993.1597	24.94	32.78	57.72	74.00	16.28	PASS	Vertical	PK
5	11985.2594	3.18	52.42	55.60	74.00	18.40	PASS	Vertical	PK
6	15913.3565	10.05	51.01	61.06	74.00	12.94	PASS	Vertical	PK
7	5011.4205	25.18	10.36	35.54	54.00	18.46	PASS	Vertical	AV
8	11983.4193	3.15	41.18	44.33	54.00	9.67	PASS	Vertical	AV
9	15899.096	10.12	39.74	49.86	54.00	4.14	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18759.4704	-26.37	61.13	34.76	74.00	39.24	PASS	Horizontal	PK
2	21401.3361	-25.88	59.08	33.20	68.20	35.00	PASS	Horizontal	PK
3	24700.588	-21.92	54.90	32.98	68.20	35.22	PASS	Horizontal	PK
4	29012.7605	-21.31	56.32	35.01	68.20	33.19	PASS	Horizontal	PK
5	32365.6946	-18.25	51.91	33.66	68.20	34.54	PASS	Horizontal	PK
6	38179.2072	-14.20	46.07	31.87	68.20	36.33	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5200MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19104.4442	-26.16	59.76	33.60	74.00	40.40	PASS	Vertical	PK
2	21924.077	-25.71	59.65	33.94	68.20	34.26	PASS	Vertical	PK
3	25272.6109	-21.19	54.55	33.36	68.20	34.84	PASS	Vertical	PK
4	29195.8078	-21.48	56.05	34.57	68.20	33.63	PASS	Vertical	PK
5	33889.9156	-17.85	50.10	32.25	68.20	35.95	PASS	Vertical	PK
6	38819.8728	-13.20	45.78	32.58	68.20	35.62	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1599.084	13.95	34.37	48.32	74.00	25.68	PASS	Horizontal	PK
2	2789.5516	17.39	34.35	51.74	74.00	22.26	PASS	Horizontal	PK
3	4081.8833	21.90	31.07	52.97	74.00	21.03	PASS	Horizontal	PK
4	5030.7812	25.30	32.25	57.55	74.00	16.45	PASS	Horizontal	PK
5	11986.1794	3.19	53.55	56.74	74.00	17.26	PASS	Horizontal	PK
6	15954.2982	9.86	53.02	62.88	74.00	11.12	PASS	Horizontal	PK
7	5004.8202	25.09	10.25	35.34	54.00	18.66	PASS	Horizontal	AV
8	11864.2746	3.10	41.33	44.43	54.00	9.57	PASS	Horizontal	AV
9	15891.7357	10.06	39.86	49.92	54.00	4.08	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1573.3429	13.65	33.82	47.47	74.00	26.53	PASS	Vertical	PK
2	2814.6326	17.41	33.00	50.41	74.00	23.59	PASS	Vertical	PK
3	4114.0046	21.76	31.11	52.87	74.00	21.13	PASS	Vertical	PK
4	5010.3204	25.20	32.86	58.06	74.00	15.94	PASS	Vertical	PK
5	11990.3196	3.25	52.69	55.94	74.00	18.06	PASS	Vertical	PK
6	15907.3763	10.09	50.77	60.86	74.00	13.14	PASS	Vertical	PK
7	5014.5006	25.14	10.19	35.33	54.00	18.67	PASS	Vertical	AV
8	11996.2999	3.34	40.98	44.32	54.00	9.68	PASS	Vertical	AV
9	15891.2757	10.06	39.64	49.70	54.00	4.30	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19211.8085	-26.04	60.29	34.25	74.00	39.75	PASS	Horizontal	PK
2	22305.1322	-25.25	58.66	33.41	74.00	40.59	PASS	Horizontal	PK
3	25753.1101	-20.79	55.71	34.92	68.20	33.28	PASS	Horizontal	PK
4	29189.6476	-21.47	55.76	34.29	68.20	33.91	PASS	Horizontal	PK
5	33594.2238	-17.34	50.96	33.62	68.20	34.58	PASS	Horizontal	PK
6	38793.4717	-13.25	46.02	32.77	68.20	35.43	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19326.213	-25.78	59.98	34.20	74.00	39.80	PASS	Vertical	PK
2	22408.9764	-25.09	58.14	33.05	74.00	40.95	PASS	Vertical	PK
3	26144.7258	-21.23	54.94	33.71	68.20	34.49	PASS	Vertical	PK
4	30404.0962	-20.33	53.94	33.61	68.20	34.59	PASS	Vertical	PK
5	33435.8174	-18.00	52.11	34.11	68.20	34.09	PASS	Vertical	PK
6	38152.8061	-14.33	46.43	32.10	68.20	36.10	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1546.2819	13.62	33.23	46.85	74.00	27.15	PASS	Horizontal	PK
2	2801.212	17.38	34.13	51.51	74.00	22.49	PASS	Horizontal	PK
3	3984.4194	21.61	31.18	52.79	74.00	21.21	PASS	Horizontal	PK
4	4996.6799	24.96	32.32	57.28	74.00	16.72	PASS	Horizontal	PK
5	11878.0751	3.09	53.25	56.34	74.00	17.66	PASS	Horizontal	PK
6	15891.2757	10.06	51.67	61.73	74.00	12.27	PASS	Horizontal	PK
7	5003.5001	25.06	10.35	35.41	54.00	18.59	PASS	Horizontal	AV
8	11989.8596	3.24	41.08	44.32	54.00	9.68	PASS	Horizontal	AV
9	15894.9558	10.08	39.74	49.82	54.00	4.18	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1582.8033	13.73	33.35	47.08	74.00	26.92	PASS	Vertical	PK
2	2801.4321	17.39	33.53	50.92	74.00	23.08	PASS	Vertical	PK
3	4042.2817	21.64	31.82	53.46	74.00	20.54	PASS	Vertical	PK
4	5003.0601	25.05	32.32	57.37	74.00	16.63	PASS	Vertical	PK
5	11854.6142	3.10	52.80	55.90	74.00	18.10	PASS	Vertical	PK
6	15898.6359	10.12	50.86	60.98	74.00	13.02	PASS	Vertical	PK
7	5007.9003	25.16	10.47	35.63	54.00	18.37	PASS	Vertical	AV
8	11981.5793	3.13	41.16	44.29	54.00	9.71	PASS	Vertical	AV
9	15894.0358	10.08	39.77	49.85	54.00	4.15	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19510.1404	-25.61	59.63	34.02	74.00	39.98	PASS	Horizontal	PK
2	22129.1252	-25.54	58.56	33.02	74.00	40.98	PASS	Horizontal	PK
3	25519.9008	-21.01	54.92	33.91	68.20	34.29	PASS	Horizontal	PK
4	29957.9183	-21.05	55.68	34.63	68.20	33.57	PASS	Horizontal	PK
5	33664.6266	-17.48	51.66	34.18	68.20	34.02	PASS	Horizontal	PK
6	38954.5182	-12.95	45.30	32.35	68.20	35.85	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/08/13

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19011.1604	-26.26	60.20	33.94	74.00	40.06	PASS	Vertical	PK
2	21527.1811	-25.79	59.45	33.66	68.20	34.54	PASS	Vertical	PK
3	25105.4042	-21.56	55.78	34.22	68.20	33.98	PASS	Vertical	PK
4	29174.687	-21.46	56.60	35.14	68.20	33.06	PASS	Vertical	PK
5	33680.4672	-17.52	51.33	33.81	68.20	34.39	PASS	Vertical	PK
6	38894.6758	-13.06	45.47	32.41	68.20	35.79	PASS	Vertical	PK