


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1600.184	13.96	34.33	48.29	74.00	25.71	PASS	Horizontal	PK
2	2856.4343	17.50	33.34	50.84	74.00	23.16	PASS	Horizontal	PK
3	3950.538	21.53	32.51	54.04	74.00	19.96	PASS	Horizontal	PK
4	5019.3408	25.08	32.66	57.74	74.00	16.26	PASS	Horizontal	PK
5	11961.3385	2.84	53.32	56.16	74.00	17.84	PASS	Horizontal	PK
6	15895.4158	10.10	51.41	61.51	74.00	12.49	PASS	Horizontal	PK
7	3957.1383	21.60	8.93	30.53	54.00	23.47	PASS	Horizontal	AV
8	5005.7002	25.10	10.37	35.47	54.00	18.53	PASS	Horizontal	AV
9	11993.5397	3.30	41.20	44.50	54.00	9.50	PASS	Horizontal	AV
10	15894.9558	10.08	39.76	49.84	54.00	4.16	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1543.4217	13.63	33.27	46.90	74.00	27.10	PASS	Vertical	PK
2	2749.07	17.19	32.58	49.77	74.00	24.23	PASS	Vertical	PK
3	4177.8071	22.30	31.66	53.96	74.00	20.04	PASS	Vertical	PK
4	5012.5205	25.17	32.08	57.25	74.00	16.75	PASS	Vertical	PK
5	11838.0535	2.90	52.91	55.81	74.00	18.19	PASS	Vertical	PK
6	15897.2559	10.11	51.67	61.78	74.00	12.22	PASS	Vertical	PK
7	5010.1004	25.20	10.24	35.44	54.00	18.56	PASS	Vertical	AV
8	11847.2539	3.06	41.19	44.25	54.00	9.75	PASS	Vertical	AV
9	15892.6557	10.07	39.71	49.78	54.00	4.22	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19871.8349	-25.02	58.64	33.62	74.00	40.38	PASS	Horizontal	PK
2	22408.9764	-25.09	58.91	33.82	74.00	40.18	PASS	Horizontal	PK
3	25988.0795	-20.89	55.22	34.33	68.20	33.87	PASS	Horizontal	PK
4	29661.3465	-20.71	54.92	34.21	68.20	33.99	PASS	Horizontal	PK
5	33640.8656	-17.42	51.25	33.83	68.20	34.37	PASS	Horizontal	PK
6	38869.1548	-13.10	45.37	32.27	68.20	35.93	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19599.024	-25.59	59.88	34.29	74.00	39.71	PASS	Vertical	PK
2	23279.3312	-23.99	56.78	32.79	68.20	35.41	PASS	Vertical	PK
3	27993.6797	-21.19	57.10	35.91	68.20	32.29	PASS	Vertical	PK
4	30443.6977	-20.38	54.53	34.15	68.20	34.05	PASS	Vertical	PK
5	33557.2623	-17.50	51.34	33.84	68.20	34.36	PASS	Vertical	PK
6	38862.1145	-13.11	45.90	32.79	68.20	35.41	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1560.8024	13.68	32.80	46.48	74.00	27.52	PASS	Horizontal	PK
2	2840.8136	17.57	33.23	50.80	74.00	23.20	PASS	Horizontal	PK
3	3950.978	21.54	31.10	52.64	74.00	21.36	PASS	Horizontal	PK
4	5003.5001	25.06	32.26	57.32	74.00	16.68	PASS	Horizontal	PK
5	11986.1794	3.19	52.64	55.83	74.00	18.17	PASS	Horizontal	PK
6	15908.2963	10.09	51.09	61.18	74.00	12.82	PASS	Horizontal	PK
7	5008.3403	25.17	10.18	35.35	54.00	18.65	PASS	Horizontal	AV
8	11850.474	3.11	41.00	44.11	54.00	9.89	PASS	Horizontal	AV
9	15897.2559	10.11	39.66	49.77	54.00	4.23	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1601.7241	13.94	33.80	47.74	74.00	26.26	PASS	Vertical	PK
2	2737.1895	17.09	33.55	50.64	74.00	23.36	PASS	Vertical	PK
3	4160.6464	22.22	30.79	53.01	74.00	20.99	PASS	Vertical	PK
4	4998.88	24.97	32.31	57.28	74.00	16.72	PASS	Vertical	PK
5	11906.1362	3.01	52.66	55.67	74.00	18.33	PASS	Vertical	PK
6	15905.5362	10.10	51.75	61.85	74.00	12.15	PASS	Vertical	PK
7	5006.8003	25.13	10.50	35.63	54.00	18.37	PASS	Vertical	AV
8	11981.5793	3.13	41.28	44.41	54.00	9.59	PASS	Vertical	AV
9	15901.8561	10.12	39.59	49.71	54.00	4.29	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20012.6405	-24.68	59.06	34.38	74.00	39.62	PASS	Horizontal	PK
2	22256.7303	-25.32	59.23	33.91	74.00	40.09	PASS	Horizontal	PK
3	25800.632	-20.82	55.69	34.87	68.20	33.33	PASS	Horizontal	PK
4	30911.8765	-19.46	54.20	34.74	68.20	33.46	PASS	Horizontal	PK
5	36241.3697	-16.74	48.49	31.75	68.20	36.45	PASS	Horizontal	PK
6	38873.5549	-13.09	46.37	33.28	68.20	34.92	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/08/13

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19298.0519	-25.84	59.69	33.85	74.00	40.15	PASS	Vertical	PK
2	22382.5753	-25.13	58.71	33.58	74.00	40.42	PASS	Vertical	PK
3	25717.9087	-20.78	56.60	35.82	68.20	32.38	PASS	Vertical	PK
4	31005.1602	-19.35	53.88	34.53	68.20	33.67	PASS	Vertical	PK
5	34565.7826	-16.28	48.56	32.28	68.20	35.92	PASS	Vertical	PK
6	38976.5191	-12.90	45.69	32.79	68.20	35.41	PASS	Vertical	PK

U-NII-3:

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	1579.5032	13.71	34.10	47.81	74.00	26.19	PASS	Horizontal	PK
2	2802.9721	17.31	32.79	50.10	74.00	23.90	PASS	Horizontal	PK
3	3869.3548	20.52	32.38	52.90	74.00	21.10	PASS	Horizontal	PK
4	5035.1814	24.96	32.81	57.77	74.00	16.23	PASS	Horizontal	PK
5	11860.1344	3.10	53.37	56.47	74.00	17.53	PASS	Horizontal	PK
6	15892.6557	10.07	51.26	61.33	74.00	12.67	PASS	Horizontal	PK
7	5016.2606	24.85	10.51	35.36	54.00	18.64	PASS	Horizontal	AV
8	11852.3141	3.11	41.07	44.18	54.00	9.82	PASS	Horizontal	AV
9	15893.5757	10.07	39.52	49.59	54.00	4.41	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1584.3434	13.75	33.59	47.34	74.00	26.66	PASS	Vertical	PK
2	2729.0492	17.16	33.80	50.96	74.00	23.04	PASS	Vertical	PK
3	4064.7226	21.58	31.32	52.90	74.00	21.10	PASS	Vertical	PK
4	5010.3204	24.93	32.92	57.85	74.00	16.15	PASS	Vertical	PK
5	12031.2612	3.57	52.67	56.24	74.00	17.76	PASS	Vertical	PK
6	15895.8758	10.10	51.14	61.24	74.00	12.76	PASS	Vertical	PK
7	5007.0203	24.86	10.54	35.40	54.00	18.60	PASS	Vertical	AV
8	11983.4193	3.15	41.31	44.46	54.00	9.54	PASS	Vertical	AV
9	15905.0762	10.11	39.50	49.61	54.00	4.39	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19042.8417	-26.22	61.10	34.88	74.00	39.12	PASS	Horizontal	PK
2	21066.9227	-25.92	59.05	33.13	74.00	40.87	PASS	Horizontal	PK
3	25761.0304	-20.80	55.04	34.24	68.20	33.96	PASS	Horizontal	PK
4	28268.2507	-21.37	57.15	35.78	68.20	32.42	PASS	Horizontal	PK
5	32623.5449	-18.91	52.38	33.47	68.20	34.73	PASS	Horizontal	PK
6	38116.7247	-14.49	46.70	32.21	68.20	35.99	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19662.3865	-25.48	59.99	34.51	74.00	39.49	PASS	Vertical	PK
2	22590.2636	-25.01	58.95	33.94	74.00	40.06	PASS	Vertical	PK
3	25458.2983	-21.23	55.16	33.93	68.20	34.27	PASS	Vertical	PK
4	30409.3764	-20.34	54.40	34.06	68.20	34.14	PASS	Vertical	PK
5	36500.1	-16.23	47.54	31.31	68.20	36.89	PASS	Vertical	PK
6	38969.4788	-12.91	46.47	33.56	68.20	34.64	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1550.022	13.67	32.96	46.63	74.00	27.37	PASS	Horizontal	PK
2	2798.1319	17.29	33.83	51.12	74.00	22.88	PASS	Horizontal	PK
3	3961.5385	21.46	31.54	53.00	74.00	21.00	PASS	Horizontal	PK
4	5025.501	24.88	33.15	58.03	74.00	15.97	PASS	Horizontal	PK
5	11820.1128	2.58	52.74	55.32	74.00	18.68	PASS	Horizontal	PK
6	15891.2757	10.06	50.95	61.01	74.00	12.99	PASS	Horizontal	PK
7	5002.4001	24.75	10.22	34.97	54.00	19.03	PASS	Horizontal	AV
8	11847.2539	3.06	41.13	44.19	54.00	9.81	PASS	Horizontal	AV
9	15907.3763	10.09	39.69	49.78	54.00	4.22	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1539.4616	13.64	33.31	46.95	74.00	27.05	PASS	Vertical	PK
2	2811.3325	17.38	33.98	51.36	74.00	22.64	PASS	Vertical	PK
3	4093.1037	21.95	30.88	52.83	74.00	21.17	PASS	Vertical	PK
4	5003.2801	24.78	32.82	57.60	74.00	16.40	PASS	Vertical	PK
5	11906.5963	3.00	52.34	55.34	74.00	18.66	PASS	Vertical	PK
6	15894.4958	10.08	50.98	61.06	74.00	12.94	PASS	Vertical	PK
7	5015.3806	24.86	10.42	35.28	54.00	18.72	PASS	Vertical	AV
8	11995.8398	3.33	40.85	44.18	54.00	9.82	PASS	Vertical	AV
9	15903.2361	10.11	39.53	49.64	54.00	4.36	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19547.1019	-25.60	60.12	34.52	74.00	39.48	PASS	Horizontal	PK
2	22490.8196	-25.06	59.28	34.22	74.00	39.78	PASS	Horizontal	PK
3	25494.3798	-21.09	55.53	34.44	68.20	33.76	PASS	Horizontal	PK
4	29557.5023	-20.75	54.93	34.18	68.20	34.02	PASS	Horizontal	PK
5	33699.828	-17.57	52.41	34.84	68.20	33.36	PASS	Horizontal	PK
6	38738.0295	-13.47	46.65	33.18	68.20	35.02	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5785MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	20336.4935	-25.49	59.28	33.79	74.00	40.21	PASS	Vertical	PK
2	24318.6527	-22.07	56.33	34.26	68.20	33.94	PASS	Vertical	PK
3	27535.1814	-21.59	56.80	35.21	68.20	32.99	PASS	Vertical	PK
4	31167.0867	-19.92	54.26	34.34	68.20	33.86	PASS	Vertical	PK
5	34432.0173	-17.03	50.65	33.62	68.20	34.58	PASS	Vertical	PK
6	38789.9516	-13.27	45.43	32.16	68.20	36.04	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1546.9419	13.66	33.01	46.67	74.00	27.33	PASS	Horizontal	PK
2	2797.6919	17.29	33.70	50.99	74.00	23.01	PASS	Horizontal	PK
3	4062.5225	21.60	31.33	52.93	74.00	21.07	PASS	Horizontal	PK
4	5000.2	24.70	33.54	58.24	74.00	15.76	PASS	Horizontal	PK
5	12041.3817	3.63	52.04	55.67	74.00	18.33	PASS	Horizontal	PK
6	15898.6359	10.12	51.14	61.26	74.00	12.74	PASS	Horizontal	PK
7	5008.3403	24.90	10.47	35.37	54.00	18.63	PASS	Horizontal	AV
8	11962.2585	2.85	41.44	44.29	54.00	9.71	PASS	Horizontal	AV
9	15895.4158	10.10	39.50	49.60	54.00	4.40	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1513.0605	13.39	33.78	47.17	74.00	26.83	PASS	Vertical	PK
2	2808.0323	17.37	33.34	50.71	74.00	23.29	PASS	Vertical	PK
3	4085.8434	21.87	31.63	53.50	74.00	20.50	PASS	Vertical	PK
4	5044.2018	25.00	31.95	56.95	74.00	17.05	PASS	Vertical	PK
5	12550.162	5.10	52.03	57.13	74.00	16.87	PASS	Vertical	PK
6	15907.8363	10.09	50.79	60.88	74.00	13.12	PASS	Vertical	PK
7	5005.9202	24.83	10.28	35.11	54.00	18.89	PASS	Vertical	AV
8	12507.8403	4.59	40.48	45.07	54.00	8.93	PASS	Vertical	AV
9	15896.7959	10.11	39.47	49.58	54.00	4.42	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18909.0764	-26.28	60.85	34.57	74.00	39.43	PASS	Horizontal	PK
2	20977.1591	-25.96	59.68	33.72	74.00	40.28	PASS	Horizontal	PK
3	25886.8755	-20.85	56.25	35.40	68.20	32.80	PASS	Horizontal	PK
4	31603.5841	-19.63	53.07	33.44	74.00	40.56	PASS	Horizontal	PK
5	35100.844	-16.00	49.75	33.75	68.20	34.45	PASS	Horizontal	PK
6	38118.4847	-14.48	46.97	32.49	68.20	35.71	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19513.6605	-25.61	59.92	34.31	74.00	39.69	PASS	Vertical	PK
2	22158.1663	-25.49	59.30	33.81	74.00	40.19	PASS	Vertical	PK
3	25751.3501	-20.79	55.75	34.96	68.20	33.24	PASS	Vertical	PK
4	29260.9304	-21.42	56.22	34.80	68.20	33.40	PASS	Vertical	PK
5	34615.0646	-16.12	50.14	34.02	68.20	34.18	PASS	Vertical	PK
6	38962.4385	-12.93	46.77	33.84	68.20	34.36	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1523.4009	13.47	33.16	46.63	74.00	27.37	PASS	Horizontal	PK
2	2846.5339	17.57	33.96	51.53	74.00	22.47	PASS	Horizontal	PK
3	3958.8984	21.49	31.73	53.22	74.00	20.78	PASS	Horizontal	PK
4	5010.3204	24.93	32.56	57.49	74.00	16.51	PASS	Horizontal	PK
5	11853.6941	3.10	53.73	56.83	74.00	17.17	PASS	Horizontal	PK
6	15891.2757	10.06	51.47	61.53	74.00	12.47	PASS	Horizontal	PK
7	5011.4205	24.91	10.19	35.10	54.00	18.90	PASS	Horizontal	AV
8	11982.0393	3.13	41.19	44.32	54.00	9.68	PASS	Horizontal	AV
9	15903.2361	10.11	39.63	49.74	54.00	4.26	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1549.362	13.66	32.57	46.23	74.00	27.77	PASS	Vertical	PK
2	2797.2519	17.30	33.30	50.60	74.00	23.40	PASS	Vertical	PK
3	3952.0781	21.49	31.88	53.37	74.00	20.63	PASS	Vertical	PK
4	5001.5201	24.73	32.54	57.27	74.00	16.73	PASS	Vertical	PK
5	12158.2263	2.80	53.10	55.90	74.00	18.10	PASS	Vertical	PK
6	15918.8768	10.03	51.11	61.14	74.00	12.86	PASS	Vertical	PK
7	5010.9804	24.92	10.16	35.08	54.00	18.92	PASS	Vertical	AV
8	12347.7539	4.69	40.04	44.73	54.00	9.27	PASS	Vertical	AV
9	15894.4958	10.08	39.65	49.73	54.00	4.27	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	\	Test_Date	2026/08/13

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19012.9205	-26.26	60.66	34.40	74.00	39.60	PASS	Horizontal	PK
2	21864.2346	-25.62	60.02	34.40	68.20	33.80	PASS	Horizontal	PK
3	26092.8037	-21.12	54.92	33.80	68.20	34.40	PASS	Horizontal	PK
4	30567.7827	-20.55	54.38	33.83	68.20	34.37	PASS	Horizontal	PK
5	34599.224	-16.09	50.33	34.24	68.20	33.96	PASS	Horizontal	PK
6	38964.1986	-12.93	45.59	32.66	68.20	35.54	PASS	Horizontal	PK