


Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.27	53.35	68.20	14.85	PASS	Horizontal	PK
2	5150	24.08	13.83	37.91	54.00	16.09	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.05	52.13	68.20	16.07	PASS	Vertical	PK
2	5150	24.08	14.35	38.43	54.00	15.57	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.58	52.66	68.20	15.54	PASS	Horizontal	PK
2	5150	24.08	14.36	38.44	54.00	15.56	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.39	51.47	68.20	16.73	PASS	Vertical	PK
2	5150	24.08	14.55	38.63	54.00	15.37	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.07	52.15	68.20	16.05	PASS	Horizontal	PK
2	5150	24.08	14.82	38.90	54.00	15.10	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.26	53.34	68.20	14.86	PASS	Vertical	PK
2	5150	24.08	14.97	39.05	54.00	14.95	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.26	52.34	68.20	15.86	PASS	Horizontal	PK
2	5150	24.08	14.19	38.27	54.00	15.73	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.56	51.64	68.20	16.56	PASS	Vertical	PK
2	5150	24.08	14.38	38.46	54.00	15.54	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.63	52.71	68.20	15.49	PASS	Horizontal	PK
2	5150	24.08	14.34	38.42	54.00	15.58	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.64	52.72	68.20	15.48	PASS	Vertical	PK
2	5150	24.08	13.98	38.06	54.00	15.94	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.46	51.54	68.20	16.66	PASS	Horizontal	PK
2	5150	24.08	14.68	38.76	54.00	15.24	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.62	52.70	68.20	15.50	PASS	Vertical	PK
2	5150	24.08	13.75	37.83	54.00	16.17	PASS	Vertical	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.97	53.05	68.20	15.15	PASS	Horizontal	PK
2	5150	24.08	14.92	39.00	54.00	15.00	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.97	52.05	68.20	16.15	PASS	Vertical	PK
2	5150	24.08	14.24	38.32	54.00	15.68	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.34	52.42	68.20	15.78	PASS	Horizontal	PK
2	5150	24.08	15.10	39.18	54.00	14.82	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.95	53.03	68.20	15.17	PASS	Vertical	PK
2	5150	24.08	14.01	38.09	54.00	15.91	PASS	Vertical	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.74	51.82	68.20	16.38	PASS	Horizontal	PK
2	5150	24.08	13.81	37.89	54.00	16.11	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.56	51.64	68.20	16.56	PASS	Vertical	PK
2	5150	24.08	14.38	38.46	54.00	15.54	PASS	Vertical	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/8/11


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.90	51.98	68.20	16.22	PASS	Horizontal	PK
2	5150	24.08	14.92	39.00	54.00	15.00	PASS	Horizontal	AV

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	\	Test_Date	2026/8/11

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.57	52.65	68.20	15.55	PASS	Vertical	PK
2	5150	24.08	14.84	38.92	54.00	15.08	PASS	Vertical	AV

U-NII-3:

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5747.4387	-5.85	108.92	103.07	122.20	19.13	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5746.5433	-5.86	108.98	103.12	122.20	19.08	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825MHz
Tset_Engineer	\	Test_Date	2026/8/12

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5820.8654	-5.43	108.50	103.07	122.20	19.13	PASS	Horizontal	PK