


Test_Mode	802.11 ax(HE40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5787.7339	-5.69	105.96	100.27	122.20	21.93	PASS	Vertical	PK

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/8/12


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5764.4522	-5.78	103.09	97.31	122.20	24.89	PASS	Horizontal	PK

Test_Mode	802.11 ax(HE80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	\	Test_Date	2026/8/12

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5786.8384	-5.69	103.51	97.82	122.20	24.38	PASS	Vertical	PK

MIMO:
U-NII-1:

Test_Mode	802.11 a Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.99	53.07	68.20	15.13	PASS	Horizontal	PK
2	5150	24.08	15.41	39.49	54.00	14.51	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.73	53.81	68.20	14.39	PASS	Vertical	PK
2	5150	24.08	15.21	39.29	54.00	14.71	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.99	52.07	68.20	16.13	PASS	Horizontal	PK
2	5150	24.08	15.55	39.63	54.00	14.37	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.03	52.11	68.20	16.09	PASS	Vertical	PK
2	5150	24.08	13.88	37.96	54.00	16.04	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	31.41	55.49	68.20	12.71	PASS	Horizontal	PK
2	5150	24.08	14.94	39.02	54.00	14.98	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.56	52.64	68.20	15.56	PASS	Vertical	PK
2	5150	24.08	14.58	38.66	54.00	15.34	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.02	54.10	68.20	14.10	PASS	Horizontal	PK
2	5150	24.08	14.68	38.76	54.00	15.24	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.59	52.67	68.20	15.53	PASS	Vertical	PK
2	5150	24.08	15.25	39.33	54.00	14.67	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	36.76	60.84	68.20	7.36	PASS	Horizontal	PK
2	5150	24.08	24.98	49.06	54.00	4.94	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.49	54.57	68.20	13.63	PASS	Vertical	PK
2	5150	24.08	19.95	44.03	54.00	9.97	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.89	52.97	68.20	15.23	PASS	Horizontal	PK
2	5150	24.08	14.60	38.68	54.00	15.32	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.90	51.98	68.20	16.22	PASS	Vertical	PK
2	5150	24.08	14.53	38.61	54.00	15.39	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.87	51.95	68.20	16.25	PASS	Horizontal	PK
2	5150	24.08	14.47	38.55	54.00	15.45	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	30.47	54.55	68.20	13.65	PASS	Vertical	PK
2	5150	24.08	15.07	39.15	54.00	14.85	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.58	52.66	68.20	15.54	PASS	Horizontal	PK
2	5150	24.08	14.30	38.38	54.00	15.62	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5240MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.72	53.80	68.20	14.40	PASS	Vertical	PK
2	5150	24.08	14.01	38.09	54.00	15.91	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	36.22	60.30	68.20	7.90	PASS	Horizontal	PK
2	5150	24.08	24.22	48.30	54.00	5.70	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	29.43	53.51	68.20	14.69	PASS	Vertical	PK
2	5150	24.08	18.48	42.56	54.00	11.44	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/08/13


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	28.64	52.72	68.20	15.48	PASS	Horizontal	PK
2	5150	24.08	14.93	39.01	54.00	14.99	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/08/13

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	24.08	27.92	52.00	68.20	16.20	PASS	Vertical	PK
2	5150	24.08	14.90	38.98	54.00	15.02	PASS	Vertical	AV