



Frequency:5200MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5200.000000	43.40	---	---	---	300.0	H	264.0	-3.6
10387.718750	---	47.18	---	---	250.0	H	273.0	1.9
10387.718750	51.85	---	68.20	16.35	150.0	H	134.0	1.9
17714.187500	46.56	---	74.00	27.44	150.0	H	259.0	11.4
17714.187500	---	43.75	54.00	10.25	200.0	H	81.0	11.4
17896.406250	---	42.57	54.00	11.43	150.0	H	143.0	11.8
17898.531250	46.81	---	74.00	27.19	250.0	H	227.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
10402.062500	46.12	---	68.20	22.08	300.0	V	269.0	1.9
10402.062500	---	42.89	---	---	250.0	V	264.0	1.9
16370.656250	46.44	---	68.20	21.76	150.0	V	344.0	9.3
17848.062500	---	42.13	54.00	11.87	220.0	V	300.0	11.6
17852.843750	47.15	---	74.00	26.85	310.0	V	192.0	11.7
17915.531250	---	43.64	54.00	10.36	150.0	V	328.0	11.8
17951.656250	47.18	---	74.00	26.82	400.0	V	264.0	11.9

Frequency:5240MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5240.000000	53.70	---	---	---	400.0	H	356.0	-3.6
10474.843750	---	42.74	---	---	300.0	H	273.0	1.9
10474.843750	49.52	---	68.20	18.68	250.0	H	264.0	1.9
17720.562500	46.80	---	74.00	27.20	220.0	H	207.0	11.4
17720.562500	---	44.26	54.00	9.74	150.0	H	226.0	11.4
17866.125000	47.15	---	74.00	26.85	350.0	H	327.0	11.7
17866.125000	---	42.78	54.00	11.22	150.0	H	113.0	11.7



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5240.000000	48.88	---	---	---	200.0	V	96.0	-3.6
17046.406250	46.53	---	68.20	21.67	300.0	V	240.0	10.4
17715.250000	46.50	---	74.00	27.50	150.0	V	147.0	11.4
17715.250000	---	42.21	54.00	11.79	250.0	V	234.0	11.4
17909.687500	47.33	---	74.00	26.67	200.0	V	296.0	11.8
17928.281250	---	44.42	54.00	9.58	150.0	V	36.0	11.9

Frequency:5260MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5260.000000	57.80	---	---	---	200.0	H	156.0	-3.5
10520.531250	51.81	---	68.20	16.39	330.0	H	283.0	1.9
10520.531250	---	46.76	---	---	150.0	H	241.0	1.9
17749.781250	---	42.54	54.00	11.46	150.0	H	200.0	11.5
17749.781250	46.23	---	74.00	27.77	150.0	H	169.0	11.5
17775.281250	---	43.68	54.00	10.32	200.0	H	193.0	11.5
17945.281250	47.94	---	74.00	26.06	300.0	H	274.0	11.9
17956.968750	---	42.90	54.00	11.10	150.0	H	67.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5260.000000	50.45	---	---	---	150.0	V	179.0	-3.5
10521.593750	45.30	---	68.20	22.90	200.0	V	176.0	1.9
10522.125000	---	40.80	---	---	300.0	V	236.0	1.9
15774.593750	46.93	---	74.00	27.07	150.0	V	267.0	8.0
15774.593750	---	42.08	54.00	11.92	150.0	V	239.0	8.0
17120.250000	47.02	---	68.20	21.18	250.0	V	337.0	10.6
17724.812500	45.64	---	74.00	28.36	150.0	V	207.0	11.4
17738.093750	---	42.77	54.00	11.23	400.0	V	298.0	11.4
17898.531250	---	44.46	54.00	9.54	150.0	V	169.0	11.8
17938.375000	47.27	---	74.00	26.73	200.0	V	200.0	11.9

Frequency:5280MHz



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5280.000000	58.42	---	---	---	150.0	H	165.0	-3.5
10560.906250	---	45.33	---	---	300.0	H	284.0	2.0
10560.906250	51.32	---	68.20	16.88	200.0	H	289.0	2.0
17721.093750	46.42	---	74.00	27.58	150.0	H	126.0	11.4
17724.281250	---	41.61	54.00	12.39	250.0	H	272.0	11.4
17905.437500	---	43.78	54.00	10.22	150.0	H	173.0	11.8
17911.281250	46.93	---	74.00	27.07	150.0	H	106.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5280.000000	50.69	---	---	---	150.0	V	167.0	-3.5
17145.218750	46.34	---	68.20	21.86	200.0	V	215.0	10.6
17712.593750	45.45	---	74.00	28.55	150.0	V	298.0	11.4
17717.906250	---	41.67	54.00	12.33	210.0	V	250.0	11.4
17899.062500	47.51	---	74.00	26.49	300.0	V	132.0	11.8
17919.250000	---	43.32	54.00	10.68	150.0	V	330.0	11.8

Frequency:5320MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5320.000000	57.05	---	---	---	250.0	H	264.0	-3.4
10632.625000	---	43.60	54.00	10.40	300.0	H	125.0	2.0
10649.625000	47.38	---	74.00	26.62	150.0	H	285.0	2.0
17105.375000	46.28	---	68.20	21.92	200.0	H	326.0	10.5
17794.937500	---	43.29	54.00	10.71	100.0	H	285.0	11.6
17794.937500	47.20	---	74.00	26.80	150.0	H	142.0	11.6
17944.750000	46.92	---	74.00	27.08	300.0	H	196.0	11.9
17956.437500	---	43.18	54.00	10.82	200.0	H	187.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5320.000000	49.38	---	---	---	150.0	V	196.0	-3.4
17185.593750	46.68	---	68.20	21.52	250.0	V	241.0	10.7
17722.687500	45.87	---	74.00	28.13	300.0	V	340.0	11.4
17731.187500	---	43.59	54.00	10.41	150.0	V	203.0	11.4
17932.000000	47.08	---	74.00	26.92	150.0	V	106.0	11.9
17932.000000	---	43.47	54.00	10.53	200.0	V	289.0	11.9

Frequency:5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5500.000000	42.44	---	---	---	150.0	H	291.0	-2.9
10996.000000	---	43.13	54.00	10.87	250.0	H	285.0	2.5
10996.000000	49.52	---	74.00	24.48	150.0	H	163.0	2.5
16413.687500	45.83	---	68.20	22.37	150.0	H	316.0	9.4
17709.406250	44.34	---	74.00	29.66	150.0	H	201.0	11.4
17709.406250	---	42.51	54.00	11.49	200.0	H	249.0	11.4
17912.343750	45.87	---	74.00	28.13	150.0	H	250.0	11.8
17912.343750	---	43.93	54.00	10.07	210.0	H	246.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5500.000000	40.53	---	---	---	150.0	V	227.0	-2.9
10992.812500	44.88	---	74.00	29.12	300.0	V	245.0	2.5
10992.812500	---	40.98	54.00	13.02	250.0	V	136.0	2.5
14410.343750	44.51	---	68.20	23.69	150.0	V	169.0	5.8
16484.343750	46.44	---	68.20	21.76	150.0	V	114.0	9.5
17707.812500	---	41.53	54.00	12.47	200.0	V	179.0	11.4
17708.875000	45.29	---	74.00	28.71	150.0	V	201.0	11.4
17898.531250	---	41.84	54.00	12.16	200.0	V	63.0	11.8
17899.062500	45.76	---	74.00	28.24	150.0	V	144.0	11.8
17977.156250	---	42.34	54.00	11.66	150.0	V	135.0	11.9

Frequency:5600MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5600.000000	40.11	---	---	---	150.0	H	112.0	-2.9
11199.468750	---	38.72	54.00	15.28	150.0	H	279.0	2.6
11199.468750	44.69	---	74.00	29.31	20.0	H	168.0	2.6
16307.968750	45.07	---	68.20	23.13	150.0	H	217.0	9.1
17740.218750	44.54	---	74.00	29.46	210.0	H	204.0	11.4
17740.218750	---	40.61	54.00	13.39	300.0	H	331.0	11.4
17897.468750	---	42.47	54.00	11.53	150.0	H	169.0	11.8
17915.000000	46.13	---	74.00	27.87	150.0	H	65.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5600.000000	40.03	---	---	---	150.0	V	120.0	-2.9
17098.468750	45.66	---	68.20	22.54	200.0	V	202.0	10.5
17715.250000	45.09	---	74.00	28.91	150.0	V	113.0	11.4
17730.125000	---	41.78	54.00	12.22	300.0	V	11.0	11.4
17863.468750	46.68	---	74.00	27.32	200.0	V	275.0	11.7
17887.906250	---	42.77	54.00	11.23	150.0	V	138.0	11.8
17987.250000	---	42.89	54.00	11.11	200.0	V	208.0	12.0

Frequency:5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5700.000000	51.38	---	---	---	150.0	H	110.0	-3.0
17084.656250	45.73	---	68.20	22.47	200.0	H	264.0	10.5
17732.250000	---	40.98	54.00	13.02	150.0	H	176.0	11.4
17736.500000	44.97	---	74.00	29.03	210.0	H	206.0	11.4
17844.343750	---	42.44	54.00	11.56	150.0	H	110.0	11.6
17913.406250	46.03	---	74.00	27.97	300.0	H	136.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5700.000000	50.52	---	---	---	150.0	V	37.0	-3.0
17098.468750	45.33	---	68.20	22.87	250.0	V	156.0	10.5
17709.406250	---	42.15	54.00	11.85	150.0	V	164.0	11.4
17709.406250	45.37	---	74.00	28.63	300.0	V	237.0	11.4
17857.093750	46.09	---	74.00	27.91	200.0	V	322.0	11.7
17859.750000	---	42.13	54.00	11.87	150.0	V	209.0	11.7

Frequency:5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5745.000000	49.08	---	---	---	150.0	H	275.0	-2.9
16753.156250	46.22	---	68.20	21.98	220.0	H	118.0	10.0
17783.781250	---	42.26	54.00	11.74	150.0	H	101.0	11.5
17794.406250	46.57	---	74.00	27.43	300.0	H	297.0	11.6
17936.250000	---	43.09	54.00	10.91	150.0	H	252.0	11.9
17953.250000	45.70	---	74.00	28.30	200.0	H	146.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
17150.531250	45.96	---	68.20	22.24	150.0	V	232.0	10.6
17730.656250	45.53	---	74.00	28.47	250.0	V	288.0	11.4
17738.625000	---	42.36	54.00	11.64	150.0	V	193.0	11.4
17932.000000	46.13	---	74.00	27.87	350.0	V	204.0	11.9
17935.718750	---	42.52	54.00	11.48	150.0	V	314.0	11.9

Frequency:5785MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5785.000000	49.42	---	---	---	150.0	H	216.0	-2.9
16468.937500	46.24	---	68.20	21.96	200.0	H	156.0	9.5
17799.718750	---	42.29	54.00	11.71	150.0	H	333.0	11.6
17799.718750	45.92	---	74.00	28.08	310.0	H	220.0	11.6
17950.593750	45.46	---	74.00	28.54	350.0	H	196.0	11.9
17958.031250	---	41.76	54.00	12.24	200.0	H	314.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
17067.656250	46.97	---	68.20	21.23	150.0	V	92.0	10.4
17734.375000	46.19	---	74.00	27.81	200.0	V	262.0	11.4
17735.968750	---	40.98	54.00	13.02	150.0	V	210.0	11.4
17868.781250	46.20	---	74.00	27.80	150.0	V	169.0	11.7
17868.781250	---	42.51	54.00	11.49	300.0	V	274.0	11.7

Frequency:5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5825.000000	49.93	---	---	---	150.0	H	92.0	-2.8
11651.031250	44.55	---	74.00	29.45	250.0	H	146.0	3.0
11651.031250	---	41.20	54.00	12.80	300.0	H	109.0	3.0
17094.218750	46.13	---	68.20	22.07	150.0	H	236.0	10.5
17721.625000	---	41.32	54.00	12.68	200.0	H	324.0	11.4
17721.625000	45.66	---	74.00	28.34	150.0	H	241.0	11.4
17891.625000	---	42.85	54.00	11.15	150.0	H	87.0	11.8
17891.625000	46.37	---	74.00	27.63	310.0	H	127.0	11.8




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11654.750000	---	43.34	54.00	10.66	150.0	V	260.0	3.0
11661.125000	48.68	---	74.00	25.32	300.0	V	224.0	3.0
17093.687500	46.39	---	68.20	21.81	150.0	V	197.0	10.5
17698.781250	---	41.44	---	---	250.0	V	168.0	11.4
17717.906250	44.89	---	74.00	29.11	150.0	V	264.0	11.4
17848.062500	46.35	---	74.00	27.65	150.0	V	93.0	11.6
17848.062500	---	42.71	54.00	11.29	250.0	V	149.0	11.6


Radiated Emission 1-18 GHz at 802.11n40

Frequency:5190MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5180.000000	41.82	---	---	---	300.0	H	230.0	-3.6
10382.937500	---	45.69	---	---	150.0	H	272.0	1.9
10382.937500	49.09	---	68.20	19.11	250.0	H	176.0	1.9
17710.468750	45.48	---	74.00	28.52	150.0	H	289.0	11.4
17710.468750	---	41.43	54.00	12.57	350.0	H	315.0	11.4
17893.218750	46.53	---	74.00	27.47	200.0	H	51.0	11.8
17893.218750	---	44.26	54.00	9.74	400.0	H	264.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5190.000000	38.26	---	---	---	300.0	V	356.0	-3.6
17623.875000	46.83	---	68.20	21.37	250.0	V	116.0	11.3
17708.343750	46.11	---	74.00	27.89	150.0	V	344.0	11.4
17711.000000	---	41.88	54.00	12.12	200.0	V	256.0	11.4
17842.218750	46.84	---	74.00	27.16	150.0	V	317.0	11.6
17919.250000	---	43.47	54.00	10.53	350.0	V	210.0	11.8

Frequency:5230MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5230.000000	50.74	---	---	---	330.0	H	264.0	-3.6
10459.437500	---	44.77	---	---	200.0	H	277.0	1.9
10460.500000	47.24	---	68.20	20.96	150.0	H	266.0	1.9
17717.375000	45.61	---	74.00	28.39	150.0	H	330.0	11.4
17728.531250	---	42.31	54.00	11.69	250.0	H	159.0	11.4
17890.562500	---	42.98	54.00	11.02	150.0	H	22.0	11.8
17890.562500	47.06	---	74.00	26.94	300.0	H	123.0	11.8
17985.125000	---	43.66	54.00	10.34	400.0	H	142.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5230.000000	46.19	---	---	---	150.0	V	195.0	-3.6
17103.250000	46.60	---	68.20	21.60	200.0	V	277.0	10.5
17732.250000	45.68	---	74.00	28.32	150.0	V	316.0	11.4
17735.968750	---	43.02	54.00	10.98	350.0	V	214.0	11.4
17922.437500	46.74	---	74.00	27.26	150.0	V	288.0	11.9
17922.437500	---	43.88	54.00	10.12	220.0	V	306.0	11.9

Frequency:5270MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5270.000000	54.86	---	---	---	150.0	H	3.0	-3.5
10530.093750	44.80	---	68.20	23.40	150.0	H	284.0	1.9
10530.093750	---	38.91	---	---	150.0	H	284.0	1.9
17705.156250	---	42.96	54.00	11.04	150.0	H	92.0	11.4
17711.000000	45.33	---	74.00	28.67	150.0	H	343.0	11.4
17967.062500	47.31	---	74.00	26.69	150.0	H	15.0	11.9
17967.593750	---	42.56	54.00	11.44	150.0	H	0.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5270.000000	46.75	---	---	---	150.0	V	145.0	-3.5
17675.406250	46.16	---	68.20	22.04	200.0	V	125.0	11.4
17791.218750	46.84	---	74.00	27.16	300.0	V	269.0	11.5
17791.218750	---	41.76	54.00	12.24	150.0	V	174.0	11.5
17917.656250	47.17	---	74.00	26.83	150.0	V	334.0	11.8
17921.375000	---	42.55	54.00	11.45	220.0	V	211.0	11.8

Frequency:5310MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5310.000000	52.25	---	---	---	150.0	H	134.0	-3.4
17140.437500	46.29	---	68.20	21.91	200.0	H	304.0	10.6
17715.250000	---	42.11	54.00	11.89	250.0	H	239.0	11.4
17715.250000	46.04	---	74.00	27.96	300.0	H	156.0	11.4
17884.718750	47.15	---	74.00	26.85	100.0	H	174.0	11.8
17945.281250	---	42.56	54.00	11.44	150.0	H	64.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5310.000000	45.53	---	---	---	150.0	V	158.0	-3.4
17062.875000	46.37	---	68.20	21.83	200.0	V	176.0	10.4
17720.031250	45.33	---	74.00	28.67	350.0	V	299.0	11.4
17725.875000	---	42.00	54.00	12.00	150.0	V	182.0	11.4
17917.656250	47.20	---	74.00	26.80	300.0	V	207.0	11.8
17949.531250	---	43.04	54.00	10.96	150.0	V	279.0	11.9

Frequency:5510MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
17130.343750	46.44	---	68.20	21.76	150.0	H	226.0	10.6
17713.125000	---	42.38	54.00	11.62	150.0	H	55.0	11.4
17722.687500	46.30	---	74.00	27.70	250.0	H	156.0	11.4
17895.343750	46.17	---	74.00	27.83	150.0	H	189.0	11.8
17900.125000	---	43.07	54.00	10.93	200.0	H	97.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
17134.062500	46.90	---	68.20	21.30	150.0	V	146.0	10.6
17721.093750	---	43.79	54.00	10.21	150.0	V	70.0	11.4
17721.093750	45.70	---	74.00	28.30	220.0	V	279.0	11.4
17954.312500	45.86	---	74.00	28.14	300.0	V	250.0	11.9
17966.531250	---	41.90	54.00	12.10	150.0	V	172.0	11.9

Frequency:5590MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
17053.312500	46.35	---	68.20	21.85	150.0	H	253.0	10.4
17721.625000	44.75	---	74.00	29.25	220.0	H	269.0	11.4
17721.625000	---	40.91	54.00	13.09	150.0	H	228.0	11.4
17883.125000	---	43.72	54.00	10.28	150.0	H	241.0	11.8
17901.187500	46.12	---	74.00	27.88	100.0	H	32.0	11.8



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
17142.031250	45.53	---	68.20	22.67	200.0	V	89.0	10.6
17799.718750	46.55	---	74.00	27.45	300.0	V	267.0	11.6
17799.718750	---	42.35	54.00	11.65	150.0	V	139.0	11.6
17929.875000	---	42.68	54.00	11.32	150.0	V	335.0	11.9
17988.843750	45.88	---	74.00	28.12	150.0	V	144.0	12.0

Frequency:5670MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5670.000000	47.26	---	---	---	150.0	H	330.0	-3.0
17138.312500	45.95	---	68.20	22.25	250.0	H	253.0	10.6
17717.906250	45.09	---	74.00	28.91	150.0	H	231.0	11.4
17717.906250	---	41.71	54.00	12.29	200.0	H	156.0	11.4
17859.750000	46.58	---	74.00	27.42	300.0	H	122.0	11.7
17928.281250	---	42.61	54.00	11.39	150.0	H	146.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5670.000000	46.03	---	---	---	150.0	V	345.0	-3.0
17138.843750	46.63	---	68.20	21.57	200.0	V	238.0	10.6
17704.093750	45.75	---	74.00	28.25	150.0	V	246.0	11.4
17709.406250	---	41.63	54.00	12.37	150.0	V	73.0	11.4
17887.906250	---	43.14	54.00	10.86	330.0	V	171.0	11.8
17950.062500	47.25	---	74.00	26.75	150.0	V	333.0	11.9

Frequency:5755MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5755.000000	47.12	---	---	---	150.0	H	106.0	-2.9
17086.250000	46.46	---	68.20	21.74	150.0	H	189.0	10.5
17702.500000	46.41	---	74.00	27.59	150.0	H	117.0	11.4
17702.500000	---	40.95	54.00	13.05	150.0	H	117.0	11.4
17916.593750	---	42.45	54.00	11.55	150.0	H	178.0	11.8
17952.718750	45.99	---	74.00	28.01	150.0	H	106.0	11.9



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
16402.000000	46.29	---	68.20	21.91	150.0	V	249.0	9.3
17706.218750	---	40.94	54.00	13.06	150.0	V	264.0	11.4
17706.218750	44.70	---	74.00	29.30	200.0	V	143.0	11.4
17836.375000	---	42.53	54.00	11.47	300.0	V	325.0	11.6
17924.031250	46.48	---	74.00	27.52	150.0	V	330.0	11.9

Frequency:5795MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5795.000000	49.23	---	---	---	150.0	H	110.0	-2.8
17693.468750	46.23	---	68.20	21.97	200.0	H	218.0	11.4
17723.218750	---	41.98	54.00	12.02	150.0	H	323.0	11.4
17734.906250	45.64	---	74.00	28.36	220.0	H	186.0	11.4
17881.000000	45.83	---	74.00	28.17	150.0	H	34.0	11.7
17882.593750	---	42.88	54.00	11.12	150.0	H	287.0	11.7




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
16663.375000	46.37	---	68.20	21.83	150.0	V	281.0	10.0
17714.187500	45.64	---	74.00	28.36	150.0	V	342.0	11.4
17728.000000	---	41.15	54.00	12.85	330.0	V	208.0	11.4
17929.875000	---	43.20	54.00	10.80	150.0	V	264.0	11.9
17955.375000	46.34	---	74.00	27.66	200.0	V	225.0	11.9


Band Edge at 802.11a

Frequency:5180MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5144.800000	50.0	35.6	250.0	H	224.0	-3.0	24.0	74.0	18.4
5150.000000	52.5	38.9	300.0	H	178.0	-3.0	21.5	74.0	15.1
5180.200000	95.8	---	150.0	H	59.0	-3.1	---	---	---




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5134.900000	41.3	32.1	150.0	V	244.0	-3.1	32.7	74.0	21.9
5150.000000	47.1	35.2	150.0	V	120.0	-3.0	26.9	74.0	18.8
5180.000000	88.8	---	200.0	V	359.0	-3.1	---	---	---




Frequency:5320MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5320.000000	100.5	---	330.0	H	264.0	-2.8	---	---	---
5350.000000	52.9	40.2	250.0	H	179.0	-2.7	21.1	74.0	13.8
5355.700000	47.9	36.8	400.0	H	70.0	-2.7	26.1	74.0	17.2




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5320.000000	94.2	---	150.0	V	264.0	-2.8	---	---	---
5350.000000	44.6	35.4	300.0	V	125.0	-2.7	29.4	74.0	18.6
5379.700000	42.5	32.1	320.0	V	208.0	-2.6	31.5	74.0	21.9




Frequency:5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5466.400000	50.2	36.8	400.0	H	246.0	-2.4	23.8	74.0	17.2
5470.000000	50.8	39.8	250.0	H	152.0	-2.4	23.2	74.0	14.2
5500.000000	98.1	---	300.0	H	208.0	-2.3	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5466.400000	46.7	36.0	150.0	V	211.0	-2.4	27.3	74.0	18.0
5470.000000	47.1	37.4	150.0	V	246.0	-2.4	26.9	74.0	16.6
5500.000000	93.8	---	150.0	V	200.0	-2.3	---	---	---

Frequency:5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5700.000000	97.8	---	250.0	H	263.0	-2.4	---	---	---
5725.000000	53.9	43.9	300.0	H	248.0	-2.3	20.1	74.0	10.1
5728.600000	54.1	41.3	200.0	H	150.0	-2.3	19.9	74.0	12.7



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5700.000000	93.5	---	150.0	V	264.0	-2.4	---	---	---
5725.000000	48.3	39.2	300.0	V	125.0	-2.3	25.7	74.0	14.8
5728.900000	48.9	37.6	400.0	V	220.0	-2.3	25.1	74.0	16.4

Frequency:5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5722.600000	68.9	55.0	250.0	H	236.0	-2.3	47.8	116.7	61.7
5881.000000	41.8	33.5	150.0	H	158.0	-2.0	58.9	100.7	67.3



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5724.100000	64.1	46.1	350.0	V	263.0	-2.3	56.0	120.1	74.1
5872.600000	42.3	31.1	200.0	V	159.0	-2.0	63.6	105.9	74.8

Frequency:5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5666.500000	42.9	31.9	330.0	H	317.0	-2.3	37.5	80.4	48.5
5855.200000	55.1	43.6	210.0	H	149.0	-2.0	55.7	110.7	67.1




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5712.700000	41.1	30.5	330.0	V	248.0	-2.4	67.7	108.8	78.3
5854.900000	50.3	36.4	200.0	V	150.0	-2.0	60.7	111.0	74.6


Band Edge at 802.11n20

Frequency:5180MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5144.200000	56.3	41.2	220.0	H	94.0	-3.0	17.7	74.0	12.8
5150.000000	55.8	47.7	150.0	H	265.0	-3.0	18.2	74.0	6.3
5180.000000	100.7	---	300.0	H	276.0	-3.1	---	---	---




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5134.300000	47.3	33.2	250.0	V	128.0	-3.1	26.7	74.0	20.8
5150.000000	52.1	42.5	150.0	V	27.0	-3.0	21.9	74.0	11.5
5180.000000	97.5	---	300.0	V	234.0	-3.1	---	---	---




Frequency:5320MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5320.000000	100.1	---	400.0	H	264.0	-2.8	---	---	---
5350.000000	51.9	39.2	250.0	H	172.0	-2.7	22.1	74.0	14.8
5355.700000	47.5	36.4	300.0	H	316.0	-2.7	26.5	74.0	17.6




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5320.000000	94.0	---	400.0	V	268.0	-2.8	---	---	---
5350.000000	47.3	36.9	150.0	V	147.0	-2.7	26.7	74.0	17.1
5352.400000	47.6	36.4	250.0	V	217.0	-2.7	26.4	74.0	17.6




Frequency:5500MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5464.000000	51.0	37.3	330.0	H	236.0	-2.4	23.0	74.0	16.7
5470.000000	50.2	40.2	250.0	H	254.0	-2.4	23.8	74.0	13.8
5500.000000	97.7	---	200.0	H	179.0	-2.3	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5467.300000	48.8	35.2	150.0	V	266.0	-2.4	25.2	74.0	18.8
5470.000000	46.9	37.4	320.0	V	241.0	-2.4	27.1	74.0	16.6
5500.000000	93.4	---	200.0	V	107.0	-2.3	---	---	---

Frequency:5700MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5700.000000	98.4	---	220.0	H	264.0	-2.4	---	---	---
5725.000000	58.2	45.5	300.0	H	102.0	-2.3	15.8	74.0	8.5
5726.800000	56.3	42.4	350.0	H	239.0	-2.3	17.7	74.0	11.6
5733.908333	53.7	38.8	150.0	H	250.0	-2.3	20.3	74.0	15.2



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5700.000000	94.4	---	400.0	V	263.0	-2.4	---	---	---
5725.000000	51.7	40.9	380.0	V	125.0	-2.3	22.3	74.0	13.1
5726.800000	51.1	38.4	150.0	V	247.0	-2.3	22.9	74.0	15.6

Frequency:5745MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5723.800000	66.3	49.3	350.0	H	260.0	-2.3	53.1	119.5	70.2
5892.100000	42.8	31.9	200.0	H	241.0	-1.9	49.7	92.5	60.6



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5722.300000	56.7	45.2	200.0	V	236.0	-2.3	59.3	116.0	70.8
5913.100000	42.2	31.1	150.0	V	150.0	-1.9	34.8	77.0	45.8

Frequency:5825MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5718.100000	42.5	31.5	250.0	H	263.0	-2.3	67.8	110.3	78.8
5855.500000	57.9	40.6	300.0	H	241.0	-2.0	52.8	110.7	70.1




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5717.800000	41.0	30.7	300.0	V	236.0	-2.3	69.2	110.2	79.5
5855.500000	51.9	40.5	150.0	V	249.0	-2.0	58.8	110.7	70.2


Band Edge at 802.11n40

Frequency:5190MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5146.000000	62.1	47.1	350.0	H	136.0	-3.0	11.9	74.0	6.9
5150.000000	62.6	49.8	150.0	H	192.0	-3.0	11.4	74.0	4.2
5190.000000	97.7	---	150.0	H	209.0	-3.1	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5147.200000	56.6	42.3	300.0	V	136.0	-3.0	17.4	74.0	11.8
5150.000000	55.5	43.9	250.0	V	248.0	-3.0	18.5	74.0	10.1
5190.000000	93.0	---	150.0	V	179.0	-3.1	---	---	---

Frequency:5310MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5310.000000	94.7	---	150.0	H	224.0	-2.9	---	---	---
5350.000000	62.1	51.7	150.0	H	178.0	-2.7	11.9	74.0	2.3
5355.400000	62.1	47.3	300.0	H	316.0	-2.7	11.9	74.0	6.7




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5310.000000	88.7	---	150.0	V	267.0	-2.9	---	---	---
5350.000000	55.2	44.4	250.0	V	48.0	-2.7	18.8	74.0	9.6
5355.100000	55.8	42.6	350.0	V	122.0	-2.7	18.2	74.0	11.4




Frequency:5510MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5466.400000	62.3	49.6	250.0	H	264.0	-2.4	11.7	74.0	4.4
5470.000000	64.5	51.3	150.0	H	120.0	-2.4	9.5	74.0	2.7
5510.000000	91.0	---	300.0	H	49.0	-2.3	---	---	---



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5463.400000	55.8	45.1	330.0	V	360.0	-2.4	18.2	74.0	8.9
5466.400000	58.5	47.2	250.0	V	247.0	-2.4	15.5	74.0	6.8
5470.000000	60.1	48.8	400.0	V	156.0	-2.4	13.9	74.0	5.3
5510.000000	86.2	---	150.0	V	204.0	-2.3	---	---	---

Frequency:5670MHz



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5670.000000	94.1	---	250.0	H	260.0	-2.3	---	---	---
5725.000000	51.9	40.4	300.0	H	148.0	-2.3	22.1	74.0	13.6
5736.400000	49.1	36.9	150.0	H	250.0	-2.3	24.9	74.0	17.1



Limit and Margin


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5670.000000	87.4	---	250.0	V	264.0	-2.3	---	---	---
5725.000000	46.8	35.9	300.0	V	178.0	-2.3	27.2	74.0	18.1
5734.125000	45.0	33.6	350.0	V	345.0	-2.3	29.0	74.0	20.4

Frequency:5755MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5721.700000	73.7	56.1	310.0	H	235.0	-2.3	41.0	114.7	58.6
5877.400000	42.8	32.1	250.0	H	207.0	-2.0	60.6	103.4	71.3




Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5721.400000	69.3	48.3	300.0	V	112.0	-2.3	44.7	114.0	65.7
5876.200000	41.5	31.3	250.0	V	241.0	-2.0	62.9	104.3	73.0




Frequency:5795MHz



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5722.900000	48.4	33.5	350.0	H	246.0	-2.3	69.1	117.4	83.9
5861.500000	52.9	38.1	210.0	H	189.0	-2.0	56.1	109.0	70.9



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Margin - PK+ (dB)	Limit - PK+ (dBuV/m)	Margin - Average (dB)
5720.208330	44.4	31.3	300.0	V	120.0	-2.3	66.9	111.3	80.0
5861.500000	48.0	35.6	250.0	V	278.0	-2.0	61.0	109.0	73.4

The worst case of Radiated Emission Above 18GHz 18-40GHz Radiated Emission


EUT Information

EUT Name:	WiFi Module
Model:	GRJWB05-J12
Client:	Gree Electric Appliances, Inc. of Zhuhai
Op Cond:	TX_2402MHz at 2Mbps
Operator:	Doujun XU
Test Spec:	FCC Part 15.209
Sample No:	SHA-1075771-1

Sweep Setup: RE_3116C_pre [EMI radiated]

Hardware Setup:	RE_3116C
Receiver:	[FSV 40]
Level Unit:	dBuV/m

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
18 GHz - 40 GHz	500 kHz	PK+ ; AVG	1 MHz	0.05 s	0 dB



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18360.937500	---	44.94	54.00	9.06	100.0	H	150.0	8.6
18459.937500	48.97	---	74.00	25.03	100.0	H	7.0	8.6
20917.750000	46.48	---	74.00	27.52	100.0	H	341.0	9.0
21249.812500	---	41.62	54.00	12.38	100.0	H	236.0	9.2
25860.875000	49.64	---	74.00	24.36	100.0	H	13.0	10.3
25860.875000	---	44.17	54.00	9.83	100.0	H	13.0	10.3
27035.125000	---	42.06	54.00	11.94	100.0	H	136.0	9.7
30163.937500	47.60	---	74.00	26.40	100.0	H	61.0	10.6
32665.750000	49.80	---	74.00	24.20	100.0	H	294.0	11.4
32744.125000	---	44.85	54.00	9.15	100.0	H	192.0	11.5
39174.312500	---	46.11	54.00	7.89	100.0	H	43.0	13.1
39268.500000	51.15	---	74.00	22.85	100.0	H	280.0	13.1

18-40GHz Radiated Emission


EUT Information

EUT Name: WiFi Module
 Model: GRJWB05-J12
 Client: Gree Electric Appliances, Inc. of Zhuhai
 Op Cond: TX_2402MHz at 2Mbps
 Operator: Doujun XU
 Test Spec: FCC Part 15.209
 Sample No: SHA-1075771-1

Sweep Setup: RE_3116C_pre [EMI radiated]

Hardware Setup: RE_3116C
 Receiver: [FSV 40]
 Level Unit: dBuV/m

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamplifier
18 GHz - 40 GHz	500 kHz	PK+ ; AVG	1 MHz	0.05 s	0 dB



Limit and Margin

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
18477.812500	---	44.93	54.00	9.07	100.0	V	349.0	8.7
18479.187500	48.60	---	74.00	25.40	100.0	V	343.0	8.7
20849.000000	---	41.69	54.00	12.31	100.0	V	184.0	8.9
20902.625000	46.37	---	74.00	27.63	100.0	V	92.0	9.0
25189.187500	---	44.61	54.00	9.39	100.0	V	160.0	9.7
25695.187500	48.31	---	74.00	25.69	100.0	V	343.0	10.3
30169.437500	---	41.69	54.00	12.31	100.0	V	129.0	10.6
30392.875000	46.29	---	74.00	27.71	100.0	V	129.0	10.4
33853.750000	---	44.60	54.00	9.41	100.0	V	301.0	11.7
34929.687500	49.76	---	74.00	24.24	100.0	V	220.0	11.9
38881.437500	---	46.55	54.00	7.45	100.0	V	250.0	13.0
38897.250000	50.50	---	74.00	23.50	100.0	V	337.0	13.0

Remark:

- (1) Above 1GHz Corrector factor= Antenna Factor +Cable Loss - Amp. Factor.
- (2) Below 1GHz Corrector factor= Antenna Factor +Cable Loss.
- (3) We test all modes and only the worst case for each bandwidth recorded in the report.
- (4) In non-restricted band, its limit is -27dBm/MHz. At a distance of 3 meters, the field strength limit in dBuV/m can be determined by adding a "conversion" factor of 95.2dB to the EIRP limit of -27dBm/MHz to obtain the limit for out of band spurious emissions.

11 Test Equipment List

List of Test Instruments Test Site1

	Description	Manufacturer	Model no.	Serial no.	CAL. DATE	CAL. DUE DATE
C	Signal spectrum analyzer	Agilent	N9020B	MY59050168	2026-2-24	2027-2-23
	RF automatic control unit	MWRFTest	MW100-RFCB	MW211122-28	2025-10-9	2026-10-8
	RF_Cable	UCWAVE ELECTRONIC	UCA500-NJWSM-1.5M	---	2026-8-3	2027-8-2
	Wideband power sensor	Rohde & Schwarz	NRP-Z81	105903	2026-2-24	2027-2-23
	10dB Attenuator	Aeroflex Weinschel	CG-4689	93459	2026-2-24	2027-2-23
RE	EMI Test Receiver	Rohde & Schwarz	ESR3	101906	2026-8-3	2027-8-2
	Signal Analyzer	Rohde & Schwarz	FSV40	101091	2026-8-3	2027-8-2
	Trilog Super Broadband Test Antenna	Schwarzbeck	VULB 9168	961	2026-6-25	2027-6-24
	Double-ridged waveguide horn antenna	Rohde & Schwarz	HF907	102393	2026-4-14	2027-4-13
	Pre-amplifier	Shenzhen HzEMC	HPA-081843	HYPA23026	2026-4-14	2027-4-13
	Loop antenna	Rohde & Schwarz	HFH2-Z2	100443	2026-6-25	2027-6-24
	Double Ridged Horn Antenna	ETS-Lindgren	3116C	000222727	2026-6-25	2027-6-24
	RE_Cable_01 Coaxial Cable	JUNFLON	MWX221	1906S057	2026-8-3	2027-8-2
	RE_Cable_02 Coaxial Cable	HUBER+SUHNER	RG214	1358176	2026-8-3	2027-8-2
	RE_Cable_03 Coaxial Cable	JUNFLON	MWX221	J12J102482	2026-8-3	2027-8-2
	RE_Cable_04 Coaxial Cable	PASTERNAK	PE360	2233	2026-8-3	2027-8-2
	3m Semi-anechoic chamber	TDK	9X6X6	----	2024-5-8	2027-5-7
	Band reject filter	Wainwright	WRCGV10-2382-2402-2480-2500-52SS	38	2026-8-3	2027-8-2
	10dB Attenuator	Aeroflex Weinschel	CG-4689	93459	2026-2-24	2027-2-23
CE	EMI Test Receiver	Rohde & Schwarz	ESR3	101907	2026-8-3	2027-8-2
	LISN	Rohde & Schwarz	ENV216	101924	2026-8-3	2027-8-2
	CE_Cable_01 Coaxial Cable	HUBER+SUHNER	RG400	1002115055	2026-8-3	2027-8-2
Measurement Software Information						
Test Item	Software	Manufacturer		Version		
C	MTS 8310	MWRFTest		3.0.0.0		
	Power Viewer	Rohde & Schwarz		V 11.0		
RE	EMC 32	Rohde & Schwarz		V10.50.40		
CE	EMC 32	Rohde & Schwarz		V9.15.03		



- C - Conducted RF tests
- Maximum Conducted Output Power & EIRP
- -26dB Bandwidth
- -6dB Bandwidth
- Occupied Bandwidth
- Power spectral density
- Frequency Stability



12 System Measurement Uncertainty

For a 95% confidence level, the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 were:

Items	Extended Uncertainty
Conducted Disturbance at Mains Terminals	150kHz to 30MHz, LISN, 3.16dB
Radiated Disturbance	9kHz to 30MHz, 3.52dB 30MHz to 1GHz, 5.03dB (Horizontal) 5.12dB (Vertical) 1GHz to 18GHz, 5.49dB 18GHz to 40GHz, 5.63dB
RF Conducted Measurement	Power related: 1.16dB Frequency related: 6.00×10 ⁻⁸

Measurement Uncertainty Decision Rule:

Determination of conformity with the specification limits is based on the decision rule according to IEC Guide 115: 2023, clause 4.3.3.



13 Photographs of Test Set-ups

Refer to the < Test Setup photos >



14 Photographs of EUT

Refer to the < External Photos > & < Internal Photos >.

-----End of Test Report-----