

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.267	37.53	74.0	36.47	Peak	216.00	200	Horizontal	Pass
1**	1446.267	26.98	54.0	27.02	AV	216.00	200	Horizontal	Pass
2	3826.229	47.13	74.0	26.87	Peak	130.00	400	Horizontal	Pass
2**	3826.229	37.44	54.0	16.56	AV	130.00	400	Horizontal	Pass
3	4722.392	49.04	74.0	24.96	Peak	66.00	200	Horizontal	Pass
3**	4722.392	39.05	54.0	14.95	AV	66.00	200	Horizontal	Pass
4	8099.038	46.19	74.0	27.81	Peak	44.00	100	Horizontal	Pass
4**	8099.038	36.14	54.0	17.86	AV	44.00	100	Horizontal	Pass
5	12312.315	47.31	74.0	26.69	Peak	50.00	200	Horizontal	Pass
5**	12312.315	38.78	54.0	15.22	AV	50.00	200	Horizontal	Pass
6	15566.136	52.13	74.0	21.87	Peak	152.00	200	Horizontal	Pass
6**	15566.136	41.76	54.0	12.24	AV	152.00	200	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.137	49.30	74.0	24.70	Peak	209.00	100	Vertical	Pass
1**	1163.137	34.75	54.0	19.25	AV	209.00	100	Vertical	Pass
2	1337.059	46.82	74.0	27.18	Peak	245.00	200	Vertical	Pass
2**	1337.059	38.11	54.0	15.89	AV	245.00	200	Vertical	Pass
3	4925.687	48.20	74.0	25.80	Peak	92.00	200	Vertical	Pass
3**	4925.687	39.02	54.0	14.98	AV	92.00	200	Vertical	Pass
4	7930.334	53.06	74.0	20.94	Peak	220.00	300	Vertical	Pass
4**	7930.334	41.43	54.0	12.57	AV	220.00	300	Vertical	Pass
5	12497.373	53.01	74.0	20.99	Peak	101.00	200	Vertical	Pass
5**	12497.373	41.34	54.0	12.66	AV	101.00	200	Vertical	Pass
6	17104.455	53.98	74.0	20.02	Peak	56.00	100	Vertical	Pass
6**	17104.455	41.55	54.0	12.45	AV	56.00	100	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.226	37.47	74.0	36.54	Peak	77.00	100	Horizontal	Pass
1**	1450.226	27.10	54.0	26.90	AV	77.00	100	Horizontal	Pass
2	3825.097	46.93	74.0	27.07	Peak	336.00	200	Horizontal	Pass
2**	3825.097	37.55	54.0	16.45	AV	336.00	200	Horizontal	Pass
3	4721.791	48.99	74.0	25.01	Peak	97.00	200	Horizontal	Pass
3**	4721.791	39.23	54.0	14.77	AV	97.00	200	Horizontal	Pass
4	8096.472	46.14	74.0	27.86	Peak	206.00	200	Horizontal	Pass
4**	8096.472	36.15	54.0	17.85	AV	206.00	200	Horizontal	Pass
5	12307.265	47.19	74.0	26.81	Peak	60.00	100	Horizontal	Pass
5**	12307.265	38.72	54.0	15.28	AV	60.00	100	Horizontal	Pass
6	15563.667	51.95	74.0	22.05	Peak	91.00	100	Horizontal	Pass
6**	15563.667	41.61	54.0	12.39	AV	91.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.167	49.04	74.0	24.96	Peak	275.00	200	Vertical	Pass
1**	1161.167	34.52	54.0	19.48	AV	275.00	200	Vertical	Pass
2	1334.702	46.26	74.0	27.74	Peak	40.00	300	Vertical	Pass
2**	1334.702	37.57	54.0	16.43	AV	40.00	300	Vertical	Pass
3	4921.141	47.81	74.0	26.19	Peak	298.00	200	Vertical	Pass
3**	4921.141	38.68	54.0	15.32	AV	298.00	200	Vertical	Pass
4	7935.317	52.71	74.0	21.29	Peak	166.00	100	Vertical	Pass
4**	7935.317	41.23	54.0	12.77	AV	166.00	100	Vertical	Pass
5	12498.383	52.57	74.0	21.43	Peak	302.00	300	Vertical	Pass
5**	12498.383	41.92	54.0	12.08	AV	302.00	300	Vertical	Pass
6	17104.132	53.80	74.0	20.20	Peak	143.00	200	Vertical	Pass
6**	17104.132	41.97	54.0	12.03	AV	143.00	200	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.586	37.53	74.0	36.47	Peak	154.00	200	Horizontal	Pass
1**	1452.586	27.38	54.0	26.62	AV	154.00	200	Horizontal	Pass
2	3825.792	47.38	74.0	26.62	Peak	172.00	200	Horizontal	Pass
2**	3825.792	37.66	54.0	16.34	AV	172.00	200	Horizontal	Pass
3	4721.145	49.19	74.0	24.81	Peak	332.00	200	Horizontal	Pass
3**	4721.145	39.24	54.0	14.76	AV	332.00	200	Horizontal	Pass
4	8093.830	46.18	74.0	27.82	Peak	329.00	200	Horizontal	Pass
4**	8093.830	36.16	54.0	17.84	AV	329.00	200	Horizontal	Pass
5	12308.218	47.26	74.0	26.74	Peak	282.00	300	Horizontal	Pass
5**	12308.218	38.81	54.0	15.19	AV	282.00	300	Horizontal	Pass
6	15566.514	52.01	74.0	21.99	Peak	164.00	100	Horizontal	Pass
6**	15566.514	42.02	54.0	11.98	AV	164.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.018	49.53	74.0	24.48	Peak	247.00	400	Vertical	Pass
1**	1161.018	34.82	54.0	19.18	AV	247.00	400	Vertical	Pass
2	1339.703	46.90	74.0	27.10	Peak	283.00	200	Vertical	Pass
2**	1339.703	38.22	54.0	15.78	AV	283.00	200	Vertical	Pass
3	4921.210	48.32	74.0	25.68	Peak	176.00	200	Vertical	Pass
3**	4921.210	39.05	54.0	14.95	AV	176.00	200	Vertical	Pass
4	7933.939	53.42	74.0	20.58	Peak	359.00	200	Vertical	Pass
4**	7933.939	41.68	54.0	12.32	AV	359.00	200	Vertical	Pass
5	12492.171	52.91	74.0	21.09	Peak	28.00	400	Vertical	Pass
5**	12492.171	41.65	54.0	12.35	AV	28.00	400	Vertical	Pass
6	17105.237	54.21	74.0	19.80	Peak	116.00	200	Vertical	Pass
6**	17105.237	41.76	54.0	12.24	AV	116.00	200	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.146	37.56	74.0	36.44	Peak	352.00	300	Horizontal	Pass
1**	1447.146	26.98	54.0	27.02	AV	352.00	300	Horizontal	Pass
2	3822.386	47.16	74.0	26.84	Peak	244.00	200	Horizontal	Pass
2**	3822.386	37.56	54.0	16.45	AV	244.00	200	Horizontal	Pass
3	4726.230	49.27	74.0	24.73	Peak	75.00	200	Horizontal	Pass
3**	4726.230	38.94	54.0	15.06	AV	75.00	200	Horizontal	Pass
4	8098.790	46.08	74.0	27.93	Peak	203.00	400	Horizontal	Pass
4**	8098.790	36.14	54.0	17.87	AV	203.00	400	Horizontal	Pass
5	12309.828	47.06	74.0	26.94	Peak	36.00	300	Horizontal	Pass
5**	12309.828	38.90	54.0	15.10	AV	36.00	300	Horizontal	Pass
6	15566.499	52.17	74.0	21.83	Peak	141.00	300	Horizontal	Pass
6**	15566.499	41.85	54.0	12.16	AV	141.00	300	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.189	49.46	74.0	24.54	Peak	328.00	400	Vertical	Pass
1**	1159.189	34.77	54.0	19.23	AV	328.00	400	Vertical	Pass
2	1337.787	46.89	74.0	27.11	Peak	165.00	300	Vertical	Pass
2**	1337.787	38.12	54.0	15.88	AV	165.00	300	Vertical	Pass
3	4926.035	48.14	74.0	25.86	Peak	201.00	200	Vertical	Pass
3**	4926.035	39.01	54.0	14.99	AV	201.00	200	Vertical	Pass
4	7934.794	53.13	74.0	20.87	Peak	29.00	100	Vertical	Pass
4**	7934.794	41.62	54.0	12.38	AV	29.00	100	Vertical	Pass
5	12494.262	52.99	74.0	21.01	Peak	301.00	200	Vertical	Pass
5**	12494.262	41.54	54.0	12.47	AV	301.00	200	Vertical	Pass
6	17097.462	53.95	74.0	20.05	Peak	278.00	300	Vertical	Pass
6**	17097.462	41.49	54.0	12.51	AV	278.00	300	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.544	37.23	74.0	36.77	Peak	24.00	400	Horizontal	Pass
1**	1450.544	27.03	54.0	26.97	AV	24.00	400	Horizontal	Pass
2	3824.792	46.95	74.0	27.05	Peak	27.00	200	Horizontal	Pass
2**	3824.792	37.25	54.0	16.75	AV	27.00	200	Horizontal	Pass
3	4720.081	49.07	74.0	24.93	Peak	358.00	200	Horizontal	Pass
3**	4720.081	38.80	54.0	15.20	AV	358.00	200	Horizontal	Pass
4	8095.329	46.06	74.0	27.94	Peak	116.00	100	Horizontal	Pass
4**	8095.329	36.06	54.0	17.94	AV	116.00	100	Horizontal	Pass
5	12309.736	47.32	74.0	26.68	Peak	340.00	400	Horizontal	Pass
5**	12309.736	38.60	54.0	15.40	AV	340.00	400	Horizontal	Pass
6	15561.820	51.94	74.0	22.06	Peak	229.00	300	Horizontal	Pass
6**	15561.820	41.50	54.0	12.51	AV	229.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.626	49.34	74.0	24.66	Peak	16.00	300	Vertical	Pass
1**	1158.626	34.76	54.0	19.24	AV	16.00	300	Vertical	Pass
2	1332.070	46.69	74.0	27.32	Peak	308.00	100	Vertical	Pass
2**	1332.070	38.00	54.0	16.00	AV	308.00	100	Vertical	Pass
3	4927.327	48.16	74.0	25.84	Peak	69.00	200	Vertical	Pass
3**	4927.327	38.66	54.0	15.34	AV	69.00	200	Vertical	Pass
4	7936.109	52.94	74.0	21.06	Peak	237.00	100	Vertical	Pass
4**	7936.109	41.27	54.0	12.73	AV	237.00	100	Vertical	Pass
5	12497.471	52.85	74.0	21.15	Peak	137.00	200	Vertical	Pass
5**	12497.471	41.26	54.0	12.75	AV	137.00	200	Vertical	Pass
6	17103.280	53.89	74.0	20.11	Peak	220.00	200	Vertical	Pass
6**	17103.280	41.39	54.0	12.61	AV	220.00	200	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.315	37.56	74.0	36.44	Peak	62.00	100	Horizontal	Pass
1**	1446.315	27.33	54.0	26.67	AV	62.00	100	Horizontal	Pass
2	3825.547	47.21	74.0	26.79	Peak	168.00	300	Horizontal	Pass
2**	3825.547	37.61	54.0	16.39	AV	168.00	300	Horizontal	Pass
3	4723.326	49.37	74.0	24.63	Peak	125.00	200	Horizontal	Pass
3**	4723.326	39.23	54.0	14.77	AV	125.00	200	Horizontal	Pass
4	8093.509	46.20	74.0	27.80	Peak	255.00	200	Horizontal	Pass
4**	8093.509	36.25	54.0	17.76	AV	255.00	200	Horizontal	Pass
5	12310.309	47.24	74.0	26.76	Peak	11.00	300	Horizontal	Pass
5**	12310.309	38.97	54.0	15.03	AV	11.00	300	Horizontal	Pass
6	15560.545	52.08	74.0	21.92	Peak	211.00	300	Horizontal	Pass
6**	15560.545	41.80	54.0	12.20	AV	211.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.783	49.56	74.0	24.44	Peak	225.00	400	Vertical	Pass
1**	1159.783	34.72	54.0	19.28	AV	225.00	400	Vertical	Pass
2	1338.817	46.74	74.0	27.26	Peak	334.00	200	Vertical	Pass
2**	1338.817	38.40	54.0	15.60	AV	334.00	200	Vertical	Pass
3	4924.284	48.34	74.0	25.66	Peak	281.00	200	Vertical	Pass
3**	4924.284	39.04	54.0	14.96	AV	281.00	200	Vertical	Pass
4	7935.001	53.22	74.0	20.79	Peak	149.00	300	Vertical	Pass
4**	7935.001	41.85	54.0	12.15	AV	149.00	300	Vertical	Pass
5	12491.748	53.12	74.0	20.88	Peak	206.00	100	Vertical	Pass
5**	12491.748	41.69	54.0	12.31	AV	206.00	100	Vertical	Pass
6	17101.335	54.36	74.0	19.64	Peak	351.00	400	Vertical	Pass
6**	17101.335	41.79	54.0	12.22	AV	351.00	400	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.735	37.51	74.0	36.49	Peak	286.00	400	Horizontal	Pass
1**	1452.735	27.16	54.0	26.85	AV	286.00	400	Horizontal	Pass
2	3824.028	47.39	74.0	26.62	Peak	179.00	400	Horizontal	Pass
2**	3824.028	37.62	54.0	16.38	AV	179.00	400	Horizontal	Pass
3	4720.239	49.29	74.0	24.71	Peak	274.00	200	Horizontal	Pass
3**	4720.239	39.26	54.0	14.75	AV	274.00	200	Horizontal	Pass
4	8094.887	46.35	74.0	27.65	Peak	355.00	400	Horizontal	Pass
4**	8094.887	36.28	54.0	17.72	AV	355.00	400	Horizontal	Pass
5	12310.660	47.36	74.0	26.65	Peak	322.00	300	Horizontal	Pass
5**	12310.660	38.87	54.0	15.13	AV	322.00	300	Horizontal	Pass
6	15560.363	52.17	74.0	21.83	Peak	262.00	300	Horizontal	Pass
6**	15560.363	41.92	54.0	12.08	AV	262.00	300	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.079	49.51	74.0	24.49	Peak	6.00	300	Vertical	Pass
1**	1158.079	34.80	54.0	19.21	AV	6.00	300	Vertical	Pass
2	1335.372	46.77	74.0	27.23	Peak	216.00	200	Vertical	Pass
2**	1335.372	38.20	54.0	15.80	AV	216.00	200	Vertical	Pass
3	4925.704	48.18	74.0	25.82	Peak	174.00	200	Vertical	Pass
3**	4925.704	39.13	54.0	14.87	AV	174.00	200	Vertical	Pass
4	7934.154	53.33	74.0	20.68	Peak	317.00	200	Vertical	Pass
4**	7934.154	41.72	54.0	12.28	AV	317.00	200	Vertical	Pass
5	12492.701	52.98	74.0	21.03	Peak	152.00	300	Vertical	Pass
5**	12492.701	41.53	54.0	12.47	AV	152.00	300	Vertical	Pass
6	17102.570	54.38	74.0	19.62	Peak	151.00	200	Vertical	Pass
6**	17102.570	41.56	54.0	12.44	AV	151.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.140	40.75	74.0	33.25	Peak	202.00	300	Horizontal	Pass
1**	1507.140	28.73	54.0	25.27	AV	202.00	300	Horizontal	Pass
2	2346.590	39.19	74.0	34.81	Peak	73.00	100	Horizontal	Pass
2**	2346.590	29.95	54.0	24.05	AV	73.00	100	Horizontal	Pass
3	4205.786	48.41	74.0	25.59	Peak	169.00	200	Horizontal	Pass
3**	4205.786	39.81	54.0	14.20	AV	169.00	200	Horizontal	Pass
4	7438.983	54.67	74.0	19.33	Peak	144.00	300	Horizontal	Pass
4**	7438.983	40.50	54.0	13.50	AV	144.00	300	Horizontal	Pass
5	12513.199	53.44	74.0	20.56	Peak	93.00	400	Horizontal	Pass
5**	12513.199	40.49	54.0	13.51	AV	93.00	400	Horizontal	Pass
6	16153.919	53.99	74.0	20.01	Peak	147.00	300	Horizontal	Pass
6**	16153.919	40.38	54.0	13.62	AV	147.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.558	49.75	74.0	24.25	Peak	99.00	400	Vertical	Pass
1**	1163.558	35.15	54.0	18.85	AV	99.00	400	Vertical	Pass
2	1338.497	46.85	74.0	27.15	Peak	75.00	400	Vertical	Pass
2**	1338.497	38.45	54.0	15.55	AV	75.00	400	Vertical	Pass
3	4919.705	48.51	74.0	25.49	Peak	138.00	200	Vertical	Pass
3**	4919.705	39.03	54.0	14.97	AV	138.00	200	Vertical	Pass
4	7937.371	53.23	74.0	20.77	Peak	62.00	400	Vertical	Pass
4**	7937.371	40.69	54.0	13.31	AV	62.00	400	Vertical	Pass
5	12494.688	53.36	74.0	20.64	Peak	152.00	300	Vertical	Pass
5**	12494.688	40.73	54.0	13.27	AV	152.00	300	Vertical	Pass
6	17103.997	54.48	74.0	19.52	Peak	282.00	100	Vertical	Pass
6**	17103.997	40.90	54.0	13.10	AV	282.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.936	40.46	74.0	33.54	Peak	163.00	200	Horizontal	Pass
1**	1505.936	28.68	54.0	25.32	AV	163.00	200	Horizontal	Pass
2	2349.224	38.97	74.0	35.03	Peak	269.00	100	Horizontal	Pass
2**	2349.224	29.92	54.0	24.08	AV	269.00	100	Horizontal	Pass
3	4203.815	48.26	74.0	25.74	Peak	170.00	200	Horizontal	Pass
3**	4203.815	39.56	54.0	14.44	AV	170.00	200	Horizontal	Pass
4	7435.686	54.47	74.0	19.54	Peak	103.00	400	Horizontal	Pass
4**	7435.686	40.41	54.0	13.59	AV	103.00	400	Horizontal	Pass
5	12514.779	53.27	74.0	20.73	Peak	206.00	100	Horizontal	Pass
5**	12514.779	40.46	54.0	13.54	AV	206.00	100	Horizontal	Pass
6	16147.546	53.89	74.0	20.11	Peak	346.00	400	Horizontal	Pass
6**	16147.546	40.13	54.0	13.87	AV	346.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.454	49.58	74.0	24.42	Peak	202.00	300	Vertical	Pass
1**	1156.454	34.99	54.0	19.01	AV	202.00	300	Vertical	Pass
2	1334.395	46.65	74.0	27.35	Peak	119.00	400	Vertical	Pass
2**	1334.395	38.40	54.0	15.60	AV	119.00	400	Vertical	Pass
3	4925.294	48.40	74.0	25.60	Peak	349.00	200	Vertical	Pass
3**	4925.294	39.02	54.0	14.98	AV	349.00	200	Vertical	Pass
4	7936.063	53.20	74.0	20.80	Peak	168.00	300	Vertical	Pass
4**	7936.063	40.45	54.0	13.55	AV	168.00	300	Vertical	Pass
5	12499.947	53.08	74.0	20.92	Peak	119.00	300	Vertical	Pass
5**	12499.947	40.50	54.0	13.50	AV	119.00	300	Vertical	Pass
6	17101.760	54.19	74.0	19.81	Peak	17.00	300	Vertical	Pass
6**	17101.760	40.88	54.0	13.12	AV	17.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.507	40.29	74.0	33.71	Peak	75.00	100	Horizontal	Pass
1**	1510.507	28.40	54.0	25.60	AV	75.00	100	Horizontal	Pass
2	2348.771	38.85	74.0	35.15	Peak	129.00	200	Horizontal	Pass
2**	2348.771	29.89	54.0	24.11	AV	129.00	200	Horizontal	Pass
3	4204.181	48.00	74.0	26.00	Peak	222.00	200	Horizontal	Pass
3**	4204.181	39.55	54.0	14.45	AV	222.00	200	Horizontal	Pass
4	7440.719	54.23	74.0	19.77	Peak	244.00	100	Horizontal	Pass
4**	7440.719	40.14	54.0	13.86	AV	244.00	100	Horizontal	Pass
5	12513.819	53.23	74.0	20.77	Peak	305.00	100	Horizontal	Pass
5**	12513.819	40.35	54.0	13.65	AV	305.00	100	Horizontal	Pass
6	16147.247	53.81	74.0	20.19	Peak	105.00	200	Horizontal	Pass
6**	16147.247	40.10	54.0	13.90	AV	105.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.755	49.47	74.0	24.53	Peak	84.00	400	Vertical	Pass
1**	1156.755	34.95	54.0	19.05	AV	84.00	400	Vertical	Pass
2	1338.793	46.47	74.0	27.54	Peak	245.00	400	Vertical	Pass
2**	1338.793	38.17	54.0	15.83	AV	245.00	400	Vertical	Pass
3	4921.610	48.12	74.0	25.88	Peak	223.00	200	Vertical	Pass
3**	4921.610	38.85	54.0	15.15	AV	223.00	200	Vertical	Pass
4	7933.785	53.19	74.0	20.81	Peak	344.00	200	Vertical	Pass
4**	7933.785	40.35	54.0	13.65	AV	344.00	200	Vertical	Pass
5	12500.063	52.93	74.0	21.07	Peak	65.00	300	Vertical	Pass
5**	12500.063	40.22	54.0	13.78	AV	65.00	300	Vertical	Pass
6	17100.450	54.15	74.0	19.85	Peak	226.00	100	Vertical	Pass
6**	17100.450	40.72	54.0	13.28	AV	226.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.645	40.21	74.0	33.79	Peak	176.00	200	Horizontal	Pass
1**	1511.645	28.11	54.0	25.89	AV	176.00	200	Horizontal	Pass
2	2348.508	38.79	74.0	35.22	Peak	23.00	100	Horizontal	Pass
2**	2348.508	29.79	54.0	24.21	AV	23.00	100	Horizontal	Pass
3	4207.371	47.87	74.0	26.13	Peak	93.00	200	Horizontal	Pass
3**	4207.371	39.46	54.0	14.54	AV	93.00	200	Horizontal	Pass
4	7440.761	54.00	74.0	20.00	Peak	314.00	400	Horizontal	Pass
4**	7440.761	40.03	54.0	13.97	AV	314.00	400	Horizontal	Pass
5	12514.265	52.94	74.0	21.06	Peak	13.00	300	Horizontal	Pass
5**	12514.265	40.06	54.0	13.94	AV	13.00	300	Horizontal	Pass
6	16150.772	53.70	74.0	20.30	Peak	149.00	300	Horizontal	Pass
6**	16150.772	40.03	54.0	13.97	AV	149.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.359	49.24	74.0	24.76	Peak	276.00	400	Vertical	Pass
1**	1157.359	34.76	54.0	19.24	AV	276.00	400	Vertical	Pass
2	1337.735	46.40	74.0	27.60	Peak	100.00	300	Vertical	Pass
2**	1337.735	37.98	54.0	16.02	AV	100.00	300	Vertical	Pass
3	4924.744	47.95	74.0	26.05	Peak	328.00	200	Vertical	Pass
3**	4924.744	38.60	54.0	15.40	AV	328.00	200	Vertical	Pass
4	7936.007	53.16	74.0	20.84	Peak	31.00	300	Vertical	Pass
4**	7936.007	40.06	54.0	13.94	AV	31.00	300	Vertical	Pass
5	12492.780	52.64	74.0	21.36	Peak	51.00	400	Vertical	Pass
5**	12492.780	40.06	54.0	13.94	AV	51.00	400	Vertical	Pass
6	17102.680	54.00	74.0	20.00	Peak	314.00	100	Vertical	Pass
6**	17102.680	40.46	54.0	13.54	AV	314.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.842	40.74	74.0	33.26	Peak	160.00	300	Horizontal	Pass
1**	1507.842	28.72	54.0	25.28	AV	160.00	300	Horizontal	Pass
2	2345.550	39.12	74.0	34.88	Peak	184.00	200	Horizontal	Pass
2**	2345.550	29.79	54.0	24.21	AV	184.00	200	Horizontal	Pass
3	4201.281	48.27	74.0	25.73	Peak	270.00	200	Horizontal	Pass
3**	4201.281	39.51	54.0	14.49	AV	270.00	200	Horizontal	Pass
4	7436.383	54.61	74.0	19.39	Peak	44.00	100	Horizontal	Pass
4**	7436.383	40.29	54.0	13.71	AV	44.00	100	Horizontal	Pass
5	12517.059	53.40	74.0	20.61	Peak	119.00	100	Horizontal	Pass
5**	12517.059	40.23	54.0	13.77	AV	119.00	100	Horizontal	Pass
6	16150.453	53.93	74.0	20.07	Peak	301.00	300	Horizontal	Pass
6**	16150.453	40.13	54.0	13.87	AV	301.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.328	49.71	74.0	24.29	Peak	114.00	200	Vertical	Pass
1**	1162.328	35.02	54.0	18.98	AV	114.00	200	Vertical	Pass
2	1338.914	46.79	74.0	27.21	Peak	264.00	300	Vertical	Pass
2**	1338.914	38.35	54.0	15.65	AV	264.00	300	Vertical	Pass
3	4920.419	48.49	74.0	25.51	Peak	51.00	200	Vertical	Pass
3**	4920.419	38.88	54.0	15.12	AV	51.00	200	Vertical	Pass
4	7932.421	53.22	74.0	20.78	Peak	70.00	100	Vertical	Pass
4**	7932.421	40.40	54.0	13.60	AV	70.00	100	Vertical	Pass
5	12498.442	53.23	74.0	20.77	Peak	171.00	100	Vertical	Pass
5**	12498.442	40.67	54.0	13.33	AV	171.00	100	Vertical	Pass
6	17100.942	54.27	74.0	19.73	Peak	37.00	400	Vertical	Pass
6**	17100.942	40.73	54.0	13.27	AV	37.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.231	40.19	74.0	33.81	Peak	214.00	400	Horizontal	Pass
1**	1505.231	28.62	54.0	25.38	AV	214.00	400	Horizontal	Pass
2	2342.046	38.88	74.0	35.12	Peak	88.00	400	Horizontal	Pass
2**	2342.046	29.66	54.0	24.34	AV	88.00	400	Horizontal	Pass
3	4204.883	48.12	74.0	25.88	Peak	210.00	200	Horizontal	Pass
3**	4204.883	39.53	54.0	14.47	AV	210.00	200	Horizontal	Pass
4	7433.692	54.27	74.0	19.73	Peak	1.00	100	Horizontal	Pass
4**	7433.692	40.22	54.0	13.79	AV	1.00	100	Horizontal	Pass
5	12515.389	53.15	74.0	20.86	Peak	187.00	200	Horizontal	Pass
5**	12515.389	40.25	54.0	13.75	AV	187.00	200	Horizontal	Pass
6	16152.229	53.84	74.0	20.16	Peak	84.00	300	Horizontal	Pass
6**	16152.229	40.97	54.0	13.03	AV	84.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.024	49.28	74.0	24.72	Peak	92.00	200	Vertical	Pass
1**	1158.024	34.76	54.0	19.24	AV	92.00	200	Vertical	Pass
2	1340.246	46.40	74.0	27.60	Peak	51.00	300	Vertical	Pass
2**	1340.246	38.11	54.0	15.89	AV	51.00	300	Vertical	Pass
3	4926.521	48.18	74.0	25.82	Peak	226.00	200	Vertical	Pass
3**	4926.521	38.88	54.0	15.12	AV	226.00	200	Vertical	Pass
4	7930.123	53.05	74.0	20.95	Peak	347.00	400	Vertical	Pass
4**	7930.123	40.17	54.0	13.83	AV	347.00	400	Vertical	Pass
5	12499.372	52.99	74.0	21.01	Peak	91.00	400	Vertical	Pass
5**	12499.372	40.22	54.0	13.78	AV	91.00	400	Vertical	Pass
6	17096.463	54.06	74.0	19.94	Peak	55.00	200	Vertical	Pass
6**	17096.463	40.88	54.0	13.12	AV	55.00	200	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.351	40.19	74.0	33.81	Peak	323.00	300	Horizontal	Pass
1**	1510.351	28.13	54.0	25.87	AV	323.00	300	Horizontal	Pass
2	2342.912	38.66	74.0	35.34	Peak	20.00	100	Horizontal	Pass
2**	2342.912	29.76	54.0	24.24	AV	20.00	100	Horizontal	Pass
3	4203.296	47.86	74.0	26.14	Peak	79.00	200	Horizontal	Pass
3**	4203.296	39.54	54.0	14.46	AV	79.00	200	Horizontal	Pass
4	7433.993	54.02	74.0	19.98	Peak	115.00	100	Horizontal	Pass
4**	7433.993	40.98	54.0	13.02	AV	115.00	100	Horizontal	Pass
5	12513.098	53.21	74.0	20.79	Peak	29.00	300	Horizontal	Pass
5**	12513.098	40.24	54.0	13.76	AV	29.00	300	Horizontal	Pass
6	16150.744	53.73	74.0	20.27	Peak	265.00	200	Horizontal	Pass
6**	16150.744	40.09	54.0	13.91	AV	265.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.609	49.42	74.0	24.58	Peak	236.00	400	Vertical	Pass
1**	1160.609	34.65	54.0	19.35	AV	236.00	400	Vertical	Pass
2	1335.875	46.17	74.0	27.83	Peak	263.00	400	Vertical	Pass
2**	1335.875	37.87	54.0	16.13	AV	263.00	400	Vertical	Pass
3	4925.831	48.11	74.0	25.89	Peak	304.00	200	Vertical	Pass
3**	4925.831	38.66	54.0	15.34	AV	304.00	200	Vertical	Pass
4	7931.514	53.06	74.0	20.94	Peak	39.00	400	Vertical	Pass
4**	7931.514	40.26	54.0	13.75	AV	39.00	400	Vertical	Pass
5	12497.288	52.90	74.0	21.10	Peak	287.00	400	Vertical	Pass
5**	12497.288	40.12	54.0	13.88	AV	287.00	400	Vertical	Pass
6	17096.473	54.02	74.0	19.98	Peak	146.00	400	Vertical	Pass
6**	17096.473	40.66	54.0	13.34	AV	146.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.286	40.65	74.0	33.35	Peak	53.00	200	Horizontal	Pass
1**	1505.286	28.48	54.0	25.52	AV	53.00	200	Horizontal	Pass
2	2342.037	39.09	74.0	34.91	Peak	101.00	200	Horizontal	Pass
2**	2342.037	29.94	54.0	24.07	AV	101.00	200	Horizontal	Pass
3	4202.332	48.22	74.0	25.79	Peak	351.00	200	Horizontal	Pass
3**	4202.332	39.70	54.0	14.30	AV	351.00	200	Horizontal	Pass
4	7433.383	54.42	74.0	19.58	Peak	318.00	200	Horizontal	Pass
4**	7433.383	40.27	54.0	13.73	AV	318.00	200	Horizontal	Pass
5	12518.294	53.16	74.0	20.84	Peak	62.00	100	Horizontal	Pass
5**	12518.294	40.33	54.0	13.67	AV	62.00	100	Horizontal	Pass
6	16152.642	53.99	74.0	20.02	Peak	354.00	200	Horizontal	Pass
6**	16152.642	40.12	54.0	13.88	AV	354.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.049	49.16	74.0	24.85	Peak	340.00	300	Vertical	Pass
1**	1158.049	34.48	54.0	19.53	AV	340.00	300	Vertical	Pass
2	1334.341	46.29	74.0	27.71	Peak	113.00	200	Vertical	Pass
2**	1334.341	37.86	54.0	16.14	AV	113.00	200	Vertical	Pass
3	4923.152	47.73	74.0	26.27	Peak	308.00	200	Vertical	Pass
3**	4923.152	38.39	54.0	15.62	AV	308.00	200	Vertical	Pass
4	7933.320	52.98	74.0	21.03	Peak	96.00	400	Vertical	Pass
4**	7933.320	40.97	54.0	13.03	AV	96.00	400	Vertical	Pass
5	12500.328	52.51	74.0	21.49	Peak	332.00	300	Vertical	Pass
5**	12500.328	40.93	54.0	13.07	AV	332.00	300	Vertical	Pass
6	17102.066	53.88	74.0	20.12	Peak	331.00	300	Vertical	Pass
6**	17102.066	40.25	54.0	13.75	AV	331.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.121	40.29	74.0	33.71	Peak	105.00	200	Horizontal	Pass
1**	1506.121	28.52	54.0	25.48	AV	105.00	200	Horizontal	Pass
2	2346.965	38.92	74.0	35.08	Peak	81.00	100	Horizontal	Pass
2**	2346.965	29.80	54.0	24.20	AV	81.00	100	Horizontal	Pass
3	4205.851	48.17	74.0	25.83	Peak	274.00	200	Horizontal	Pass
3**	4205.851	39.29	54.0	14.71	AV	274.00	200	Horizontal	Pass
4	7438.767	54.31	74.0	19.69	Peak	194.00	400	Horizontal	Pass
4**	7438.767	40.24	54.0	13.76	AV	194.00	400	Horizontal	Pass
5	12514.183	53.02	74.0	20.98	Peak	216.00	200	Horizontal	Pass
5**	12514.183	40.26	54.0	13.74	AV	216.00	200	Horizontal	Pass
6	16150.925	53.79	74.0	20.21	Peak	222.00	300	Horizontal	Pass
6**	16150.925	40.09	54.0	13.92	AV	222.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.012	49.58	74.0	24.42	Peak	20.00	100	Vertical	Pass
1**	1158.012	34.91	54.0	19.09	AV	20.00	100	Vertical	Pass
2	1336.228	46.68	74.0	27.32	Peak	7.00	200	Vertical	Pass
2**	1336.228	38.21	54.0	15.80	AV	7.00	200	Vertical	Pass
3	4924.468	48.26	74.0	25.74	Peak	20.00	200	Vertical	Pass
3**	4924.468	38.80	54.0	15.20	AV	20.00	200	Vertical	Pass
4	7935.248	53.01	74.0	20.99	Peak	97.00	200	Vertical	Pass
4**	7935.248	40.39	54.0	13.61	AV	97.00	200	Vertical	Pass
5	12493.515	53.07	74.0	20.93	Peak	58.00	400	Vertical	Pass
5**	12493.515	40.50	54.0	13.50	AV	58.00	400	Vertical	Pass
6	17100.451	54.02	74.0	19.98	Peak	106.00	200	Vertical	Pass
6**	17100.451	40.58	54.0	13.42	AV	106.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.541	40.19	74.0	33.82	Peak	82.00	300	Horizontal	Pass
1**	1509.541	28.10	54.0	25.90	AV	82.00	300	Horizontal	Pass
2	2342.147	38.69	74.0	35.31	Peak	268.00	200	Horizontal	Pass
2**	2342.147	29.76	54.0	24.24	AV	268.00	200	Horizontal	Pass
3	4204.264	47.77	74.0	26.23	Peak	335.00	200	Horizontal	Pass
3**	4204.264	39.41	54.0	14.59	AV	335.00	200	Horizontal	Pass
4	7435.866	54.18	74.0	19.82	Peak	214.00	400	Horizontal	Pass
4**	7435.866	40.84	54.0	13.16	AV	214.00	400	Horizontal	Pass
5	12511.330	52.99	74.0	21.01	Peak	131.00	100	Horizontal	Pass
5**	12511.330	40.19	54.0	13.81	AV	131.00	100	Horizontal	Pass
6	16153.238	53.75	74.0	20.25	Peak	237.00	300	Horizontal	Pass
6**	16153.238	40.01	54.0	13.99	AV	237.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.421	49.12	74.0	24.88	Peak	27.00	400	Vertical	Pass
1**	1160.421	34.60	54.0	19.40	AV	27.00	400	Vertical	Pass
2	1334.949	46.37	74.0	27.63	Peak	144.00	400	Vertical	Pass
2**	1334.949	37.92	54.0	16.09	AV	144.00	400	Vertical	Pass
3	4922.322	48.15	74.0	25.85	Peak	120.00	200	Vertical	Pass
3**	4922.322	38.73	54.0	15.27	AV	120.00	200	Vertical	Pass
4	7935.446	52.80	74.0	21.20	Peak	303.00	300	Vertical	Pass
4**	7935.446	41.14	54.0	12.86	AV	303.00	300	Vertical	Pass
5	12493.069	52.73	74.0	21.27	Peak	38.00	300	Vertical	Pass
5**	12493.069	41.94	54.0	12.06	AV	38.00	300	Vertical	Pass
6	17101.437	53.90	74.0	20.10	Peak	27.00	100	Vertical	Pass
6**	17101.437	41.85	54.0	12.15	AV	27.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.862	39.99	74.0	34.01	Peak	60.00	300	Horizontal	Pass
1**	1510.862	28.00	54.0	26.01	AV	60.00	300	Horizontal	Pass
2	2342.566	38.54	74.0	35.46	Peak	113.00	300	Horizontal	Pass
2**	2342.566	29.58	54.0	24.42	AV	113.00	300	Horizontal	Pass
3	4199.958	47.75	74.0	26.25	Peak	349.00	200	Horizontal	Pass
3**	4199.958	39.44	54.0	14.56	AV	349.00	200	Horizontal	Pass
4	7436.387	53.88	74.0	20.12	Peak	7.00	100	Horizontal	Pass
4**	7436.387	41.86	54.0	12.14	AV	7.00	100	Horizontal	Pass
5	12516.104	52.70	74.0	21.30	Peak	126.00	400	Horizontal	Pass
5**	12516.104	40.85	54.0	13.15	AV	126.00	400	Horizontal	Pass
6	16152.983	53.44	74.0	20.56	Peak	292.00	300	Horizontal	Pass
6**	16152.983	41.88	54.0	12.12	AV	292.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.030	49.32	74.0	24.69	Peak	240.00	100	Vertical	Pass
1**	1158.030	34.41	54.0	19.59	AV	240.00	100	Vertical	Pass
2	1333.239	45.90	74.0	28.10	Peak	293.00	300	Vertical	Pass
2**	1333.239	37.67	54.0	16.33	AV	293.00	300	Vertical	Pass
3	4919.597	47.95	74.0	26.05	Peak	208.00	200	Vertical	Pass
3**	4919.597	38.54	54.0	15.47	AV	208.00	200	Vertical	Pass
4	7934.035	52.89	74.0	21.11	Peak	321.00	300	Vertical	Pass
4**	7934.035	40.12	54.0	13.88	AV	321.00	300	Vertical	Pass
5	12499.564	52.84	74.0	21.16	Peak	81.00	400	Vertical	Pass
5**	12499.564	40.85	54.0	13.15	AV	81.00	400	Vertical	Pass
6	17099.632	53.89	74.0	20.11	Peak	49.00	300	Vertical	Pass
6**	17099.632	40.43	54.0	13.57	AV	49.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.586	40.70	74.0	33.30	Peak	211.00	200	Horizontal	Pass
1**	1508.586	28.60	54.0	25.40	AV	211.00	200	Horizontal	Pass
2	2341.661	38.82	74.0	35.18	Peak	290.00	200	Horizontal	Pass
2**	2341.661	29.52	54.0	24.48	AV	290.00	200	Horizontal	Pass
3	4205.556	48.05	74.0	25.95	Peak	342.00	200	Horizontal	Pass
3**	4205.556	39.48	54.0	14.52	AV	342.00	200	Horizontal	Pass
4	7434.561	54.54	74.0	19.46	Peak	274.00	200	Horizontal	Pass
4**	7434.561	41.09	54.0	12.92	AV	274.00	200	Horizontal	Pass
5	12512.980	53.19	74.0	20.81	Peak	159.00	300	Horizontal	Pass
5**	12512.980	41.10	54.0	12.90	AV	159.00	300	Horizontal	Pass
6	16150.684	53.89	74.0	20.11	Peak	215.00	100	Horizontal	Pass
6**	16150.684	41.02	54.0	12.98	AV	215.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.488	48.95	74.0	25.05	Peak	102.00	400	Vertical	Pass
1**	1163.488	34.26	54.0	19.74	AV	102.00	400	Vertical	Pass
2	1333.730	46.05	74.0	27.95	Peak	301.00	100	Vertical	Pass
2**	1333.730	37.83	54.0	16.17	AV	301.00	100	Vertical	Pass
3	4921.806	47.72	74.0	26.28	Peak	346.00	200	Vertical	Pass
3**	4921.806	38.34	54.0	15.66	AV	346.00	200	Vertical	Pass
4	7931.207	52.75	74.0	21.25	Peak	157.00	400	Vertical	Pass
4**	7931.207	40.96	54.0	13.04	AV	157.00	400	Vertical	Pass
5	12497.883	52.47	74.0	21.53	Peak	239.00	200	Vertical	Pass
5**	12497.883	40.77	54.0	13.23	AV	239.00	200	Vertical	Pass
6	17097.721	53.82	74.0	20.18	Peak	297.00	200	Vertical	Pass
6**	17097.721	41.17	54.0	12.83	AV	297.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.397	40.01	74.0	33.99	Peak	187.00	300	Horizontal	Pass
1**	1509.397	28.44	54.0	25.56	AV	187.00	300	Horizontal	Pass
2	2347.022	38.69	74.0	35.31	Peak	232.00	200	Horizontal	Pass
2**	2347.022	29.51	54.0	24.49	AV	232.00	200	Horizontal	Pass
3	4203.503	48.11	74.0	25.89	Peak	163.00	200	Horizontal	Pass
3**	4203.503	39.24	54.0	14.76	AV	163.00	200	Horizontal	Pass
4	7433.959	54.21	74.0	19.79	Peak	242.00	300	Horizontal	Pass
4**	7433.959	44.12	54.0	9.88	AV	242.00	300	Horizontal	Pass
5	12511.820	53.14	74.0	20.86	Peak	119.00	400	Horizontal	Pass
5**	12511.820	43.15	54.0	10.85	AV	119.00	400	Horizontal	Pass
6	16149.552	53.54	74.0	20.46	Peak	51.00	100	Horizontal	Pass
6**	16149.552	43.78	54.0	10.22	AV	51.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.443	49.38	74.0	24.63	Peak	171.00	100	Vertical	Pass
1**	1157.443	34.62	54.0	19.38	AV	171.00	100	Vertical	Pass
2	1337.273	46.53	74.0	27.47	Peak	198.00	400	Vertical	Pass
2**	1337.273	37.98	54.0	16.02	AV	198.00	400	Vertical	Pass
3	4924.976	47.98	74.0	26.02	Peak	154.00	200	Vertical	Pass
3**	4924.976	38.59	54.0	15.42	AV	154.00	200	Vertical	Pass
4	7935.565	52.96	74.0	21.04	Peak	206.00	300	Vertical	Pass
4**	7935.565	41.25	54.0	12.75	AV	206.00	300	Vertical	Pass
5	12495.988	53.06	74.0	20.94	Peak	14.00	200	Vertical	Pass
5**	12495.988	41.46	54.0	12.54	AV	14.00	200	Vertical	Pass
6	17098.748	53.89	74.0	20.11	Peak	241.00	200	Vertical	Pass
6**	17098.748	41.29	54.0	12.71	AV	241.00	200	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.833	39.90	74.0	34.11	Peak	2.00	400	Horizontal	Pass
1**	1503.833	27.95	54.0	26.05	AV	2.00	400	Horizontal	Pass
2	2344.154	38.59	74.0	35.41	Peak	185.00	400	Horizontal	Pass
2**	2344.154	29.63	54.0	24.37	AV	185.00	400	Horizontal	Pass
3	4200.419	47.83	74.0	26.17	Peak	298.00	200	Horizontal	Pass
3**	4200.419	39.46	54.0	14.54	AV	298.00	200	Horizontal	Pass
4	7438.775	53.81	74.0	20.19	Peak	61.00	300	Horizontal	Pass
4**	7438.775	40.73	54.0	13.27	AV	61.00	300	Horizontal	Pass
5	12517.803	52.97	74.0	21.03	Peak	253.00	400	Horizontal	Pass
5**	12517.803	40.98	54.0	13.02	AV	253.00	400	Horizontal	Pass
6	16146.681	53.50	74.0	20.50	Peak	5.00	100	Horizontal	Pass
6**	16146.681	41.82	54.0	12.18	AV	5.00	100	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.759	48.98	74.0	25.02	Peak	17.00	300	Vertical	Pass
1**	1163.759	34.31	54.0	19.70	AV	17.00	300	Vertical	Pass
2	1333.190	46.07	74.0	27.93	Peak	168.00	300	Vertical	Pass
2**	1333.190	37.77	54.0	16.23	AV	168.00	300	Vertical	Pass
3	4924.111	47.98	74.0	26.02	Peak	179.00	200	Vertical	Pass
3**	4924.111	38.63	54.0	15.37	AV	179.00	200	Vertical	Pass
4	7933.590	52.52	74.0	21.48	Peak	88.00	300	Vertical	Pass
4**	7933.590	41.98	54.0	12.02	AV	88.00	300	Vertical	Pass
5	12500.232	52.57	74.0	21.43	Peak	111.00	100	Vertical	Pass
5**	12500.232	41.85	54.0	12.15	AV	111.00	100	Vertical	Pass
6	17100.256	53.72	74.0	20.29	Peak	96.00	300	Vertical	Pass
6**	17100.256	41.69	54.0	12.31	AV	96.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.151	40.56	74.0	33.44	Peak	173.00	200	Horizontal	Pass
1**	1511.151	28.22	54.0	25.78	AV	173.00	200	Horizontal	Pass
2	2343.770	38.84	74.0	35.16	Peak	113.00	200	Horizontal	Pass
2**	2343.770	29.73	54.0	24.27	AV	113.00	200	Horizontal	Pass
3	4205.972	47.96	74.0	26.04	Peak	330.00	200	Horizontal	Pass
3**	4205.972	39.54	54.0	14.46	AV	330.00	200	Horizontal	Pass
4	7440.129	54.34	74.0	19.66	Peak	159.00	400	Horizontal	Pass
4**	7440.129	41.13	54.0	12.87	AV	159.00	400	Horizontal	Pass
5	12514.917	53.07	74.0	20.94	Peak	238.00	300	Horizontal	Pass
5**	12514.917	41.10	54.0	12.90	AV	238.00	300	Horizontal	Pass
6	16152.996	53.98	74.0	20.02	Peak	5.00	400	Horizontal	Pass
6**	16152.996	42.01	54.0	11.99	AV	5.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.300	49.02	74.0	24.98	Peak	12.00	300	Vertical	Pass
1**	1160.300	34.36	54.0	19.64	AV	12.00	300	Vertical	Pass
2	1337.749	45.69	74.0	28.31	Peak	296.00	200	Vertical	Pass
2**	1337.749	37.53	54.0	16.47	AV	296.00	200	Vertical	Pass
3	4927.052	47.78	74.0	26.23	Peak	33.00	200	Vertical	Pass
3**	4927.052	38.50	54.0	15.51	AV	33.00	200	Vertical	Pass
4	7936.482	52.85	74.0	21.15	Peak	270.00	100	Vertical	Pass
4**	7936.482	40.05	54.0	13.95	AV	270.00	100	Vertical	Pass
5	12496.325	52.55	74.0	21.45	Peak	0.00	400	Vertical	Pass
5**	12496.325	40.75	54.0	13.25	AV	0.00	400	Vertical	Pass
6	17096.933	53.89	74.0	20.11	Peak	355.00	300	Vertical	Pass
6**	17096.933	41.20	54.0	12.80	AV	355.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.069	40.49	74.0	33.51	Peak	307.00	300	Horizontal	Pass
1**	1505.069	28.57	54.0	25.43	AV	307.00	300	Horizontal	Pass
2	2343.741	39.03	74.0	34.97	Peak	243.00	400	Horizontal	Pass
2**	2343.741	29.73	54.0	24.27	AV	243.00	400	Horizontal	Pass
3	4200.521	48.14	74.0	25.86	Peak	153.00	200	Horizontal	Pass
3**	4200.521	39.70	54.0	14.31	AV	153.00	200	Horizontal	Pass
4	7437.769	54.48	74.0	19.52	Peak	146.00	400	Horizontal	Pass
4**	7437.769	40.49	54.0	13.51	AV	146.00	400	Horizontal	Pass
5	12517.843	53.23	74.0	20.77	Peak	52.00	200	Horizontal	Pass
5**	12517.843	40.41	54.0	13.59	AV	52.00	200	Horizontal	Pass
6	16152.813	53.79	74.0	20.21	Peak	298.00	100	Horizontal	Pass
6**	16152.813	41.22	54.0	12.78	AV	298.00	100	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.229	49.64	74.0	24.37	Peak	144.00	200	Vertical	Pass
1**	1157.229	34.95	54.0	19.05	AV	144.00	200	Vertical	Pass
2	1335.462	46.84	74.0	27.16	Peak	133.00	300	Vertical	Pass
2**	1335.462	38.40	54.0	15.60	AV	133.00	300	Vertical	Pass
3	4927.062	48.35	74.0	25.65	Peak	217.00	200	Vertical	Pass
3**	4927.062	38.90	54.0	15.10	AV	217.00	200	Vertical	Pass
4	7936.955	53.08	74.0	20.92	Peak	246.00	400	Vertical	Pass
4**	7936.955	41.47	54.0	12.54	AV	246.00	400	Vertical	Pass
5	12493.903	53.21	74.0	20.79	Peak	347.00	100	Vertical	Pass
5**	12493.903	41.51	54.0	12.49	AV	347.00	100	Vertical	Pass
6	17103.133	54.35	74.0	19.65	Peak	151.00	100	Vertical	Pass
6**	17103.133	41.73	54.0	12.27	AV	151.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.175	40.27	74.0	33.73	Peak	78.00	300	Horizontal	Pass
1**	1506.175	28.56	54.0	25.44	AV	78.00	300	Horizontal	Pass
2	2347.561	38.87	74.0	35.13	Peak	247.00	400	Horizontal	Pass
2**	2347.561	29.86	54.0	24.14	AV	247.00	400	Horizontal	Pass
3	4202.937	48.07	74.0	25.93	Peak	37.00	200	Horizontal	Pass
3**	4202.937	39.30	54.0	14.70	AV	37.00	200	Horizontal	Pass
4	7435.083	54.39	74.0	19.61	Peak	337.00	200	Horizontal	Pass
4**	7435.083	41.33	54.0	12.67	AV	337.00	200	Horizontal	Pass
5	12511.827	53.24	74.0	20.76	Peak	117.00	100	Horizontal	Pass
5**	12511.827	41.25	54.0	12.75	AV	117.00	100	Horizontal	Pass
6	16149.525	53.78	74.0	20.22	Peak	146.00	200	Horizontal	Pass
6**	16149.525	41.06	54.0	12.94	AV	146.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.286	49.28	74.0	24.72	Peak	139.00	100	Vertical	Pass
1**	1157.286	34.73	54.0	19.27	AV	139.00	100	Vertical	Pass
2	1340.627	46.48	74.0	27.52	Peak	299.00	300	Vertical	Pass
2**	1340.627	38.26	54.0	15.74	AV	299.00	300	Vertical	Pass
3	4921.865	48.24	74.0	25.76	Peak	226.00	200	Vertical	Pass
3**	4921.865	38.99	54.0	15.01	AV	226.00	200	Vertical	Pass
4	7934.341	52.96	74.0	21.04	Peak	314.00	300	Vertical	Pass
4**	7934.341	40.40	54.0	13.60	AV	314.00	300	Vertical	Pass
5	12499.632	52.91	74.0	21.09	Peak	228.00	300	Vertical	Pass
5**	12499.632	41.39	54.0	12.61	AV	228.00	300	Vertical	Pass
6	17099.079	54.08	74.0	19.92	Peak	47.00	400	Vertical	Pass
6**	17099.079	41.81	54.0	12.19	AV	47.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.491	40.05	74.0	33.95	Peak	323.00	200	Horizontal	Pass
1**	1505.491	28.14	54.0	25.86	AV	323.00	200	Horizontal	Pass
2	2348.674	38.80	74.0	35.20	Peak	122.00	100	Horizontal	Pass
2**	2348.674	29.70	54.0	24.30	AV	122.00	100	Horizontal	Pass
3	4205.675	47.98	74.0	26.02	Peak	299.00	200	Horizontal	Pass
3**	4205.675	39.27	54.0	14.73	AV	299.00	200	Horizontal	Pass
4	7440.097	54.19	74.0	19.81	Peak	54.00	400	Horizontal	Pass
4**	7440.097	40.08	54.0	13.92	AV	54.00	400	Horizontal	Pass
5	12516.284	53.14	74.0	20.86	Peak	357.00	300	Horizontal	Pass
5**	12516.284	41.19	54.0	12.81	AV	357.00	300	Horizontal	Pass
6	16152.918	53.53	74.0	20.47	Peak	293.00	200	Horizontal	Pass
6**	16152.918	41.93	54.0	12.07	AV	293.00	200	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.748	49.37	74.0	24.64	Peak	180.00	300	Vertical	Pass
1**	1163.748	34.90	54.0	19.10	AV	180.00	300	Vertical	Pass
2	1338.863	46.40	74.0	27.60	Peak	123.00	300	Vertical	Pass
2**	1338.863	37.90	54.0	16.10	AV	123.00	300	Vertical	Pass
3	4921.793	48.10	74.0	25.90	Peak	292.00	200	Vertical	Pass
3**	4921.793	38.84	54.0	15.16	AV	292.00	200	Vertical	Pass
4	7934.372	53.14	74.0	20.86	Peak	111.00	100	Vertical	Pass
4**	7934.372	40.06	54.0	13.94	AV	111.00	100	Vertical	Pass
5	12495.826	52.83	74.0	21.17	Peak	242.00	100	Vertical	Pass
5**	12495.826	41.21	54.0	12.79	AV	242.00	100	Vertical	Pass
6	17100.172	53.87	74.0	20.13	Peak	206.00	300	Vertical	Pass
6**	17100.172	40.64	54.0	13.36	AV	206.00	300	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.486	40.12	74.0	33.88	Peak	179.00	200	Horizontal	Pass
1**	1506.486	27.86	54.0	26.14	AV	179.00	200	Horizontal	Pass
2	2341.864	38.56	74.0	35.45	Peak	155.00	400	Horizontal	Pass
2**	2341.864	29.78	54.0	24.22	AV	155.00	400	Horizontal	Pass
3	4207.108	47.73	74.0	26.27	Peak	249.00	200	Horizontal	Pass
3**	4207.108	39.22	54.0	14.78	AV	249.00	200	Horizontal	Pass
4	7437.912	53.88	74.0	20.12	Peak	235.00	100	Horizontal	Pass
4**	7437.912	41.82	54.0	12.18	AV	235.00	100	Horizontal	Pass
5	12515.457	52.93	74.0	21.07	Peak	30.00	300	Horizontal	Pass
5**	12515.457	41.94	54.0	12.06	AV	30.00	300	Horizontal	Pass
6	16148.184	53.41	74.0	20.59	Peak	232.00	200	Horizontal	Pass
6**	16148.184	41.91	54.0	12.09	AV	232.00	200	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.978	48.98	74.0	25.02	Peak	137.00	300	Vertical	Pass
1**	1159.978	34.59	54.0	19.41	AV	137.00	300	Vertical	Pass
2	1338.446	46.11	74.0	27.89	Peak	203.00	400	Vertical	Pass
2**	1338.446	37.73	54.0	16.27	AV	203.00	400	Vertical	Pass
3	4925.637	47.71	74.0	26.29	Peak	144.00	200	Vertical	Pass
3**	4925.637	38.46	54.0	15.54	AV	144.00	200	Vertical	Pass
4	7929.960	53.09	74.0	20.91	Peak	172.00	100	Vertical	Pass
4**	7929.960	43.03	54.0	10.97	AV	172.00	100	Vertical	Pass
5	12495.596	52.57	74.0	21.43	Peak	251.00	300	Vertical	Pass
5**	12495.596	43.02	54.0	10.98	AV	251.00	300	Vertical	Pass
6	17099.162	53.77	74.0	20.24	Peak	211.00	200	Vertical	Pass
6**	17099.162	43.20	54.0	10.80	AV	211.00	200	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.474	40.73	74.0	33.27	Peak	259.00	100	Horizontal	Pass
1**	1510.474	28.43	54.0	25.58	AV	259.00	100	Horizontal	Pass
2	2347.155	38.88	74.0	35.12	Peak	1.00	400	Horizontal	Pass
2**	2347.155	29.57	54.0	24.44	AV	1.00	400	Horizontal	Pass
3	4205.339	48.15	74.0	25.85	Peak	83.00	200	Horizontal	Pass
3**	4205.339	39.43	54.0	14.57	AV	83.00	200	Horizontal	Pass
4	7436.364	54.50	74.0	19.50	Peak	260.00	200	Horizontal	Pass
4**	7436.364	41.28	54.0	12.72	AV	260.00	200	Horizontal	Pass
5	12514.198	53.15	74.0	20.86	Peak	99.00	400	Horizontal	Pass
5**	12514.198	41.23	54.0	12.77	AV	99.00	400	Horizontal	Pass
6	16149.494	53.68	74.0	20.32	Peak	207.00	400	Horizontal	Pass
6**	16149.494	41.12	54.0	12.88	AV	207.00	400	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.296	49.55	74.0	24.45	Peak	263.00	200	Vertical	Pass
1**	1161.296	34.98	54.0	19.02	AV	263.00	200	Vertical	Pass
2	1338.378	46.69	74.0	27.31	Peak	68.00	300	Vertical	Pass
2**	1338.378	38.12	54.0	15.88	AV	68.00	300	Vertical	Pass
3	4921.914	48.24	74.0	25.76	Peak	305.00	200	Vertical	Pass
3**	4921.914	38.73	54.0	15.27	AV	305.00	200	Vertical	Pass
4	7932.059	53.20	74.0	20.80	Peak	5.00	100	Vertical	Pass
4**	7932.059	41.37	54.0	12.64	AV	5.00	100	Vertical	Pass
5	12493.806	53.21	74.0	20.79	Peak	59.00	400	Vertical	Pass
5**	12493.806	41.64	54.0	12.36	AV	59.00	400	Vertical	Pass
6	17099.549	54.10	74.0	19.90	Peak	194.00	200	Vertical	Pass
6**	17099.549	41.71	54.0	12.29	AV	194.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.239	40.06	74.0	33.94	Peak	152.00	200	Horizontal	Pass
1**	1506.239	28.33	54.0	25.67	AV	152.00	200	Horizontal	Pass
2	2345.785	38.53	74.0	35.47	Peak	27.00	200	Horizontal	Pass
2**	2345.785	29.77	54.0	24.24	AV	27.00	200	Horizontal	Pass
3	4205.715	48.06	74.0	25.94	Peak	43.00	200	Horizontal	Pass
3**	4205.715	39.68	54.0	14.32	AV	43.00	200	Horizontal	Pass
4	7439.531	53.97	74.0	20.03	Peak	9.00	100	Horizontal	Pass
4**	7439.531	41.09	54.0	12.91	AV	9.00	100	Horizontal	Pass
5	12508.147	53.01	74.0	20.99	Peak	324.00	200	Horizontal	Pass
5**	12508.147	41.64	54.0	12.36	AV	324.00	200	Horizontal	Pass
6	16149.695	53.96	74.0	20.04	Peak	70.00	100	Horizontal	Pass
6**	16149.695	41.57	54.0	12.43	AV	70.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.036	48.92	74.0	25.08	Peak	235.00	200	Vertical	Pass
1**	1155.036	37.12	54.0	16.88	AV	235.00	200	Vertical	Pass
2	1332.262	47.05	74.0	26.95	Peak	293.00	200	Vertical	Pass
2**	1332.262	40.23	54.0	13.77	AV	293.00	200	Vertical	Pass
3	4925.218	50.40	74.0	23.60	Peak	100.00	200	Vertical	Pass
3**	4925.218	37.65	54.0	16.35	AV	100.00	200	Vertical	Pass
4	7934.751	53.07	74.0	20.93	Peak	293.00	300	Vertical	Pass
4**	7934.751	41.78	54.0	12.22	AV	293.00	300	Vertical	Pass
5	12490.198	52.53	74.0	21.47	Peak	215.00	100	Vertical	Pass
5**	12490.198	41.09	54.0	12.91	AV	215.00	100	Vertical	Pass
6	17102.132	54.85	74.0	19.15	Peak	109.00	400	Vertical	Pass
6**	17102.132	40.54	54.0	13.46	AV	109.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.863	39.93	74.0	34.07	Peak	331.00	300	Horizontal	Pass
1**	1506.863	28.08	54.0	25.92	AV	331.00	300	Horizontal	Pass
2	2341.720	38.25	74.0	35.75	Peak	102.00	100	Horizontal	Pass
2**	2341.720	29.49	54.0	24.51	AV	102.00	100	Horizontal	Pass
3	4205.979	47.97	74.0	26.04	Peak	355.00	200	Horizontal	Pass
3**	4205.979	39.53	54.0	14.47	AV	355.00	200	Horizontal	Pass
4	7439.456	53.96	74.0	20.04	Peak	185.00	300	Horizontal	Pass
4**	7439.456	41.99	54.0	12.02	AV	185.00	300	Horizontal	Pass
5	12514.559	52.77	74.0	21.24	Peak	264.00	200	Horizontal	Pass
5**	12514.559	41.39	54.0	12.61	AV	264.00	200	Horizontal	Pass
6	16146.404	53.73	74.0	20.27	Peak	134.00	300	Horizontal	Pass
6**	16146.404	41.33	54.0	12.67	AV	134.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.067	48.89	74.0	25.11	Peak	202.00	200	Vertical	Pass
1**	1157.067	37.04	54.0	16.97	AV	202.00	200	Vertical	Pass
2	1337.655	46.90	74.0	27.10	Peak	323.00	100	Vertical	Pass
2**	1337.655	39.97	54.0	14.03	AV	323.00	100	Vertical	Pass
3	4929.504	50.39	74.0	23.61	Peak	327.00	200	Vertical	Pass
3**	4929.504	37.44	54.0	16.56	AV	327.00	200	Vertical	Pass
4	7936.076	52.92	74.0	21.09	Peak	349.00	300	Vertical	Pass
4**	7936.076	41.66	54.0	12.34	AV	349.00	300	Vertical	Pass
5	12496.121	52.44	74.0	21.56	Peak	85.00	300	Vertical	Pass
5**	12496.121	41.90	54.0	12.10	AV	85.00	300	Vertical	Pass
6	17100.694	54.68	74.0	19.33	Peak	332.00	200	Vertical	Pass
6**	17100.694	40.50	54.0	13.50	AV	332.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.688	39.90	74.0	34.10	Peak	239.00	100	Horizontal	Pass
1**	1503.688	27.94	54.0	26.06	AV	239.00	100	Horizontal	Pass
2	2345.545	38.22	74.0	35.78	Peak	282.00	300	Horizontal	Pass
2**	2345.545	29.26	54.0	24.75	AV	282.00	300	Horizontal	Pass
3	4203.883	47.67	74.0	26.34	Peak	101.00	200	Horizontal	Pass
3**	4203.883	39.44	54.0	14.56	AV	101.00	200	Horizontal	Pass
4	7434.036	53.66	74.0	20.34	Peak	263.00	200	Horizontal	Pass
4**	7434.036	41.82	54.0	12.18	AV	263.00	200	Horizontal	Pass
5	12514.298	52.51	74.0	21.49	Peak	92.00	200	Horizontal	Pass
5**	12514.298	41.23	54.0	12.77	AV	92.00	200	Horizontal	Pass
6	16146.575	53.62	74.0	20.38	Peak	299.00	400	Horizontal	Pass
6**	16146.575	41.28	54.0	12.72	AV	299.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.482	48.89	74.0	25.11	Peak	26.00	200	Vertical	Pass
1**	1160.482	36.94	54.0	17.06	AV	26.00	200	Vertical	Pass
2	1331.380	46.89	74.0	27.12	Peak	117.00	100	Vertical	Pass
2**	1331.380	39.86	54.0	14.14	AV	117.00	100	Vertical	Pass
3	4930.620	50.14	74.0	23.86	Peak	68.00	200	Vertical	Pass
3**	4930.620	37.34	54.0	16.66	AV	68.00	200	Vertical	Pass
4	7938.471	52.72	74.0	21.28	Peak	114.00	200	Vertical	Pass
4**	7938.471	41.40	54.0	12.60	AV	114.00	200	Vertical	Pass
5	12493.841	52.20	74.0	21.80	Peak	69.00	400	Vertical	Pass
5**	12493.841	41.83	54.0	12.17	AV	69.00	400	Vertical	Pass
6	17103.648	54.45	74.0	19.55	Peak	205.00	200	Vertical	Pass
6**	17103.648	40.50	54.0	13.50	AV	205.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.940	39.74	74.0	34.26	Peak	166.00	400	Horizontal	Pass
1**	1510.940	27.84	54.0	26.16	AV	166.00	400	Horizontal	Pass
2	2340.686	38.22	74.0	35.78	Peak	268.00	400	Horizontal	Pass
2**	2340.686	29.25	54.0	24.75	AV	268.00	400	Horizontal	Pass
3	4211.017	47.52	74.0	26.48	Peak	208.00	200	Horizontal	Pass
3**	4211.017	39.23	54.0	14.77	AV	208.00	200	Horizontal	Pass
4	7435.119	53.42	74.0	20.58	Peak	234.00	300	Horizontal	Pass
4**	7435.119	41.69	54.0	12.31	AV	234.00	300	Horizontal	Pass
5	12514.428	52.31	74.0	21.69	Peak	243.00	200	Horizontal	Pass
5**	12514.428	41.15	54.0	12.85	AV	243.00	200	Horizontal	Pass
6	16143.210	53.38	74.0	20.62	Peak	162.00	300	Horizontal	Pass
6**	16143.210	41.98	54.0	12.02	AV	162.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.466	48.78	74.0	25.22	Peak	241.00	300	Vertical	Pass
1**	1160.466	36.66	54.0	17.34	AV	241.00	300	Vertical	Pass
2	1336.519	46.60	74.0	27.40	Peak	82.00	100	Vertical	Pass
2**	1336.519	39.60	54.0	14.40	AV	82.00	100	Vertical	Pass
3	4927.546	50.08	74.0	23.92	Peak	37.00	200	Vertical	Pass
3**	4927.546	37.30	54.0	16.70	AV	37.00	200	Vertical	Pass
4	7931.547	52.42	74.0	21.58	Peak	146.00	200	Vertical	Pass
4**	7931.547	41.18	54.0	12.82	AV	146.00	200	Vertical	Pass
5	12492.573	51.92	74.0	22.08	Peak	116.00	100	Vertical	Pass
5**	12492.573	41.69	54.0	12.32	AV	116.00	100	Vertical	Pass
6	17099.936	54.44	74.0	19.56	Peak	131.00	300	Vertical	Pass
6**	17099.936	40.47	54.0	13.53	AV	131.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.458	39.45	74.0	34.55	Peak	279.00	300	Horizontal	Pass
1**	1511.458	27.84	54.0	26.16	AV	279.00	300	Horizontal	Pass
2	2341.629	38.05	74.0	35.95	Peak	288.00	400	Horizontal	Pass
2**	2341.629	29.22	54.0	24.78	AV	288.00	400	Horizontal	Pass
3	4209.336	47.42	74.0	26.58	Peak	14.00	200	Horizontal	Pass
3**	4209.336	38.95	54.0	15.05	AV	14.00	200	Horizontal	Pass
4	7440.822	53.13	74.0	20.87	Peak	303.00	200	Horizontal	Pass
4**	7440.822	41.53	54.0	12.47	AV	303.00	200	Horizontal	Pass
5	12511.832	52.20	74.0	21.80	Peak	71.00	100	Horizontal	Pass
5**	12511.832	41.87	54.0	12.14	AV	71.00	100	Horizontal	Pass
6	16144.095	53.13	74.0	20.87	Peak	295.00	400	Horizontal	Pass
6**	16144.095	41.82	54.0	12.18	AV	295.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.109	48.70	74.0	25.30	Peak	26.00	300	Vertical	Pass
1**	1160.109	36.41	54.0	17.59	AV	26.00	300	Vertical	Pass
2	1331.692	46.45	74.0	27.55	Peak	3.00	400	Vertical	Pass
2**	1331.692	39.58	54.0	14.42	AV	3.00	400	Vertical	Pass
3	4928.861	50.06	74.0	23.94	Peak	263.00	200	Vertical	Pass
3**	4928.861	37.12	54.0	16.88	AV	263.00	200	Vertical	Pass
4	7934.341	52.17	74.0	21.83	Peak	163.00	400	Vertical	Pass
4**	7934.341	41.90	54.0	12.10	AV	163.00	400	Vertical	Pass
5	12495.217	51.84	74.0	22.16	Peak	130.00	200	Vertical	Pass
5**	12495.217	41.44	54.0	12.56	AV	130.00	200	Vertical	Pass
6	17101.695	54.27	74.0	19.73	Peak	328.00	300	Vertical	Pass
6**	17101.695	40.19	54.0	13.81	AV	328.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.916	39.35	74.0	34.65	Peak	74.00	100	Horizontal	Pass
1**	1509.916	27.70	54.0	26.30	AV	74.00	100	Horizontal	Pass
2	2343.980	38.01	74.0	35.99	Peak	258.00	400	Horizontal	Pass
2**	2343.980	29.22	54.0	24.78	AV	258.00	400	Horizontal	Pass
3	4208.325	47.26	74.0	26.74	Peak	84.00	200	Horizontal	Pass
3**	4208.325	38.65	54.0	15.35	AV	84.00	200	Horizontal	Pass
4	7433.873	52.89	74.0	21.11	Peak	13.00	100	Horizontal	Pass
4**	7433.873	41.38	54.0	12.62	AV	13.00	100	Horizontal	Pass
5	12511.888	52.07	74.0	21.93	Peak	11.00	300	Horizontal	Pass
5**	12511.888	41.81	54.0	12.19	AV	11.00	300	Horizontal	Pass
6	16145.448	52.89	74.0	21.11	Peak	148.00	200	Horizontal	Pass
6**	16145.448	41.60	54.0	12.41	AV	148.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.558	48.44	74.0	25.56	Peak	73.00	200	Vertical	Pass
1**	1159.558	36.37	54.0	17.64	AV	73.00	200	Vertical	Pass
2	1337.642	46.32	74.0	27.69	Peak	53.00	100	Vertical	Pass
2**	1337.642	39.50	54.0	14.50	AV	53.00	100	Vertical	Pass
3	4929.033	49.81	74.0	24.20	Peak	31.00	200	Vertical	Pass
3**	4929.033	36.95	54.0	17.05	AV	31.00	200	Vertical	Pass
4	7937.920	52.12	74.0	21.88	Peak	204.00	400	Vertical	Pass
4**	7937.920	41.76	54.0	12.24	AV	204.00	400	Vertical	Pass
5	12491.438	51.59	74.0	22.41	Peak	354.00	100	Vertical	Pass
5**	12491.438	41.25	54.0	12.75	AV	354.00	100	Vertical	Pass
6	17105.445	54.12	74.0	19.89	Peak	119.00	300	Vertical	Pass
6**	17105.445	40.07	54.0	13.93	AV	119.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.900	39.22	74.0	34.78	Peak	48.00	200	Horizontal	Pass
1**	1507.900	27.63	54.0	26.37	AV	48.00	200	Horizontal	Pass
2	2345.158	37.72	74.0	36.29	Peak	128.00	200	Horizontal	Pass
2**	2345.158	29.12	54.0	24.88	AV	128.00	200	Horizontal	Pass
3	4208.064	47.08	74.0	26.92	Peak	235.00	200	Horizontal	Pass
3**	4208.064	38.65	54.0	15.35	AV	235.00	200	Horizontal	Pass
4	7439.191	52.87	74.0	21.13	Peak	161.00	200	Horizontal	Pass
4**	7439.191	41.19	54.0	12.81	AV	161.00	200	Horizontal	Pass
5	12513.947	51.96	74.0	22.04	Peak	237.00	100	Horizontal	Pass
5**	12513.947	41.68	54.0	12.32	AV	237.00	100	Horizontal	Pass
6	16150.611	52.80	74.0	21.21	Peak	139.00	100	Horizontal	Pass
6**	16150.611	41.41	54.0	12.59	AV	139.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.681	48.33	74.0	25.68	Peak	155.00	200	Vertical	Pass
1**	1162.681	36.21	54.0	17.79	AV	155.00	200	Vertical	Pass
2	1337.631	46.10	74.0	27.90	Peak	183.00	200	Vertical	Pass
2**	1337.631	39.48	54.0	14.52	AV	183.00	200	Vertical	Pass
3	4926.696	49.54	74.0	24.46	Peak	265.00	200	Vertical	Pass
3**	4926.696	36.92	54.0	17.08	AV	265.00	200	Vertical	Pass
4	7937.017	52.08	74.0	21.92	Peak	28.00	200	Vertical	Pass
4**	7937.017	41.73	54.0	12.27	AV	28.00	200	Vertical	Pass
5	12496.108	51.53	74.0	22.47	Peak	288.00	400	Vertical	Pass
5**	12496.108	41.23	54.0	12.77	AV	288.00	400	Vertical	Pass
6	17106.586	54.05	74.0	19.95	Peak	31.00	300	Vertical	Pass
6**	17106.586	39.77	54.0	14.23	AV	31.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.460	39.19	74.0	34.81	Peak	65.00	400	Horizontal	Pass
1**	1508.460	27.38	54.0	26.62	AV	65.00	400	Horizontal	Pass
2	2344.684	37.70	74.0	36.30	Peak	121.00	200	Horizontal	Pass
2**	2344.684	29.11	54.0	24.89	AV	121.00	200	Horizontal	Pass
3	4203.454	47.01	74.0	27.00	Peak	70.00	200	Horizontal	Pass
3**	4203.454	38.63	54.0	15.37	AV	70.00	200	Horizontal	Pass
4	7436.226	52.73	74.0	21.27	Peak	335.00	300	Horizontal	Pass
4**	7436.226	41.94	54.0	12.06	AV	335.00	300	Horizontal	Pass
5	12513.779	51.87	74.0	22.13	Peak	90.00	100	Horizontal	Pass
5**	12513.779	41.48	54.0	12.52	AV	90.00	100	Horizontal	Pass
6	16144.197	52.57	74.0	21.43	Peak	245.00	300	Horizontal	Pass
6**	16144.197	41.40	54.0	12.60	AV	245.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.883	48.06	74.0	25.94	Peak	237.00	300	Vertical	Pass
1**	1160.883	36.12	54.0	17.88	AV	237.00	300	Vertical	Pass
2	1338.443	45.84	74.0	28.16	Peak	75.00	100	Vertical	Pass
2**	1338.443	39.44	54.0	14.56	AV	75.00	100	Vertical	Pass
3	4923.446	49.27	74.0	24.73	Peak	348.00	200	Vertical	Pass
3**	4923.446	36.77	54.0	17.23	AV	348.00	200	Vertical	Pass
4	7935.413	52.01	74.0	21.99	Peak	30.00	400	Vertical	Pass
4**	7935.413	41.67	54.0	12.33	AV	30.00	400	Vertical	Pass
5	12492.285	51.34	74.0	22.66	Peak	203.00	100	Vertical	Pass
5**	12492.285	41.13	54.0	12.87	AV	203.00	100	Vertical	Pass
6	17103.159	53.86	74.0	20.14	Peak	31.00	300	Vertical	Pass
6**	17103.159	39.75	54.0	14.25	AV	31.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.757	39.13	74.0	34.87	Peak	137.00	300	Horizontal	Pass
1**	1506.757	27.27	54.0	26.73	AV	137.00	300	Horizontal	Pass
2	2343.073	37.62	74.0	36.38	Peak	167.00	200	Horizontal	Pass
2**	2343.073	28.90	54.0	25.11	AV	167.00	200	Horizontal	Pass
3	4210.228	46.95	74.0	27.05	Peak	30.00	200	Horizontal	Pass
3**	4210.228	38.39	54.0	15.62	AV	30.00	200	Horizontal	Pass
4	7440.636	52.64	74.0	21.36	Peak	186.00	300	Horizontal	Pass
4**	7440.636	41.79	54.0	12.21	AV	186.00	300	Horizontal	Pass
5	12511.559	51.80	74.0	22.20	Peak	30.00	200	Horizontal	Pass
5**	12511.559	41.39	54.0	12.61	AV	30.00	200	Horizontal	Pass
6	16148.995	52.29	74.0	21.71	Peak	103.00	400	Horizontal	Pass
6**	16148.995	41.18	54.0	12.82	AV	103.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.587	47.94	74.0	26.06	Peak	95.00	300	Vertical	Pass
1**	1160.587	35.86	54.0	18.14	AV	95.00	300	Vertical	Pass
2	1334.223	45.58	74.0	28.42	Peak	255.00	200	Vertical	Pass
2**	1334.223	39.31	54.0	14.69	AV	255.00	200	Vertical	Pass
3	4926.144	49.17	74.0	24.83	Peak	191.00	200	Vertical	Pass
3**	4926.144	36.47	54.0	17.53	AV	191.00	200	Vertical	Pass
4	7938.532	51.85	74.0	22.15	Peak	280.00	100	Vertical	Pass
4**	7938.532	41.48	54.0	12.52	AV	280.00	100	Vertical	Pass
5	12491.526	51.10	74.0	22.90	Peak	9.00	100	Vertical	Pass
5**	12491.526	41.99	54.0	12.01	AV	9.00	100	Vertical	Pass
6	17101.105	53.70	74.0	20.30	Peak	349.00	300	Vertical	Pass
6**	17101.105	39.70	54.0	14.30	AV	349.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.956	39.93	74.0	34.07	Peak	16.00	400	Horizontal	Pass
1**	1510.956	28.11	54.0	25.89	AV	16.00	400	Horizontal	Pass
2	2344.618	38.43	74.0	35.57	Peak	66.00	400	Horizontal	Pass
2**	2344.618	29.67	54.0	24.34	AV	66.00	400	Horizontal	Pass
3	4205.129	47.83	74.0	26.17	Peak	102.00	200	Horizontal	Pass
3**	4205.129	39.52	54.0	14.48	AV	102.00	200	Horizontal	Pass
4	7435.825	53.74	74.0	20.27	Peak	45.00	300	Horizontal	Pass
4**	7435.825	41.04	54.0	12.97	AV	45.00	300	Horizontal	Pass
5	12507.596	52.71	74.0	21.29	Peak	185.00	200	Horizontal	Pass
5**	12507.596	41.59	54.0	12.41	AV	185.00	200	Horizontal	Pass
6	16148.931	53.83	74.0	20.18	Peak	345.00	100	Horizontal	Pass
6**	16148.931	41.33	54.0	12.67	AV	345.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.016	48.73	74.0	25.27	Peak	333.00	300	Vertical	Pass
1**	1157.016	37.09	54.0	16.91	AV	333.00	300	Vertical	Pass
2	1336.232	46.77	74.0	27.23	Peak	45.00	200	Vertical	Pass
2**	1336.232	40.10	54.0	13.90	AV	45.00	200	Vertical	Pass
3	4923.396	50.29	74.0	23.71	Peak	135.00	200	Vertical	Pass
3**	4923.396	37.45	54.0	16.55	AV	135.00	200	Vertical	Pass
4	7933.784	52.84	74.0	21.16	Peak	200.00	400	Vertical	Pass
4**	7933.784	41.63	54.0	12.37	AV	200.00	400	Vertical	Pass
5	12492.940	52.32	74.0	21.68	Peak	264.00	400	Vertical	Pass
5**	12492.940	41.92	54.0	12.08	AV	264.00	400	Vertical	Pass
6	17101.736	54.68	74.0	19.32	Peak	2.00	400	Vertical	Pass
6**	17101.736	40.47	54.0	13.53	AV	2.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.393	39.84	74.0	34.16	Peak	346.00	100	Horizontal	Pass
1**	1509.393	28.04	54.0	25.96	AV	346.00	100	Horizontal	Pass
2	2338.399	38.19	74.0	35.81	Peak	31.00	200	Horizontal	Pass
2**	2338.399	29.25	54.0	24.75	AV	31.00	200	Horizontal	Pass
3	4205.011	47.86	74.0	26.14	Peak	302.00	200	Horizontal	Pass
3**	4205.011	39.35	54.0	14.65	AV	302.00	200	Horizontal	Pass
4	7436.924	53.82	74.0	20.18	Peak	306.00	200	Horizontal	Pass
4**	7436.924	41.79	54.0	12.21	AV	306.00	200	Horizontal	Pass
5	12511.801	52.71	74.0	21.29	Peak	257.00	100	Horizontal	Pass
5**	12511.801	41.38	54.0	12.62	AV	257.00	100	Horizontal	Pass
6	16145.023	53.70	74.0	20.30	Peak	358.00	200	Horizontal	Pass
6**	16145.023	41.26	54.0	12.74	AV	358.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.048	48.54	74.0	25.46	Peak	129.00	400	Vertical	Pass
1**	1157.048	36.99	54.0	17.01	AV	129.00	400	Vertical	Pass
2	1337.959	46.67	74.0	27.33	Peak	234.00	400	Vertical	Pass
2**	1337.959	39.96	54.0	14.04	AV	234.00	400	Vertical	Pass
3	4923.406	50.01	74.0	23.99	Peak	261.00	200	Vertical	Pass
3**	4923.406	37.28	54.0	16.72	AV	261.00	200	Vertical	Pass
4	7937.171	52.63	74.0	21.37	Peak	54.00	400	Vertical	Pass
4**	7937.171	41.54	54.0	12.46	AV	54.00	400	Vertical	Pass
5	12489.229	52.03	74.0	21.97	Peak	144.00	100	Vertical	Pass
5**	12489.229	41.68	54.0	12.32	AV	144.00	100	Vertical	Pass
6	17106.358	54.43	74.0	19.57	Peak	16.00	100	Vertical	Pass
6**	17106.358	40.30	54.0	13.70	AV	16.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.463	39.69	74.0	34.32	Peak	166.00	100	Horizontal	Pass
1**	1506.463	28.01	54.0	25.99	AV	166.00	100	Horizontal	Pass
2	2344.011	37.92	74.0	36.08	Peak	348.00	300	Horizontal	Pass
2**	2344.011	29.15	54.0	24.85	AV	348.00	300	Horizontal	Pass
3	4207.086	47.78	74.0	26.22	Peak	232.00	200	Horizontal	Pass
3**	4207.086	39.10	54.0	14.90	AV	232.00	200	Horizontal	Pass
4	7440.496	53.57	74.0	20.43	Peak	292.00	200	Horizontal	Pass
4**	7440.496	41.76	54.0	12.24	AV	292.00	200	Horizontal	Pass
5	12514.244	52.41	74.0	21.59	Peak	49.00	100	Horizontal	Pass
5**	12514.244	41.14	54.0	12.86	AV	49.00	100	Horizontal	Pass
6	16143.177	53.54	74.0	20.46	Peak	176.00	400	Horizontal	Pass
6**	16143.177	41.07	54.0	12.94	AV	176.00	400	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.332	48.44	74.0	25.56	Peak	300.00	300	Vertical	Pass
1**	1157.332	36.94	54.0	17.06	AV	300.00	300	Vertical	Pass
2	1338.649	46.60	74.0	27.40	Peak	297.00	200	Vertical	Pass
2**	1338.649	39.71	54.0	14.29	AV	297.00	200	Vertical	Pass
3	4924.767	49.95	74.0	24.05	Peak	66.00	200	Vertical	Pass
3**	4924.767	37.24	54.0	16.76	AV	66.00	200	Vertical	Pass
4	7937.280	52.50	74.0	21.50	Peak	340.00	200	Vertical	Pass
4**	7937.280	41.47	54.0	12.53	AV	340.00	200	Vertical	Pass
5	12493.328	51.94	74.0	22.06	Peak	30.00	300	Vertical	Pass
5**	12493.328	41.51	54.0	12.49	AV	30.00	300	Vertical	Pass
6	17103.492	54.32	74.0	19.68	Peak	355.00	200	Vertical	Pass
6**	17103.492	40.30	54.0	13.71	AV	355.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.611	39.57	74.0	34.43	Peak	275.00	200	Horizontal	Pass
1**	1506.611	27.96	54.0	26.04	AV	275.00	200	Horizontal	Pass
2	2341.241	37.65	74.0	36.35	Peak	216.00	400	Horizontal	Pass
2**	2341.241	28.91	54.0	25.09	AV	216.00	400	Horizontal	Pass
3	4203.334	47.58	74.0	26.42	Peak	241.00	200	Horizontal	Pass
3**	4203.334	39.08	54.0	14.92	AV	241.00	200	Horizontal	Pass
4	7437.594	53.52	74.0	20.48	Peak	129.00	100	Horizontal	Pass
4**	7437.594	41.59	54.0	12.41	AV	129.00	100	Horizontal	Pass
5	12508.474	52.22	74.0	21.78	Peak	293.00	100	Horizontal	Pass
5**	12508.474	41.08	54.0	12.92	AV	293.00	100	Horizontal	Pass
6	16149.424	53.27	74.0	20.73	Peak	96.00	300	Horizontal	Pass
6**	16149.424	41.04	54.0	12.97	AV	96.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.364	48.30	74.0	25.71	Peak	233.00	200	Vertical	Pass
1**	1158.364	36.85	54.0	17.15	AV	233.00	200	Vertical	Pass
2	1335.762	46.58	74.0	27.42	Peak	53.00	200	Vertical	Pass
2**	1335.762	39.68	54.0	14.32	AV	53.00	200	Vertical	Pass
3	4928.255	49.92	74.0	24.08	Peak	143.00	200	Vertical	Pass
3**	4928.255	37.22	54.0	16.78	AV	143.00	200	Vertical	Pass
4	7933.750	52.26	74.0	21.74	Peak	324.00	100	Vertical	Pass
4**	7933.750	41.25	54.0	12.75	AV	324.00	100	Vertical	Pass
5	12494.621	51.70	74.0	22.30	Peak	226.00	200	Vertical	Pass
5**	12494.621	41.43	54.0	12.57	AV	226.00	200	Vertical	Pass
6	17104.833	54.20	74.0	19.80	Peak	250.00	200	Vertical	Pass
6**	17104.833	40.22	54.0	13.78	AV	250.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.092	39.50	74.0	34.50	Peak	153.00	400	Horizontal	Pass
1**	1509.092	27.95	54.0	26.05	AV	153.00	400	Horizontal	Pass
2	2344.105	37.46	74.0	36.54	Peak	316.00	300	Horizontal	Pass
2**	2344.105	28.87	54.0	25.13	AV	316.00	300	Horizontal	Pass
3	4209.832	47.28	74.0	26.72	Peak	160.00	200	Horizontal	Pass
3**	4209.832	38.78	54.0	15.22	AV	160.00	200	Horizontal	Pass
4	7440.957	53.49	74.0	20.51	Peak	231.00	300	Horizontal	Pass
4**	7440.957	41.58	54.0	12.42	AV	231.00	300	Horizontal	Pass
5	12512.163	52.02	74.0	21.98	Peak	20.00	100	Horizontal	Pass
5**	12512.163	41.96	54.0	12.04	AV	20.00	100	Horizontal	Pass
6	16144.121	53.17	74.0	20.83	Peak	95.00	200	Horizontal	Pass
6**	16144.121	41.80	54.0	12.20	AV	95.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.233	48.73	74.0	25.27	Peak	14.00	300	Vertical	Pass
1**	1159.233	36.98	54.0	17.02	AV	14.00	300	Vertical	Pass
2	1333.764	46.96	74.0	27.04	Peak	150.00	200	Vertical	Pass
2**	1333.764	39.97	54.0	14.03	AV	150.00	200	Vertical	Pass
3	4928.685	50.17	74.0	23.83	Peak	227.00	200	Vertical	Pass
3**	4928.685	37.40	54.0	16.60	AV	227.00	200	Vertical	Pass
4	7938.436	52.98	74.0	21.02	Peak	304.00	400	Vertical	Pass
4**	7938.436	41.60	54.0	12.40	AV	304.00	400	Vertical	Pass
5	12494.677	52.28	74.0	21.72	Peak	203.00	300	Vertical	Pass
5**	12494.677	41.07	54.0	12.93	AV	203.00	300	Vertical	Pass
6	17103.178	54.65	74.0	19.35	Peak	186.00	200	Vertical	Pass
6**	17103.178	40.43	54.0	13.57	AV	186.00	200	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.058	39.85	74.0	34.15	Peak	206.00	100	Horizontal	Pass
1**	1511.058	28.24	54.0	25.76	AV	206.00	100	Horizontal	Pass
2	2340.792	38.47	74.0	35.53	Peak	337.00	300	Horizontal	Pass
2**	2340.792	29.62	54.0	24.38	AV	337.00	300	Horizontal	Pass
3	4205.907	47.76	74.0	26.24	Peak	293.00	200	Horizontal	Pass
3**	4205.907	39.60	54.0	14.40	AV	293.00	200	Horizontal	Pass
4	7438.440	53.85	74.0	20.15	Peak	146.00	200	Horizontal	Pass
4**	7438.440	41.81	54.0	12.19	AV	146.00	200	Horizontal	Pass
5	12508.310	52.96	74.0	21.04	Peak	201.00	100	Horizontal	Pass
5**	12508.310	41.56	54.0	12.44	AV	201.00	100	Horizontal	Pass
6	16147.592	53.68	74.0	20.32	Peak	164.00	300	Horizontal	Pass
6**	16147.592	41.37	54.0	12.63	AV	164.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.785	48.83	74.0	25.17	Peak	36.00	200	Vertical	Pass
1**	1160.785	36.93	54.0	17.08	AV	36.00	200	Vertical	Pass
2	1333.979	46.81	74.0	27.20	Peak	254.00	200	Vertical	Pass
2**	1333.979	40.10	54.0	13.90	AV	254.00	200	Vertical	Pass
3	4925.919	50.18	74.0	23.82	Peak	285.00	200	Vertical	Pass
3**	4925.919	37.58	54.0	16.42	AV	285.00	200	Vertical	Pass
4	7937.657	53.02	74.0	20.98	Peak	224.00	400	Vertical	Pass
4**	7937.657	45.62	54.0	8.38	AV	224.00	400	Vertical	Pass
5	12492.359	52.23	74.0	21.77	Peak	194.00	400	Vertical	Pass
5**	12492.359	43.90	54.0	10.10	AV	194.00	400	Vertical	Pass
6	17105.250	54.66	74.0	19.34	Peak	227.00	100	Vertical	Pass
6**	17105.250	40.49	54.0	13.52	AV	227.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.942	39.86	74.0	34.14	Peak	295.00	300	Horizontal	Pass
1**	1509.942	27.87	54.0	26.13	AV	295.00	300	Horizontal	Pass
2	2343.369	37.97	74.0	36.03	Peak	203.00	300	Horizontal	Pass
2**	2343.369	29.41	54.0	24.59	AV	203.00	300	Horizontal	Pass
3	4209.453	47.73	74.0	26.27	Peak	58.00	200	Horizontal	Pass
3**	4209.453	39.26	54.0	14.74	AV	58.00	200	Horizontal	Pass
4	7438.493	53.73	74.0	20.27	Peak	204.00	400	Horizontal	Pass
4**	7438.493	41.81	54.0	12.19	AV	204.00	400	Horizontal	Pass
5	12509.444	52.54	74.0	21.46	Peak	296.00	400	Horizontal	Pass
5**	12509.444	41.20	54.0	12.80	AV	296.00	400	Horizontal	Pass
6	16149.464	53.43	74.0	20.57	Peak	296.00	400	Horizontal	Pass
6**	16149.464	41.28	54.0	12.72	AV	296.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.586	48.66	74.0	25.34	Peak	213.00	300	Vertical	Pass
1**	1158.586	36.87	54.0	17.14	AV	213.00	300	Vertical	Pass
2	1337.950	46.75	74.0	27.25	Peak	5.00	400	Vertical	Pass
2**	1337.950	39.97	54.0	14.03	AV	5.00	400	Vertical	Pass
3	4929.805	50.35	74.0	23.65	Peak	191.00	200	Vertical	Pass
3**	4929.805	37.37	54.0	16.63	AV	191.00	200	Vertical	Pass
4	7932.636	52.80	74.0	21.20	Peak	167.00	200	Vertical	Pass
4**	7932.636	41.49	54.0	12.51	AV	167.00	200	Vertical	Pass
5	12491.019	52.33	74.0	21.67	Peak	111.00	400	Vertical	Pass
5**	12491.019	41.61	54.0	12.39	AV	111.00	400	Vertical	Pass
6	17099.608	54.67	74.0	19.33	Peak	356.00	300	Vertical	Pass
6**	17099.608	40.25	54.0	13.75	AV	356.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.134	39.61	74.0	34.39	Peak	187.00	300	Horizontal	Pass
1**	1505.134	27.85	54.0	26.15	AV	187.00	300	Horizontal	Pass
2	2340.198	38.16	74.0	35.84	Peak	114.00	300	Horizontal	Pass
2**	2340.198	29.01	54.0	24.99	AV	114.00	300	Horizontal	Pass
3	4208.520	47.53	74.0	26.47	Peak	201.00	200	Horizontal	Pass
3**	4208.520	39.31	54.0	14.69	AV	201.00	200	Horizontal	Pass
4	7440.778	53.42	74.0	20.58	Peak	217.00	400	Horizontal	Pass
4**	7440.778	41.56	54.0	12.45	AV	217.00	400	Horizontal	Pass
5	12509.492	52.51	74.0	21.50	Peak	149.00	200	Horizontal	Pass
5**	12509.492	41.04	54.0	12.96	AV	149.00	200	Horizontal	Pass
6	16149.115	53.41	74.0	20.59	Peak	100.00	200	Horizontal	Pass
6**	16149.115	41.04	54.0	12.96	AV	100.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.658	48.71	74.0	25.29	Peak	291.00	300	Vertical	Pass
1**	1158.658	36.87	54.0	17.13	AV	291.00	300	Vertical	Pass
2	1338.858	46.61	74.0	27.39	Peak	128.00	400	Vertical	Pass
2**	1338.858	39.71	54.0	14.29	AV	128.00	400	Vertical	Pass
3	4927.697	49.93	74.0	24.07	Peak	204.00	200	Vertical	Pass
3**	4927.697	37.05	54.0	16.95	AV	204.00	200	Vertical	Pass
4	7937.605	52.57	74.0	21.43	Peak	300.00	100	Vertical	Pass
4**	7937.605	41.35	54.0	12.65	AV	300.00	100	Vertical	Pass
5	12491.887	51.92	74.0	22.08	Peak	18.00	400	Vertical	Pass
5**	12491.887	41.78	54.0	12.22	AV	18.00	400	Vertical	Pass
6	17099.667	54.23	74.0	19.77	Peak	193.00	300	Vertical	Pass
6**	17099.667	41.45	54.0	12.55	AV	193.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.976	39.33	74.0	34.68	Peak	282.00	300	Horizontal	Pass
1**	1510.976	27.58	54.0	26.43	AV	282.00	300	Horizontal	Pass
2	2340.952	37.86	74.0	36.14	Peak	276.00	400	Horizontal	Pass
2**	2340.952	29.17	54.0	24.83	AV	276.00	400	Horizontal	Pass
3	4207.707	47.33	74.0	26.67	Peak	226.00	200	Horizontal	Pass
3**	4207.707	38.78	54.0	15.22	AV	226.00	200	Horizontal	Pass
4	7433.913	53.05	74.0	20.95	Peak	212.00	300	Horizontal	Pass
4**	7433.913	41.39	54.0	12.62	AV	212.00	300	Horizontal	Pass
5	12514.452	51.96	74.0	22.04	Peak	354.00	400	Horizontal	Pass
5**	12514.452	41.75	54.0	12.25	AV	354.00	400	Horizontal	Pass
6	16145.405	52.85	74.0	21.15	Peak	110.00	100	Horizontal	Pass
6**	16145.405	41.60	54.0	12.40	AV	110.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.616	48.51	74.0	25.49	Peak	250.00	200	Vertical	Pass
1**	1161.616	36.22	54.0	17.79	AV	250.00	200	Vertical	Pass
2	1336.816	46.25	74.0	27.75	Peak	223.00	200	Vertical	Pass
2**	1336.816	39.32	54.0	14.68	AV	223.00	200	Vertical	Pass
3	4925.141	50.01	74.0	23.99	Peak	14.00	200	Vertical	Pass
3**	4925.141	36.93	54.0	17.07	AV	14.00	200	Vertical	Pass
4	7935.343	52.10	74.0	21.91	Peak	145.00	100	Vertical	Pass
4**	7935.343	41.81	54.0	12.19	AV	145.00	100	Vertical	Pass
5	12489.924	51.66	74.0	22.34	Peak	330.00	200	Vertical	Pass
5**	12489.924	41.27	54.0	12.73	AV	330.00	200	Vertical	Pass
6	17107.074	54.20	74.0	19.80	Peak	51.00	300	Vertical	Pass
6**	17107.074	39.90	54.0	14.10	AV	51.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.497	39.34	74.0	34.66	Peak	107.00	100	Horizontal	Pass
1**	1510.497	27.44	54.0	26.56	AV	107.00	100	Horizontal	Pass
2	2341.905	37.80	74.0	36.20	Peak	134.00	400	Horizontal	Pass
2**	2341.905	29.20	54.0	24.80	AV	134.00	400	Horizontal	Pass
3	4210.469	47.12	74.0	26.88	Peak	168.00	200	Horizontal	Pass
3**	4210.469	38.45	54.0	15.55	AV	168.00	200	Horizontal	Pass
4	7435.616	52.76	74.0	21.24	Peak	317.00	200	Horizontal	Pass
4**	7435.616	41.12	54.0	12.88	AV	317.00	200	Horizontal	Pass
5	12511.638	52.04	74.0	21.97	Peak	27.00	300	Horizontal	Pass
5**	12511.638	41.76	54.0	12.24	AV	27.00	300	Horizontal	Pass
6	16145.488	52.83	74.0	21.17	Peak	84.00	300	Horizontal	Pass
6**	16145.488	41.42	54.0	12.58	AV	84.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.091	48.32	74.0	25.68	Peak	306.00	400	Vertical	Pass
1**	1157.091	36.18	54.0	17.82	AV	306.00	400	Vertical	Pass
2	1335.729	46.11	74.0	27.90	Peak	138.00	100	Vertical	Pass
2**	1335.729	39.46	54.0	14.54	AV	138.00	100	Vertical	Pass
3	4924.882	49.72	74.0	24.28	Peak	314.00	200	Vertical	Pass
3**	4924.882	36.71	54.0	17.29	AV	314.00	200	Vertical	Pass
4	7934.755	51.94	74.0	22.06	Peak	52.00	200	Vertical	Pass
4**	7934.755	41.46	54.0	12.54	AV	52.00	200	Vertical	Pass
5	12495.428	51.50	74.0	22.50	Peak	85.00	400	Vertical	Pass
5**	12495.428	41.13	54.0	12.87	AV	85.00	400	Vertical	Pass
6	17103.545	53.99	74.0	20.01	Peak	126.00	200	Vertical	Pass
6**	17103.545	39.83	54.0	14.18	AV	126.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.283	39.07	74.0	34.93	Peak	85.00	200	Horizontal	Pass
1**	1511.283	27.36	54.0	26.64	AV	85.00	200	Horizontal	Pass
2	2343.743	37.68	74.0	36.32	Peak	214.00	400	Horizontal	Pass
2**	2343.743	29.07	54.0	24.93	AV	214.00	400	Horizontal	Pass
3	4204.611	47.07	74.0	26.94	Peak	201.00	200	Horizontal	Pass
3**	4204.611	38.46	54.0	15.54	AV	201.00	200	Horizontal	Pass
4	7435.165	52.72	74.0	21.29	Peak	14.00	200	Horizontal	Pass
4**	7435.165	41.03	54.0	12.97	AV	14.00	200	Horizontal	Pass
5	12510.355	51.70	74.0	22.30	Peak	56.00	400	Horizontal	Pass
5**	12510.355	41.62	54.0	12.38	AV	56.00	400	Horizontal	Pass
6	16147.772	52.68	74.0	21.32	Peak	33.00	100	Horizontal	Pass
6**	16147.772	41.27	54.0	12.73	AV	33.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.348	48.27	74.0	25.73	Peak	154.00	100	Vertical	Pass
1**	1156.348	36.06	54.0	17.94	AV	154.00	100	Vertical	Pass
2	1332.776	45.83	74.0	28.17	Peak	240.00	300	Vertical	Pass
2**	1332.776	39.19	54.0	14.81	AV	240.00	300	Vertical	Pass
3	4926.616	49.25	74.0	24.75	Peak	312.00	200	Vertical	Pass
3**	4926.616	36.72	54.0	17.28	AV	312.00	200	Vertical	Pass
4	7937.406	51.86	74.0	22.14	Peak	39.00	400	Vertical	Pass
4**	7937.406	41.72	54.0	12.28	AV	39.00	400	Vertical	Pass
5	12490.642	51.39	74.0	22.61	Peak	233.00	300	Vertical	Pass
5**	12490.642	41.96	54.0	12.04	AV	233.00	300	Vertical	Pass
6	17103.181	53.96	74.0	20.04	Peak	42.00	200	Vertical	Pass
6**	17103.181	39.66	54.0	14.34	AV	42.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.330	39.03	74.0	34.97	Peak	28.00	400	Horizontal	Pass
1**	1506.330	27.30	54.0	26.70	AV	28.00	400	Horizontal	Pass
2	2344.896	37.55	74.0	36.45	Peak	283.00	400	Horizontal	Pass
2**	2344.896	29.01	54.0	25.00	AV	283.00	400	Horizontal	Pass
3	4210.461	46.78	74.0	27.23	Peak	221.00	200	Horizontal	Pass
3**	4210.461	38.59	54.0	15.41	AV	221.00	200	Horizontal	Pass
4	7439.244	52.46	74.0	21.55	Peak	164.00	400	Horizontal	Pass
4**	7439.244	41.69	54.0	12.31	AV	164.00	400	Horizontal	Pass
5	12508.896	51.64	74.0	22.36	Peak	45.00	200	Horizontal	Pass
5**	12508.896	41.47	54.0	12.54	AV	45.00	200	Horizontal	Pass
6	16146.391	52.40	74.0	21.60	Peak	183.00	200	Horizontal	Pass
6**	16146.391	41.18	54.0	12.82	AV	183.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.645	47.97	74.0	26.03	Peak	151.00	100	Vertical	Pass
1**	1159.645	35.84	54.0	18.16	AV	151.00	100	Vertical	Pass
2	1334.545	45.63	74.0	28.38	Peak	103.00	400	Vertical	Pass
2**	1334.545	39.26	54.0	14.75	AV	103.00	400	Vertical	Pass
3	4929.901	49.18	74.0	24.82	Peak	348.00	200	Vertical	Pass
3**	4929.901	36.56	54.0	17.44	AV	348.00	200	Vertical	Pass
4	7932.008	51.91	74.0	22.09	Peak	142.00	100	Vertical	Pass
4**	7932.008	41.57	54.0	12.43	AV	142.00	100	Vertical	Pass
5	12494.618	51.20	74.0	22.80	Peak	141.00	200	Vertical	Pass
5**	12494.618	41.92	54.0	12.08	AV	141.00	200	Vertical	Pass
6	17103.749	53.64	74.0	20.36	Peak	50.00	200	Vertical	Pass
6**	17103.749	39.73	54.0	14.27	AV	50.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.886	39.05	74.0	34.95	Peak	205.00	400	Horizontal	Pass
1**	1508.886	27.03	54.0	26.97	AV	205.00	400	Horizontal	Pass
2	2344.545	37.55	74.0	36.45	Peak	292.00	200	Horizontal	Pass
2**	2344.545	28.86	54.0	25.14	AV	292.00	200	Horizontal	Pass
3	4203.838	46.89	74.0	27.11	Peak	196.00	200	Horizontal	Pass
3**	4203.838	38.14	54.0	15.87	AV	196.00	200	Horizontal	Pass
4	7440.854	52.36	74.0	21.64	Peak	140.00	400	Horizontal	Pass
4**	7440.854	41.70	54.0	12.30	AV	140.00	400	Horizontal	Pass
5	12507.888	51.56	74.0	22.44	Peak	237.00	300	Horizontal	Pass
5**	12507.888	41.32	54.0	12.68	AV	237.00	300	Horizontal	Pass
6	16149.016	52.11	74.0	21.90	Peak	284.00	200	Horizontal	Pass
6**	16149.016	41.10	54.0	12.90	AV	284.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.077	47.75	74.0	26.25	Peak	193.00	300	Vertical	Pass
1**	1160.077	35.60	54.0	18.41	AV	193.00	300	Vertical	Pass
2	1331.893	45.58	74.0	28.42	Peak	83.00	100	Vertical	Pass
2**	1331.893	39.15	54.0	14.86	AV	83.00	100	Vertical	Pass
3	4926.278	49.15	74.0	24.85	Peak	60.00	200	Vertical	Pass
3**	4926.278	36.41	54.0	17.60	AV	60.00	200	Vertical	Pass
4	7933.667	51.67	74.0	22.33	Peak	191.00	100	Vertical	Pass
4**	7933.667	41.40	54.0	12.60	AV	191.00	100	Vertical	Pass
5	12493.905	51.09	74.0	22.91	Peak	292.00	100	Vertical	Pass
5**	12493.905	41.81	54.0	12.19	AV	292.00	100	Vertical	Pass
6	17100.195	53.61	74.0	20.39	Peak	340.00	300	Vertical	Pass
6**	17100.195	39.51	54.0	14.49	AV	340.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.938	39.86	74.0	34.14	Peak	239.00	200	Horizontal	Pass
1**	1508.938	28.10	54.0	25.90	AV	239.00	200	Horizontal	Pass
2	2343.885	38.38	74.0	35.62	Peak	167.00	100	Horizontal	Pass
2**	2343.885	29.47	54.0	24.53	AV	167.00	100	Horizontal	Pass
3	4207.217	47.88	74.0	26.12	Peak	348.00	200	Horizontal	Pass
3**	4207.217	39.65	54.0	14.35	AV	348.00	200	Horizontal	Pass
4	7433.457	53.73	74.0	20.27	Peak	300.00	300	Horizontal	Pass
4**	7433.457	41.95	54.0	12.06	AV	300.00	300	Horizontal	Pass
5	12513.559	52.73	74.0	21.27	Peak	158.00	300	Horizontal	Pass
5**	12513.559	41.44	54.0	12.56	AV	158.00	300	Horizontal	Pass
6	16148.716	53.90	74.0	20.10	Peak	168.00	300	Horizontal	Pass
6**	16148.716	41.29	54.0	12.71	AV	168.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.696	48.85	74.0	25.15	Peak	301.00	200	Vertical	Pass
1**	1156.696	37.01	54.0	16.99	AV	301.00	200	Vertical	Pass
2	1337.674	47.01	74.0	26.99	Peak	3.00	400	Vertical	Pass
2**	1337.674	40.07	54.0	13.93	AV	3.00	400	Vertical	Pass
3	4925.227	50.15	74.0	23.85	Peak	140.00	200	Vertical	Pass
3**	4925.227	37.45	54.0	16.55	AV	140.00	200	Vertical	Pass
4	7937.346	52.86	74.0	21.15	Peak	159.00	200	Vertical	Pass
4**	7937.346	41.61	54.0	12.39	AV	159.00	200	Vertical	Pass
5	12491.950	52.42	74.0	21.58	Peak	14.00	200	Vertical	Pass
5**	12491.950	41.98	54.0	12.02	AV	14.00	200	Vertical	Pass
6	17105.870	54.63	74.0	19.37	Peak	251.00	100	Vertical	Pass
6**	17105.870	40.49	54.0	13.51	AV	251.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.116	39.73	74.0	34.27	Peak	119.00	400	Horizontal	Pass
1**	1508.116	27.84	54.0	26.16	AV	119.00	400	Horizontal	Pass
2	2342.875	38.22	74.0	35.78	Peak	333.00	400	Horizontal	Pass
2**	2342.875	29.43	54.0	24.58	AV	333.00	400	Horizontal	Pass
3	4207.354	47.76	74.0	26.24	Peak	96.00	200	Horizontal	Pass
3**	4207.354	39.39	54.0	14.61	AV	96.00	200	Horizontal	Pass
4	7435.099	53.88	74.0	20.12	Peak	108.00	300	Horizontal	Pass
4**	7435.099	41.76	54.0	12.24	AV	108.00	300	Horizontal	Pass
5	12512.622	52.77	74.0	21.24	Peak	13.00	400	Horizontal	Pass
5**	12512.622	41.26	54.0	12.74	AV	13.00	400	Horizontal	Pass
6	16144.297	53.68	74.0	20.32	Peak	126.00	100	Horizontal	Pass
6**	16144.297	41.07	54.0	12.93	AV	126.00	100	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.559	48.88	74.0	25.12	Peak	270.00	400	Vertical	Pass
1**	1158.559	36.77	54.0	17.23	AV	270.00	400	Vertical	Pass
2	1338.049	46.79	74.0	27.21	Peak	166.00	200	Vertical	Pass
2**	1338.049	39.76	54.0	14.24	AV	166.00	200	Vertical	Pass
3	4925.090	50.26	74.0	23.74	Peak	27.00	200	Vertical	Pass
3**	4925.090	37.14	54.0	16.86	AV	27.00	200	Vertical	Pass
4	7934.866	52.88	74.0	21.12	Peak	242.00	100	Vertical	Pass
4**	7934.866	41.60	54.0	12.40	AV	242.00	100	Vertical	Pass
5	12490.875	52.35	74.0	21.65	Peak	11.00	400	Vertical	Pass
5**	12490.875	41.79	54.0	12.21	AV	11.00	400	Vertical	Pass
6	17103.107	54.41	74.0	19.59	Peak	82.00	400	Vertical	Pass
6**	17103.107	40.39	54.0	13.61	AV	82.00	400	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.540	39.74	74.0	34.27	Peak	206.00	300	Horizontal	Pass
1**	1508.540	27.77	54.0	26.23	AV	206.00	300	Horizontal	Pass
2	2341.140	38.18	74.0	35.82	Peak	226.00	200	Horizontal	Pass
2**	2341.140	29.23	54.0	24.78	AV	226.00	200	Horizontal	Pass
3	4210.732	47.65	74.0	26.35	Peak	34.00	200	Horizontal	Pass
3**	4210.732	39.29	54.0	14.71	AV	34.00	200	Horizontal	Pass
4	7436.198	53.55	74.0	20.45	Peak	190.00	100	Horizontal	Pass
4**	7436.198	41.57	54.0	12.43	AV	190.00	100	Horizontal	Pass
5	12509.520	52.23	74.0	21.77	Peak	244.00	100	Horizontal	Pass
5**	12509.520	41.98	54.0	12.02	AV	244.00	100	Horizontal	Pass
6	16148.923	53.34	74.0	20.66	Peak	55.00	200	Horizontal	Pass
6**	16148.923	41.07	54.0	12.93	AV	55.00	200	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.709	48.63	74.0	25.37	Peak	116.00	400	Vertical	Pass
1**	1158.709	36.78	54.0	17.23	AV	116.00	400	Vertical	Pass
2	1339.115	46.59	74.0	27.41	Peak	18.00	100	Vertical	Pass
2**	1339.115	39.80	54.0	14.20	AV	18.00	100	Vertical	Pass
3	4924.395	49.97	74.0	24.03	Peak	238.00	200	Vertical	Pass
3**	4924.395	37.06	54.0	16.94	AV	238.00	200	Vertical	Pass
4	7937.288	52.64	74.0	21.37	Peak	288.00	300	Vertical	Pass
4**	7937.288	41.34	54.0	12.67	AV	288.00	300	Vertical	Pass
5	12489.775	51.96	74.0	22.04	Peak	291.00	100	Vertical	Pass
5**	12489.775	41.78	54.0	12.22	AV	291.00	100	Vertical	Pass
6	17100.522	54.37	74.0	19.63	Peak	293.00	400	Vertical	Pass
6**	17100.522	40.37	54.0	13.63	AV	293.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.053	39.54	74.0	34.46	Peak	104.00	300	Horizontal	Pass
1**	1512.053	28.46	54.0	25.54	AV	104.00	300	Horizontal	Pass
2	2345.490	38.68	74.0	35.32	Peak	265.00	100	Horizontal	Pass
2**	2345.490	30.01	54.0	23.99	AV	265.00	100	Horizontal	Pass
3	4210.953	47.79	74.0	26.21	Peak	282.00	200	Horizontal	Pass
3**	4210.953	39.54	54.0	14.46	AV	282.00	200	Horizontal	Pass
4	7436.057	53.50	74.0	20.50	Peak	212.00	200	Horizontal	Pass
4**	7436.057	41.63	54.0	12.37	AV	212.00	200	Horizontal	Pass
5	12510.473	52.67	74.0	21.33	Peak	176.00	400	Horizontal	Pass
5**	12510.473	41.48	54.0	12.52	AV	176.00	400	Horizontal	Pass
6	16146.774	53.89	74.0	20.11	Peak	29.00	200	Horizontal	Pass
6**	16146.774	41.39	54.0	12.62	AV	29.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.309	50.31	74.0	23.69	Peak	197.00	200	Vertical	Pass
1**	1158.309	31.87	54.0	22.13	AV	197.00	200	Vertical	Pass
2	1337.307	49.09	74.0	24.91	Peak	148.00	300	Vertical	Pass
2**	1337.307	36.00	54.0	18.01	AV	148.00	300	Vertical	Pass
3	4926.219	50.06	74.0	23.94	Peak	221.00	200	Vertical	Pass
3**	4926.219	38.29	54.0	15.71	AV	221.00	200	Vertical	Pass
4	7938.424	50.01	74.0	24.00	Peak	33.00	400	Vertical	Pass
4**	7938.424	40.97	54.0	13.03	AV	33.00	400	Vertical	Pass
5	12497.059	55.41	74.0	18.59	Peak	312.00	200	Vertical	Pass
5**	12497.059	43.92	54.0	10.09	AV	312.00	200	Vertical	Pass
6	17105.383	56.22	74.0	17.78	Peak	255.00	400	Vertical	Pass
6**	17105.383	41.76	54.0	12.24	AV	255.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.111	39.44	74.0	34.56	Peak	277.00	300	Horizontal	Pass
1**	1505.111	28.24	54.0	25.76	AV	277.00	300	Horizontal	Pass
2	2342.651	38.45	74.0	35.55	Peak	85.00	100	Horizontal	Pass
2**	2342.651	29.77	54.0	24.24	AV	85.00	100	Horizontal	Pass
3	4204.861	47.55	74.0	26.46	Peak	31.00	200	Horizontal	Pass
3**	4204.861	39.45	54.0	14.55	AV	31.00	200	Horizontal	Pass
4	7437.894	53.23	74.0	20.77	Peak	47.00	200	Horizontal	Pass
4**	7437.894	41.54	54.0	12.46	AV	47.00	200	Horizontal	Pass
5	12504.827	52.51	74.0	21.49	Peak	272.00	200	Horizontal	Pass
5**	12504.827	41.22	54.0	12.78	AV	272.00	200	Horizontal	Pass
6	16145.332	53.63	74.0	20.38	Peak	140.00	100	Horizontal	Pass
6**	16145.332	41.23	54.0	12.78	AV	140.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.734	50.22	74.0	23.78	Peak	85.00	300	Vertical	Pass
1**	1157.734	31.63	54.0	22.37	AV	85.00	300	Vertical	Pass
2	1332.304	48.89	74.0	25.11	Peak	318.00	100	Vertical	Pass
2**	1332.304	35.84	54.0	18.16	AV	318.00	100	Vertical	Pass
3	4933.141	49.79	74.0	24.21	Peak	70.00	200	Vertical	Pass
3**	4933.141	38.19	54.0	15.81	AV	70.00	200	Vertical	Pass
4	7937.485	49.89	74.0	24.11	Peak	170.00	300	Vertical	Pass
4**	7937.485	40.76	54.0	13.25	AV	170.00	300	Vertical	Pass
5	12491.479	55.36	74.0	18.64	Peak	70.00	400	Vertical	Pass
5**	12491.479	41.71	54.0	12.29	AV	70.00	400	Vertical	Pass
6	17098.645	55.98	74.0	18.02	Peak	110.00	400	Vertical	Pass
6**	17098.645	41.54	54.0	12.46	AV	110.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.448	39.23	74.0	34.77	Peak	233.00	400	Horizontal	Pass
1**	1507.448	28.17	54.0	25.83	AV	233.00	400	Horizontal	Pass
2	2343.093	38.31	74.0	35.69	Peak	332.00	200	Horizontal	Pass
2**	2343.093	29.62	54.0	24.38	AV	332.00	200	Horizontal	Pass
3	4205.994	47.36	74.0	26.64	Peak	73.00	200	Horizontal	Pass
3**	4205.994	39.33	54.0	14.67	AV	73.00	200	Horizontal	Pass
4	7440.148	53.07	74.0	20.93	Peak	91.00	200	Horizontal	Pass
4**	7440.148	41.29	54.0	12.71	AV	91.00	200	Horizontal	Pass
5	12509.848	52.33	74.0	21.67	Peak	230.00	200	Horizontal	Pass
5**	12509.848	41.13	54.0	12.87	AV	230.00	200	Horizontal	Pass
6	16143.779	53.62	74.0	20.39	Peak	58.00	300	Horizontal	Pass
6**	16143.779	41.20	54.0	12.80	AV	58.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.336	49.94	74.0	24.06	Peak	23.00	200	Vertical	Pass
1**	1159.336	31.36	54.0	22.64	AV	23.00	200	Vertical	Pass
2	1333.450	48.71	74.0	25.29	Peak	99.00	200	Vertical	Pass
2**	1333.450	35.62	54.0	18.38	AV	99.00	200	Vertical	Pass
3	4932.613	49.59	74.0	24.41	Peak	41.00	200	Vertical	Pass
3**	4932.613	38.09	54.0	15.91	AV	41.00	200	Vertical	Pass
4	7937.120	49.60	74.0	24.40	Peak	26.00	400	Vertical	Pass
4**	7937.120	40.66	54.0	13.34	AV	26.00	400	Vertical	Pass
5	12494.117	55.29	74.0	18.71	Peak	175.00	100	Vertical	Pass
5**	12494.117	41.43	54.0	12.57	AV	175.00	100	Vertical	Pass
6	17105.186	55.89	74.0	18.11	Peak	298.00	400	Vertical	Pass
6**	17105.186	41.37	54.0	12.63	AV	298.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.316	39.14	74.0	34.86	Peak	204.00	400	Horizontal	Pass
1**	1506.316	28.09	54.0	25.91	AV	204.00	400	Horizontal	Pass
2	2344.156	38.02	74.0	35.98	Peak	112.00	400	Horizontal	Pass
2**	2344.156	29.47	54.0	24.53	AV	112.00	400	Horizontal	Pass
3	4209.152	47.23	74.0	26.77	Peak	149.00	200	Horizontal	Pass
3**	4209.152	39.30	54.0	14.70	AV	149.00	200	Horizontal	Pass
4	7438.907	52.80	74.0	21.20	Peak	92.00	400	Horizontal	Pass
4**	7438.907	41.28	54.0	12.72	AV	92.00	400	Horizontal	Pass
5	12508.593	52.07	74.0	21.93	Peak	131.00	200	Horizontal	Pass
5**	12508.593	41.06	54.0	12.94	AV	131.00	200	Horizontal	Pass
6	16148.085	53.55	74.0	20.45	Peak	323.00	100	Horizontal	Pass
6**	16148.085	43.01	54.0	10.99	AV	323.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.212	49.71	74.0	24.29	Peak	245.00	300	Vertical	Pass
1**	1163.212	31.09	54.0	22.91	AV	245.00	300	Vertical	Pass
2	1331.554	48.68	74.0	25.32	Peak	159.00	400	Vertical	Pass
2**	1331.554	35.40	54.0	18.61	AV	159.00	400	Vertical	Pass
3	4927.969	49.48	74.0	24.52	Peak	79.00	200	Vertical	Pass
3**	4927.969	38.06	54.0	15.94	AV	79.00	200	Vertical	Pass
4	7941.249	49.48	74.0	24.52	Peak	83.00	400	Vertical	Pass
4**	7941.249	40.56	54.0	13.44	AV	83.00	400	Vertical	Pass
5	12490.217	55.28	74.0	18.72	Peak	340.00	300	Vertical	Pass
5**	12490.217	41.28	54.0	12.72	AV	340.00	300	Vertical	Pass
6	17102.309	55.88	74.0	18.12	Peak	58.00	100	Vertical	Pass
6**	17102.309	41.27	54.0	12.74	AV	58.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.146	39.09	74.0	34.91	Peak	303.00	200	Horizontal	Pass
1**	1506.146	27.91	54.0	26.09	AV	303.00	200	Horizontal	Pass
2	2344.688	37.91	74.0	36.09	Peak	304.00	100	Horizontal	Pass
2**	2344.688	29.38	54.0	24.62	AV	304.00	100	Horizontal	Pass
3	4209.432	46.93	74.0	27.07	Peak	236.00	200	Horizontal	Pass
3**	4209.432	39.12	54.0	14.88	AV	236.00	200	Horizontal	Pass
4	7435.543	52.72	74.0	21.28	Peak	50.00	100	Horizontal	Pass
4**	7435.543	41.14	54.0	12.87	AV	50.00	100	Horizontal	Pass
5	12505.766	51.91	74.0	22.09	Peak	317.00	300	Horizontal	Pass
5**	12505.766	42.78	54.0	11.22	AV	317.00	300	Horizontal	Pass
6	16145.365	53.38	74.0	20.63	Peak	212.00	400	Horizontal	Pass
6**	16145.365	42.78	54.0	11.22	AV	212.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.107	49.45	74.0	24.55	Peak	230.00	300	Vertical	Pass
1**	1157.107	30.80	54.0	23.20	AV	230.00	300	Vertical	Pass
2	1335.026	48.46	74.0	25.54	Peak	84.00	200	Vertical	Pass
2**	1335.026	35.35	54.0	18.65	AV	84.00	200	Vertical	Pass
3	4930.175	49.47	74.0	24.53	Peak	146.00	200	Vertical	Pass
3**	4930.175	37.77	54.0	16.23	AV	146.00	200	Vertical	Pass
4	7938.754	49.26	74.0	24.74	Peak	306.00	300	Vertical	Pass
4**	7938.754	40.41	54.0	13.60	AV	306.00	300	Vertical	Pass
5	12490.288	55.14	74.0	18.87	Peak	164.00	100	Vertical	Pass
5**	12490.288	41.13	54.0	12.87	AV	164.00	100	Vertical	Pass
6	17103.979	55.73	74.0	18.27	Peak	354.00	300	Vertical	Pass
6**	17103.979	41.98	54.0	12.02	AV	354.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.097	38.96	74.0	35.04	Peak	285.00	300	Horizontal	Pass
1**	1512.097	27.76	54.0	26.24	AV	285.00	300	Horizontal	Pass
2	2347.731	37.67	74.0	36.33	Peak	321.00	100	Horizontal	Pass
2**	2347.731	29.17	54.0	24.83	AV	321.00	100	Horizontal	Pass
3	4206.299	46.85	74.0	27.15	Peak	126.00	200	Horizontal	Pass
3**	4206.299	38.96	54.0	15.04	AV	126.00	200	Horizontal	Pass
4	7440.853	52.57	74.0	21.44	Peak	190.00	200	Horizontal	Pass
4**	7440.853	42.98	54.0	11.02	AV	190.00	200	Horizontal	Pass
5	12508.832	51.73	74.0	22.28	Peak	289.00	300	Horizontal	Pass
5**	12508.832	42.72	54.0	11.28	AV	289.00	300	Horizontal	Pass
6	16149.631	53.15	74.0	20.85	Peak	161.00	300	Horizontal	Pass
6**	16149.631	42.57	54.0	11.43	AV	161.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.479	49.36	74.0	24.64	Peak	327.00	200	Vertical	Pass
1**	1155.479	30.57	54.0	23.43	AV	327.00	200	Vertical	Pass
2	1332.964	48.36	74.0	25.64	Peak	254.00	300	Vertical	Pass
2**	1332.964	35.19	54.0	18.81	AV	254.00	300	Vertical	Pass
3	4927.973	49.21	74.0	24.79	Peak	126.00	200	Vertical	Pass
3**	4927.973	37.54	54.0	16.46	AV	126.00	200	Vertical	Pass
4	7937.343	49.17	74.0	24.83	Peak	21.00	200	Vertical	Pass
4**	7937.343	40.26	54.0	13.74	AV	21.00	200	Vertical	Pass
5	12492.435	55.00	74.0	19.00	Peak	295.00	300	Vertical	Pass
5**	12492.435	41.10	54.0	12.90	AV	295.00	300	Vertical	Pass
6	17102.961	55.66	74.0	18.34	Peak	303.00	200	Vertical	Pass
6**	17102.961	41.98	54.0	12.03	AV	303.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.177	38.90	74.0	35.11	Peak	92.00	100	Horizontal	Pass
1**	1508.177	27.52	54.0	26.48	AV	92.00	100	Horizontal	Pass
2	2342.763	37.54	74.0	36.46	Peak	304.00	400	Horizontal	Pass
2**	2342.763	28.89	54.0	25.11	AV	304.00	400	Horizontal	Pass
3	4211.679	46.70	74.0	27.30	Peak	174.00	200	Horizontal	Pass
3**	4211.679	38.91	54.0	15.10	AV	174.00	200	Horizontal	Pass
4	7434.893	52.40	74.0	21.60	Peak	45.00	400	Horizontal	Pass
4**	7434.893	42.85	54.0	11.15	AV	45.00	400	Horizontal	Pass
5	12505.924	51.43	74.0	22.57	Peak	204.00	300	Horizontal	Pass
5**	12505.924	42.64	54.0	11.36	AV	204.00	300	Horizontal	Pass
6	16143.224	52.90	74.0	21.10	Peak	138.00	100	Horizontal	Pass
6**	16143.224	42.54	54.0	11.46	AV	138.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.377	49.23	74.0	24.77	Peak	32.00	100	Vertical	Pass
1**	1155.377	30.43	54.0	23.58	AV	32.00	100	Vertical	Pass
2	1334.861	48.08	74.0	25.92	Peak	18.00	400	Vertical	Pass
2**	1334.861	35.10	54.0	18.90	AV	18.00	400	Vertical	Pass
3	4928.779	48.96	74.0	25.04	Peak	85.00	200	Vertical	Pass
3**	4928.779	37.45	54.0	16.55	AV	85.00	200	Vertical	Pass
4	7935.899	48.88	74.0	25.12	Peak	135.00	200	Vertical	Pass
4**	7935.899	40.24	54.0	13.76	AV	135.00	200	Vertical	Pass
5	12494.921	54.82	74.0	19.18	Peak	296.00	300	Vertical	Pass
5**	12494.921	43.03	54.0	10.97	AV	296.00	300	Vertical	Pass
6	17100.062	55.49	74.0	18.51	Peak	299.00	400	Vertical	Pass
6**	17100.062	41.85	54.0	12.15	AV	299.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.996	39.31	74.0	34.69	Peak	347.00	300	Horizontal	Pass
1**	1508.996	28.20	54.0	25.80	AV	347.00	300	Horizontal	Pass
2	2340.919	38.51	74.0	35.49	Peak	201.00	300	Horizontal	Pass
2**	2340.919	29.86	54.0	24.14	AV	201.00	300	Horizontal	Pass
3	4204.403	47.58	74.0	26.42	Peak	327.00	200	Horizontal	Pass
3**	4204.403	39.26	54.0	14.74	AV	327.00	200	Horizontal	Pass
4	7438.381	53.46	74.0	20.54	Peak	20.00	300	Horizontal	Pass
4**	7438.381	41.42	54.0	12.59	AV	20.00	300	Horizontal	Pass
5	12509.254	52.44	74.0	21.56	Peak	357.00	100	Horizontal	Pass
5**	12509.254	41.22	54.0	12.78	AV	357.00	100	Horizontal	Pass
6	16147.467	53.77	74.0	20.23	Peak	260.00	100	Horizontal	Pass
6**	16147.467	41.22	54.0	12.78	AV	260.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1158.922	50.03	74.0	23.97	Peak	185.00	200	Vertical	Pass
1**	1158.922	31.63	54.0	22.37	AV	185.00	200	Vertical	Pass
2	1330.445	48.97	74.0	25.03	Peak	354.00	300	Vertical	Pass
2**	1330.445	35.86	54.0	18.14	AV	354.00	300	Vertical	Pass
3	4931.010	49.82	74.0	24.18	Peak	86.00	200	Vertical	Pass
3**	4931.010	38.22	54.0	15.78	AV	86.00	200	Vertical	Pass
4	7938.275	50.00	74.0	24.00	Peak	221.00	100	Vertical	Pass
4**	7938.275	40.91	54.0	13.09	AV	221.00	100	Vertical	Pass
5	12493.246	55.22	74.0	18.78	Peak	310.00	200	Vertical	Pass
5**	12493.246	41.80	54.0	12.20	AV	310.00	200	Vertical	Pass
6	17100.211	56.17	74.0	17.83	Peak	100.00	400	Vertical	Pass
6**	17100.211	41.59	54.0	12.41	AV	100.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.562	39.30	74.0	34.70	Peak	182.00	200	Horizontal	Pass
1**	1511.562	28.06	54.0	25.95	AV	182.00	200	Horizontal	Pass
2	2346.794	38.34	74.0	35.66	Peak	79.00	100	Horizontal	Pass
2**	2346.794	29.73	54.0	24.27	AV	79.00	100	Horizontal	Pass
3	4208.551	47.47	74.0	26.53	Peak	57.00	200	Horizontal	Pass
3**	4208.551	39.42	54.0	14.58	AV	57.00	200	Horizontal	Pass
4	7436.820	52.99	74.0	21.02	Peak	56.00	300	Horizontal	Pass
4**	7436.820	41.33	54.0	12.67	AV	56.00	300	Horizontal	Pass
5	12506.352	52.43	74.0	21.57	Peak	226.00	300	Horizontal	Pass
5**	12506.352	43.02	54.0	10.98	AV	226.00	300	Horizontal	Pass
6	16149.323	53.58	74.0	20.42	Peak	272.00	100	Horizontal	Pass
6**	16149.323	41.01	54.0	12.99	AV	272.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1160.648	50.18	74.0	23.82	Peak	160.00	300	Vertical	Pass
1**	1160.648	31.56	54.0	22.44	AV	160.00	300	Vertical	Pass
2	1336.155	48.68	74.0	25.32	Peak	114.00	200	Vertical	Pass
2**	1336.155	35.75	54.0	18.25	AV	114.00	200	Vertical	Pass
3	4929.372	49.77	74.0	24.23	Peak	178.00	200	Vertical	Pass
3**	4929.372	37.98	54.0	16.02	AV	178.00	200	Vertical	Pass
4	7937.483	49.68	74.0	24.32	Peak	360.00	300	Vertical	Pass
4**	7937.483	40.62	54.0	13.38	AV	360.00	300	Vertical	Pass
5	12489.678	55.16	74.0	18.84	Peak	169.00	300	Vertical	Pass
5**	12489.678	41.65	54.0	12.35	AV	169.00	300	Vertical	Pass
6	17102.683	55.90	74.0	18.10	Peak	187.00	200	Vertical	Pass
6**	17102.683	41.50	54.0	12.51	AV	187.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.078	39.18	74.0	34.82	Peak	253.00	200	Horizontal	Pass
1**	1506.078	27.89	54.0	26.11	AV	253.00	200	Horizontal	Pass
2	2347.535	38.12	74.0	35.88	Peak	183.00	400	Horizontal	Pass
2**	2347.535	29.38	54.0	24.62	AV	183.00	400	Horizontal	Pass
3	4204.131	47.32	74.0	26.68	Peak	254.00	200	Horizontal	Pass
3**	4204.131	39.11	54.0	14.89	AV	254.00	200	Horizontal	Pass
4	7441.970	52.91	74.0	21.09	Peak	264.00	100	Horizontal	Pass
4**	7441.970	41.07	54.0	12.93	AV	264.00	100	Horizontal	Pass
5	12510.024	52.16	74.0	21.84	Peak	185.00	200	Horizontal	Pass
5**	12510.024	41.07	54.0	12.93	AV	185.00	200	Horizontal	Pass
6	16149.423	53.46	74.0	20.54	Peak	129.00	400	Horizontal	Pass
6**	16149.423	41.17	54.0	12.83	AV	129.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.416	49.72	74.0	24.28	Peak	182.00	100	Vertical	Pass
1**	1155.416	31.17	54.0	22.83	AV	182.00	100	Vertical	Pass
2	1337.505	48.42	74.0	25.58	Peak	264.00	200	Vertical	Pass
2**	1337.505	35.39	54.0	18.61	AV	264.00	200	Vertical	Pass
3	4933.165	49.56	74.0	24.44	Peak	230.00	200	Vertical	Pass
3**	4933.165	37.92	54.0	16.08	AV	230.00	200	Vertical	Pass
4	7939.410	49.54	74.0	24.47	Peak	237.00	300	Vertical	Pass
4**	7939.410	40.51	54.0	13.50	AV	237.00	300	Vertical	Pass
5	12496.297	55.28	74.0	18.72	Peak	322.00	300	Vertical	Pass
5**	12496.297	41.41	54.0	12.59	AV	322.00	300	Vertical	Pass
6	17100.880	55.78	74.0	18.22	Peak	27.00	200	Vertical	Pass
6**	17100.880	41.12	54.0	12.88	AV	27.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.466	38.85	74.0	35.15	Peak	215.00	400	Horizontal	Pass
1**	1510.466	27.98	54.0	26.02	AV	215.00	400	Horizontal	Pass
2	2341.037	37.98	74.0	36.02	Peak	128.00	400	Horizontal	Pass
2**	2341.037	29.19	54.0	24.81	AV	128.00	400	Horizontal	Pass
3	4206.677	47.14	74.0	26.86	Peak	159.00	200	Horizontal	Pass
3**	4206.677	39.10	54.0	14.90	AV	159.00	200	Horizontal	Pass
4	7439.372	52.67	74.0	21.33	Peak	121.00	300	Horizontal	Pass
4**	7439.372	41.01	54.0	12.99	AV	121.00	300	Horizontal	Pass
5	12507.414	51.86	74.0	22.14	Peak	202.00	100	Horizontal	Pass
5**	12507.414	41.02	54.0	12.98	AV	202.00	100	Horizontal	Pass
6	16146.776	53.36	74.0	20.64	Peak	53.00	300	Horizontal	Pass
6**	16146.776	41.01	54.0	12.99	AV	53.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.205	49.49	74.0	24.51	Peak	180.00	200	Vertical	Pass
1**	1163.205	30.96	54.0	23.04	AV	180.00	200	Vertical	Pass
2	1330.686	48.40	74.0	25.60	Peak	184.00	100	Vertical	Pass
2**	1330.686	35.30	54.0	18.70	AV	184.00	100	Vertical	Pass
3	4930.284	49.47	74.0	24.53	Peak	21.00	200	Vertical	Pass
3**	4930.284	38.04	54.0	15.96	AV	21.00	200	Vertical	Pass
4	7936.180	49.28	74.0	24.72	Peak	189.00	100	Vertical	Pass
4**	7936.180	40.26	54.0	13.74	AV	189.00	100	Vertical	Pass
5	12497.333	55.23	74.0	18.77	Peak	78.00	100	Vertical	Pass
5**	12497.333	41.26	54.0	12.74	AV	78.00	100	Vertical	Pass
6	17101.844	55.83	74.0	18.17	Peak	140.00	200	Vertical	Pass
6**	17101.844	41.11	54.0	12.89	AV	140.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.327	38.80	74.0	35.20	Peak	125.00	200	Horizontal	Pass
1**	1511.327	27.77	54.0	26.23	AV	125.00	200	Horizontal	Pass
2	2341.788	37.82	74.0	36.18	Peak	27.00	200	Horizontal	Pass
2**	2341.788	29.35	54.0	24.65	AV	27.00	200	Horizontal	Pass
3	4209.002	46.88	74.0	27.12	Peak	266.00	200	Horizontal	Pass
3**	4209.002	38.92	54.0	15.08	AV	266.00	200	Horizontal	Pass
4	7435.376	52.67	74.0	21.33	Peak	22.00	200	Horizontal	Pass
4**	7435.376	42.86	54.0	11.14	AV	22.00	200	Horizontal	Pass
5	12505.973	51.70	74.0	22.30	Peak	277.00	100	Horizontal	Pass
5**	12505.973	42.73	54.0	11.27	AV	277.00	100	Horizontal	Pass
6	16147.728	53.24	74.0	20.76	Peak	61.00	400	Horizontal	Pass
6**	16147.728	42.52	54.0	11.48	AV	61.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.349	49.38	74.0	24.62	Peak	254.00	400	Vertical	Pass
1**	1156.349	30.59	54.0	23.41	AV	254.00	400	Vertical	Pass
2	1337.114	48.40	74.0	25.60	Peak	336.00	200	Vertical	Pass
2**	1337.114	35.34	54.0	18.66	AV	336.00	200	Vertical	Pass
3	4932.163	49.38	74.0	24.62	Peak	121.00	200	Vertical	Pass
3**	4932.163	37.71	54.0	16.29	AV	121.00	200	Vertical	Pass
4	7937.552	49.11	74.0	24.90	Peak	133.00	300	Vertical	Pass
4**	7937.552	40.25	54.0	13.75	AV	133.00	300	Vertical	Pass
5	12493.540	54.98	74.0	19.02	Peak	122.00	200	Vertical	Pass
5**	12493.540	43.01	54.0	10.99	AV	122.00	200	Vertical	Pass
6	17104.000	55.52	74.0	18.48	Peak	251.00	200	Vertical	Pass
6**	17104.000	41.86	54.0	12.14	AV	251.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.882	38.91	74.0	35.09	Peak	3.00	200	Horizontal	Pass
1**	1506.882	27.64	54.0	26.36	AV	3.00	200	Horizontal	Pass
2	2343.380	37.40	74.0	36.60	Peak	40.00	400	Horizontal	Pass
2**	2343.380	29.14	54.0	24.86	AV	40.00	400	Horizontal	Pass
3	4210.383	46.79	74.0	27.21	Peak	54.00	200	Horizontal	Pass
3**	4210.383	38.85	54.0	15.15	AV	54.00	200	Horizontal	Pass
4	7435.364	52.33	74.0	21.67	Peak	290.00	300	Horizontal	Pass
4**	7435.364	42.95	54.0	11.05	AV	290.00	300	Horizontal	Pass
5	12506.486	51.63	74.0	22.37	Peak	162.00	300	Horizontal	Pass
5**	12506.486	42.48	54.0	11.52	AV	162.00	300	Horizontal	Pass
6	16147.923	53.11	74.0	20.90	Peak	2.00	200	Horizontal	Pass
6**	16147.923	42.35	54.0	11.65	AV	2.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1156.509	49.28	74.0	24.73	Peak	18.00	100	Vertical	Pass
1**	1156.509	30.27	54.0	23.73	AV	18.00	100	Vertical	Pass
2	1337.499	48.24	74.0	25.76	Peak	186.00	200	Vertical	Pass
2**	1337.499	35.02	54.0	18.98	AV	186.00	200	Vertical	Pass
3	4928.047	49.05	74.0	24.95	Peak	243.00	200	Vertical	Pass
3**	4928.047	37.51	54.0	16.49	AV	243.00	200	Vertical	Pass
4	7941.420	48.89	74.0	25.11	Peak	120.00	300	Vertical	Pass
4**	7941.420	39.97	54.0	14.03	AV	120.00	300	Vertical	Pass
5	12491.621	54.86	74.0	19.14	Peak	118.00	200	Vertical	Pass
5**	12491.621	42.98	54.0	11.02	AV	118.00	200	Vertical	Pass
6	17098.407	55.40	74.0	18.60	Peak	167.00	400	Vertical	Pass
6**	17098.407	41.97	54.0	12.03	AV	167.00	400	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.880	38.66	74.0	35.34	Peak	326.00	100	Horizontal	Pass
1**	1504.880	27.40	54.0	26.60	AV	326.00	100	Horizontal	Pass
2	2342.470	37.45	74.0	36.55	Peak	9.00	200	Horizontal	Pass
2**	2342.470	28.71	54.0	25.29	AV	9.00	200	Horizontal	Pass
3	4208.565	46.55	74.0	27.45	Peak	116.00	200	Horizontal	Pass
3**	4208.565	38.77	54.0	15.23	AV	116.00	200	Horizontal	Pass
4	7436.181	52.19	74.0	21.81	Peak	167.00	300	Horizontal	Pass
4**	7436.181	42.64	54.0	11.37	AV	167.00	300	Horizontal	Pass
5	12511.102	51.40	74.0	22.60	Peak	201.00	100	Horizontal	Pass
5**	12511.102	42.61	54.0	11.39	AV	201.00	100	Horizontal	Pass
6	16146.758	52.77	74.0	21.24	Peak	43.00	100	Horizontal	Pass
6**	16146.758	42.36	54.0	11.64	AV	43.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.680	49.13	74.0	24.87	Peak	87.00	200	Vertical	Pass
1**	1162.680	30.27	54.0	23.73	AV	87.00	200	Vertical	Pass
2	1336.909	47.78	74.0	26.22	Peak	12.00	400	Vertical	Pass
2**	1336.909	34.92	54.0	19.09	AV	12.00	400	Vertical	Pass
3	4928.488	48.78	74.0	25.22	Peak	25.00	200	Vertical	Pass
3**	4928.488	37.17	54.0	16.83	AV	25.00	200	Vertical	Pass
4	7942.168	48.58	74.0	25.42	Peak	171.00	300	Vertical	Pass
4**	7942.168	39.97	54.0	14.03	AV	171.00	300	Vertical	Pass
5	12491.029	54.60	74.0	19.40	Peak	132.00	400	Vertical	Pass
5**	12491.029	43.01	54.0	10.99	AV	132.00	400	Vertical	Pass
6	17099.893	55.19	74.0	18.81	Peak	50.00	400	Vertical	Pass
6**	17099.893	41.75	54.0	12.25	AV	50.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.033	39.52	74.0	34.49	Peak	128.00	300	Horizontal	Pass
1**	1508.033	28.29	54.0	25.71	AV	128.00	300	Horizontal	Pass
2	2347.730	38.54	74.0	35.47	Peak	133.00	200	Horizontal	Pass
2**	2347.730	29.83	54.0	24.17	AV	133.00	200	Horizontal	Pass
3	4208.051	47.71	74.0	26.29	Peak	337.00	200	Horizontal	Pass
3**	4208.051	39.38	54.0	14.62	AV	337.00	200	Horizontal	Pass
4	7434.987	53.33	74.0	20.67	Peak	182.00	200	Horizontal	Pass
4**	7434.987	41.49	54.0	12.51	AV	182.00	200	Horizontal	Pass
5	12507.002	52.66	74.0	21.34	Peak	58.00	300	Horizontal	Pass
5**	12507.002	41.48	54.0	12.52	AV	58.00	300	Horizontal	Pass
6	16146.153	53.77	74.0	20.23	Peak	281.00	300	Horizontal	Pass
6**	16146.153	41.30	54.0	12.70	AV	281.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.437	50.08	74.0	23.92	Peak	299.00	200	Vertical	Pass
1**	1157.437	31.86	54.0	22.15	AV	299.00	200	Vertical	Pass
2	1336.386	48.83	74.0	25.17	Peak	65.00	100	Vertical	Pass
2**	1336.386	35.74	54.0	18.26	AV	65.00	100	Vertical	Pass
3	4928.808	49.80	74.0	24.20	Peak	301.00	200	Vertical	Pass
3**	4928.808	38.24	54.0	15.76	AV	301.00	200	Vertical	Pass
4	7940.855	49.71	74.0	24.29	Peak	238.00	400	Vertical	Pass
4**	7940.855	40.79	54.0	13.21	AV	238.00	400	Vertical	Pass
5	12496.900	55.17	74.0	18.83	Peak	150.00	100	Vertical	Pass
5**	12496.900	41.71	54.0	12.30	AV	150.00	100	Vertical	Pass
6	17098.707	55.95	74.0	18.05	Peak	316.00	300	Vertical	Pass
6**	17098.707	41.62	54.0	12.38	AV	316.00	300	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.833	39.19	74.0	34.81	Peak	306.00	300	Horizontal	Pass
1**	1510.833	28.16	54.0	25.84	AV	306.00	300	Horizontal	Pass
2	2347.671	38.41	74.0	35.59	Peak	237.00	200	Horizontal	Pass
2**	2347.671	29.70	54.0	24.30	AV	237.00	200	Horizontal	Pass
3	4208.781	47.26	74.0	26.74	Peak	189.00	200	Horizontal	Pass
3**	4208.781	39.45	54.0	14.55	AV	189.00	200	Horizontal	Pass
4	7439.797	53.00	74.0	21.00	Peak	207.00	400	Horizontal	Pass
4**	7439.797	41.44	54.0	12.56	AV	207.00	400	Horizontal	Pass
5	12504.931	52.47	74.0	21.54	Peak	192.00	100	Horizontal	Pass
5**	12504.931	43.01	54.0	10.99	AV	192.00	100	Horizontal	Pass
6	16145.220	53.36	74.0	20.64	Peak	20.00	100	Horizontal	Pass
6**	16145.220	41.14	54.0	12.86	AV	20.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1157.154	50.08	74.0	23.92	Peak	140.00	200	Vertical	Pass
1**	1157.154	31.58	54.0	22.42	AV	140.00	200	Vertical	Pass
2	1335.091	48.86	74.0	25.14	Peak	310.00	200	Vertical	Pass
2**	1335.091	35.75	54.0	18.25	AV	310.00	200	Vertical	Pass
3	4926.875	49.53	74.0	24.47	Peak	46.00	200	Vertical	Pass
3**	4926.875	38.16	54.0	15.84	AV	46.00	200	Vertical	Pass
4	7935.380	49.60	74.0	24.40	Peak	88.00	300	Vertical	Pass
4**	7935.380	40.54	54.0	13.46	AV	88.00	300	Vertical	Pass
5	12492.564	55.17	74.0	18.83	Peak	310.00	100	Vertical	Pass
5**	12492.564	41.52	54.0	12.48	AV	310.00	100	Vertical	Pass
6	17098.992	55.95	74.0	18.05	Peak	47.00	100	Vertical	Pass
6**	17098.992	41.24	54.0	12.76	AV	47.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.433	39.22	74.0	34.78	Peak	85.00	300	Horizontal	Pass
1**	1505.433	28.00	54.0	26.00	AV	85.00	300	Horizontal	Pass
2	2341.727	38.24	74.0	35.76	Peak	329.00	100	Horizontal	Pass
2**	2341.727	29.40	54.0	24.60	AV	329.00	100	Horizontal	Pass
3	4207.122	47.23	74.0	26.77	Peak	323.00	200	Horizontal	Pass
3**	4207.122	39.10	54.0	14.90	AV	323.00	200	Horizontal	Pass
4	7435.504	52.82	74.0	21.18	Peak	306.00	100	Horizontal	Pass
4**	7435.504	41.10	54.0	12.91	AV	306.00	100	Horizontal	Pass
5	12505.340	52.21	74.0	21.79	Peak	268.00	300	Horizontal	Pass
5**	12505.340	43.01	54.0	10.99	AV	268.00	300	Horizontal	Pass
6	16145.429	53.57	74.0	20.43	Peak	295.00	300	Horizontal	Pass
6**	16145.429	42.92	54.0	11.09	AV	295.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.193	49.65	74.0	24.35	Peak	234.00	400	Vertical	Pass
1**	1159.193	31.20	54.0	22.80	AV	234.00	400	Vertical	Pass
2	1334.396	48.48	74.0	25.52	Peak	250.00	200	Vertical	Pass
2**	1334.396	35.45	54.0	18.55	AV	250.00	200	Vertical	Pass
3	4933.546	49.45	74.0	24.55	Peak	141.00	200	Vertical	Pass
3**	4933.546	37.98	54.0	16.02	AV	141.00	200	Vertical	Pass
4	7936.621	49.41	74.0	24.59	Peak	29.00	400	Vertical	Pass
4**	7936.621	40.38	54.0	13.62	AV	29.00	400	Vertical	Pass
5	12489.719	55.21	74.0	18.79	Peak	31.00	400	Vertical	Pass
5**	12489.719	41.16	54.0	12.84	AV	31.00	400	Vertical	Pass
6	17105.691	55.74	74.0	18.26	Peak	212.00	100	Vertical	Pass
6**	17105.691	41.26	54.0	12.74	AV	212.00	100	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.630	39.07	74.0	34.93	Peak	187.00	200	Horizontal	Pass
1**	1504.630	27.88	54.0	26.12	AV	187.00	200	Horizontal	Pass
2	2343.970	37.76	74.0	36.24	Peak	96.00	200	Horizontal	Pass
2**	2343.970	29.43	54.0	24.57	AV	96.00	200	Horizontal	Pass
3	4209.438	47.03	74.0	26.97	Peak	108.00	200	Horizontal	Pass
3**	4209.438	39.15	54.0	14.85	AV	108.00	200	Horizontal	Pass
4	7437.389	52.62	74.0	21.39	Peak	172.00	100	Horizontal	Pass
4**	7437.389	43.02	54.0	10.98	AV	172.00	100	Horizontal	Pass
5	12511.655	52.00	74.0	22.00	Peak	44.00	400	Horizontal	Pass
5**	12511.655	42.81	54.0	11.19	AV	44.00	400	Horizontal	Pass
6	16148.628	53.53	74.0	20.47	Peak	127.00	300	Horizontal	Pass
6**	16148.628	42.86	54.0	11.14	AV	127.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1159.733	49.49	74.0	24.51	Peak	305.00	200	Vertical	Pass
1**	1159.733	30.90	54.0	23.11	AV	305.00	200	Vertical	Pass
2	1333.384	48.45	74.0	25.55	Peak	332.00	200	Vertical	Pass
2**	1333.384	35.38	54.0	18.62	AV	332.00	200	Vertical	Pass
3	4930.676	49.27	74.0	24.73	Peak	317.00	200	Vertical	Pass
3**	4930.676	37.93	54.0	16.07	AV	317.00	200	Vertical	Pass
4	7935.638	49.19	74.0	24.81	Peak	117.00	400	Vertical	Pass
4**	7935.638	40.30	54.0	13.70	AV	117.00	400	Vertical	Pass
5	12490.523	55.19	74.0	18.81	Peak	27.00	100	Vertical	Pass
5**	12490.523	41.20	54.0	12.81	AV	27.00	100	Vertical	Pass
6	17102.901	55.61	74.0	18.39	Peak	314.00	300	Vertical	Pass
6**	17102.901	41.20	54.0	12.80	AV	314.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.638	39.01	74.0	34.99	Peak	290.00	400	Horizontal	Pass
1**	1504.638	27.68	54.0	26.32	AV	290.00	400	Horizontal	Pass
2	2344.717	37.72	74.0	36.28	Peak	21.00	300	Horizontal	Pass
2**	2344.717	29.27	54.0	24.73	AV	21.00	300	Horizontal	Pass
3	4210.861	46.73	74.0	27.27	Peak	214.00	200	Horizontal	Pass
3**	4210.861	38.88	54.0	15.12	AV	214.00	200	Horizontal	Pass
4	7435.429	52.55	74.0	21.45	Peak	199.00	400	Horizontal	Pass
4**	7435.429	42.89	54.0	11.11	AV	199.00	400	Horizontal	Pass
5	12509.316	51.72	74.0	22.28	Peak	157.00	400	Horizontal	Pass
5**	12509.316	42.57	54.0	11.43	AV	157.00	400	Horizontal	Pass
6	16144.813	53.14	74.0	20.86	Peak	319.00	200	Horizontal	Pass
6**	16144.813	42.72	54.0	11.28	AV	319.00	200	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.328	49.25	74.0	24.75	Peak	331.00	100	Vertical	Pass
1**	1162.328	30.70	54.0	23.30	AV	331.00	100	Vertical	Pass
2	1333.514	48.24	74.0	25.76	Peak	312.00	200	Vertical	Pass
2**	1333.514	35.30	54.0	18.70	AV	312.00	200	Vertical	Pass
3	4928.587	49.42	74.0	24.58	Peak	304.00	200	Vertical	Pass
3**	4928.587	37.61	54.0	16.40	AV	304.00	200	Vertical	Pass
4	7940.072	49.03	74.0	24.97	Peak	234.00	200	Vertical	Pass
4**	7940.072	40.17	54.0	13.83	AV	234.00	200	Vertical	Pass
5	12496.249	55.10	74.0	18.90	Peak	215.00	400	Vertical	Pass
5**	12496.249	42.94	54.0	11.07	AV	215.00	400	Vertical	Pass
6	17103.939	55.44	74.0	18.56	Peak	237.00	400	Vertical	Pass
6**	17103.939	41.83	54.0	12.17	AV	237.00	400	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.520	38.96	74.0	35.04	Peak	30.00	100	Horizontal	Pass
1**	1508.520	27.70	54.0	26.30	AV	30.00	100	Horizontal	Pass
2	2347.081	37.43	74.0	36.57	Peak	345.00	100	Horizontal	Pass
2**	2347.081	28.88	54.0	25.12	AV	345.00	100	Horizontal	Pass
3	4204.967	46.63	74.0	27.37	Peak	155.00	200	Horizontal	Pass
3**	4204.967	38.76	54.0	15.24	AV	155.00	200	Horizontal	Pass
4	7438.716	52.37	74.0	21.64	Peak	274.00	300	Horizontal	Pass
4**	7438.716	42.82	54.0	11.18	AV	274.00	300	Horizontal	Pass
5	12506.597	51.54	74.0	22.46	Peak	301.00	100	Horizontal	Pass
5**	12506.597	42.70	54.0	11.30	AV	301.00	100	Horizontal	Pass
6	16147.868	52.94	74.0	21.06	Peak	200.00	100	Horizontal	Pass
6**	16147.868	42.36	54.0	11.65	AV	200.00	100	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1155.628	49.24	74.0	24.76	Peak	271.00	100	Vertical	Pass
1**	1155.628	30.35	54.0	23.65	AV	271.00	100	Vertical	Pass
2	1332.766	48.16	74.0	25.84	Peak	29.00	400	Vertical	Pass
2**	1332.766	35.12	54.0	18.88	AV	29.00	400	Vertical	Pass
3	4931.137	48.94	74.0	25.07	Peak	151.00	200	Vertical	Pass
3**	4931.137	37.43	54.0	16.57	AV	151.00	200	Vertical	Pass
4	7940.959	49.15	74.0	24.85	Peak	289.00	400	Vertical	Pass
4**	7940.959	40.26	54.0	13.74	AV	289.00	400	Vertical	Pass
5	12491.923	54.83	74.0	19.17	Peak	318.00	200	Vertical	Pass
5**	12491.923	42.84	54.0	11.16	AV	318.00	200	Vertical	Pass
6	17098.748	55.48	74.0	18.52	Peak	63.00	400	Vertical	Pass
6**	17098.748	41.86	54.0	12.14	AV	63.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass


	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Note: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots

PCB Antenna


U-NII-1 11a Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5063.048	53.72	74.0	20.28	Peak	297.00	100	Horizontal	Pass
1**	5063.048	41.40	54.0	12.60	AV	297.00	100	Horizontal	Pass
2	5150.000	52.11	74.0	21.89	Peak	76.00	100	Horizontal	Pass
2**	5150.000	42.92	54.0	11.08	AV	76.00	100	Horizontal	Pass

U-NII-1 11a High Channel

3#_Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.77	74.0	22.23	Peak	10.00	300	Horizontal	Pass
1**	5350.000	41.74	54.0	12.26	AV	10.00	300	Horizontal	Pass
2	5429.045	53.77	74.0	20.23	Peak	52.00	100	Horizontal	Pass
2**	5429.045	42.99	54.0	11.01	AV	52.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5063.629	53.60	74.0	20.40	Peak	32.00	200	Horizontal	Pass
1**	5063.629	41.32	54.0	12.68	AV	32.00	200	Horizontal	Pass
2	5150.000	52.18	74.0	21.82	Peak	140.00	300	Horizontal	Pass
2**	5150.000	41.17	54.0	12.83	AV	140.00	300	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.14	74.0	22.86	Peak	174.00	100	Horizontal	Pass
1**	5350.000	41.06	54.0	12.94	AV	174.00	100	Horizontal	Pass
2	5428.822	53.44	74.0	20.56	Peak	208.00	300	Horizontal	Pass
2**	5428.822	41.75	54.0	12.25	AV	208.00	300	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.089	51.33	74.0	22.67	Peak	178.00	300	Horizontal	Pass
1**	5148.089	39.76	54.0	14.24	AV	178.00	300	Horizontal	Pass
2	5150.000	53.64	74.0	20.36	Peak	126.00	200	Horizontal	Pass
2**	5150.000	39.50	54.0	14.50	AV	126.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.36	74.0	22.64	Peak	291.00	300	Horizontal	Pass
1**	5350.000	41.01	54.0	12.99	AV	291.00	300	Horizontal	Pass
2	5427.295	54.07	74.0	19.93	Peak	336.00	300	Horizontal	Pass
2**	5427.295	41.83	54.0	12.17	AV	336.00	300	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.334	52.13	74.0	21.87	Peak	39.00	300	Horizontal	Pass
1**	5146.334	40.27	54.0	13.73	AV	39.00	300	Horizontal	Pass
2	5150.000	54.13	74.0	19.87	Peak	81.00	100	Horizontal	Pass
2**	5150.000	39.96	54.0	14.04	AV	81.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.12	74.0	22.88	Peak	164.00	100	Horizontal	Pass
1**	5350.000	41.18	54.0	12.82	AV	164.00	100	Horizontal	Pass
2	5429.379	53.90	74.0	20.10	Peak	140.00	100	Horizontal	Pass
2**	5429.379	41.99	54.0	12.01	AV	140.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.975	52.11	74.0	21.89	Peak	166.00	100	Horizontal	Pass
1**	5145.975	40.03	54.0	13.97	AV	166.00	100	Horizontal	Pass
2	5150.000	50.11	74.0	23.89	Peak	219.00	100	Horizontal	Pass
2**	5150.000	40.30	54.0	13.70	AV	219.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.30	74.0	22.70	Peak	3.00	100	Horizontal	Pass
1**	5350.000	41.55	54.0	12.45	AV	3.00	100	Horizontal	Pass
2	5428.886	53.33	74.0	20.67	Peak	141.00	200	Horizontal	Pass
2**	5428.886	42.27	54.0	11.73	AV	141.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.365	53.94	74.0	20.06	Peak	34.00	100	Horizontal	Pass
1**	5139.365	42.31	54.0	11.69	AV	34.00	100	Horizontal	Pass
2	5150.000	54.42	74.0	19.58	Peak	152.00	300	Horizontal	Pass
2**	5150.000	42.28	54.0	11.72	AV	152.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.26	74.0	22.74	Peak	33.00	100	Horizontal	Pass
1**	5350.000	41.49	54.0	12.51	AV	33.00	100	Horizontal	Pass
2	5428.756	53.48	74.0	20.52	Peak	21.00	300	Horizontal	Pass
2**	5428.756	42.27	54.0	11.73	AV	21.00	300	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.646	51.39	74.0	22.61	Peak	42.00	100	Horizontal	Pass
1**	5140.646	37.65	54.0	16.35	AV	42.00	100	Horizontal	Pass
2	5150.000	52.99	74.0	21.01	Peak	331.00	300	Horizontal	Pass
2**	5150.000	38.6	54.0	15.40	AV	331.00	300	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.54	74.0	22.46	Peak	167.00	200	Horizontal	Pass
1**	5350.000	40.97	54.0	13.03	AV	167.00	200	Horizontal	Pass
2	5428.133	54.05	74.0	19.95	Peak	232.00	200	Horizontal	Pass
2**	5428.133	42.31	54.0	11.69	AV	232.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.553	50.57	74.0	23.43	Peak	150.00	200	Horizontal	Pass
1**	5139.553	39.48	54.0	14.52	AV	150.00	200	Horizontal	Pass
2	5150.000	51.77	74.0	22.23	Peak	41.00	200	Horizontal	Pass
2**	5150.000	40.04	54.0	13.96	AV	41.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.65	74.0	22.35	Peak	160.00	200	Horizontal	Pass
1**	5350.000	40.92	54.0	13.08	AV	160.00	200	Horizontal	Pass
2	5427.567	53.95	74.0	20.05	Peak	355.00	300	Horizontal	Pass
2**	5427.567	41.52	54.0	12.48	AV	355.00	300	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.564	50.62	74.0	23.38	Peak	32.00	200	Horizontal	Pass
1**	5138.564	40.02	54.0	13.98	AV	32.00	200	Horizontal	Pass
2	5150.000	51.28	74.0	22.72	Peak	141.00	300	Horizontal	Pass
2**	5150.000	39.87	54.0	14.13	AV	141.00	300	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.22	74.0	22.78	Peak	142.00	100	Horizontal	Pass
1**	5350.000	41.62	54.0	12.38	AV	142.00	100	Horizontal	Pass
2	5427.954	53.14	74.0	20.86	Peak	187.00	300	Horizontal	Pass
2**	5427.954	42.00	54.0	12.00	AV	187.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.005	53.35	74.0	20.65	Peak	3.00	300	Horizontal	Pass
1**	4997.005	39.44	54.0	14.56	AV	3.00	300	Horizontal	Pass
2	5150.000	54.52	74.0	19.48	Peak	326.00	200	Horizontal	Pass
2**	5150.000	40.28	54.0	13.72	AV	326.00	200	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.01	74.0	20.99	Peak	49.00	300	Horizontal	Pass
1**	5350.000	40.25	54.0	13.75	AV	49.00	300	Horizontal	Pass
2	5460.214	54.04	74.0	19.96	Peak	292.00	300	Horizontal	Pass
2**	5460.214	40.04	54.0	13.96	AV	292.00	300	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.813	53.47	74.0	20.53	Peak	305.00	100	Horizontal	Pass
1**	4998.813	39.69	54.0	14.31	AV	305.00	100	Horizontal	Pass
2	5150.000	54.41	74.0	19.59	Peak	40.00	100	Horizontal	Pass
2**	5150.000	39.54	54.0	14.46	AV	40.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.00	74.0	21.00	Peak	343.00	300	Horizontal	Pass
1**	5350.000	40.28	54.0	13.72	AV	343.00	300	Horizontal	Pass
2	5460.321	53.59	74.0	20.41	Peak	24.00	200	Horizontal	Pass
2**	5460.321	40.11	54.0	13.89	AV	24.00	200	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.901	54.06	74.0	19.94	Peak	241.00	300	Horizontal	Pass
1**	4995.901	39.26	54.0	14.74	AV	241.00	300	Horizontal	Pass
2	5150.000	54.62	74.0	19.38	Peak	14.00	100	Horizontal	Pass
2**	5150.000	40.14	54.0	13.86	AV	14.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.18	74.0	20.82	Peak	347.00	100	Horizontal	Pass
1**	5350.000	40.54	54.0	13.46	AV	347.00	100	Horizontal	Pass
2	5460.548	53.71	74.0	20.29	Peak	79.00	200	Horizontal	Pass
2**	5460.548	39.29	54.0	14.71	AV	79.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.670	53.91	74.0	20.09	Peak	63.00	100	Horizontal	Pass
1**	4996.670	39.65	54.0	14.35	AV	63.00	100	Horizontal	Pass
2	5150.000	54.34	74.0	19.66	Peak	31.00	200	Horizontal	Pass
2**	5150.000	40.29	54.0	13.71	AV	31.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.14	74.0	20.86	Peak	161.00	300	Horizontal	Pass
1**	5350.000	39.76	54.0	14.24	AV	161.00	300	Horizontal	Pass
2	5461.496	53.26	74.0	20.74	Peak	142.00	300	Horizontal	Pass
2**	5461.496	39.70	54.0	14.30	AV	142.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.114	54.07	74.0	19.93	Peak	289.00	100	Horizontal	Pass
1**	4996.114	39.41	54.0	14.59	AV	289.00	100	Horizontal	Pass
2	5150.000	54.07	74.0	19.93	Peak	154.00	100	Horizontal	Pass
2**	5150.000	39.95	54.0	14.05	AV	154.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.59	74.0	20.41	Peak	135.00	100	Horizontal	Pass
1**	5350.000	40.18	54.0	13.82	AV	135.00	100	Horizontal	Pass
2	5461.517	53.71	74.0	20.29	Peak	303.00	200	Horizontal	Pass
2**	5461.517	39.97	54.0	14.03	AV	303.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.969	57.01	74.0	16.99	Peak	285.00	300	Horizontal	Pass
1**	4997.969	40.75	54.0	13.25	AV	285.00	300	Horizontal	Pass
2	5150.000	57.18	74.0	16.82	Peak	329.00	100	Horizontal	Pass
2**	5150.000	42.32	54.0	11.68	AV	329.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.96	74.0	20.04	Peak	75.00	300	Horizontal	Pass
1**	5350.000	40.26	54.0	13.74	AV	75.00	300	Horizontal	Pass
2	5459.356	53.99	74.0	20.01	Peak	90.00	200	Horizontal	Pass
2**	5459.356	39.48	54.0	14.52	AV	90.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.429	54.08	74.0	19.92	Peak	98.00	100	Horizontal	Pass
1**	4996.429	39.64	54.0	14.36	AV	98.00	100	Horizontal	Pass
2	5150.000	53.97	74.0	20.03	Peak	231.00	200	Horizontal	Pass
2**	5150.000	39.57	54.0	14.43	AV	231.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.25	74.0	20.75	Peak	178.00	100	Horizontal	Pass
1**	5350.000	40.06	54.0	13.94	AV	178.00	100	Horizontal	Pass
2	5459.994	54.22	74.0	19.78	Peak	307.00	300	Horizontal	Pass
2**	5459.994	39.19	54.0	14.81	AV	307.00	300	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.284	54.19	74.0	19.81	Peak	209.00	100	Horizontal	Pass
1**	4997.284	40.04	54.0	13.96	AV	209.00	100	Horizontal	Pass
2	5150.000	53.98	74.0	20.02	Peak	120.00	100	Horizontal	Pass
2**	5150.000	40.17	54.0	13.83	AV	120.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.97	74.0	20.03	Peak	322.00	300	Horizontal	Pass
1**	5350.000	40.11	54.0	13.89	AV	322.00	300	Horizontal	Pass
2	5462.082	53.48	74.0	20.52	Peak	339.00	300	Horizontal	Pass
2**	5462.082	39.47	54.0	14.53	AV	339.00	300	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.518	53.56	74.0	20.44	Peak	5.00	200	Horizontal	Pass
1**	4997.518	40.13	54.0	13.87	AV	5.00	200	Horizontal	Pass
2	5150.000	53.73	74.0	20.27	Peak	226.00	300	Horizontal	Pass
2**	5150.000	40.51	54.0	13.49	AV	226.00	300	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.55	74.0	20.45	Peak	280.00	100	Horizontal	Pass
1**	5350.000	40.15	54.0	13.85	AV	280.00	100	Horizontal	Pass
2	5461.592	54.14	74.0	19.86	Peak	294.00	300	Horizontal	Pass
2**	5461.592	39.78	54.0	14.22	AV	294.00	300	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.693	51.36	74.0	22.64	Peak	241.00	300	Horizontal	Pass
1**	5411.987	39.98	54.0	14.02	AV	241.00	300	Horizontal	Pass
2	5460.000	56.29	74.0	17.71	Peak	100.00	200	Horizontal	Pass
2**	5460.000	39.99	54.0	14.01	AV	100.00	200	Horizontal	Pass
3	5466.684	49.80	68.2	18.40	Peak	305.00	300	Horizontal	Pass
3**	5467.602	46.82	--	--	AV	305.00	300	Horizontal	N/A
4	5470.000	49.64	68.2	18.56	Peak	271.00	200	Horizontal	Pass
4**	5470.000	46.06	--	--	AV	271.00	200	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.39	68.2	13.81	Peak	118.00	100	Horizontal	Pass
2	5775.547	55.39	68.2	12.81	Peak	39.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.224	50.40	74.0	23.60	Peak	147.00	200	Horizontal	Pass
1**	5412.786	39.98	54.0	14.02	AV	147.00	200	Horizontal	Pass
2	5460.000	55.78	74.0	18.22	Peak	240.00	300	Horizontal	Pass
2**	5460.000	39.80	54.0	14.20	AV	240.00	300	Horizontal	Pass
3	5467.482	51.92	68.2	16.28	Peak	116.00	100	Horizontal	Pass
3**	5466.065	46.90	--	--	AV	116.00	100	Horizontal	N/A
4	5470.000	52.46	68.2	15.74	Peak	349.00	100	Horizontal	Pass
4**	5470.000	46.40	--	--	AV	349.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.19	68.2	13.01	Peak	206.00	100	Horizontal	Pass
2	5775.050	55.45	68.2	12.75	Peak	208.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.606	56.89	74.0	17.11	Peak	92.00	300	Horizontal	Pass
1**	5413.087	40.63	54.0	13.37	AV	92.00	300	Horizontal	Pass
2	5460.000	55.88	74.0	18.12	Peak	189.00	200	Horizontal	Pass
2**	5460.000	39.86	54.0	14.14	AV	189.00	200	Horizontal	Pass
3	5467.899	53.09	68.2	15.11	Peak	97.00	100	Horizontal	Pass
3**	5466.139	46.32	--	--	AV	97.00	100	Horizontal	N/A
4	5470.000	52.08	68.2	16.12	Peak	27.00	200	Horizontal	Pass
4**	5470.000	46.30	--	--	AV	27.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.87	68.2	12.33	Peak	64.00	300	Horizontal	Pass
2	5775.925	55.62	68.2	12.58	Peak	148.00	300	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.827	53.84	74.0	20.16	Peak	331.00	100	Horizontal	Pass
1**	5412.182	41.37	54.0	12.63	AV	331.00	100	Horizontal	Pass
2	5460.000	55.89	74.0	18.11	Peak	121.00	100	Horizontal	Pass
2**	5460.000	41.56	54.0	12.44	AV	121.00	100	Horizontal	Pass
3	5468.465	52.79	68.2	15.41	Peak	135.00	300	Horizontal	Pass
3**	5466.294	46.58	--	--	AV	135.00	300	Horizontal	N/A
4	5470.000	55.64	68.2	12.56	Peak	115.00	100	Horizontal	Pass
4**	5470.000	46.85	--	--	AV	115.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.86	68.2	12.34	Peak	69.00	100	Horizontal	Pass
2	5775.492	55.67	68.2	12.53	Peak	62.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.690	50.87	74.0	23.13	Peak	234.00	300	Horizontal	Pass
1**	5412.326	41.27	54.0	12.73	AV	234.00	300	Horizontal	Pass
2	5460.000	55.54	74.0	18.46	Peak	186.00	300	Horizontal	Pass
2**	5460.000	41.55	54.0	12.45	AV	186.00	300	Horizontal	Pass
3	5467.582	573.46	68.2	-505.26	Peak	310.00	100	Horizontal	Pass
3**	5466.648	46.97	--	--	AV	310.00	100	Horizontal	N/A
4	5470.000	55.71	68.2	12.49	Peak	246.00	300	Horizontal	Pass
4**	5470.000	46.34	--	--	AV	246.00	300	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.53	68.2	12.67	Peak	34.00	300	Horizontal	Pass
2	5777.207	55.73	68.2	12.47	Peak	150.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.482	52.14	74.0	21.86	Peak	267.00	300	Horizontal	Pass
1**	5413.075	40.70	54.0	13.30	AV	267.00	300	Horizontal	Pass
2	5460.000	56.38	74.0	17.62	Peak	223.00	300	Horizontal	Pass
2**	5460.000	41.53	54.0	12.47	AV	223.00	300	Horizontal	Pass
3	5467.791	55.55	68.2	12.65	Peak	22.00	300	Horizontal	Pass
3**	5468.578	46.39	--	--	AV	22.00	300	Horizontal	N/A
4	5470.000	55.68	68.2	12.52	Peak	173.00	200	Horizontal	Pass
4**	5470.000	46.81	--	--	AV	173.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.34	68.2	12.86	Peak	169.00	300	Horizontal	Pass
2	5776.336	54.91	68.2	13.29	Peak	262.00	100	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.581	49.06	74.0	24.94	Peak	211.00	100	Horizontal	Pass
1**	5411.842	41.45	54.0	12.55	AV	211.00	100	Horizontal	Pass
2	5460.000	52.24	74.0	21.76	Peak	284.00	300	Horizontal	Pass
2**	5460.000	40.92	54.0	13.08	AV	284.00	300	Horizontal	Pass
3	5465.925	52.66	68.2	15.54	Peak	213.00	300	Horizontal	Pass
3**	5465.913	46.24	--	--	AV	213.00	300	Horizontal	N/A
4	5470.000	53.32	68.2	14.88	Peak	326.00	200	Horizontal	Pass
4**	5470.000	46.32	--	--	AV	326.00	200	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.95	68.2	12.25	Peak	180.00	300	Horizontal	Pass
2	5775.697	54.78	68.2	13.42	Peak	245.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.816	49.74	74.0	24.26	Peak	344.00	200	Horizontal	Pass
1**	5412.102	40.72	54.0	13.28	AV	344.00	200	Horizontal	Pass
2	5460.000	49.94	74.0	24.06	Peak	141.00	200	Horizontal	Pass
2**	5460.000	41.44	54.0	12.56	AV	141.00	200	Horizontal	Pass
3	5466.621	53.03	68.2	15.17	Peak	70.00	300	Horizontal	Pass
3**	5465.955	46.82	--	--	AV	70.00	300	Horizontal	N/A
4	5470.000	53.15	68.2	15.05	Peak	281.00	100	Horizontal	Pass
4**	5470.000	46.64	--	--	AV	281.00	100	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.14	68.2	13.06	Peak	261.00	100	Horizontal	Pass
2	5776.547	54.81	68.2	13.39	Peak	113.00	300	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.597	49.45	74.0	24.55	Peak	98.00	300	Horizontal	Pass
1**	5411.648	41.22	54.0	12.78	AV	98.00	300	Horizontal	Pass
2	5460.000	50.97	74.0	23.03	Peak	275.00	100	Horizontal	Pass
2**	5460.000	41.60	54.0	12.40	AV	275.00	100	Horizontal	Pass
3	5466.255	53.06	68.2	15.14	Peak	356.00	200	Horizontal	Pass
3**	5466.928	46.89	--	--	AV	356.00	200	Horizontal	N/A
4	5470.000	53.46	68.2	14.74	Peak	165.00	200	Horizontal	Pass
4**	5470.000	46.72	--	--	AV	165.00	200	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.45	68.2	12.75	Peak	238.00	300	Horizontal	Pass
2	5775.862	55.75	68.2	12.45	Peak	175.00	200	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.942	55.02	68.2	13.19	Peak	247.00	200	Horizontal	Pass
2	5650.000	55.55	68.2	12.65	Peak	247.00	200	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.09	68.2	13.12	Peak	120.00	200	Horizontal	Pass
2	5942.140	55.68	68.2	12.52	Peak	168.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.250	55.095	68.2	13.11	Peak	339.00	100	Horizontal	Pass
2	5650.000	56.001	68.2	12.20	Peak	339.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.455	68.2	12.75	Peak	69.00	100	Horizontal	Pass
2	5942.204	56.684	68.2	11.52	Peak	68.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.838	55.605	68.2	12.60	Peak	324.00	100	Horizontal	Pass
2	5650.000	54.521	68.2	13.68	Peak	324.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.835	68.2	12.37	Peak	286.00	100	Horizontal	Pass
2	5942.405	54.164	68.2	14.04	Peak	311.00	300	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.497	53.715	68.2	14.49	Peak	234.00	100	Horizontal	Pass
2	5650.000	54.931	68.2	13.27	Peak	234.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.815	68.2	11.39	Peak	291.00	100	Horizontal	Pass
2	5942.652	54.364	68.2	13.84	Peak	123.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.360	51.135	68.2	17.07	Peak	215.00	200	Horizontal	Pass
2	5650.000	54.851	68.2	13.35	Peak	215.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.955	68.2	12.25	Peak	296.00	300	Horizontal	Pass
2	5943.030	52.784	68.2	15.42	Peak	316.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.526	50.515	68.2	17.69	Peak	331.00	200	Horizontal	Pass
2	5650.000	54.571	68.2	13.63	Peak	331.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.975	68.2	12.23	Peak	49.00	300	Horizontal	Pass
2	5945.294	52.434	68.2	15.77	Peak	269.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.797	47.925	68.2	20.28	Peak	100.00	300	Horizontal	Pass
2	5650.000	51.581	68.2	16.62	Peak	100.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.335	68.2	14.87	Peak	46.00	100	Horizontal	Pass
2	5946.395	51.824	68.2	16.38	Peak	31.00	300	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.771	47.865	68.2	20.34	Peak	14.00	100	Horizontal	Pass
2	5650.000	50.881	68.2	17.32	Peak	14.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.725	68.2	14.48	Peak	115.00	300	Horizontal	Pass
2	5947.252	52.574	68.2	15.63	Peak	291.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.291	45.525	68.2	22.68	Peak	244.00	200	Horizontal	Pass
2	5650.000	50.441	68.2	17.76	Peak	244.00	200	Horizontal	Pass


U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	51.225	68.2	16.98	Peak	251.00	200	Horizontal	Pass
2	5949.087	52.114	68.2	16.09	Peak	214.00	300	Horizontal	Pass

Rod Antenna

U-NII-1 11a Low Channel


3#_Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.387	53.34	74.0	20.66	Peak	144.00	200	Horizontal	Pass
1**	5097.387	42.37	54.0	11.63	AV	144.00	200	Horizontal	Pass
2	5150.000	51.56	74.0	22.44	Peak	299.00	300	Horizontal	Pass
2**	5150.000	41.75	54.0	12.25	AV	299.00	300	Horizontal	Pass

U-NII-1 11a High Channel

3#_Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.47	74.0	22.53	Peak	264.00	100	Horizontal	Pass
1**	5350.000	40.97	54.0	13.03	AV	264.00	100	Horizontal	Pass
2	5375.277	53.90	74.0	20.10	Peak	356.00	200	Horizontal	Pass
2**	5375.277	42.31	54.0	11.69	AV	356.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5096.998	53.56	74.0	20.44	Peak	302.00	300	Horizontal	Pass
1**	5096.998	41.31	54.0	12.69	AV	302.00	300	Horizontal	Pass
2	5150.000	52.08	74.0	21.92	Peak	132.00	300	Horizontal	Pass
2**	5150.000	42.04	54.0	11.96	AV	132.00	300	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.80	74.0	22.20	Peak	78.00	200	Horizontal	Pass
1**	5350.000	41.52	54.0	12.48	AV	78.00	200	Horizontal	Pass
2	5374.097	54.16	74.0	19.84	Peak	72.00	200	Horizontal	Pass
2**	5374.097	42.28	54.0	11.72	AV	72.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.575	52.06	74.0	21.94	Peak	117.00	300	Horizontal	Pass
1**	5146.575	39.74	54.0	14.26	AV	117.00	300	Horizontal	Pass
2	5150.000	54.15	74.0	19.85	Peak	217.00	300	Horizontal	Pass
2**	5150.000	39.94	54.0	14.06	AV	217.00	300	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.88	74.0	23.12	Peak	39.00	200	Horizontal	Pass
1**	5350.000	41.12	54.0	12.88	AV	39.00	200	Horizontal	Pass
2	5374.878	53.61	74.0	20.39	Peak	46.00	300	Horizontal	Pass
2**	5374.878	42.12	54.0	11.88	AV	46.00	300	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.041	52.00	74.0	22.00	Peak	155.00	200	Horizontal	Pass
1**	5146.041	39.98	54.0	14.02	AV	155.00	200	Horizontal	Pass
2	5150.000	53.81	74.0	20.19	Peak	122.00	300	Horizontal	Pass
2**	5150.000	39.77	54.0	14.23	AV	122.00	300	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.77	74.0	22.23	Peak	345.00	200	Horizontal	Pass
1**	5350.000	41.82	54.0	12.18	AV	345.00	200	Horizontal	Pass
2	5373.635	54.34	74.0	19.66	Peak	166.00	200	Horizontal	Pass
2**	5373.635	41.32	54.0	12.68	AV	166.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.177	52.22	74.0	21.78	Peak	289.00	300	Horizontal	Pass
1**	5146.177	40.29	54.0	13.71	AV	289.00	300	Horizontal	Pass
2	5150.000	50.00	74.0	24.00	Peak	284.00	200	Horizontal	Pass
2**	5150.000	40.20	54.0	13.80	AV	284.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.52	74.0	22.48	Peak	24.00	300	Horizontal	Pass
1**	5350.000	41.11	54.0	12.89	AV	24.00	300	Horizontal	Pass
2	5375.269	53.84	74.0	20.16	Peak	172.00	100	Horizontal	Pass
2**	5375.269	41.54	54.0	12.46	AV	172.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.693	51.95	74.0	22.05	Peak	287.00	100	Horizontal	Pass
1**	5139.693	40.30	54.0	13.70	AV	287.00	100	Horizontal	Pass
2	5150.000	54.78	74.0	19.22	Peak	299.00	200	Horizontal	Pass
2**	5150.000	41.80	54.0	12.20	AV	299.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.20	74.0	22.80	Peak	337.00	100	Horizontal	Pass
1**	5350.000	41.86	54.0	12.14	AV	337.00	100	Horizontal	Pass
2	5373.864	54.40	74.0	19.60	Peak	81.00	200	Horizontal	Pass
2**	5373.864	42.26	54.0	11.74	AV	81.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.520	49.84	74.0	24.16	Peak	139.00	300	Horizontal	Pass
1**	5140.520	37.54	54.0	16.46	AV	139.00	300	Horizontal	Pass
2	5150.000	52.92	74.0	21.08	Peak	56.00	100	Horizontal	Pass
2**	5150.000	40.65	54.0	13.35	AV	56.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.99	74.0	23.01	Peak	250.00	100	Horizontal	Pass
1**	5350.000	41.19	54.0	12.81	AV	250.00	100	Horizontal	Pass
2	5373.064	53.87	74.0	20.13	Peak	216.00	300	Horizontal	Pass
2**	5373.064	41.69	54.0	12.31	AV	216.00	300	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.314	51.20	74.0	22.80	Peak	329.00	100	Horizontal	Pass
1**	5139.314	39.48	54.0	14.52	AV	329.00	100	Horizontal	Pass
2	5150.000	51.32	74.0	22.68	Peak	297.00	200	Horizontal	Pass
2**	5150.000	39.40	54.0	14.60	AV	297.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.75	74.0	22.25	Peak	141.00	100	Horizontal	Pass
1**	5350.000	41.60	54.0	12.40	AV	141.00	100	Horizontal	Pass
2	5375.072	54.41	74.0	19.59	Peak	9.00	100	Horizontal	Pass
2**	5375.072	41.83	54.0	12.17	AV	9.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.192	50.53	74.0	23.47	Peak	154.00	300	Horizontal	Pass
1**	5141.192	39.45	54.0	14.55	AV	154.00	300	Horizontal	Pass
2	5150.000	51.24	74.0	22.76	Peak	60.00	200	Horizontal	Pass
2**	5150.000	39.47	54.0	14.53	AV	60.00	200	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.79	74.0	22.21	Peak	129.00	300	Horizontal	Pass
1**	5350.000	41.10	54.0	12.90	AV	129.00	300	Horizontal	Pass
2	5373.166	53.65	74.0	20.35	Peak	162.00	300	Horizontal	Pass
2**	5373.166	42.05	54.0	11.95	AV	162.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.466	53.60	74.0	20.40	Peak	99.00	200	Horizontal	Pass
1**	4997.466	39.70	54.0	14.30	AV	99.00	200	Horizontal	Pass
2	5150.000	53.98	74.0	20.02	Peak	348.00	300	Horizontal	Pass
2**	5150.000	39.88	54.0	14.12	AV	348.00	300	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.97	74.0	20.03	Peak	209.00	200	Horizontal	Pass
1**	5350.000	40.43	54.0	13.57	AV	209.00	200	Horizontal	Pass
2	5459.620	53.64	74.0	20.36	Peak	172.00	200	Horizontal	Pass
2**	5459.620	39.33	54.0	14.67	AV	172.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.707	53.58	74.0	20.42	Peak	360.00	300	Horizontal	Pass
1**	4997.707	39.81	54.0	14.19	AV	360.00	300	Horizontal	Pass
2	5150.000	53.90	74.0	20.10	Peak	169.00	100	Horizontal	Pass
2**	5150.000	40.49	54.0	13.51	AV	169.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.42	74.0	20.58	Peak	246.00	100	Horizontal	Pass
1**	5350.000	39.96	54.0	14.04	AV	246.00	100	Horizontal	Pass
2	5460.150	53.60	74.0	20.40	Peak	46.00	100	Horizontal	Pass
2**	5460.150	39.44	54.0	14.56	AV	46.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.951	54.08	74.0	19.92	Peak	20.00	200	Horizontal	Pass
1**	4997.951	40.14	54.0	13.86	AV	20.00	200	Horizontal	Pass
2	5150.000	54.44	74.0	19.56	Peak	92.00	100	Horizontal	Pass
2**	5150.000	40.04	54.0	13.96	AV	92.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.78	74.0	20.22	Peak	93.00	100	Horizontal	Pass
1**	5350.000	40.65	54.0	13.35	AV	93.00	100	Horizontal	Pass
2	5461.731	53.59	74.0	20.41	Peak	9.00	300	Horizontal	Pass
2**	5461.731	39.24	54.0	14.76	AV	9.00	300	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.662	53.68	74.0	20.32	Peak	286.00	300	Horizontal	Pass
1**	4996.662	40.17	54.0	13.83	AV	286.00	300	Horizontal	Pass
2	5150.000	54.52	74.0	19.48	Peak	57.00	100	Horizontal	Pass
2**	5150.000	40.01	54.0	13.99	AV	57.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.86	74.0	20.14	Peak	230.00	200	Horizontal	Pass
1**	5350.000	39.73	54.0	14.27	AV	230.00	200	Horizontal	Pass
2	5459.673	53.56	74.0	20.44	Peak	40.00	300	Horizontal	Pass
2**	5459.673	39.85	54.0	14.15	AV	40.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.335	54.00	74.0	20.00	Peak	231.00	300	Horizontal	Pass
1**	4997.335	40.01	54.0	13.99	AV	231.00	300	Horizontal	Pass
2	5150.000	54.39	74.0	19.61	Peak	138.00	300	Horizontal	Pass
2**	5150.000	39.54	54.0	14.46	AV	138.00	300	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.31	74.0	20.69	Peak	38.00	200	Horizontal	Pass
1**	5350.000	40.39	54.0	13.61	AV	38.00	200	Horizontal	Pass
2	5460.892	53.72	74.0	20.28	Peak	160.00	100	Horizontal	Pass
2**	5460.892	39.58	54.0	14.42	AV	160.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.813	56.08	74.0	17.92	Peak	14.00	300	Horizontal	Pass
1**	4996.813	42.56	54.0	11.44	AV	14.00	300	Horizontal	Pass
2	5150.000	56.14	74.0	17.86	Peak	42.00	200	Horizontal	Pass
2**	5150.000	43.52	54.0	10.48	AV	42.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.88	74.0	20.12	Peak	195.00	100	Horizontal	Pass
1**	5350.000	39.82	54.0	14.18	AV	195.00	100	Horizontal	Pass
2	5461.473	54.10	74.0	19.90	Peak	47.00	200	Horizontal	Pass
2**	5461.473	39.18	54.0	14.82	AV	47.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.525	53.91	74.0	20.09	Peak	41.00	300	Horizontal	Pass
1**	4998.525	39.93	54.0	14.07	AV	41.00	300	Horizontal	Pass
2	5150.000	54.09	74.0	19.91	Peak	302.00	100	Horizontal	Pass
2**	5150.000	40.38	54.0	13.62	AV	302.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.82	74.0	20.18	Peak	269.00	300	Horizontal	Pass
1**	5350.000	40.45	54.0	13.55	AV	269.00	300	Horizontal	Pass
2	5459.610	54.16	74.0	19.84	Peak	335.00	300	Horizontal	Pass
2**	5459.610	39.64	54.0	14.36	AV	335.00	300	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.917	53.24	74.0	20.76	Peak	128.00	100	Horizontal	Pass
1**	4996.917	40.01	54.0	13.99	AV	128.00	100	Horizontal	Pass
2	5150.000	54.36	74.0	19.64	Peak	175.00	200	Horizontal	Pass
2**	5150.000	40.31	54.0	13.69	AV	175.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.12	74.0	20.88	Peak	340.00	200	Horizontal	Pass
1**	5350.000	40.17	54.0	13.83	AV	340.00	200	Horizontal	Pass
2	5460.437	53.93	74.0	20.07	Peak	344.00	300	Horizontal	Pass
2**	5460.437	39.56	54.0	14.44	AV	344.00	300	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.214	53.28	74.0	20.72	Peak	297.00	300	Horizontal	Pass
1**	4996.214	39.26	54.0	14.74	AV	297.00	300	Horizontal	Pass
2	5150.000	53.85	74.0	20.15	Peak	125.00	300	Horizontal	Pass
2**	5150.000	40.03	54.0	13.97	AV	125.00	300	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.49	74.0	20.51	Peak	334.00	300	Horizontal	Pass
1**	5350.000	40.66	54.0	13.34	AV	334.00	300	Horizontal	Pass
2	5461.845	53.28	74.0	20.72	Peak	8.00	200	Horizontal	Pass
2**	5461.845	39.85	54.0	14.15	AV	8.00	200	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.347	51.09	74.0	22.91	Peak	15.00	100	Horizontal	Pass
1**	5411.355	39.92	54.0	14.08	AV	15.00	100	Horizontal	Pass
2	5460.000	56.51	74.0	17.49	Peak	67.00	300	Horizontal	Pass
2**	5460.000	40.00	54.0	14.00	AV	67.00	300	Horizontal	Pass
3	5468.721	50.23	68.2	17.97	Peak	167.00	100	Horizontal	Pass
3**	5468.843	46.92	--	--	AV	167.00	100	Horizontal	N/A
4	5470.000	49.17	68.2	19.03	Peak	126.00	200	Horizontal	Pass
4**	5470.000	46.19	--	--	AV	126.00	200	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.27	68.2	13.93	Peak	210.00	300	Horizontal	Pass
2	5776.285	54.84	68.2	13.36	Peak	88.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.357	50.63	74.0	23.37	Peak	112.00	300	Horizontal	Pass
1**	5412.414	39.75	54.0	14.25	AV	112.00	300	Horizontal	Pass
2	5460.000	56.05	74.0	17.95	Peak	227.00	200	Horizontal	Pass
2**	5460.000	39.74	54.0	14.26	AV	227.00	200	Horizontal	Pass
3	5466.274	52.01	68.2	16.19	Peak	124.00	300	Horizontal	Pass
3**	5468.147	46.70	--	--	AV	124.00	300	Horizontal	N/A
4	5470.000	52.68	68.2	15.52	Peak	324.00	300	Horizontal	Pass
4**	5470.000	46.73	--	--	AV	324.00	300	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.44	68.2	12.76	Peak	83.00	300	Horizontal	Pass
2	5775.354	55.75	68.2	12.45	Peak	307.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.116	57.53	74.0	16.47	Peak	161.00	100	Horizontal	Pass
1**	5411.968	41.54	54.0	12.46	AV	161.00	100	Horizontal	Pass
2	5460.000	56.21	74.0	17.79	Peak	26.00	200	Horizontal	Pass
2**	5460.000	40.67	54.0	13.33	AV	26.00	200	Horizontal	Pass
3	5468.820	52.60	68.2	15.60	Peak	135.00	100	Horizontal	Pass
3**	5466.566	46.66	--	--	AV	135.00	100	Horizontal	N/A
4	5470.000	51.85	68.2	16.35	Peak	77.00	300	Horizontal	Pass
4**	5470.000	46.12	--	--	AV	77.00	300	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.78	68.2	12.42	Peak	42.00	100	Horizontal	Pass
2	5776.637	55.20	68.2	13.00	Peak	176.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.289	54.46	74.0	19.54	Peak	197.00	200	Horizontal	Pass
1**	5411.688	40.63	54.0	13.37	AV	197.00	200	Horizontal	Pass
2	5460.000	55.93	74.0	18.07	Peak	103.00	300	Horizontal	Pass
2**	5460.000	41.68	54.0	12.32	AV	103.00	300	Horizontal	Pass
3	5468.440	53.15	68.2	15.05	Peak	28.00	200	Horizontal	Pass
3**	5466.733	46.28	--	--	AV	28.00	200	Horizontal	N/A
4	5470.000	55.44	68.2	12.76	Peak	276.00	100	Horizontal	Pass
4**	5470.000	46.70	--	--	AV	276.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.89	68.2	12.31	Peak	52.00	200	Horizontal	Pass
2	5775.486	55.71	68.2	12.49	Peak	52.00	300	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.983	51.26	74.0	22.74	Peak	208.00	200	Horizontal	Pass
1**	5413.251	40.62	54.0	13.38	AV	208.00	200	Horizontal	Pass
2	5460.000	55.38	74.0	18.62	Peak	110.00	100	Horizontal	Pass
2**	5460.000	41.34	54.0	12.66	AV	110.00	100	Horizontal	Pass
3	5466.752	573.36	68.2	-505.16	Peak	110.00	300	Horizontal	Pass
3**	5468.655	47.11	--	--	AV	110.00	300	Horizontal	N/A
4	5470.000	55.22	68.2	12.98	Peak	83.00	200	Horizontal	Pass
4**	5470.000	46.81	--	--	AV	83.00	200	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.40	68.2	12.80	Peak	26.00	300	Horizontal	Pass
2	5775.068	55.27	68.2	12.93	Peak	139.00	100	Horizontal	Pass

U-NII-2C 11ac80 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.558	52.81	74.0	21.19	Peak	73.00	100	Horizontal	Pass
1**	5411.720	40.93	54.0	13.07	AV	73.00	100	Horizontal	Pass
2	5460.000	55.91	74.0	18.09	Peak	351.00	200	Horizontal	Pass
2**	5460.000	40.88	54.0	13.12	AV	351.00	200	Horizontal	Pass
3	5466.086	54.75	68.2	13.45	Peak	143.00	200	Horizontal	Pass
3**	5467.340	46.79	--	--	AV	143.00	200	Horizontal	N/A
4	5470.000	55.51	68.2	12.69	Peak	351.00	200	Horizontal	Pass
4**	5470.000	46.35	--	--	AV	351.00	200	Horizontal	N/A

U-NII-2C 11ac80 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.31	68.2	12.89	Peak	175.00	100	Horizontal	Pass
2	5776.470	55.48	68.2	12.72	Peak	139.00	300	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.634	49.78	74.0	24.22	Peak	1.00	200	Horizontal	Pass
1**	5411.799	40.80	54.0	13.20	AV	1.00	200	Horizontal	Pass
2	5460.000	52.31	74.0	21.69	Peak	86.00	100	Horizontal	Pass
2**	5460.000	41.32	54.0	12.68	AV	86.00	100	Horizontal	Pass
3	5468.304	53.33	68.2	14.87	Peak	13.00	100	Horizontal	Pass
3**	5466.288	46.49	--	--	AV	13.00	100	Horizontal	N/A
4	5470.000	53.20	68.2	15.00	Peak	260.00	100	Horizontal	Pass
4**	5470.000	46.78	--	--	AV	260.00	100	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.20	68.2	13.00	Peak	108.00	100	Horizontal	Pass
2	5777.145	55.15	68.2	13.05	Peak	140.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.982	48.89	74.0	25.11	Peak	221.00	300	Horizontal	Pass
1**	5412.904	41.02	54.0	12.98	AV	221.00	300	Horizontal	Pass
2	5460.000	49.88	74.0	24.12	Peak	66.00	200	Horizontal	Pass
2**	5460.000	41.21	54.0	12.79	AV	66.00	200	Horizontal	Pass
3	5466.190	53.48	68.2	14.72	Peak	89.00	200	Horizontal	Pass
3**	5467.892	46.69	--	--	AV	89.00	200	Horizontal	N/A
4	5470.000	53.18	68.2	15.02	Peak	255.00	200	Horizontal	Pass
4**	5470.000	46.57	--	--	AV	255.00	200	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.51	68.2	12.69	Peak	118.00	200	Horizontal	Pass
2	5774.998	55.72	68.2	12.48	Peak	241.00	300	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.163	49.03	74.0	24.97	Peak	217.00	100	Horizontal	Pass
1**	5411.413	40.91	54.0	13.09	AV	217.00	100	Horizontal	Pass
2	5460.000	51.20	74.0	22.80	Peak	219.00	200	Horizontal	Pass
2**	5460.000	40.98	54.0	13.02	AV	219.00	200	Horizontal	Pass
3	5468.107	52.95	68.2	15.25	Peak	236.00	200	Horizontal	Pass
3**	5466.761	46.72	--	--	AV	236.00	200	Horizontal	N/A
4	5470.000	53.03	68.2	15.17	Peak	14.00	300	Horizontal	Pass
4**	5470.000	46.84	--	--	AV	14.00	300	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.29	68.2	12.91	Peak	54.00	100	Horizontal	Pass
2	5776.321	54.79	68.2	13.41	Peak	314.00	100	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.488	55.05	68.2	13.16	Peak	132.00	200	Horizontal	Pass
2	5650.000	55.59	68.2	12.61	Peak	132.00	200	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.04	68.2	13.16	Peak	336.00	200	Horizontal	Pass
2	5943.048	55.60	68.2	12.60	Peak	277.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.709	52.155	68.2	16.05	Peak	356.00	100	Horizontal	Pass
2	5650.000	55.076	68.2	13.12	Peak	356.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	52.404	68.2	15.80	Peak	340.00	300	Horizontal	Pass
2	5945.221	52.997	68.2	15.20	Peak	283.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.628	52.085	68.2	16.12	Peak	321.00	200	Horizontal	Pass
2	5650.000	54.796	68.2	13.40	Peak	321.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	50.904	68.2	17.30	Peak	37.00	300	Horizontal	Pass
2	5947.048	53.297	68.2	14.90	Peak	53.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.839	50.975	68.2	17.23	Peak	321.00	200	Horizontal	Pass
2	5650.000	52.746	68.2	15.45	Peak	321.00	200	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	48.504	68.2	19.70	Peak	131.00	200	Horizontal	Pass
2	5949.140	51.617	68.2	16.58	Peak	33.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.602	51.785	68.2	16.42	Peak	158.00	300	Horizontal	Pass
2	5650.000	51.536	68.2	16.66	Peak	158.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	48.194	68.2	20.01	Peak	121.00	300	Horizontal	Pass
2	5950.357	51.237	68.2	16.96	Peak	279.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.454	52.535	68.2	15.67	Peak	75.00	200	Horizontal	Pass
2	5650.000	50.326	68.2	17.87	Peak	75.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	47.704	68.2	20.50	Peak	325.00	100	Horizontal	Pass
2	5952.906	48.717	68.2	19.48	Peak	215.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.208	50.495	68.2	17.71	Peak	212.00	300	Horizontal	Pass
2	5650.000	48.426	68.2	19.77	Peak	212.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	46.394	68.2	21.81	Peak	155.00	300	Horizontal	Pass
2	5953.922	47.247	68.2	20.95	Peak	193.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.851	49.335	68.2	18.87	Peak	213.00	100	Horizontal	Pass
2	5650.000	45.536	68.2	22.66	Peak	213.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	46.824	68.2	21.38	Peak	170.00	200	Horizontal	Pass
2	5954.905	44.837	68.2	23.36	Peak	275.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.572	48.155	68.2	20.05	Peak	189.00	100	Horizontal	Pass
2	5650.000	43.356	68.2	24.84	Peak	189.00	100	Horizontal	Pass


U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	44.034	68.2	24.17	Peak	192.00	200	Horizontal	Pass
2	5956.248	45.707	68.2	22.49	Peak	294.00	100	Horizontal	Pass

FPC Antenna

U-NII-1 11a Low Channel


3#_Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.432	54.10	74.0	19.90	Peak	360.00	200	Horizontal	Pass
1**	5147.432	42.20	54.0	11.80	AV	360.00	200	Horizontal	Pass
2	5150.000	52.29	74.0	21.71	Peak	227.00	300	Horizontal	Pass
2**	5150.000	41.75	54.0	12.25	AV	227.00	300	Horizontal	Pass

U-NII-1 11a High Channel

3#_Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.44	74.0	21.56	Peak	38.00	200	Horizontal	Pass
1**	5350.000	41.76	54.0	12.24	AV	38.00	200	Horizontal	Pass
2	5460.717	54.21	74.0	19.79	Peak	29.00	300	Horizontal	Pass
2**	5460.717	42.26	54.0	11.74	AV	29.00	300	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.412	54.20	74.0	19.80	Peak	38.00	300	Horizontal	Pass
1**	5147.412	41.99	54.0	12.01	AV	38.00	300	Horizontal	Pass
2	5150.000	51.77	74.0	22.23	Peak	220.00	300	Horizontal	Pass
2**	5150.000	41.33	54.0	12.67	AV	220.00	300	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.67	74.0	21.33	Peak	129.00	300	Horizontal	Pass
1**	5350.000	41.74	54.0	12.26	AV	129.00	300	Horizontal	Pass
2	5460.413	54.34	74.0	19.66	Peak	170.00	200	Horizontal	Pass
2**	5460.413	41.66	54.0	12.34	AV	170.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.777	54.82	74.0	19.18	Peak	254.00	100	Horizontal	Pass
1**	5147.777	41.24	54.0	45.76	AV	254.00	100	Horizontal	Pass
2	5150.000	59.60	74.0	14.40	Peak	178.00	100	Horizontal	Pass
2**	5150.000	41.27	54.0	12.73	AV	178.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.12	74.0	21.88	Peak	16.00	100	Horizontal	Pass
1**	5350.000	41.90	54.0	12.10	AV	16.00	100	Horizontal	Pass
2	5459.535	54.67	74.0	19.33	Peak	154.00	300	Horizontal	Pass
2**	5459.535	41.17	54.0	12.83	AV	154.00	300	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.632	54.20	74.0	19.80	Peak	150.00	300	Horizontal	Pass
1**	5148.632	41.20	54.0	12.80	AV	150.00	300	Horizontal	Pass
2	5150.000	59.82	74.0	14.18	Peak	82.00	300	Horizontal	Pass
2**	5150.000	41.09	54.0	12.91	AV	82.00	300	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.22	74.0	21.78	Peak	260.00	200	Horizontal	Pass
1**	5350.000	41.28	54.0	12.72	AV	260.00	200	Horizontal	Pass
2	5458.342	53.88	74.0	20.12	Peak	249.00	300	Horizontal	Pass
2**	5458.342	41.21	54.0	12.79	AV	249.00	300	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.699	54.26	74.0	19.74	Peak	197.00	200	Horizontal	Pass
1**	5147.699	41.89	54.0	12.11	AV	197.00	200	Horizontal	Pass
2	5150.000	54.94	74.0	19.06	Peak	200.00	100	Horizontal	Pass
2**	5150.000	41.06	54.0	12.94	AV	200.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.54	74.0	21.46	Peak	60.00	200	Horizontal	Pass
1**	5350.000	41.85	54.0	12.15	AV	60.00	200	Horizontal	Pass
2	5460.416	54.52	74.0	19.48	Peak	36.00	200	Horizontal	Pass
2**	5460.416	41.72	54.0	12.28	AV	36.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.914	54.77	74.0	19.23	Peak	141.00	200	Horizontal	Pass
1**	5139.914	41.58	54.0	12.42	AV	141.00	200	Horizontal	Pass
2	5150.000	59.68	74.0	14.32	Peak	316.00	300	Horizontal	Pass
2**	5150.000	41.05	54.0	12.95	AV	316.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.66	74.0	21.34	Peak	131.00	200	Horizontal	Pass
1**	5350.000	41.65	54.0	12.35	AV	131.00	200	Horizontal	Pass
2	5458.618	54.22	74.0	19.78	Peak	59.00	300	Horizontal	Pass
2**	5458.618	41.70	54.0	12.30	AV	59.00	300	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.764	54.74	74.0	19.26	Peak	125.00	300	Horizontal	Pass
1**	5138.764	41.12	54.0	12.88	AV	125.00	300	Horizontal	Pass
2	5150.000	58.93	74.0	15.07	Peak	139.00	200	Horizontal	Pass
2**	5150.000	41.47	54.0	12.53	AV	139.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.79	74.0	22.21	Peak	125.00	300	Horizontal	Pass
1**	5350.000	41.28	54.0	12.72	AV	125.00	300	Horizontal	Pass
2	5457.865	54.20	74.0	19.80	Peak	243.00	100	Horizontal	Pass
2**	5457.865	41.88	54.0	12.12	AV	243.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.967	54.34	74.0	19.66	Peak	338.00	200	Horizontal	Pass
1**	5139.967	41.12	54.0	12.88	AV	338.00	200	Horizontal	Pass
2	5150.000	59.02	74.0	14.98	Peak	37.00	200	Horizontal	Pass
2**	5150.000	41.09	54.0	12.91	AV	37.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	51.83	74.0	22.17	Peak	137.00	100	Horizontal	Pass
1**	5350.000	41.76	54.0	12.24	AV	137.00	100	Horizontal	Pass
2	5459.387	54.69	74.0	19.31	Peak	4.00	300	Horizontal	Pass
2**	5459.387	41.36	54.0	12.64	AV	4.00	300	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.985	54.93	74.0	19.07	Peak	142.00	300	Horizontal	Pass
1**	5139.985	41.51	54.0	12.49	AV	142.00	300	Horizontal	Pass
2	5150.000	54.72	74.0	19.28	Peak	140.00	300	Horizontal	Pass
2**	5150.000	41.40	54.0	12.60	AV	140.00	300	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.72	74.0	21.28	Peak	173.00	100	Horizontal	Pass
1**	5350.000	41.01	54.0	12.99	AV	173.00	100	Horizontal	Pass
2	5460.145	54.00	74.0	20.00	Peak	321.00	300	Horizontal	Pass
2**	5460.145	41.68	54.0	12.32	AV	321.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.868	56.98	74.0	17.02	Peak	235.00	100	Horizontal	Pass
1**	4998.868	41.11	54.0	12.89	AV	235.00	100	Horizontal	Pass
2	5150.000	54.11	74.0	19.89	Peak	247.00	300	Horizontal	Pass
2**	5150.000	41.98	54.0	12.02	AV	247.00	300	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.54	74.0	18.46	Peak	234.00	200	Horizontal	Pass
1**	5350.000	41.40	54.0	12.60	AV	234.00	200	Horizontal	Pass
2	5460.228	58.02	74.0	15.98	Peak	92.00	200	Horizontal	Pass
2**	5460.228	41.11	54.0	12.89	AV	92.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.063	56.34	74.0	17.66	Peak	341.00	100	Horizontal	Pass
1**	4997.063	41.40	54.0	12.60	AV	341.00	100	Horizontal	Pass
2	5150.000	54.12	74.0	19.88	Peak	176.00	200	Horizontal	Pass
2**	5150.000	41.15	54.0	12.85	AV	176.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.76	74.0	18.24	Peak	95.00	100	Horizontal	Pass
1**	5350.000	41.18	54.0	12.82	AV	95.00	100	Horizontal	Pass
2	5460.243	58.14	74.0	15.86	Peak	216.00	100	Horizontal	Pass
2**	5460.243	41.46	54.0	12.54	AV	216.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.912	56.63	74.0	17.37	Peak	89.00	100	Horizontal	Pass
1**	4997.912	41.42	54.0	12.58	AV	89.00	100	Horizontal	Pass
2	5150.000	54.53	74.0	19.47	Peak	78.00	300	Horizontal	Pass
2**	5150.000	41.41	54.0	12.59	AV	78.00	300	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.86	74.0	18.14	Peak	246.00	300	Horizontal	Pass
1**	5350.000	41.86	54.0	12.14	AV	246.00	300	Horizontal	Pass
2	5460.214	58.00	74.0	16.00	Peak	303.00	300	Horizontal	Pass
2**	5460.214	41.29	54.0	12.71	AV	303.00	300	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.295	57.17	74.0	16.83	Peak	25.00	100	Horizontal	Pass
1**	4997.295	41.82	54.0	12.18	AV	25.00	100	Horizontal	Pass
2	5150.000	53.72	74.0	20.28	Peak	329.00	200	Horizontal	Pass
2**	5150.000	41.81	54.0	12.19	AV	329.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.17	74.0	18.83	Peak	146.00	200	Horizontal	Pass
1**	5350.000	41.04	54.0	12.96	AV	146.00	200	Horizontal	Pass
2	5459.833	57.36	74.0	16.64	Peak	221.00	300	Horizontal	Pass
2**	5459.833	41.19	54.0	12.81	AV	221.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.227	56.80	74.0	17.20	Peak	176.00	300	Horizontal	Pass
1**	4998.227	41.36	54.0	12.64	AV	176.00	300	Horizontal	Pass
2	5150.000	54.07	74.0	19.93	Peak	213.00	100	Horizontal	Pass
2**	5150.000	41.84	54.0	12.16	AV	213.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.42	74.0	18.58	Peak	20.00	100	Horizontal	Pass
1**	5350.000	41.37	54.0	12.63	AV	20.00	100	Horizontal	Pass
2	5460.549	57.28	74.0	16.72	Peak	315.00	100	Horizontal	Pass
2**	5460.549	41.04	54.0	12.96	AV	315.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.700	57.31	74.0	16.69	Peak	53.00	100	Horizontal	Pass
1**	4998.700	41.09	54.0	12.91	AV	53.00	100	Horizontal	Pass
2	5150.000	55.90	74.0	18.10	Peak	158.00	200	Horizontal	Pass
2**	5150.000	41.92	54.0	12.08	AV	158.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.66	74.0	18.34	Peak	297.00	100	Horizontal	Pass
1**	5350.000	41.01	54.0	12.99	AV	297.00	100	Horizontal	Pass
2	5459.354	57.60	74.0	16.40	Peak	26.00	300	Horizontal	Pass
2**	5459.354	41.29	54.0	12.71	AV	26.00	300	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.191	56.91	74.0	17.09	Peak	20.00	100	Horizontal	Pass
1**	4998.191	41.53	54.0	12.47	AV	20.00	100	Horizontal	Pass
2	5150.000	53.79	74.0	20.21	Peak	160.00	100	Horizontal	Pass
2**	5150.000	41.03	54.0	12.97	AV	160.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	74.0	19.02	Peak	107.00	200	Horizontal	Pass
1**	5350.000	41.33	54.0	12.67	AV	107.00	200	Horizontal	Pass
2	5462.019	57.47	74.0	16.53	Peak	166.00	100	Horizontal	Pass
2**	5462.019	41.04	54.0	12.96	AV	166.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.286	56.62	74.0	17.38	Peak	222.00	100	Horizontal	Pass
1**	4998.286	41.06	54.0	12.94	AV	222.00	100	Horizontal	Pass
2	5150.000	53.92	74.0	20.08	Peak	242.00	100	Horizontal	Pass
2**	5150.000	41.16	54.0	12.84	AV	242.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.50	74.0	18.50	Peak	80.00	100	Horizontal	Pass
1**	5350.000	41.95	54.0	12.05	AV	80.00	100	Horizontal	Pass
2	5460.808	57.99	74.0	16.01	Peak	334.00	100	Horizontal	Pass
2**	5460.808	41.70	54.0	12.30	AV	334.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.075	57.16	74.0	16.84	Peak	244.00	100	Horizontal	Pass
1**	4996.075	41.04	54.0	12.96	AV	244.00	100	Horizontal	Pass
2	5150.000	54.00	74.0	20.00	Peak	359.00	200	Horizontal	Pass
2**	5150.000	41.23	54.0	12.77	AV	359.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.52	74.0	18.48	Peak	49.00	100	Horizontal	Pass
1**	5350.000	41.96	54.0	12.04	AV	49.00	100	Horizontal	Pass
2	5461.788	57.31	74.0	16.69	Peak	130.00	200	Horizontal	Pass
2**	5461.788	41.50	54.0	12.50	AV	130.00	200	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.621	57.07	74.0	16.93	Peak	207.00	200	Horizontal	Pass
1**	5410.663	41.07	54.0	12.93	AV	207.00	200	Horizontal	Pass
2	5460.000	56.57	74.0	17.43	Peak	343.00	100	Horizontal	Pass
2**	5460.000	41.48	54.0	12.52	AV	343.00	100	Horizontal	Pass
3	5467.149	55.52	68.2	12.68	Peak	159.00	200	Horizontal	Pass
3**	5466.748	46.61	--	--	AV	159.00	200	Horizontal	N/A
4	5470.000	54.96	68.2	13.24	Peak	2.00	200	Horizontal	Pass
4**	5470.000	46.78	--	--	AV	2.00	200	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.39	68.2	12.81	Peak	38.00	100	Horizontal	Pass
2	5776.896	55.62	68.2	12.58	Peak	347.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.180	57.70	74.0	16.30	Peak	113.00	200	Horizontal	Pass
1**	5413.194	41.54	54.0	12.46	AV	113.00	200	Horizontal	Pass
2	5460.000	56.43	74.0	17.57	Peak	299.00	300	Horizontal	Pass
2**	5460.000	41.13	54.0	12.87	AV	299.00	300	Horizontal	Pass
3	5466.287	56.00	68.2	12.20	Peak	208.00	300	Horizontal	Pass
3**	5466.496	46.90	--	--	AV	208.00	300	Horizontal	N/A
4	5470.000	55.67	68.2	12.53	Peak	206.00	300	Horizontal	Pass
4**	5470.000	46.56	--	--	AV	206.00	300	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.02	68.2	13.18	Peak	338.00	300	Horizontal	Pass
2	5776.228	55.40	68.2	12.80	Peak	79.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.612	57.66	74.0	16.34	Peak	107.00	100	Horizontal	Pass
1**	5411.773	41.04	54.0	12.96	AV	107.00	100	Horizontal	Pass
2	5460.000	56.47	74.0	17.53	Peak	112.00	300	Horizontal	Pass
2**	5460.000	41.01	54.0	12.99	AV	112.00	300	Horizontal	Pass
3	5468.612	55.27	68.2	12.93	Peak	156.00	200	Horizontal	Pass
3**	5466.216	46.70	--	--	AV	156.00	200	Horizontal	N/A
4	5470.000	55.11	68.2	13.09	Peak	335.00	200	Horizontal	Pass
4**	5470.000	46.26	--	--	AV	335.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.71	68.2	12.49	Peak	331.00	300	Horizontal	Pass
2	5777.525	55.01	68.2	12.19	Peak	191.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.334	56.90	74.0	17.10	Peak	57.00	100	Horizontal	Pass
1**	5412.872	41.63	54.0	12.37	AV	57.00	100	Horizontal	Pass
2	5460.000	55.75	74.0	18.25	Peak	91.00	100	Horizontal	Pass
2**	5460.000	41.28	54.0	12.72	AV	91.00	100	Horizontal	Pass
3	5466.652	55.21	68.2	12.99	Peak	112.00	200	Horizontal	Pass
3**	5467.862	46.63	--	--	AV	112.00	200	Horizontal	N/A
4	5470.000	55.75	68.2	12.45	Peak	5.00	200	Horizontal	Pass
4**	5470.000	46.50	--	--	AV	5.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.82	68.2	12.38	Peak	22.00	300	Horizontal	Pass
2	5775.692	55.60	68.2	12.60	Peak	290.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.753	56.98	74.0	17.02	Peak	61.00	200	Horizontal	Pass
1**	5410.948	41.24	54.0	12.76	AV	61.00	200	Horizontal	Pass
2	5460.000	56.31	74.0	17.69	Peak	43.00	200	Horizontal	Pass
2**	5460.000	41.67	54.0	12.33	AV	43.00	200	Horizontal	Pass
3	5467.264	55.77	68.2	12.43	Peak	47.00	200	Horizontal	Pass
3**	5467.779	46.98	--	--	AV	47.00	200	Horizontal	N/A
4	5470.000	54.90	68.2	13.30	Peak	38.00	300	Horizontal	Pass
4**	5470.000	46.11	--	--	AV	38.00	300	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.42	68.2	12.78	Peak	228.00	200	Horizontal	Pass
2	5775.592	55.49	68.2	12.71	Peak	40.00	100	Horizontal	Pass

U-NII-2C 11ac80 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.453	56.90	74.0	17.10	Peak	262.00	100	Horizontal	Pass
1**	5412.250	41.43	54.0	12.57	AV	262.00	100	Horizontal	Pass
2	5460.000	55.82	74.0	18.18	Peak	110.00	200	Horizontal	Pass
2**	5460.000	41.71	54.0	12.29	AV	110.00	200	Horizontal	Pass
3	5466.173	55.23	68.2	12.97	Peak	283.00	100	Horizontal	Pass
3**	5468.023	46.24	--	--	AV	283.00	100	Horizontal	N/A
4	5470.000	55.76	68.2	12.44	Peak	187.00	300	Horizontal	Pass
4**	5470.000	46.09	--	--	AV	187.00	300	Horizontal	N/A

U-NII-2C 11ac80 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.89	68.2	12.31	Peak	300.00	300	Horizontal	Pass
2	5776.115	56.20	68.2	12.00	Peak	48.00	200	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.069	57.11	74.0	16.89	Peak	115.00	100	Horizontal	Pass
1**	5411.243	41.42	54.0	12.58	AV	115.00	100	Horizontal	Pass
2	5460.000	56.58	74.0	17.42	Peak	19.00	200	Horizontal	Pass
2**	5460.000	41.45	54.0	12.55	AV	19.00	200	Horizontal	Pass
3	5466.559	55.49	68.2	12.71	Peak	226.00	300	Horizontal	Pass
3**	5466.780	46.51	--	--	AV	226.00	300	Horizontal	N/A
4	5470.000	55.00	68.2	13.20	Peak	351.00	200	Horizontal	Pass
4**	5470.000	46.59	--	--	AV	351.00	200	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.71	68.2	12.49	Peak	240.00	300	Horizontal	Pass
2	5776.233	55.91	68.2	12.29	Peak	181.00	200	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.774	57.49	74.0	16.51	Peak	268.00	100	Horizontal	Pass
1**	5411.070	41.72	54.0	12.28	AV	268.00	100	Horizontal	Pass
2	5460.000	55.62	74.0	18.38	Peak	297.00	100	Horizontal	Pass
2**	5460.000	41.43	54.0	12.57	AV	297.00	100	Horizontal	Pass
3	5466.580	51.60	68.2	12.60	Peak	273.00	100	Horizontal	Pass
3**	5467.332	46.90	--	--	AV	273.00	100	Horizontal	N/A
4	5470.000	55.25	68.2	12.95	Peak	261.00	300	Horizontal	Pass
4**	5470.000	46.43	--	--	AV	261.00	300	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.45	68.2	12.75	Peak	215.00	300	Horizontal	Pass
2	5775.313	55.35	68.2	12.85	Peak	324.00	300	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.131	57.35	74.0	16.65	Peak	252.00	200	Horizontal	Pass
1**	5410.922	41.39	54.0	12.61	AV	252.00	200	Horizontal	Pass
2	5460.000	55.86	74.0	18.14	Peak	335.00	100	Horizontal	Pass
2**	5460.000	41.59	54.0	12.41	AV	335.00	100	Horizontal	Pass
3	5468.548	55.61	68.2	12.59	Peak	60.00	100	Horizontal	Pass
3**	5466.668	46.59	--	--	AV	60.00	100	Horizontal	N/A
4	5470.000	55.04	68.2	13.16	Peak	293.00	100	Horizontal	Pass
4**	5470.000	46.29	--	--	AV	293.00	100	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.22	68.2	12.98	Peak	129.00	300	Horizontal	Pass
2	5777.712	55.86	68.2	12.34	Peak	350.00	300	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.931	55.99	68.2	12.21	Peak	31.00	200	Horizontal	Pass
2	5650.000	55.43	68.2	12.77	Peak	31.00	200	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	55.11	68.2	13.09	Peak	208.00	300	Horizontal	Pass
2	5944.435	55.47	68.2	12.73	Peak	183.00	200	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.027	54.396	68.2	13.80	Peak	312.00	300	Horizontal	Pass
2	5650.000	55.514	68.2	12.69	Peak	312.00	300	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	53.259	68.2	14.94	Peak	305.00	200	Horizontal	Pass
2	5946.924	55.761	68.2	12.44	Peak	187.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.356	52.796	68.2	15.40	Peak	236.00	100	Horizontal	Pass
2	5650.000	55.114	68.2	13.09	Peak	236.00	100	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	50.759	68.2	17.44	Peak	179.00	300	Horizontal	Pass
2	5947.704	53.971	68.2	14.23	Peak	202.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.684	52.226	68.2	15.97	Peak	65.00	300	Horizontal	Pass
2	5650.000	54.794	68.2	13.41	Peak	65.00	300	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	48.919	68.2	19.28	Peak	100.00	200	Horizontal	Pass
2	5949.208	54.191	68.2	14.01	Peak	38.00	300	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.670	50.556	68.2	17.64	Peak	35.00	300	Horizontal	Pass
2	5650.000	54.864	68.2	13.34	Peak	35.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	47.819	68.2	20.38	Peak	153.00	300	Horizontal	Pass
2	5949.493	51.521	68.2	16.68	Peak	311.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.841	48.876	68.2	19.32	Peak	248.00	100	Horizontal	Pass
2	5650.000	54.564	68.2	13.64	Peak	248.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	47.159	68.2	21.04	Peak	152.00	100	Horizontal	Pass
2	5950.572	49.161	68.2	19.04	Peak	111.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.941	46.466	68.2	21.73	Peak	187.00	300	Horizontal	Pass
2	5650.000	54.834	68.2	13.37	Peak	187.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	46.589	68.2	21.61	Peak	90.00	100	Horizontal	Pass
2	5951.349	48.011	68.2	20.19	Peak	14.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.680	45.566	68.2	22.63	Peak	240.00	100	Horizontal	Pass
2	5650.000	54.114	68.2	14.09	Peak	240.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	47.289	68.2	20.91	Peak	199.00	100	Horizontal	Pass
2	5954.275	47.101	68.2	21.10	Peak	147.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.420	45.456	68.2	22.74	Peak	269.00	100	Horizontal	Pass
2	5650.000	53.584	68.2	14.62	Peak	269.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	45.939	68.2	22.26	Peak	279.00	200	Horizontal	Pass
2	5955.660	47.831	68.2	20.37	Peak	51.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-EE26040484-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-EE26040484-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-EE26040484-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--