



REPORT No.: SZ25120367S01

Annex E Conducted Power

Note:

Conducted power unit: dBm.

The target power was recorded in the manufacture document.

2.4GHz WLAN ANT 1

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
802.11a Mbps	CH 1	2412	14.86	15.50	15.50	100.00
	CH 7	2442	15.08	15.50	15.50	
	CH 13	2472	15.44	15.50	15.50	
802.11g Mbps	CH 1	2412	12.18	13.00	12.50	100.00
	CH 7	2442	12.35	13.00	13.00	
	CH 13	2472	12.39	13.00	12.50	
802.11n-HT40 MCS0	CH 1	2412	11.16	12.00	11.50	100.00
	CH 7	2442	11.43	12.00	11.50	
	CH 13	2472	11.41	12.00	11.50	
802.11n-HT40 MCS2	CH 1	2412	10.40	11.00	10.50	100.00
	CH 7	2442	11.47	12.00	11.50	
	CH 13	2472	11.44	12.00	11.50	
802.11n-HEW40 MCS0	CH 1	2412	11.41	12.00	11.50	100.00
	CH 7	2442	11.73	12.00	11.50	
	CH 13	2472	11.77	12.00	11.50	
802.11n-HEW40 MCS2	CH 1	2412	10.51	11.00	10.50	100.00
	CH 7	2442	11.03	11.50	11.50	
	CH 13	2472	11.05	11.50	11.50	
802.11n-HEW40 MCS4	CH 1	2412	9.56	10.00	10.00	100.00
	CH 7	2442	10.21	10.50	10.50	
	CH 13	2472	10.27	10.50	10.50	
802.11n-HEW40 MCS6	CH 1	2412	8.78	9.50	9.50	46.14
	CH 7	2442	9.17	11.00	10.50	
	CH 13	2472	9.17	11.00	10.50	
802.11n-HEW40 MCS8	CH 1	2412	7.57	8.50	8.50	36.19
	CH 7	2442	7.48	8.50	10.50	
	CH 13	2472	8.71	9.50	10.50	
802.11n-HEW40 MCS10	CH 1	2412	6.81	7.50	10.50	63.83
	CH 7	2442	11.48	12.00	10.50	
	CH 13	2472	11.41	12.00	10.50	
802.11n-HEW40 MCS12	CH 1	2412	6.03	6.50	10.50	80.00
	CH 7	2442	9.58	10.00	10.50	
	CH 13	2472	9.58	10.00	10.50	
802.11n-HEW40 MCS14	CH 1	2412	5.46	6.00	10.50	46.03
	CH 7	2442	9.38	10.00	10.50	
	CH 13	2472	9.41	8.50	10.50	
802.11n-HEW40 MCS16	CH 1	2412	4.83	5.50	10.50	32.34
	CH 7	2442	8.07	9.00	10.50	
	CH 13	2472	2.58	3.50	10.50	
802.11n-HEW40 MCS18	CH 1	2412	3.58	4.50	10.50	17.52
	CH 7	2442	3.53	4.00	10.50	
	CH 13	2472	3.03	4.00	10.50	

5.2GHz WLAN ANT 1

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
802.11a Mbps	CH 36	5180	15.72	16.50	default	100.00
	CH 46	5220	15.75	16.50	default	
	CH 48	5240	15.58	16.50	default	
802.11n-HT20 MCS0	CH 36	5180	15.36	16.00	default	100.00
	CH 46	5220	15.16	17.00	default	
	CH 48	5240	15.92	16.50	default	
802.11n-HT40 MCS0	CH 36	5180	15.8	16.50	default	100.00
	CH 46	5220	15.79	16.50	default	
	CH 48	5180	17.36	18.00	default	
802.11n-HT20 MCS2	CH 46	5220	17.56	18.50	default	100.00
	CH 48	5240	17.64	18.50	default	
	CH 36	5180	17.61	18.50	default	
802.11n-HEW40 MCS0	CH 36	5180	17.14	18.00	default	100.00
	CH 46	5220	16.93	17.50	default	
	CH 48	5240	16.76	17.50	default	
802.11n-HEW40 MCS2	CH 36	5180	17.62	18.50	default	100.00
	CH 46	5220	17.84	18.50	default	
	CH 42	5210	17.21	18.00	default	
802.11n-HEW40 MCS4	CH 36	5180	16.46	16.50	12.00	86.83
	CH 46	5220	16.16	16.50	10.50	
	CH 48	5240	16.39	17.00	10.50	
802.11n-HEW40 MCS6	CH 36	5180	15.29	15.50	12.00	87.70
	CH 46	5220	15.21	16.00	10.50	
	CH 48	5240	15.15	16.50	10.50	
802.11n-HEW40 MCS8	CH 36	5180	14.58	17.00	16.00	87.08
	CH 46	5220	14.66	17.50	16.00	
	CH 48	5240	14.39	17.00	16.00	
802.11n-HEW40 MCS10	CH 36	5180	12.59	13.50	12.00	87.71
	CH 46	5220	12.59	13.50	12.00	
	CH 48	5240	12.59	13.50	12.00	
802.11n-HEW40 MCS12	CH 36	5180	15.29	16.00	10.50	87.70
	CH 46	5220	15.29	17.00	10.50	
	CH 48	5240	15.29	17.00	10.50	
802.11n-HEW40 MCS14	CH 36	5180	15.29	17.00	10.50	87.07
	CH 42	5210	12.57	13.50	12.00	
	CH 48	5240	15.33	16.00	10.50	
802.11n-HEW40 MCS16	CH 42	5210	16.76	17.50	18.00	86.81
	CH 48	5240	16.76	17.50	18.00	
	CH 42	5210	16.59	17.00	18.00	
802.11n-HEW40 MCS18	CH 42	5210	16.52	17.50	18.00	86.08
	CH 48	5240	16.52	17.50	18.00	
	CH 42	5210	16.52	17.50	18.00	

5.3GHz WLAN ANT 1

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
802.11a Mbps	CH 52	5380	8.51	10.50	12.50	100.00
	CH 60	5390	8.71	10.50	12.50	
	CH 64	5390	8.71	9.50	12.50	
802.11n-HT20 MCS0	CH 52	5380	10.17	10.50	10.50	100.00
	CH 60	5390	9.56	10.50	12.50	
	CH 64	5390	9.16	10.50	12.50	
802.11n-HT40 MCS0	CH 54	5370	9.88	10.50	12.50	100.00
	CH 62	5370	9.40	10.50	12.50	
	CH 60	5390	10.96	12.00	12.50	
802.11n-HEW40 MCS0	CH 54	5370	11.52	12.00	12.50	100.00
	CH 64	5390	10.86	11.50	12.50	
	CH 54	5370	11.8	12.00	12.50	
802.11n-HEW40 MCS2	CH 54	5370	11.17	12.00	12.50	100.00
	CH 60	5390	11.17	12.00	12.50	
	CH 62	5370	11.17	12.00	12.50	
802.11n-HEW40 MCS4	CH 52	5380	10.87	11.00	12.50	100.00
	CH 60	5390	10.85	11.00	12.50	
	CH 64	5390	10.18	11.00	12.50	
802.11n-HEW40 MCS6	CH 54	5370	11.05	12.00	12.50	100.00
	CH 60	5390	11.15	12.00	12.50	
	CH 62	5370	11.47	12.00	12.50	
802.11n-HEW40 MCS8	CH 52	5380	8.93	7.50	8.50	86.82
	CH 60	5390	8.58	7.50	8.50	
	CH 64	5390	8.07	7.50	8.50	
802.11n-HEW40 MCS10	CH 52	5380	9.39	10.00	8.50	86.11
	CH 60	5390	9.24	10.00	8.50	
	CH 64	5390	8.80	9.50	8.50	
802.11n-HEW40 MCS12	CH 52	5380	10.57	11.00	12.50	86.76
	CH 60	5390	10.61	11.00	12.50	
	CH 64	5390	10.27	11.00	12.50	

5.5GHz WLAN ANT 1

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
802.11a-MQAM	CH 100	5500	8.61	9.50	10.00	100.00
	CH 116	5520	7.19	8.50	10.00	
	CH 144	5520	7.1	8.00	10.00	
802.11a-HT20 MCS0	CH 100	5500	7.05	8.00	10.00	100.00
	CH 116	5520	7.54	8.50	10.00	
	CH 144	5520	7.55	8.50	10.00	
802.11a-HT40 MCS0	CH 100	5500	7.13	8.00	10.00	100.00
	CH 116	5520	7.75	8.50	10.00	
	CH 142	5510	7.62	8.50	10.00	
802.11n-HT20 MCS0	CH 100	5500	8.49	9.50	10.00	100.00
	CH 116	5520	8.26	10.00	10.00	
	CH 144	5520	8.42	10.00	10.00	
802.11n-HT40 MCS0	CH 100	5500	9.31	10.00	10.00	100.00
	CH 116	5520	9.54	10.50	10.00	
	CH 142	5510	9.59	10.50	10.00	
802.11n-HEW40 MCS0	CH 100	5500	8.59	9.50	10.00	100.00
	CH 116	5520	8.59	9.50	10.00	
	CH 144	5520	8.59	9.50	10.00	
802.11n-HEW40 MCS2	CH 100	5500	8.33	9.00	10.00	100.00
	CH 116	5520	8.33	9.00	10.00	
	CH 144	5520	8.33	9.00	10.00	
802.11n-HEW40 MCS4	CH 100	5500	8.33	9.00	10.00	100.00
	CH 116	5520	8.33	9.00	10.00	
	CH 144	5520	8.33	9.00	10.00	
802.11n-HEW40 MCS6	CH 100	5500	8.33	9.00	10.00	100.00
	CH 116	5520	8.33	9.00	10.00	
	CH 144	5520	8.33	9.00	10.00	
802.11n-HEW40 MCS8	CH 100	5500	8.33	9.00	10.00	100.00
	CH 116	5520	8.33	9.00	10.00	
	CH 144	5520	8.33	9.00	10.00	
802.11n-HEW40 MCS10	CH 100	5500	8.33	9.00	10.00	100.00
	CH 116	5520	8.33	9.00	10.00	
	CH 144	5520	8.33	9.00	10.00	
802.11n-HEW40 MCS12	CH 100	5500	8.33	9.00	10.00	100.00
	CH 116	5520	8.33	9.00	10.00	
	CH 144	5520	8.33	9.00	10.00	
802.11n-HEW40 MCS14	CH 100	5500	8.33	9.00	10.00	100.00
	CH 116	5520	8.33	9.00	10.00	
	CH 144	5520	8.33	9.00	10.00	
802.11n-HEW40 MCS16	CH 100	5500	8.33	9.00	10.00	100.00
	CH 116	5520	8.33	9.00	10.00	
	CH 144	5520	8.33	9.00	10.00	

802.11a-HEWIDW MCS0 (RU00)	CH 100	5500	3.8	4.50	4.00	88.52
	CH 116	5500	4.20	5.00	4.50	
	CH 144	5720	4.2	5.00	4.00	
802.11a-HEWIDW MCS0 (RU00)	CH 100	5500	6.83	7.50	7.00	88.15
	CH 116	5500	6.73	7.50	7.00	
	CH 144	5720	6.75	7.50	7.00	
802.11a-HEWIDW MCS0 (RU00)	CH 100	5500	8.11	9.00	10.00	88.81
	CH 116	5500	8.11	9.00	10.00	
	CH 144	5720	8.12	9.00	10.00	

5.8GHz WLAN ANT 1

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Power	Power Setting	Duty Cycle %
802.11a-MBSS	CH 140	5740	8.51	9.50	12.00	100.00
	CH 157	5760	8.39	9.50	12.00	
	CH 165	5825	8.15	9.50	12.00	
802.11a-HEWIDW MCS0 (RU00)	CH 140	5740	8.71	9.50	12.00	100.00
	CH 157	5760	8.92	9.50	12.00	
	CH 165	5825	8.7	9.50	12.00	
802.11a-HEWIDW MCS0 (RU00)	CH 158	5795	8.71	9.50	12.00	100.00
	CH 140	5740	10.31	11.00	12.00	
	CH 157	5760	10.74	11.00	12.00	
802.11a-HEWIDW MCS0 (RU00)	CH 158	5795	10.31	11.00	12.00	100.00
	CH 140	5740	10.31	11.00	12.00	
	CH 157	5760	10.31	11.00	12.00	
802.11a-HEWIDW MCS0 (RU00)	CH 158	5795	10.5	11.00	12.00	100.00
	CH 155	5775	10.52	11.00	12.00	
	CH 140	5740	8.75	10.50	12.00	
802.11a-HEWIDW MCS0 (RU00)	CH 157	5760	8.39	10.50	12.00	100.00
	CH 165	5825	8.39	11.00	12.00	
	CH 140	5740	5.05	8.50	8.00	
802.11a-HEWIDW MCS0 (RU00)	CH 157	5760	5.32	6.50	6.00	88.62
	CH 165	5825	5.47	6.50	6.00	
	CH 140	5740	8.19	9.50	9.00	
802.11a-HEWIDW MCS0 (RU00)	CH 157	5760	8.12	9.00	9.00	88.15
	CH 165	5825	7.8	8.50	9.00	
	CH 140	5740	9.34	10.50	12.00	
802.11a-HEWIDW MCS0 (RU00)	CH 157	5760	9.46	10.00	12.00	87.08
	CH 165	5825	9.31	10.00	12.00	

6.2GHz WLAN ANT 1

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Power (dBm)	Power Setting	Duty Cycle %	
802.11a-HEWIDW MCS0 (RU00)	802.11a-HEWIDW MCS0 (RU00)	CH 41	5805	5.97	6.50	6.00	100.00	
		CH 45	6175	5.3	6.50	6.00		
		CH 50	6415	5.38	6.50	6.00		
		CH 51	6505	6.58	7.50	8.00		
		CH 91	6405	6.47	7.50	8.00		
		CH 37	5405	6.36	7.50	8.00		
	802.11a-HEWIDW MCS0 (RU00)	CH 39	5685	6.12	8.00	10.00	100.00	
		CH 41	5805	7.58	8.00	10.00		
		CH 45	6175	7.94	8.00	10.00		
		CH 1	5855	-2.54	-2.00	-5.00		83.88
		CH 45	6175	-2.53	-2.00	-5.00		
		CH 50	6415	-3.79	-3.00	-5.00		
802.11a-HEWIDW MCS0 (RU00)	CH 1	5855	6.18	1.00	-2.00	88.33		
	CH 45	6175	0.28	1.00	-2.00			
	CH 50	6415	-1.01	-0.50	-2.00			
	CH 1	5855	2.23	3.00	1.00		88.52	
	CH 45	6175	2.17	3.00	1.00			
	CH 50	6415	1.1	2.00	1.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-3.3	-2.50	-5.00	88.49		
	CH 3	5855	-5.57	0.00	-2.00		88.01	
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		
	CH 3	5855	-5.57	0.00	-2.00			
	CH 3	5855	-5.57	0.00	-2.00			
802.11a-HEWIDW MCS0 (RU00)	CH 3	5855	-5.57	0.00	-2.00	88.58		