

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test for Taitien Crystal

Band Edges, 2.31GHz ~ 2.5GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.33	54.58	17.47	37.11	74.00	-19.42	237	327	Peak	Horizontal		
2 *	2412.00	100.17	62.88	37.29	74.00	26.17	237	327	Peak	Horizontal		
3	2489.84	55.36	17.84	37.52	74.00	-18.64	237	327	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2367.10	53.68	16.74	36.94	74.00	-20.32	294	70	Peak	Vertical		
2 *	2412.00	97.55	60.26	37.29	74.00	23.55	294	70	Peak	Vertical		
3	2489.69	54.71	17.19	37.52	74.00	-19.29	294	70	Peak	Vertical		

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.95	42.21	5.18	37.11	54.00	-11.79	237	327	Average	Horizontal
2	2412.00	97.14	59.85	37.29	54.00	43.14	237	327	Average	Horizontal
3	2496.15	42.31	4.79	37.52	54.00	-11.69	237	327	Average	Horizontal

802.11b

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2380.49	53.95	16.90	37.05	74.00	-20.05		204	326	Peak	Horizontal	
2 *	2437.00	99.62	62.20	37.42	74.00	25.62		204	326	Peak	Horizontal	
3	2493.49	54.56	17.04	37.52	74.00	-19.44		204	326	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.38	54.78	17.68	37.10	74.00	-19.22		400	74	Peak	Vertical	
2 *	2437.00	98.85	61.43	37.42	74.00	24.85		400	74	Peak	Vertical	
3	2498.67	54.35	16.83	37.52	74.00	-19.65		400	74	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2382.06	41.08	4.01	37.07	54.00	-12.92		204	326	Average	Horizontal	
2 *	2437.00	96.62	59.20	37.42	54.00	42.62		204	326	Average	Horizontal	
3	2484.47	41.86	4.35	37.51	54.00	-12.14		204	326	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2318.00	41.81	5.15	36.66	54.00	-12.19		400	74	Average	Vertical	
2 *	2437.00	95.81	58.39	37.42	54.00	41.81		400	74	Average	Vertical	
3	2498.77	41.37	3.85	37.52	54.00	-12.63		400	74	Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.54	54.23	17.18	37.05	74.00	-19.77		228	325	Peak	Horizontal	
2 *	2462.00	100.23	62.74	37.49	74.00	26.23		228	325	Peak	Horizontal	
3	2493.83	54.64	17.12	37.52	74.00	-19.36		228	325	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2326.72	55.10	18.39	36.71	74.00	-18.90		350	74	Peak	Vertical	
2 *	2462.00	97.62	60.13	37.49	74.00	23.62		350	74	Peak	Vertical	
3	2491.02	54.64	17.12	37.52	74.00	-19.36		350	74	Peak	Vertical	

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2327.29	41.65	4.94	36.71	54.00	-12.35		228	325	Average	Horizontal	
2 *	2462.00	97.17	59.68	37.49	54.00	43.17		228	325	Average	Horizontal	
3	2499.72	41.70	4.18	37.52	54.00	-12.30		228	325	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2318.00	44.21	7.55	36.66	54.00	-9.79		350	74	Average	Vertical	
2 *	2462.00	94.58	57.09	37.49	54.00	40.58		350	74	Average	Vertical	
3	2499.57	41.45	3.93	37.52	54.00	-12.55		350	74	Average	Vertical	

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.66	54.15	17.01	37.14	74.00	-19.85		236	328	Peak	Horizontal	
2 *	2412.00	98.82	61.53	37.29	74.00	24.82		236	328	Peak	Horizontal	
3	2487.18	55.00	17.49	37.51	74.00	-19.00		236	328	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2328.15	54.32	17.60	36.72	74.00	-19.68		325	71	Peak	Vertical	
2 *	2412.00	95.64	58.35	37.29	74.00	21.64		325	71	Peak	Vertical	
3	2495.44	55.17	17.65	37.52	74.00	-18.83		325	71	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2389.61	41.31	4.17	37.14	54.00	-12.69	236	328	Average	Horizontal	
2 *	2412.00	88.00	50.71	37.29	54.00	34.00	236	328	Average	Horizontal	
3	2497.77	41.84	4.32	37.52	54.00	-12.16	236	328	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2388.71	41.06	3.93	37.13	54.00	-12.94	325	71	Average	Vertical	
2 *	2412.00	85.38	48.09	37.29	54.00	31.38	325	71	Average	Vertical	
3	2494.73	41.64	4.12	37.52	54.00	-12.36	325	71	Average	Vertical	


802.11g

Middle Channel (Horizontal) Peak

Middle Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2374.41	54.27	17.26	37.01	74.00	-19.73		171	326	Peak	Horizontal	
2 *	2437.00	102.55	65.13	37.42	74.00	28.55		171	326	Peak	Horizontal	
3	2490.07	54.76	17.24	37.52	74.00	-19.24		171	326	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.96	55.09	17.99	37.10	74.00	-18.91		400	75	Peak	Vertical	
2 *	2437.00	101.14	63.72	37.42	74.00	27.14		400	75	Peak	Vertical	
3	2499.34	54.62	17.10	37.52	74.00	-19.38		400	75	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.14	41.21	4.55	36.66	54.00	-12.79		171	326	Average	Horizontal	
2 *	2437.00	91.87	54.45	37.42	54.00	37.87		171	326	Average	Horizontal	
3	2487.13	41.97	4.46	37.51	54.00	-12.03		171	326	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.81	42.04	5.37	36.67	54.00	-11.96		400	75	Average	Vertical	
2 *	2437.00	90.81	53.39	37.42	54.00	36.81		400	75	Average	Vertical	
3	2484.71	41.79	4.28	37.51	54.00	-12.21		400	75	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.98	54.60	17.93	36.67	74.00	-19.40	227	325	Peak	Horizontal	
2 *	2462.00	99.80	62.31	37.49	74.00	25.80	227	325	Peak	Horizontal	
3	2483.99	58.36	20.85	37.51	74.00	-15.64	227	325	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2342.78	53.92	17.15	36.77	74.00	-20.08	284	74	Peak	Vertical	
2 *	2462.00	96.85	59.36	37.49	74.00	22.85	284	74	Peak	Vertical	
3	2483.76	54.76	17.25	37.51	74.00	-19.24	284	74	Peak	Vertical	

802.11g

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2320.88	40.92	4.23	36.69	54.00	-13.08		227	325	Average	Horizontal	
2 *	2462.00	88.76	51.27	37.49	54.00	34.76		227	325	Average	Horizontal	
3	2483.66	42.58	5.07	37.51	54.00	-11.42		227	325	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2312.42	41.60	4.93	36.67	54.00	-12.40		284	74	Average	Vertical	
2 *	2462.00	86.67	49.18	37.49	54.00	32.67		284	74	Average	Vertical	
3	2483.57	42.12	4.61	37.51	54.00	-11.88		284	74	Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.66	54.48	17.34	37.14	74.00	-19.52		174	327	Peak	Horizontal	
2 *	2412.00	96.24	58.95	37.29	74.00	22.24		174	327	Peak	Horizontal	
3	2494.49	54.75	17.23	37.52	74.00	-19.25		174	327	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2338.62	53.98	17.18	36.72	74.00	-20.10		326	70	Peak	Vertical	
2 *	2412.00	93.79	56.50	37.29	74.00	19.79		326	70	Peak	Vertical	
3	2492.16	54.33	16.81	37.52	74.00	-19.67		326	70	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.28	41.20	4.07	37.13	54.00	-12.80		174	327	Average	Horizontal	
2 *	2412.00	85.76	48.47	37.29	54.00	31.76		174	327	Average	Horizontal	
3	2494.11	41.84	4.32	37.52	54.00	-12.16		174	327	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.80	40.93	3.79	37.14	54.00	-13.07		326	70	Average	Vertical	
2 *	2412.00	83.51	46.22	37.29	54.00	29.51		326	70	Average	Vertical	
3	2496.06	41.70	4.18	37.52	54.00	-12.30		326	70	Average	Vertical	

802.11n HT20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2345.86	54.46	17.69	36.77	74.00	-19.54		170	326	Peak	Horizontal	
2 *	2437.00	100.53	63.11	37.42	74.00	26.53		170	326	Peak	Horizontal	
3	2489.93	54.70	17.18	37.52	74.00	-19.30		170	326	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2320.02	54.35	17.66	36.69	74.00	-19.65		400	73	Peak	Vertical	
2 *	2437.00	99.56	62.14	37.42	74.00	25.56		400	73	Peak	Vertical	
3	2497.72	54.96	17.44	37.52	74.00	-19.04		400	73	Peak	Vertical	

802.11n HT20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.90	41.23	4.10	37.13	54.00	-12.77		170	326	Average	Horizontal	
2 *	2437.00	90.44	53.02	37.42	54.00	36.44		170	326	Average	Horizontal	
3	2484.00	41.76	4.25	37.51	54.00	-12.24		170	326	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2318.43	41.59	4.93	36.66	54.00	-12.41		400	73	Average	Vertical	
2 *	2437.00	89.41	51.99	37.42	54.00	35.41		400	73	Average	Vertical	
3	2490.03	41.62	4.10	37.52	54.00	-12.38		400	73	Average	Vertical	

802.11n HT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2333.09	53.83	17.09	36.74	74.00	-20.17		230	326	Peak	Horizontal	
2 *	2462.00	98.69	61.20	37.49	74.00	24.69		230	326	Peak	Horizontal	
3	2483.52	55.43	17.92	37.51	74.00	-18.57		230	326	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2327.15	54.77	18.06	36.71	74.00	-19.23		388	76	Peak	Vertical	
2 *	2462.00	95.96	58.47	37.49	74.00	21.96		388	76	Peak	Vertical	
3	2484.23	54.91	17.40	37.51	74.00	-19.09		388	76	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2374.22	40.77	3.77	37.00	54.00	-13.23	230	326	Average	Horizontal	
2 *	2462.00	88.40	50.91	37.49	54.00	34.40	230	326	Average	Horizontal	
3	2483.95	42.24	4.73	37.51	54.00	-11.76	230	326	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	Limit	cm	deg			
1	2321.12	41.05	4.35	36.70	54.00	-12.95	388	76	Average	Vertical	
2 *	2462.00	85.37	47.88	37.49	54.00	31.37	388	76	Average	Vertical	
3	2483.90	41.88	4.37	37.51	54.00	-12.12	388	76	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Middle Channel(Open) 9kHz~150kHz

Middle Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	60.70	42.58	18.12	127.60	-66.90	100	118	Peak	Open		
2	0.03	47.31	27.53	19.78	117.38	-70.07	100	127	Peak	Open		
3	0.07	42.45	24.13	18.32	111.12	-68.67	100	170	Peak	Open		
4	0.07	38.96	20.58	18.38	110.13	-71.17	100	139	Peak	Open		
5	0.10	36.37	18.34	18.03	107.90	-71.53	100	142	Peak	Open		
6	0.13	31.95	13.75	18.20	105.40	-73.45	100	142	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.18	49.56	31.04	18.52	102.50	-52.94	100	142	Peak	Open		
2	0.39	47.27	28.63	18.64	95.81	-48.54	100	169	Peak	Open		
3	0.72	43.29	24.49	18.80	70.49	-27.20	100	142	Peak	Open		
4	2.69	33.62	14.68	18.94	69.50	-35.88	100	128	Peak	Open		
5	19.50	36.78	13.95	22.83	69.50	-32.72	100	346	Peak	Open		
6	24.39	37.51	14.00	22.71	69.50	-31.99	100	178	Peak	Open		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	69.07	23.40	29.63	-6.23	40.00	-16.60		330	360	Peak	Horizontal	
2	154.16	28.91	34.71	-5.80	43.50	-14.59		200	273	Peak	Horizontal	
3	239.52	32.82	39.33	-6.51	46.00	-13.18		100	158	Peak	Horizontal	
4	312.27	29.01	33.48	-4.47	46.00	-16.99		100	221	Peak	Horizontal	
5	359.00	29.02	32.45	-3.43	46.00	-16.98		100	125	Peak	Horizontal	
6	845.77	35.86	30.77	5.09	46.00	-10.14		100	310	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	46.49	26.47	32.38	-5.91	40.00	-13.53		100	131	Peak	Vertical	
2	312.27	30.06	34.53	-4.47	46.00	-15.94		200	174	Peak	Vertical	
3	388.90	30.87	33.63	-2.76	46.00	-15.13		100	202	Peak	Vertical	
4	500.45	33.18	34.08	-0.90	46.00	-12.82		100	182	Peak	Vertical	
5	709.97	33.56	30.33	3.23	46.00	-12.44		400	87	Peak	Vertical	
6	844.80	36.00	30.93	5.07	46.00	-10.00		365	360	Peak	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	40.59	51.32	-10.73	54.00	-13.41	339	118	Average	Horizontal		
2	4824.00	45.76	56.49	-10.73	74.00	-28.24	339	118	Peak	Horizontal		
3	12060.00	50.81	53.10	-2.29	54.00	-3.19	172	255	Average	Horizontal		
4	12060.00	56.64	58.93	-2.29	74.00	-17.36	172	255	Peak	Horizontal		
5	14472.00	53.00	53.43	0.37	54.00	-0.20	161	326	Average	Horizontal		
6	14472.00	58.31	57.94	0.37	74.00	-15.69	161	326	Peak	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	39.61	50.34	-10.73	54.00	-14.39	109	312	Average	Vertical		
2	4824.00	44.98	55.71	-10.73	74.00	-29.02	109	312	Peak	Vertical		
3	12060.00	49.50	51.79	-2.29	54.00	-4.50	200	293	Average	Vertical		
4	12060.00	55.13	57.42	-2.29	74.00	-18.87	200	293	Peak	Vertical		
5	14472.00	51.93	51.56	0.37	54.00	-2.07	234	109	Average	Vertical		
6	14472.00	55.28	54.91	0.37	74.00	-18.72	234	109	Peak	Vertical		

802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	43.37	53.96	-10.59	54.00	-10.63	203	167	Average	Horizontal		
2	4874.00	47.72	58.31	-10.59	74.00	-26.28	203	167	Peak	Horizontal		
3	12185.00	51.29	53.33	-2.04	54.00	-2.71	169	256	Average	Horizontal		
4	12185.00	56.55	58.59	-2.04	74.00	-17.45	169	256	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	39.84	50.43	-10.59	54.00	-14.16	110	312	Average	Vertical		
2	4874.00	45.16	55.75	-10.59	74.00	-28.84	110	312	Peak	Vertical		
3	12185.00	47.51	49.55	-2.04	54.00	-6.49	107	298	Average	Vertical		
4	12185.00	53.56	55.60	-2.04	74.00	-20.44	107	298	Peak	Vertical		

802.11b

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	43.63	54.02	-10.39	54.00	-10.37		317	166	Average	Horizontal	
2	4924.00	48.05	58.44	-10.39	74.00	-25.95		317	166	Peak	Horizontal	
3	12318.00	46.57	48.40	-1.83	54.00	-7.43		217	354	Average	Horizontal	
4	12318.00	52.97	54.80	-1.83	74.00	-21.03		217	354	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	40.37	50.76	-10.39	54.00	-13.63		201	332	Average	Vertical	
2	4924.00	45.92	56.31	-10.39	74.00	-28.08		201	332	Peak	Vertical	
3	12318.00	44.52	46.35	-1.83	54.00	-9.48		102	296	Average	Vertical	
4	12318.00	52.67	54.50	-1.83	74.00	-21.33		102	296	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12860.00	46.80	49.09	-2.29	54.00	-7.20	159	354	Average	Horizontal		
2	12860.00	52.20	54.49	-2.29	74.00	-21.80	159	354	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12860.00	40.90	43.19	-2.29	54.00	-13.10	199	281	Average	Vertical		
2	12860.00	50.94	53.23	-2.29	74.00	-23.06	199	281	Peak	Vertical		

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12185.00	52.61	54.65	-2.04	54.00	-1.39	168	255	Average	Horizontal		
2	12185.00	57.84	59.88	-2.04	74.00	-16.16	168	255	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12185.00	43.49	45.53	-2.04	54.00	-10.51	100	297	Average	Vertical		
2	12185.00	56.62	58.66	-2.04	74.00	-17.38	100	297	Peak	Vertical		

802.11g

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12310.00	48.09	49.92	-1.83	54.00	-5.91	217	354	Average	Horizontal		
2	12310.00	53.56	55.39	-1.83	74.00	-20.44	217	354	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12310.00	41.75	43.58	-1.83	54.00	-12.25	101	296	Average	Vertical		
2	12310.00	50.67	52.50	-1.83	74.00	-23.33	101	296	Peak	Vertical		


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12060.00	47.26	49.55	-2.29	54.00	-6.74	156	355	Average	Horizontal		
2	12060.00	51.89	54.18	-2.29	74.00	-22.11	156	355	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12060.00	41.25	43.54	-2.29	54.00	-12.75	279	298	Average	Vertical		
2	12060.00	50.88	53.17	-2.29	74.00	-23.12	279	298	Peak	Vertical		

802.11n HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12185.00	47.43	49.47	-2.04	54.00	-6.57	172	107	Average	Horizontal		
2	12185.00	53.53	55.57	-2.04	74.00	-20.47	172	107	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12185.00	41.74	43.78	-2.04	54.00	-12.26	106	298	Average	Vertical		
2	12185.00	55.00	57.04	-2.04	74.00	-19.00	106	298	Peak	Vertical		

802.11n HT20

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12310.00	48.30	50.13	-1.83	54.00	-5.70	164	353	Average	Horizontal		
2	12310.00	52.30	54.13	-1.83	74.00	-21.70	164	353	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12310.00	41.98	43.81	-1.83	54.00	-12.02	101	297	Average	Vertical		
2	12310.00	49.98	51.81	-1.83	74.00	-24.02	101	297	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.17	25.10	15.47	9.63	54.97	-29.87	Average	line1	
2	0.17	43.46	33.83	9.63	64.97	-21.51	QP	line1	
3	0.25	18.41	8.78	9.63	51.65	-33.24	Average	line1	
4	0.25	33.36	23.73	9.63	61.65	-28.29	QP	line1	
5	1.55	19.06	9.40	9.66	46.00	-26.94	Average	line1	
6	1.55	22.07	13.21	9.66	56.00	-33.13	QP	line1	
7	4.23	15.09	5.41	9.68	46.00	-30.91	Average	line1	
8	4.23	23.73	14.05	9.68	56.00	-32.27	QP	line1	
9	7.54	22.23	12.50	9.73	50.00	-27.77	Average	line1	
10	7.54	27.10	17.37	9.73	60.00	-32.90	QP	line1	
11	27.70	26.77	17.08	9.69	50.00	-23.23	Average	line1	
12	27.70	32.16	22.47	9.69	60.00	-27.84	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongshan, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	27.34	17.70	9.64	55.34	-28.00	Average	neutral	
2	0.16	44.31	34.67	9.64	65.34	-21.03	QP	neutral	
3	0.24	20.55	10.92	9.63	52.07	-31.52	Average	neutral	
4	0.24	33.00	23.37	9.63	62.07	-29.07	QP	neutral	
5	0.53	15.12	5.49	9.63	46.00	-30.88	Average	neutral	
6	0.53	20.79	11.16	9.63	56.00	-35.21	QP	neutral	
7	4.21	9.11	-0.58	9.69	46.00	-36.89	Average	neutral	
8	4.21	16.67	6.98	9.69	56.00	-39.33	QP	neutral	
9	5.88	17.72	7.99	9.73	50.00	-32.28	Average	neutral	
10	5.88	23.74	14.01	9.73	60.00	-36.26	QP	neutral	
11	28.54	29.31	19.47	9.84	50.00	-20.69	Average	neutral	
12	28.54	34.70	24.86	9.84	60.00	-25.30	QP	neutral	