


BLE_2M

CH1 (Open) 9kHz~150kHz

CH1 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	63.24	44.06	19.18	119.18	-55.94	100	184 QP	Open	
2	0.05	43.68	24.46	19.22	112.95	-69.27	100	149 QP	Open	
3	0.06	40.79	21.73	19.06	111.82	-71.03	100	274 QP	Open	
4	0.08	36.97	18.35	18.62	109.41	-72.44	100	148 QP	Open	
5	0.11	33.73	15.48	18.25	106.81	-73.08	100	159 QP	Open	
6	0.14	40.72	22.36	18.36	104.72	-64.00	100	186 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.48	56.01	37.06	18.95	94.01	-38.00	100	158 Peak	Vertical	
2	0.99	51.03	31.77	19.26	67.73	-16.70	100	167 Peak	Vertical	
3	1.49	47.76	28.42	19.34	64.12	-16.36	100	158 Peak	Vertical	
4	2.00	45.50	26.09	19.41	69.50	-24.00	100	178 Peak	Vertical	
5	2.51	42.61	23.14	19.47	69.50	-26.89	100	154 Peak	Vertical	
6	24.66	36.04	13.63	22.41	69.50	-33.46	100	140 Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	32.91	25.12	32.63	-7.51	40.00	-14.88	100	150	QP	Horizontal	
2	194.90	27.17	35.75	-8.58	43.50	-16.33	300	4	QP	Horizontal	
3	215.27	27.94	36.08	-8.14	43.50	-15.56	200	173	QP	Horizontal	
4	239.52	32.66	39.40	-6.74	46.00	-13.34	100	242	QP	Horizontal	
5	298.69	28.05	32.80	-4.75	46.00	-17.95	100	147	QP	Horizontal	
6	844.80	33.24	29.51	3.73	46.00	-12.76	300	310	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	33.88	32.71	39.97	-7.26	40.00	-7.29	100	154	QP	Vertical	
2	41.64	31.37	37.49	-6.12	40.00	-8.63	115	269	QP	Vertical	
3	75.59	27.77	37.35	-9.58	40.00	-12.23	300	303	QP	Vertical	
4	237.58	28.97	35.76	-6.79	46.00	-17.03	100	122	QP	Vertical	
5	297.72	30.07	34.85	-4.78	46.00	-15.93	100	244	QP	Vertical	
6	845.77	33.20	29.47	3.73	46.00	-12.80	300	147	QP	Vertical	


BLE_2M

CH1 (Horizontal)

CH1 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	31.94	24.06	31.49	-7.43	40.00	-15.94	100	34	QP		Horizontal	
2	193.93	26.53	35.11	-8.58	43.50	-16.97	200	188	QP		Horizontal	
3	239.52	30.31	37.05	-6.74	46.00	-15.69	200	104	QP		Horizontal	
4	405.39	28.33	31.21	-2.88	46.00	-17.67	200	188	QP		Horizontal	
5	844.80	33.09	29.36	3.73	46.00	-12.91	200	280	QP		Horizontal	
6	938.89	34.56	29.31	5.25	46.00	-11.44	100	240	QP		Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	32.91	32.53	40.04	-7.51	40.00	-7.47	100	254	QP		Vertical	
2	75.59	25.89	35.47	-9.58	40.00	-14.11	120	38	QP		Vertical	
3	167.74	26.25	32.24	-5.99	43.50	-17.25	100	133	QP		Vertical	
4	240.49	27.11	33.83	-6.72	46.00	-18.89	100	158	QP		Vertical	
5	629.46	30.20	29.44	0.76	46.00	-15.80	200	118	QP		Vertical	
6	920.46	33.71	28.70	5.01	46.00	-12.29	100	62	QP		Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

CH0 (Horizontal)


CH0 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_1M

CH19 (Horizontal)


CH19 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_1M

CH39 (Horizontal)


CH39 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M

CH1 (Horizontal)

CH (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4888.00	51.28	61.13	-9.85	74.00	-22.72	100	104	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4888.00	48.20	58.05	-9.85	74.00	-25.00	300	174	Peak	Vertical	


BLE_2M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	44.58	54.37	-9.79	74.00	-29.42	300	272	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	41.36	51.15	-9.79	74.00	-32.64	400	159	Peak	Vertical	


BLE_2M

CH38 (Horizontal)

CH38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4956.00	41.60	51.15	-9.55	74.00	-32.40	400	208 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4956.00	40.25	49.80	-9.55	74.00	-33.75	247	360 Peak	Vertical	

BLE_2M

CH1 (Horizontal) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-08-03

Frequency (MHz)

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	2382.69	53.48	15.94	37.54	74.00	-20.52	270	286 Peak	Horizontal	
2 *	2404.00	106.38	68.74	37.64	74.00	32.38	270	286 Peak	Horizontal	
3	2512.37	54.97	17.11	37.86	74.00	-19.03	270	286 Peak	Horizontal	

CH1 (Vertical) Peak

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-08-03

Frequency (MHz)

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	2384.22	54.14	16.59	37.55	74.00	-19.86	400	146 Peak	Vertical	
2 *	2404.00	101.25	63.61	37.64	74.00	27.25	400	146 Peak	Vertical	
3	2794.63	56.63	18.43	38.20	74.00	-17.37	400	146 Peak	Vertical	


BLE_2M

CH1 (Horizontal) Average

CH1 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.35	41.16	3.59	37.57	54.00	-12.84	270	286	Average	Horizontal	
2 *	2404.00	103.51	65.87	37.64	54.00	49.51	270	286	Average	Horizontal	
3	2801.82	41.70	3.49	38.21	54.00	-12.30	270	286	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.18	40.40	2.82	37.58	54.00	-13.60	400	146	Average	Vertical	
2 *	2404.00	98.21	60.57	37.64	54.00	44.21	400	146	Average	Vertical	
3	2898.82	41.63	3.21	38.42	54.00	-12.37	400	146	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_2M

CH1 (Open) 9kHz~150kHz

CH1 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	47.08	29.07	18.01	120.50	-81.42	100	285 QP	Open	
2	0.03	58.54	39.35	19.19	119.13	-69.59	100	5 QP	Open	
3	0.05	47.83	28.56	19.27	113.30	-65.47	100	218 QP	Open	
4	0.06	41.18	22.12	19.06	111.82	-70.64	100	294 QP	Open	
5	0.08	44.33	25.64	18.69	109.73	-65.40	100	216 QP	Open	
6	0.10	40.02	21.79	18.23	107.34	-67.32	100	220 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.48	60.30	41.35	18.95	94.01	-33.71	100	146 QP	Open	
2	0.99	54.60	35.34	19.26	67.73	-13.13	100	136 QP	Open	
3	1.49	50.56	31.22	19.34	64.12	-13.56	100	142 QP	Open	
4	3.52	38.99	19.50	19.49	69.50	-30.51	100	130 QP	Open	
5	15.10	35.66	13.80	21.86	69.50	-33.84	100	270 QP	Open	
6	24.33	35.93	13.54	22.39	69.50	-33.57	100	15 QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_2M

CH1 (Horizontal)


CH1 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_2M

CH1 (Horizontal)

CH1 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.00	51.67	61.54	-9.87	74.00	-22.33	100	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.00	48.39	58.26	-9.87	74.00	-25.61	400	360 Peak	Vertical	

BLE_1M

CH0 (Horizontal) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-07-21

Frequency (MHz)

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.26	54.43	16.91	37.52	74.00	-19.57	245	265 Peak	Horizontal	
2 *	2402.00	107.66	70.03	37.63	74.00	33.66	245	265 Peak	Horizontal	
3	2744.36	56.21	18.09	38.12	74.00	-17.79	245	265 Peak	Horizontal	

CH0 (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2022-07-21

Frequency (MHz)

	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2311.06	54.21	16.96	37.25	74.00	-19.79	355	205 Peak	Vertical	
2 *	2402.00	91.17	53.54	37.63	74.00	17.17	355	205 Peak	Vertical	
3	2786.13	56.03	17.84	38.19	74.00	-17.97	355	205 Peak	Vertical	


BLE_1M

CH0 (Horizontal) Average

CH0 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.41	41.57	3.99	37.58	54.00	-12.43	245	265	Average	Horizontal	
2 *	2482.00	106.54	68.91	37.63	54.00	52.54	245	265	Average	Horizontal	
3	2809.97	42.55	4.35	38.20	54.00	-11.45	245	265	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.18	41.10	3.52	37.58	54.00	-12.90	355	205	Average	Vertical	
2 *	2482.00	90.07	52.44	37.63	54.00	36.07	355	205	Average	Vertical	
3	2798.28	42.49	4.29	38.20	54.00	-11.51	355	205	Average	Vertical	


BLE_1M

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2374.43	54.35	16.85	37.50	74.00	-19.65	260	77	Peak	Horizontal	
2 *	2480.00	106.06	68.27	37.79	74.00	32.06	260	77	Peak	Horizontal	
3	2483.46	58.05	20.25	37.80	74.00	-15.95	260	77	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2331.36	54.37	17.06	37.31	74.00	-19.63	262	359	Peak	Vertical	
2 *	2480.00	92.89	55.10	37.79	74.00	18.89	262	359	Peak	Vertical	
3	2798.87	55.83	17.63	38.20	74.00	-18.17	262	359	Peak	Vertical	


BLE_1M

CH39 (Horizontal) Average

CH39 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.16	41.10	3.56	37.54	54.00	-12.90	260	77	Average	Horizontal	
2 *	2480.00	104.95	67.16	37.79	54.00	50.95	260	77	Average	Horizontal	
3	2483.46	45.67	7.87	37.80	54.00	-8.33	260	77	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	40.92	3.34	37.58	54.00	-13.08	262	359	Average	Vertical	
2 *	2480.00	91.80	54.01	37.79	54.00	37.80	262	359	Average	Vertical	
3	2827.90	42.48	4.30	38.18	54.00	-11.52	262	359	Average	Vertical	


BLE_2M

CH1 (Horizontal) Peak

CH1 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	54.79	17.21	37.58	74.00	-19.21	246	265	Peak	Horizontal	
2 *	2404.00	107.56	69.92	37.64	74.00	33.56	246	265	Peak	Horizontal	
3	2844.42	55.80	17.63	38.17	74.00	-18.20	246	265	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2350.12	54.26	16.89	37.37	74.00	-19.74	313	168	Peak	Vertical	
2 *	2404.00	92.29	54.65	37.64	74.00	18.29	313	168	Peak	Vertical	
3	2803.36	56.35	18.15	38.20	74.00	-17.65	313	168	Peak	Vertical	


BLE_2M

CH1 (Horizontal) Average

CH1 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.47	42.15	4.58	37.57	54.00	-11.85	246	265	Average	Horizontal	
2 *	2404.00	104.69	67.05	37.64	54.00	50.69	246	265	Average	Horizontal	
3	2896.34	42.43	4.02	38.41	54.00	-11.57	246	265	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2326.28	41.00	3.70	37.30	54.00	-13.00	313	168	Average	Vertical	
2 *	2404.00	89.44	51.80	37.64	54.00	35.44	313	168	Average	Vertical	
3	2897.52	42.57	4.16	38.41	54.00	-11.43	313	168	Average	Vertical	


BLE_2M

CH38 (Horizontal) Peak

CH38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2360.50	54.44	17.01	37.43	74.00	-19.56	234	76	Peak	Horizontal	
2 *	2478.00	106.25	68.47	37.78	74.00	32.25	234	76	Peak	Horizontal	
3	2484.17	58.63	20.83	37.80	74.00	-15.37	234	76	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2371.48	54.46	16.97	37.49	74.00	-19.54	324	351	Peak	Vertical	
2 *	2478.00	93.42	55.64	37.78	74.00	19.42	324	351	Peak	Vertical	
3	2857.99	56.28	18.08	38.20	74.00	-17.72	324	351	Peak	Vertical	


BLE_2M

CH38 (Horizontal) Average

CH38 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2332.87	40.90	3.59	37.31	54.00	-13.10		234	76	Average	Horizontal	
2 *	2478.00	103.35	65.57	37.78	54.00	49.35		234	76	Average	Horizontal	
3	2483.46	47.29	9.49	37.80	54.00	-6.71		234	76	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.99	41.22	3.67	37.55	54.00	-12.78		324	351	Average	Vertical	
2 *	2478.00	90.60	52.82	37.78	54.00	36.60		324	351	Average	Vertical	
3	2807.02	42.65	4.45	38.20	54.00	-11.35		324	351	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_2M

CH19 (Open) 9kHz~150kHz

CH19 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	48.64	38.93	17.71	127.60	-78.96	100	32	QP	Open		
2	0.03	58.02	38.83	19.19	119.13	-61.11	100	17	QP	Open		
3	0.05	38.15	18.91	19.24	113.11	-74.96	100	168	QP	Open		
4	0.06	41.11	22.05	19.06	111.82	-70.71	100	190	QP	Open		
5	0.09	32.97	14.58	18.39	108.34	-75.37	100	167	QP	Open		
6	0.12	29.10	10.80	18.30	105.80	-76.70	100	295	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.51	54.68	35.73	18.95	73.48	-18.00	100	163	QP	Open		
2	1.05	48.31	29.04	19.27	67.22	-18.91	100	164	QP	Open		
3	1.58	43.61	24.26	19.35	63.62	-20.01	100	152	QP	Open		
4	2.09	39.16	19.74	19.42	69.50	-30.34	100	147	QP	Open		
5	2.63	35.81	16.33	19.48	69.50	-33.69	100	163	QP	Open		
6	13.19	36.31	14.59	21.72	69.50	-33.19	100	322	QP	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_2M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	56.19	31.08	38.66	-6.68	40.00	-8.02	100	108 QP	Horizontal	
2	71.71	27.09	36.00	-8.91	40.00	-12.91	200	97 QP	Horizontal	
3	154.16	32.75	38.86	-6.11	43.50	-10.75	200	241 QP	Horizontal	
4	242.43	31.84	38.55	-6.71	46.00	-14.16	200	96 QP	Horizontal	
5	282.20	31.31	36.58	-5.27	46.00	-14.69	100	68 QP	Horizontal	
6	335.55	31.63	35.74	-3.91	46.00	-14.17	100	82 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	39.70	31.60	37.96	-6.36	40.00	-8.40	100	66 QP	Vertical	
2	56.19	36.63	43.31	-6.68	40.00	-3.37	200	24 QP	Vertical	
3	71.71	36.96	45.87	-8.91	40.00	-3.04	100	261 QP	Vertical	
4	154.16	25.43	31.54	-6.11	43.50	-18.07	200	156 QP	Vertical	
5	256.01	31.07	37.41	-6.34	46.00	-14.93	100	148 QP	Vertical	
6	351.07	29.70	35.57	-3.87	46.00	-16.30	100	360 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	46.06	55.85	-9.79	74.00	-27.94	100	44 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	39.20	48.99	-9.79	74.00	-34.80	300	180 Peak	Vertical	


BLE_2M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	47.81	57.60	-9.79	74.00	-26.19	100	295	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4880.00	40.77	50.56	-9.79	74.00	-33.23	318	360	Peak	Vertical	

Test Results of Radiated Spurious Emissions for ANT 5

(UFL, ECC, 2nd Source, Buck PWM On)

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_2M

CH19 (Open) 9kHz~150kHz

CH19 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	48.37	30.66	17.71	127.60	-79.23	100	151	QP	Open		
2	0.03	57.00	38.61	19.19	119.13	-61.33	100	50	QP	Open		
3	0.05	37.93	18.69	19.24	113.11	-75.18	100	193	QP	Open		
4	0.06	40.81	21.75	19.06	111.82	-71.01	100	208	QP	Open		
5	0.09	31.99	13.60	18.39	100.34	-76.35	100	171	QP	Open		
6	0.12	29.83	11.54	18.29	106.01	-76.18	100	252	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.27	42.73	23.91	18.82	98.99	-56.26	100	134	QP	Open		
2	0.51	54.29	35.34	18.95	73.48	-19.19	100	170	QP	Open		
3	1.05	48.22	28.95	19.27	67.22	-19.00	100	71	QP	Open		
4	1.58	43.47	24.12	19.35	63.62	-20.15	100	154	QP	Open		
5	2.09	39.17	19.75	19.42	69.50	-30.33	100	186	QP	Open		
6	28.30	36.47	13.90	22.57	69.50	-33.03	100	324	QP	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_2M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	55.22	31.37	37.89	-6.52	40.00	-8.63	200	92 QP	Horizontal	
2	71.71	28.46	37.37	-8.91	40.00	-11.54	200	277 QP	Horizontal	
3	154.16	31.02	37.13	-6.11	43.50	-12.48	100	124 QP	Horizontal	
4	164.83	28.12	34.04	-5.92	43.50	-15.38	200	60 QP	Horizontal	
5	256.01	32.13	38.47	-6.34	46.00	-13.87	100	99 QP	Horizontal	
6	339.43	32.25	36.19	-3.94	46.00	-13.75	100	64 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	45.52	33.44	39.42	-5.98	40.00	-6.56	105	360 QP	Vertical	
2	53.28	36.63	43.01	-6.38	40.00	-3.37	200	340 QP	Vertical	
3	71.71	35.49	44.40	-8.91	40.00	-4.51	100	298 QP	Vertical	
4	167.74	26.56	32.55	-5.99	43.50	-16.94	100	96 QP	Vertical	
5	248.25	28.61	35.17	-6.56	46.00	-17.39	100	180 QP	Vertical	
6	331.67	30.21	34.17	-3.96	46.00	-15.79	100	254 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_2M

CH19 (Horizontal)

CH19 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	45.69	55.48	-9.79	74.00	-28.31	100	41 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	40.75	50.54	-9.79	74.00	-33.25	300	181 Peak	Vertical	

Mains Conducted Emission for ANT 5, 150kHz ~ 30MHz


Worst Band (ECC)

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
		dBuV	dB	dBuV	dB		
1	0.17	27.14	17.53	9.61	55.17	-28.03 Average	line1
2	0.17	45.28	35.67	9.61	65.17	-19.89 QP	line1
3	0.19	23.88	14.27	9.61	53.93	-30.05 Average	line1
4	0.19	40.29	30.68	9.61	63.93	-23.64 QP	line1
5	0.21	21.22	11.61	9.61	53.06	-31.84 Average	line1
6	0.21	36.69	27.08	9.61	63.06	-26.37 QP	line1
7	3.97	13.28	3.61	9.67	46.00	-32.72 Average	line1
8	3.97	23.21	13.54	9.67	56.00	-32.79 QP	line1
9	5.94	17.10	7.41	9.69	50.00	-32.90 Average	line1
10	5.94	26.48	16.79	9.69	60.00	-33.52 QP	line1
11	14.78	17.36	7.63	9.73	50.00	-32.64 Average	line1
12	14.78	23.31	13.58	9.73	60.00	-36.69 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
		dBuV	dB	dBuV	dB		
1	0.15	29.75	20.16	9.59	55.75	-26.00 Average	neutral
2	0.15	46.43	36.84	9.59	65.75	-19.32 QP	neutral
3	0.17	26.01	16.42	9.59	55.17	-29.16 Average	neutral
4	0.17	44.06	34.47	9.59	65.17	-21.11 QP	neutral
5	0.21	19.97	10.38	9.59	53.18	-33.21 Average	neutral
6	0.21	36.76	27.17	9.59	63.18	-26.42 QP	neutral
7	1.91	13.80	4.17	9.63	46.00	-32.20 Average	neutral
8	1.91	21.93	12.30	9.63	56.00	-34.07 QP	neutral
9	4.09	14.82	5.16	9.66	46.00	-31.18 Average	neutral
10	4.09	25.21	15.55	9.66	56.00	-30.79 QP	neutral
11	16.50	23.65	13.87	9.78	50.00	-26.35 Average	neutral
12	16.50	25.82	16.04	9.78	60.00	-34.18 QP	neutral

Test Results of Radiated Spurious Emissions & Mains Conducted

Emission Test for ANT 5 (UFL, Non-ECC)

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

CH19(Open) 9kHz~150kHz

CH19(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.83	61.92	42.74	19.18	119.18	-57.26	100	263	QP	Open	
2	0.05	41.01	21.76	19.25	113.16	-72.15	100	161	QP	Open	
3	0.06	40.34	21.28	19.06	111.82	-71.48	100	133	QP	Open	
4	0.07	32.10	13.31	18.79	110.23	-78.13	100	157	QP	Open	
5	0.10	29.73	11.51	18.22	107.48	-77.75	100	167	QP	Open	
6	0.12	31.06	12.78	18.28	106.13	-75.07	100	134	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.27	49.18	30.36	18.82	98.99	-49.81	100	163	QP	Open	
2	0.04	42.16	23.00	19.16	69.15	-26.99	100	163	QP	Open	
3	2.18	32.66	13.23	19.43	69.50	-36.84	100	28	QP	Open	
4	6.36	32.24	12.32	19.92	69.50	-37.26	100	357	QP	Open	
5	18.93	34.91	12.78	22.13	69.50	-34.59	100	44	QP	Open	
6	24.12	35.93	13.55	22.38	69.50	-33.57	100	314	QP	Open	


BLE_1M

CH19(Close) 9kHz~150kHz

CH19(Close) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.03	61.97	42.79	19.18	119.18	-57.21	100	172	QP	Close		
2	0.05	41.17	21.84	19.33	114.03	-72.86	100	146	QP	Close		
3	0.06	40.16	21.10	19.06	111.82	-71.66	100	145	QP	Close		
4	0.08	33.77	15.09	18.68	109.67	-75.90	100	164	QP	Close		
5	0.10	34.16	15.84	18.32	108.01	-73.85	100	146	QP	Close		
6	0.11	31.58	13.31	18.27	106.41	-74.83	100	145	QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.45	52.24	33.29	18.95	94.57	-42.33	100	124	QP	Close		
2	0.93	45.05	25.82	19.23	68.27	-23.22	100	124	QP	Close		
3	1.48	39.07	19.74	19.33	64.66	-25.59	100	124	QP	Close		
4	4.81	32.09	12.71	19.38	69.50	-37.41	100	47	QP	Close		
5	19.37	34.76	12.61	22.15	69.50	-34.74	100	336	QP	Close		
6	25.91	35.57	13.10	22.47	69.50	-33.93	100	80	QP	Close		


BLE_2M

CH19(Open) 9kHz~150kHz

CH19(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	61.00	42.62	19.18	119.18	-57.38	100	360 QP	Open	
2	0.05	46.41	27.15	19.26	113.25	-66.84	100	170 QP	Open	
3	0.06	40.28	21.22	19.06	111.82	-71.54	100	59 QP	Open	
4	0.08	40.30	21.63	18.67	109.65	-69.35	100	170 QP	Open	
5	0.10	32.97	14.67	18.30	107.93	-74.96	100	33 QP	Open	
6	0.11	38.17	19.93	18.24	107.16	-68.99	100	170 QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.45	54.24	35.29	18.95	94.57	-40.33	100	146 QP	Open	
2	0.93	47.02	27.79	19.23	68.27	-21.25	100	146 QP	Open	
3	1.40	38.38	19.05	19.33	64.66	-26.28	100	146 QP	Open	
4	3.46	31.80	12.32	19.48	69.50	-37.70	100	92 QP	Open	
5	14.12	34.75	12.96	21.79	69.50	-34.75	100	272 QP	Open	
6	21.28	35.11	12.85	22.26	69.50	-34.39	100	76 QP	Open	


BLE_2M

CH19(Close) 9kHz~150kHz

CH19(Close) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.03	61.88	42.70	19.18	119.18	-57.30	100	360	QP	Close	
2	0.05	41.27	22.02	19.25	113.13	-71.86	100	149	QP	Close	
3	0.06	40.74	21.68	19.06	111.82	-71.08	100	221	QP	Close	
4	0.08	36.18	17.44	18.74	109.97	-73.79	100	195	QP	Close	
5	0.10	32.32	13.99	18.33	108.04	-75.72	100	147	QP	Close	
6	0.11	30.75	12.51	18.24	107.02	-76.27	100	360	QP	Close	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.45	51.16	32.21	18.95	94.57	-43.41	100	118	QP	Close	
2	0.93	43.98	24.75	19.23	68.27	-24.29	100	118	QP	Close	
3	1.40	37.73	18.40	19.33	64.66	-26.93	100	118	QP	Close	
4	7.37	34.47	14.13	20.34	69.50	-35.03	100	52	QP	Close	
5	17.13	34.26	12.26	22.00	69.50	-35.24	100	262	QP	Close	
6	24.66	35.00	12.59	22.41	69.50	-34.50	100	293	QP	Close	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

CH19(Horizontal)

CH19(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	49.48	23.68	29.69	-6.89	40.00	-16.40	200	347	QP	Horizontal	
2	116.33	25.27	34.19	-8.92	43.50	-18.23	100	42	QP	Horizontal	
3	183.26	33.57	41.36	-7.79	43.50	-9.93	100	52	QP	Horizontal	
4	440.31	27.66	29.93	-2.27	46.00	-18.34	100	17	QP	Horizontal	
5	709.00	31.70	29.98	1.72	46.00	-14.30	200	230	QP	Horizontal	
6	844.00	35.03	31.30	3.73	46.00	-10.97	100	348	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	48.43	32.70	38.79	-6.09	40.00	-7.30	100	164	QP	Vertical	
2	113.42	40.20	49.30	-9.10	43.50	-3.30	100	164	QP	Vertical	
3	182.29	36.30	44.01	-7.71	43.50	-7.20	100	60	QP	Vertical	
4	326.82	27.17	31.27	-4.10	46.00	-18.83	146	360	QP	Vertical	
5	547.01	28.87	29.71	-0.84	46.00	-17.13	100	299	QP	Vertical	
6	844.00	35.34	31.61	3.73	46.00	-10.66	100	299	QP	Vertical	


BLE_2M

CH1(Horizontal)

CH1(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	46.49	23.41	29.28	-5.87	40.00	-16.59	100	74 QP	Horizontal	
2	184.23	38.59	46.50	-7.91	43.50	-4.91	200	64 QP	Horizontal	
3	294.81	23.58	28.44	-4.86	46.00	-22.42	200	269 QP	Horizontal	
4	536.34	28.29	29.44	-1.15	46.00	-17.71	100	79 QP	Horizontal	
5	674.08	30.15	29.16	0.99	46.00	-15.85	200	22 QP	Horizontal	
6	845.77	34.00	31.07	3.73	46.00	-11.20	100	340 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	48.43	38.04	44.13	-6.09	40.00	-1.96	200	271 QP	Vertical	
2	111.48	38.02	47.37	-9.35	43.50	-5.48	100	92 QP	Vertical	
3	170.65	34.90	41.03	-6.13	43.50	-8.60	200	271 QP	Vertical	
4	298.69	30.59	35.34	-4.75	46.00	-15.41	101	360 QP	Vertical	
5	520.82	28.53	29.77	-1.24	46.00	-17.47	200	360 QP	Vertical	
6	844.00	36.78	33.05	3.73	46.00	-9.22	200	360 QP	Vertical	

Test Results of Radiated Spurious Emissions for ANT 5 (UFL, Non-ECC, 2nd Source)

Band Edges, 2.31GHz ~ 2.9GHz


BLE_1M

CH0 (Horizontal) Peak

CH0 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.23	54.29	16.83	37.46	74.00	-19.71	245	72	Peak	Horizontal		
2 *	2402.00	107.40	69.77	37.63	74.00	33.40	245	72	Peak	Horizontal		
3	2899.41	55.81	17.39	38.42	74.00	-18.19	245	72	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2340.68	54.01	16.67	37.34	74.00	-19.99	258	188	Peak	Vertical		
2 *	2402.00	104.01	66.38	37.63	74.00	30.01	258	188	Peak	Vertical		
3	2884.31	55.37	17.03	38.34	74.00	-18.63	258	188	Peak	Vertical		


BLE_1M

CH0 (Horizontal) Average

CH0 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.76	41.31	3.75	37.56	74.00	-32.69	245	72	Peak	Horizontal	
2 *	2482.00	106.40	68.77	37.63	74.00	32.40	245	72	Peak	Horizontal	
3	2811.15	42.32	4.12	38.20	74.00	-31.68	245	72	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.02	41.19	3.61	37.58	54.00	-12.81	258	188	Average	Vertical	
2 *	2482.04	103.01	65.38	37.63	54.00	49.01	258	188	Average	Vertical	
3	2827.55	42.36	4.18	38.18	54.00	-11.64	258	188	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

CH0 (Open) 9kHz~150kHz

CH0 (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.01	47.51	29.80	17.71	127.60	-80.09	100	284	QP	Open		
2	0.03	57.87	38.68	19.19	119.13	-61.26	100	266	QP	Open		
3	0.05	37.10	17.86	19.24	113.11	-76.01	100	305	QP	Open		
4	0.06	41.16	22.10	19.06	111.82	-70.66	100	77	QP	Open		
5	0.09	33.52	15.13	18.39	108.34	-74.82	100	165	QP	Open		
6	0.12	28.84	10.54	18.30	105.80	-76.96	100	119	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	0.51	54.57	35.62	18.95	73.48	-18.91	100	165	QP	Open		
2	1.05	48.35	29.08	19.27	67.22	-18.07	100	158	QP	Open		
3	1.58	43.55	24.20	19.35	63.62	-20.07	100	158	QP	Open		
4	2.12	39.20	19.78	19.42	69.50	-30.30	100	160	QP	Open		
5	2.63	34.50	15.02	19.48	69.50	-35.00	100	201	QP	Open		
6	28.24	36.37	13.80	22.57	69.50	-33.13	100	36	QP	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

CH0 (Horizontal)


CH0 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_2M

CH0 (Horizontal)


CH0 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band (Non-ECC)

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
			Factor		dB		Note
1	0.16	28.10	18.49	9.61	55.42	-27.32 Average	line1
2	0.16	45.48	35.87	9.61	65.42	-19.94 QP	line1
3	0.23	20.43	10.82	9.61	52.40	-31.57 Average	line1
4	0.23	34.75	25.14	9.61	62.40	-27.65 QP	line1
5	0.36	16.15	6.53	9.62	48.67	-32.52 Average	line1
6	0.36	24.67	15.05	9.62	58.67	-34.00 QP	line1
7	2.53	10.81	1.16	9.65	46.00	-35.19 Average	line1
8	2.53	17.94	8.29	9.65	56.00	-38.00 QP	line1
9	4.27	14.61	4.93	9.68	46.00	-31.39 Average	line1
10	4.27	22.59	12.91	9.68	56.00	-33.41 QP	line1
11	6.66	18.13	8.42	9.71	50.00	-31.87 Average	line1
12	6.66	23.65	13.94	9.71	60.00	-36.35 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase
			Factor		dB		Note
1	0.15	28.42	18.83	9.59	55.83	-27.41 Average	neutral
2	0.15	46.46	36.87	9.59	65.83	-19.37 QP	neutral
3	0.17	25.25	15.66	9.59	55.05	-29.80 Average	neutral
4	0.17	43.23	33.64	9.59	65.05	-21.82 QP	neutral
5	0.19	23.12	13.53	9.59	53.85	-30.73 Average	neutral
6	0.19	40.25	30.66	9.59	63.85	-23.60 QP	neutral
7	1.53	16.29	6.67	9.62	46.00	-29.71 Average	neutral
8	1.53	21.50	11.88	9.62	56.00	-34.50 QP	neutral
9	3.75	14.49	4.83	9.66	46.00	-31.51 Average	neutral
10	3.75	25.09	15.43	9.66	56.00	-30.91 QP	neutral
11	9.92	19.09	9.35	9.74	50.00	-30.91 Average	neutral
12	9.92	24.40	14.66	9.74	60.00	-35.60 QP	neutral