


Job No.: STAR2017 #954
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 149-A
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/26/19
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	22449.631	68.08	-20.25	47.83	74.00	-26.17	peak	200	183	

Job No.: STAR2017 #955
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 149-A
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/27/07
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24390.884	68.00	-19.74	48.26	74.00	-25.74	peak	150	130	

Job No.: STAR2017 #957
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 165-A
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/28/48
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21848.796	67.82	-20.41	47.41	74.00	-26.59	peak	200	100	

Job No.: STAR2017 #956
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 165-A
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/27/55
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19892.826	68.44	-20.92	47.52	74.00	-26.48	peak	150	188	

Job No.: STAR2017 #958
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 36-N 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/29/44
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24906.705	67.71	-19.60	48.11	74.00	-25.89	peak	200	104	

Job No.: STAR2017 #959
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 36-N 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/30/39
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19121.804	68.53	-21.13	47.40	74.00	-26.60	peak	150	216	

Job No.: STAR2017 #961
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 48-N 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/32/17
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19210.939	68.86	-21.10	47.76	74.00	-26.24	peak	200	109	

Job No.: STAR2017 #960
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 48-N 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/31/30
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24419.258	67.34	-19.73	47.61	74.00	-26.39	peak	150	175	

Job No.: STAR2017 #962
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 149-N 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/34/58
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21705.322	68.00	-20.44	47.56	74.00	-26.44	peak	200	178	

Job No.: STAR2017 #963
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 149-N 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/35/38
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18667.822	69.23	-21.25	47.98	74.00	-26.02	peak	150	288	

Job No.: STAR2017 #965
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 165-N 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/36/59
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25032.505	67.27	-19.57	47.70	74.00	-26.30	peak	200	140	

Job No.: STAR2017 #964
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 165-N 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/36/24
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18754.840	69.27	-21.22	48.05	74.00	-25.95	peak	150	199	

Job No.: STAR2017 #966
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 36-AC 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/37/59
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25770.780	67.31	-19.38	47.93	74.00	-26.07	peak	200	299	

Job No.: STAR2017 #967
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 36-AC 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/38/31
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21730.572	68.49	-20.44	48.05	74.00	-25.95	peak	150	99	

Job No.: STAR2017 #969
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 48-AC 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/40/19
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18733.048	69.16	-21.23	47.93	74.00	-26.07	peak	200	119	

Job No.: STAR2017 #968
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 48-AC 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/39/40
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18915.429	68.85	-21.18	47.67	74.00	-26.33	peak	150	142	

Job No.: STAR2017 #970

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: WiFi module

Mode: TX Channel 149-AC 20MHz

Model: WPC0GR2231R

Manufacturer: Prima

Polarization: Horizontal

Power Source: DC 12V


Date: 17/10/16/

Time: 19/41/09

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24193.184	67.94	-19.79	48.15	74.00	-25.85	peak	200	181	

Job No.: STAR2017 #971
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 149-AC 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/41/56
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25951.181	68.05	-19.33	48.72	74.00	-25.28	peak	150	143	

Job No.: STAR2017 #973
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 165-AC 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/43/41
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21764.285	69.06	-20.43	48.63	74.00	-25.37	peak	200	83	

Job No.: STAR2017 #972
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 165-AC 20MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/42/53
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	23563.942	68.25	-19.96	48.29	74.00	-25.71	peak	150	74	

Job No.: STAR2017 #974
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 38-N 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/44/42
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20543.111	68.97	-20.75	48.22	74.00	-25.78	peak	200	140	

Job No.: STAR2017 #975
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 38-N 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/45/26
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	24955.014	67.57	-19.59	47.98	74.00	-26.02	peak	150	295	

Job No.: STAR2017 #977
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 46-N 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/47/22
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	18871.496	68.60	-21.19	47.41	74.00	-26.59	peak	200	48	

Job No.: STAR2017 #976
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 46-N 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/46/36
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	23165.534	67.89	-20.06	47.83	74.00	-26.17	peak	150	51	

Job No.: STAR2017 #978
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 151-N 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/48/09
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	22853.433	68.22	-20.15	48.07	74.00	-25.93	peak	200	192	

Job No.: STAR2017 #979
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 151-N 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/48/58
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25453.156	67.43	-19.46	47.97	74.00	-26.03	peak	150	177	

Job No.: STAR2017 #981
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 159-N 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/50/24
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20719.012	68.68	-20.70	47.98	74.00	-26.02	peak	200	179	

Job No.: STAR2017 #980
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 159-N 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/49/42
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	25139.447	67.71	-19.54	48.17	74.00	-25.83	peak	150	88	

Job No.: STAR2017 #982
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 38-AC 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/51/11
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	20783.348	68.35	-20.68	47.67	74.00	-26.33	peak	200	105	

Job No.: STAR2017 #983
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 38-AC 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/51/53
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	21806.499	67.98	-20.42	47.56	74.00	-26.44	peak	150	56	

Job No.: STAR2017 #985
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 46-AC 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Horizontal
Power Source: DC 12V
Date: 17/10/16/
Time: 19/53/24
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	19970.070	69.45	-20.90	48.55	74.00	-25.45	peak	200	106	

Job No.: STAR2017 #984
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: WiFi module
Mode: TX Channel 46-AC 40MHz
Model: WPC0GR2231R
Manufacturer: Prima

Polarization: Vertical
Power Source: DC 12V
Date: 17/10/16/
Time: 19/52/38
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20171984



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	26092.367	32.73	15.94	48.67	74.00	-25.33	peak	150	89	