



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WLAN 5.2G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WLAN 5.8G




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 4000Hz WB only


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




Receive path - distortion and noise 5000Hz WB only


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 25




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 26




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 41




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.2G




ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.3G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.5G



ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85\ 5.2 Receive path – distortion and noise\ WLAN 5.8G




5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ WCDMA Band II



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ WCDMA Band V



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ LTE Band 12



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ LTE Band 13



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ LTE Band 25



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ LTE Band 26



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ LTE Band 41



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ LTE Band 66



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ LTE Band 71



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ WLAN 2.4GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ WLAN 5.2GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ WLAN 5.3GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ WLAN 5.5GHz



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 23.85kbps \ WLAN 5.8GHz



Absolute minimal distance

OK


OK

Limits

	lower
Run 1	Fit into tolerance

5.1 Receive Volume Control Performance 2N---EVS NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 13.2 kbps\LTE Band 12



Speech Level RCV: 81.33 dB[SPL]

Calculated Value: 11.33 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 13.2 kbps\LTE Band 13



Speech Level RCV: 81.29 dB[SPL]

Calculated Value: 11.29 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 13.2 kbps\LTE Band 25



Speech Level RCV: 85.49 dB[SPL]

Calculated Value: 15.49 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 13.2 kbps\ LTE Band 26



Speech Level RCV: 83.24 dB[SPL]

Calculated Value: 13.24 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 13.2 kbps\ LTE Band 41



Speech Level RCV: 87.03 dB[SPL]

Calculated Value: 17.03 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 13.2 kbps\ LTE Band 66



Speech Level RCV: 86.23 dB[SPL]

Calculated Value: 16.23 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS NB 13.2 kbps\ LTE Band 71



Speech Level RCV: 83.47 dB[SPL]

Calculated Value: 13.47 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 13.2kbps\WLAN 2.4GHz



Speech Level RCV: 83.02 dB[SPL]

Calculated Value: 13.02 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 13.2kbps\WLAN 5.2GHz



Speech Level RCV: 80.77 dB[SPL]

Calculated Value: 10.77 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 13.2kbps\WLAN 5.3GHz



Speech Level RCV: 84.56 dB[SPL]

Calculated Value: 14.56 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 13.2kbps\WLAN 5.5GHz



Speech Level RCV: 83.76 dB[SPL]

Calculated Value: 13.76 dB OK

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 13.2kbps\WLAN 5.8GHz




Speech Level RCV: 81 dB[SPL]

Calculated Value: 11 dB OK

5.1 Receive Volume Control Performance 2N---EVS WB


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 13.2 kbps\LTE Band 12



Speech Level RCV: 81.09 dB[SPL]

Calculated Value: 11.09 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 13.2 kbps\LTE Band 13



Speech Level RCV: 81.19 dB[SPL]

Calculated Value: 11.19 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 13.2 kbps\LTE Band 25



Speech Level RCV: 85.13 dB[SPL]

Calculated Value: 15.13 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 13.2 kbps\ LTE Band 26



Speech Level RCV: 84 dB[SPL]

Calculated Value: 14 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 13.2 kbps\ LTE Band 41



Speech Level RCV: 86.29 dB[SPL]

Calculated Value: 16.29dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 13.2 kbps\ LTE Band 66



Speech Level RCV: 86.34 dB[SPL]

Calculated Value: 16.34 dB OK


ANSI/TIA 5050-2018 \ 2N HAC ON \ EVS WB 13.2 kbps\LTE Band 71



Speech Level RCV: 83.72 dB[SPL]

Calculated Value: 13.72dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \WLAN 2.4GHz



Speech Level RCV: 82.66 dB[SPL]

Calculated Value: 12.66 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \WLAN 5.2GHz



Speech Level RCV: 81.53 dB[SPL]

Calculated Value: 11.53 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \WLAN 5.3GHz



Speech Level RCV: 83.82 dB[SPL]

Calculated Value: 13.82 dB OK


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \WLAN 5.5GHz



Speech Level RCV: 83.87 dB[SPL]

Calculated Value: 13.87 dB OK

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 13.2 kbps \WLAN 5.8GHz



Speech Level RCV: 81.25 dB[SPL]

Calculated Value: 11.25 dB OK