

| LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3705.37                                                                            | -27.17           | 7.00     | 12.93 | -33.10 | -13.00 | -20.10 | H        |
| 5557.52                                                                            | -25.88           | 8.40     | 17.11 | -34.59 | -13.00 | -21.59 | H        |
| 7409.88                                                                            | -27.20           | 8.10     | 22.20 | -41.30 | -13.00 | -28.30 | H        |
| 3705.37                                                                            | -27.23           | 7.00     | 12.93 | -33.16 | -13.00 | -20.16 | V        |
| 5557.52                                                                            | -27.71           | 8.40     | 17.11 | -36.42 | -13.00 | -23.42 | V        |
| 7409.88                                                                            | -26.29           | 8.10     | 22.20 | -40.39 | -13.00 | -27.39 | V        |
| LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3760.07                                                                            | -24.44           | 7.00     | 12.93 | -30.37 | -13.00 | -17.37 | H        |
| 5640.26                                                                            | -29.34           | 8.40     | 17.11 | -38.05 | -13.00 | -25.05 | H        |
| 7519.94                                                                            | -24.94           | 8.10     | 22.20 | -39.04 | -13.00 | -26.04 | H        |
| 3760.07                                                                            | -26.95           | 7.00     | 12.93 | -32.88 | -13.00 | -19.88 | V        |
| 5640.26                                                                            | -29.11           | 8.40     | 17.11 | -37.82 | -13.00 | -24.82 | V        |
| 7519.94                                                                            | -27.06           | 8.10     | 22.20 | -41.16 | -13.00 | -28.16 | V        |
| LTE Band 25 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3815.30                                                                            | -28.81           | 7.00     | 12.93 | -34.74 | -13.00 | -21.74 | H        |
| 5722.36                                                                            | -25.11           | 8.40     | 17.11 | -33.82 | -13.00 | -20.82 | H        |
| 7629.93                                                                            | -24.39           | 8.10     | 22.20 | -38.49 | -13.00 | -25.49 | H        |
| 3815.30                                                                            | -29.07           | 7.00     | 12.93 | -35.00 | -13.00 | -22.00 | V        |
| 5722.36                                                                            | -28.20           | 8.40     | 17.11 | -36.91 | -13.00 | -23.91 | V        |
| 7629.93                                                                            | -24.31           | 8.10     | 22.20 | -38.41 | -13.00 | -25.41 | V        |

| LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3710.45                                                                             | -28.32           | 7.00     | 12.93 | -34.25 | -13.00 | -21.25 | H        |
| 5565.32                                                                             | -28.99           | 8.40     | 17.11 | -37.70 | -13.00 | -24.70 | H        |
| 7419.86                                                                             | -26.09           | 8.10     | 22.20 | -40.19 | -13.00 | -27.19 | H        |
| 3710.45                                                                             | -26.27           | 7.00     | 12.93 | -32.20 | -13.00 | -19.20 | V        |
| 5565.32                                                                             | -25.71           | 8.40     | 17.11 | -34.42 | -13.00 | -21.42 | V        |
| 7419.86                                                                             | -25.05           | 8.10     | 22.20 | -39.15 | -13.00 | -26.15 | V        |
| LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3760.16                                                                             | -26.23           | 7.00     | 12.93 | -32.16 | -13.00 | -19.16 | H        |
| 5640.06                                                                             | -25.45           | 8.40     | 17.11 | -34.16 | -13.00 | -21.16 | H        |
| 7519.85                                                                             | -23.61           | 8.10     | 22.20 | -37.71 | -13.00 | -24.71 | H        |
| 3760.16                                                                             | -26.81           | 7.00     | 12.93 | -32.74 | -13.00 | -19.74 | V        |
| 5640.06                                                                             | -25.84           | 8.40     | 17.11 | -34.55 | -13.00 | -21.55 | V        |
| 7519.85                                                                             | -23.64           | 8.10     | 22.20 | -37.74 | -13.00 | -24.74 | V        |
| LTE Band 25 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3810.20                                                                             | -27.25           | 7.00     | 12.93 | -33.18 | -13.00 | -20.18 | H        |
| 5714.63                                                                             | -29.42           | 8.40     | 17.11 | -38.13 | -13.00 | -25.13 | H        |
| 7620.10                                                                             | -24.25           | 8.10     | 22.20 | -38.35 | -13.00 | -25.35 | H        |
| 3810.20                                                                             | -25.23           | 7.00     | 12.93 | -31.16 | -13.00 | -18.16 | V        |
| 5714.63                                                                             | -27.00           | 8.40     | 17.11 | -35.71 | -13.00 | -22.71 | V        |
| 7620.10                                                                             | -23.56           | 8.10     | 22.20 | -37.66 | -13.00 | -24.66 | V        |

| LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3714.94                                                                             | -24.23           | 7.00     | 12.93 | -30.16 | -13.00 | -17.16 | H        |
| 5572.48                                                                             | -29.20           | 8.40     | 17.11 | -37.91 | -13.00 | -24.91 | H        |
| 7430.49                                                                             | -25.05           | 8.10     | 22.20 | -39.15 | -13.00 | -26.15 | H        |
| 3714.94                                                                             | -26.78           | 7.00     | 12.93 | -32.71 | -13.00 | -19.71 | V        |
| 5572.48                                                                             | -24.49           | 8.40     | 17.11 | -33.20 | -13.00 | -20.20 | V        |
| 7430.49                                                                             | -27.42           | 8.10     | 22.20 | -41.52 | -13.00 | -28.52 | V        |
| LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3759.88                                                                             | -27.42           | 7.00     | 12.93 | -33.35 | -13.00 | -20.35 | H        |
| 5640.06                                                                             | -29.42           | 8.40     | 17.11 | -38.13 | -13.00 | -25.13 | H        |
| 7520.21                                                                             | -26.00           | 8.10     | 22.20 | -40.10 | -13.00 | -27.10 | H        |
| 3759.88                                                                             | -28.21           | 7.00     | 12.93 | -34.14 | -13.00 | -21.14 | V        |
| 5640.06                                                                             | -25.35           | 8.40     | 17.11 | -34.06 | -13.00 | -21.06 | V        |
| 7520.21                                                                             | -24.83           | 8.10     | 22.20 | -38.93 | -13.00 | -25.93 | V        |
| LTE Band 25 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3804.88                                                                             | -28.05           | 7.00     | 12.93 | -33.98 | -13.00 | -20.98 | H        |
| 5707.53                                                                             | -26.78           | 8.40     | 17.11 | -35.49 | -13.00 | -22.49 | H        |
| 7610.19                                                                             | -26.41           | 8.10     | 22.20 | -40.51 | -13.00 | -27.51 | H        |
| 3804.88                                                                             | -28.23           | 7.00     | 12.93 | -34.16 | -13.00 | -21.16 | V        |
| 5707.53                                                                             | -27.02           | 8.40     | 17.11 | -35.73 | -13.00 | -22.73 | V        |
| 7610.19                                                                             | -25.34           | 8.10     | 22.20 | -39.44 | -13.00 | -26.44 | V        |

| LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3720.48                                                                             | -28.04           | 7.00     | 12.93 | -33.97 | -13.00 | -20.97 | H        |
| 5580.46                                                                             | -26.66           | 8.40     | 17.11 | -35.37 | -13.00 | -22.37 | H        |
| 7439.79                                                                             | -24.85           | 8.10     | 22.20 | -38.95 | -13.00 | -25.95 | H        |
| 3720.48                                                                             | -26.88           | 7.00     | 12.93 | -32.81 | -13.00 | -19.81 | V        |
| 5580.46                                                                             | -27.39           | 8.40     | 17.11 | -36.10 | -13.00 | -23.10 | V        |
| 7439.79                                                                             | -27.24           | 8.10     | 22.20 | -41.34 | -13.00 | -28.34 | V        |
| LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3760.23                                                                             | -25.38           | 7.00     | 12.93 | -31.31 | -13.00 | -18.31 | H        |
| 5639.91                                                                             | -26.45           | 8.40     | 17.11 | -35.16 | -13.00 | -22.16 | H        |
| 7519.97                                                                             | -26.35           | 8.10     | 22.20 | -40.45 | -13.00 | -27.45 | H        |
| 3760.23                                                                             | -25.38           | 7.00     | 12.93 | -31.31 | -13.00 | -18.31 | V        |
| 5639.91                                                                             | -27.89           | 8.40     | 17.11 | -36.60 | -13.00 | -23.60 | V        |
| 7519.97                                                                             | -25.29           | 8.10     | 22.20 | -39.39 | -13.00 | -26.39 | V        |
| LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3799.88                                                                             | -27.85           | 7.00     | 12.93 | -33.78 | -13.00 | -20.78 | H        |
| 5700.16                                                                             | -27.00           | 8.40     | 17.11 | -35.71 | -13.00 | -22.71 | H        |
| 7600.01                                                                             | -23.82           | 8.10     | 22.20 | -37.92 | -13.00 | -24.92 | H        |
| 3799.88                                                                             | -27.76           | 7.00     | 12.93 | -33.69 | -13.00 | -20.69 | V        |
| 5700.16                                                                             | -28.70           | 8.40     | 17.11 | -37.41 | -13.00 | -24.41 | V        |
| 7600.01                                                                             | -24.11           | 8.10     | 22.20 | -38.21 | -13.00 | -25.21 | V        |

| LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|--------------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                   | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                  |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1649.33                                                                                          | -29.83           | 7.40     | 9.72  | -32.15 | -13.00 | -19.15 | H        |
| 2473.66                                                                                          | -28.28           | 8.30     | 10.86 | -30.84 | -13.00 | -17.84 | H        |
| 3298.58                                                                                          | -27.51           | 7.20     | 11.57 | -31.88 | -13.00 | -18.88 | H        |
| 1649.33                                                                                          | -29.22           | 7.40     | 9.72  | -31.54 | -13.00 | -18.54 | V        |
| 2473.66                                                                                          | -30.77           | 8.30     | 10.86 | -33.33 | -13.00 | -20.33 | V        |
| 3298.58                                                                                          | -28.50           | 7.20     | 11.57 | -32.87 | -13.00 | -19.87 | V        |
| LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                   | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                  |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1673.20                                                                                          | -28.79           | 7.40     | 9.72  | -31.11 | -13.00 | -18.11 | H        |
| 2509.07                                                                                          | -26.66           | 8.30     | 10.86 | -29.22 | -13.00 | -16.22 | H        |
| 3346.24                                                                                          | -25.34           | 7.20     | 11.57 | -29.71 | -13.00 | -16.71 | H        |
| 1673.20                                                                                          | -30.11           | 7.40     | 9.72  | -32.43 | -13.00 | -19.43 | V        |
| 2509.07                                                                                          | -29.21           | 8.30     | 10.86 | -31.77 | -13.00 | -18.77 | V        |
| 3346.24                                                                                          | -28.97           | 7.20     | 11.57 | -33.34 | -13.00 | -20.34 | V        |
| LTE Band 26(824-849MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                   | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                  |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1696.60                                                                                          | -26.78           | 7.40     | 9.72  | -29.10 | -13.00 | -16.10 | H        |
| 2544.53                                                                                          | -27.80           | 8.30     | 10.86 | -30.36 | -13.00 | -17.36 | H        |
| 3392.83                                                                                          | -26.91           | 7.20     | 11.57 | -31.28 | -13.00 | -18.28 | H        |
| 1696.60                                                                                          | -31.87           | 7.40     | 9.72  | -34.19 | -13.00 | -21.19 | V        |
| 2544.53                                                                                          | -30.37           | 8.30     | 10.86 | -32.93 | -13.00 | -19.93 | V        |
| 3392.83                                                                                          | -25.38           | 7.20     | 11.57 | -29.75 | -13.00 | -16.75 | V        |

| LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|------------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                 | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1651.37                                                                                        | -29.31           | 7.40     | 9.72  | -31.63 | -13.00 | -18.63 | H        |
| 2476.50                                                                                        | -31.05           | 8.30     | 10.86 | -33.61 | -13.00 | -20.61 | H        |
| 3301.48                                                                                        | -28.77           | 7.20     | 11.57 | -33.14 | -13.00 | -20.14 | H        |
| 1651.37                                                                                        | -29.08           | 7.40     | 9.72  | -31.40 | -13.00 | -18.40 | V        |
| 2476.50                                                                                        | -26.94           | 8.30     | 10.86 | -29.50 | -13.00 | -16.50 | V        |
| 3301.48                                                                                        | -28.48           | 7.20     | 11.57 | -32.85 | -13.00 | -19.85 | V        |
| LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                 | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1673.12                                                                                        | -28.08           | 7.40     | 9.72  | -30.40 | -13.00 | -17.40 | H        |
| 2509.23                                                                                        | -28.27           | 8.30     | 10.86 | -30.83 | -13.00 | -17.83 | H        |
| 3346.18                                                                                        | -27.52           | 7.20     | 11.57 | -31.89 | -13.00 | -18.89 | H        |
| 1673.12                                                                                        | -27.81           | 7.40     | 9.72  | -30.13 | -13.00 | -17.13 | V        |
| 2509.23                                                                                        | -28.94           | 8.30     | 10.86 | -31.50 | -13.00 | -18.50 | V        |
| 3346.18                                                                                        | -25.41           | 7.20     | 11.57 | -29.78 | -13.00 | -16.78 | V        |
| LTE Band 26(824-849MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                 | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1695.73                                                                                        | -29.74           | 7.40     | 9.72  | -32.06 | -13.00 | -19.06 | H        |
| 2542.15                                                                                        | -29.96           | 8.30     | 10.86 | -32.52 | -13.00 | -19.52 | H        |
| 3389.86                                                                                        | -27.84           | 7.20     | 11.57 | -32.21 | -13.00 | -19.21 | H        |
| 1695.73                                                                                        | -29.54           | 7.40     | 9.72  | -31.86 | -13.00 | -18.86 | V        |
| 2542.15                                                                                        | -27.91           | 8.30     | 10.86 | -30.47 | -13.00 | -17.47 | V        |
| 3389.86                                                                                        | -27.89           | 7.20     | 11.57 | -32.26 | -13.00 | -19.26 | V        |

| LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|------------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                 | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1652.77                                                                                        | -26.11           | 7.40     | 9.72  | -28.43 | -13.00 | -15.43 | H        |
| 2479.64                                                                                        | -29.70           | 8.30     | 10.86 | -32.26 | -13.00 | -19.26 | H        |
| 3306.48                                                                                        | -24.92           | 7.20     | 11.57 | -29.29 | -13.00 | -16.29 | H        |
| 1652.77                                                                                        | -29.65           | 7.40     | 9.72  | -31.97 | -13.00 | -18.97 | V        |
| 2479.64                                                                                        | -30.26           | 8.30     | 10.86 | -32.82 | -13.00 | -19.82 | V        |
| 3306.48                                                                                        | -27.50           | 7.20     | 11.57 | -31.87 | -13.00 | -18.87 | V        |
| LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                 | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1673.11                                                                                        | -27.31           | 7.40     | 9.72  | -29.63 | -13.00 | -16.63 | H        |
| 2508.85                                                                                        | -30.69           | 8.30     | 10.86 | -33.25 | -13.00 | -20.25 | H        |
| 3345.96                                                                                        | -29.54           | 7.20     | 11.57 | -33.91 | -13.00 | -20.91 | H        |
| 1673.11                                                                                        | -29.06           | 7.40     | 9.72  | -31.38 | -13.00 | -18.38 | V        |
| 2508.85                                                                                        | -30.33           | 8.30     | 10.86 | -32.89 | -13.00 | -19.89 | V        |
| 3345.96                                                                                        | -30.00           | 7.20     | 11.57 | -34.37 | -13.00 | -21.37 | V        |
| LTE Band 26(824-849MHz) / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                 | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1693.65                                                                                        | -29.73           | 7.40     | 9.72  | -32.05 | -13.00 | -19.05 | H        |
| 2539.12                                                                                        | -29.03           | 8.30     | 10.86 | -31.59 | -13.00 | -18.59 | H        |
| 3386.16                                                                                        | -27.96           | 7.20     | 11.57 | -32.33 | -13.00 | -19.33 | H        |
| 1693.65                                                                                        | -29.41           | 7.40     | 9.72  | -31.73 | -13.00 | -18.73 | V        |
| 2539.12                                                                                        | -29.62           | 8.30     | 10.86 | -32.18 | -13.00 | -19.18 | V        |
| 3386.16                                                                                        | -26.19           | 7.20     | 11.57 | -30.56 | -13.00 | -17.56 | V        |

| LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                  | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                 |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1658.16                                                                                         | -28.27           | 7.40     | 9.72  | -30.59 | -13.00 | -17.59 | H        |
| 2486.33                                                                                         | -27.81           | 8.30     | 10.86 | -30.37 | -13.00 | -17.37 | H        |
| 3315.54                                                                                         | -25.00           | 7.20     | 11.57 | -29.37 | -13.00 | -16.37 | H        |
| 1658.16                                                                                         | -27.95           | 7.40     | 9.72  | -30.27 | -13.00 | -17.27 | V        |
| 2486.33                                                                                         | -26.56           | 8.30     | 10.86 | -29.12 | -13.00 | -16.12 | V        |
| 3315.54                                                                                         | -25.47           | 7.20     | 11.57 | -29.84 | -13.00 | -16.84 | V        |
| LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                  | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                 |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1672.85                                                                                         | -27.88           | 7.40     | 9.72  | -30.20 | -13.00 | -17.20 | H        |
| 2509.22                                                                                         | -27.79           | 8.30     | 10.86 | -30.35 | -13.00 | -17.35 | H        |
| 3345.98                                                                                         | -24.77           | 7.20     | 11.57 | -29.14 | -13.00 | -16.14 | H        |
| 1672.85                                                                                         | -30.47           | 7.40     | 9.72  | -32.79 | -13.00 | -19.79 | V        |
| 2509.22                                                                                         | -28.07           | 8.30     | 10.86 | -30.63 | -13.00 | -17.63 | V        |
| 3345.98                                                                                         | -26.40           | 7.20     | 11.57 | -30.77 | -13.00 | -17.77 | V        |
| LTE Band 26(824-849MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                  | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                 |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1688.36                                                                                         | -28.66           | 7.40     | 9.72  | -30.98 | -13.00 | -17.98 | H        |
| 2532.20                                                                                         | -30.93           | 8.30     | 10.86 | -33.49 | -13.00 | -20.49 | H        |
| 3375.95                                                                                         | -28.41           | 7.20     | 11.57 | -32.78 | -13.00 | -19.78 | H        |
| 1688.36                                                                                         | -27.37           | 7.40     | 9.72  | -29.69 | -13.00 | -16.69 | V        |
| 2532.20                                                                                         | -27.24           | 8.30     | 10.86 | -29.80 | -13.00 | -16.80 | V        |
| 3375.95                                                                                         | -26.58           | 7.20     | 11.57 | -30.95 | -13.00 | -17.95 | V        |

| LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                  | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                 |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1663.44                                                                                         | -28.47           | 7.40     | 9.72  | -30.79 | -13.00 | -17.79 | H        |
| 2494.63                                                                                         | -29.91           | 8.30     | 10.86 | -32.47 | -13.00 | -19.47 | H        |
| 3325.76                                                                                         | -26.90           | 7.20     | 11.57 | -31.27 | -13.00 | -18.27 | H        |
| 1663.44                                                                                         | -31.93           | 7.40     | 9.72  | -34.25 | -13.00 | -21.25 | V        |
| 2494.63                                                                                         | -27.83           | 8.30     | 10.86 | -30.39 | -13.00 | -17.39 | V        |
| 3325.76                                                                                         | -25.62           | 7.20     | 11.57 | -29.99 | -13.00 | -16.99 | V        |
| LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                  | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                 |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1673.19                                                                                         | -28.47           | 7.40     | 9.72  | -30.79 | -13.00 | -17.79 | H        |
| 2508.94                                                                                         | -29.08           | 8.30     | 10.86 | -31.64 | -13.00 | -18.64 | H        |
| 3346.01                                                                                         | -29.64           | 7.20     | 11.57 | -34.01 | -13.00 | -21.01 | H        |
| 1673.19                                                                                         | -29.54           | 7.40     | 9.72  | -31.86 | -13.00 | -18.86 | V        |
| 2508.94                                                                                         | -29.64           | 8.30     | 10.86 | -32.20 | -13.00 | -19.20 | V        |
| 3346.01                                                                                         | -27.32           | 7.20     | 11.57 | -31.69 | -13.00 | -18.69 | V        |
| LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                  | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                 |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1683.69                                                                                         | -26.56           | 7.40     | 9.72  | -28.88 | -13.00 | -15.88 | H        |
| 2524.42                                                                                         | -26.82           | 8.30     | 10.86 | -29.38 | -13.00 | -16.38 | H        |
| 3366.24                                                                                         | -25.88           | 7.20     | 11.57 | -30.25 | -13.00 | -17.25 | H        |
| 1683.69                                                                                         | -28.25           | 7.40     | 9.72  | -30.57 | -13.00 | -17.57 | V        |
| 2524.42                                                                                         | -26.96           | 8.30     | 10.86 | -29.52 | -13.00 | -16.52 | V        |
| 3366.24                                                                                         | -28.12           | 7.20     | 11.57 | -32.49 | -13.00 | -19.49 | V        |

| LTE Band 26(814-824MHz)/ 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest   |                  |          |       |        |        |        |          |
|--------------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                   | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                  |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1649.40                                                                                          | -27.69           | 7.40     | 9.72  | -30.01 | -13.00 | -17.01 | H        |
| 2473.21                                                                                          | -28.81           | 8.30     | 10.86 | -31.37 | -13.00 | -18.37 | H        |
| 3298.71                                                                                          | -25.76           | 7.20     | 11.57 | -30.13 | -13.00 | -17.13 | H        |
| 1649.40                                                                                          | -31.36           | 7.40     | 9.72  | -33.68 | -13.00 | -20.68 | V        |
| 2473.21                                                                                          | -29.21           | 8.30     | 10.86 | -31.77 | -13.00 | -18.77 | V        |
| 3298.71                                                                                          | -27.26           | 7.20     | 11.57 | -31.63 | -13.00 | -18.63 | V        |
| LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                   | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                  |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1672.96                                                                                          | -27.93           | 7.40     | 9.72  | -30.25 | -13.00 | -17.25 | H        |
| 2508.97                                                                                          | -27.50           | 8.30     | 10.86 | -30.06 | -13.00 | -17.06 | H        |
| 3346.10                                                                                          | -25.87           | 7.20     | 11.57 | -30.24 | -13.00 | -17.24 | H        |
| 1672.96                                                                                          | -30.34           | 7.40     | 9.72  | -32.66 | -13.00 | -19.66 | V        |
| 2508.97                                                                                          | -29.66           | 8.30     | 10.86 | -32.22 | -13.00 | -19.22 | V        |
| 3346.10                                                                                          | -27.11           | 7.20     | 11.57 | -31.48 | -13.00 | -18.48 | V        |
| LTE Band 26(814-824MHz) / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                   | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                                  |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1696.32                                                                                          | -28.42           | 7.40     | 9.72  | -30.74 | -13.00 | -17.74 | H        |
| 2544.84                                                                                          | -30.74           | 8.30     | 10.86 | -33.30 | -13.00 | -20.30 | H        |
| 3392.84                                                                                          | -25.37           | 7.20     | 11.57 | -29.74 | -13.00 | -16.74 | H        |
| 1696.32                                                                                          | -30.59           | 7.40     | 9.72  | -32.91 | -13.00 | -19.91 | V        |
| 2544.84                                                                                          | -26.40           | 8.30     | 10.86 | -28.96 | -13.00 | -15.96 | V        |
| 3392.84                                                                                          | -29.81           | 7.20     | 11.57 | -34.18 | -13.00 | -21.18 | V        |

| LTE Band 26(814-824MHz) / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest |                  |          |       |        |        |        |          |
|-----------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                               |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1651.45                                                                                       | -27.98           | 7.40     | 9.72  | -30.30 | -13.00 | -17.30 | H        |
| 2476.32                                                                                       | -29.97           | 8.30     | 10.86 | -32.53 | -13.00 | -19.53 | H        |
| 3301.59                                                                                       | -26.15           | 7.20     | 11.57 | -30.52 | -13.00 | -17.52 | H        |
| 1651.45                                                                                       | -28.14           | 7.40     | 9.72  | -30.46 | -13.00 | -17.46 | V        |
| 2476.32                                                                                       | -31.23           | 8.30     | 10.86 | -33.79 | -13.00 | -20.79 | V        |
| 3301.59                                                                                       | -26.90           | 7.20     | 11.57 | -31.27 | -13.00 | -18.27 | V        |
| LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                               |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1673.21                                                                                       | -28.02           | 7.40     | 9.72  | -30.34 | -13.00 | -17.34 | H        |
| 2509.08                                                                                       | -30.07           | 8.30     | 10.86 | -32.63 | -13.00 | -19.63 | H        |
| 3346.20                                                                                       | -26.47           | 7.20     | 11.57 | -30.84 | -13.00 | -17.84 | H        |
| 1673.21                                                                                       | -29.03           | 7.40     | 9.72  | -31.35 | -13.00 | -18.35 | V        |
| 2509.08                                                                                       | -29.90           | 8.30     | 10.86 | -32.46 | -13.00 | -19.46 | V        |
| 3346.20                                                                                       | -29.23           | 7.20     | 11.57 | -33.60 | -13.00 | -20.60 | V        |
| LTE Band 26(814-824MHz)/ 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                                | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                               |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1695.40                                                                                       | -27.92           | 7.40     | 9.72  | -30.24 | -13.00 | -17.24 | H        |
| 2542.12                                                                                       | -26.90           | 8.30     | 10.86 | -29.46 | -13.00 | -16.46 | H        |
| 3389.89                                                                                       | -26.84           | 7.20     | 11.57 | -31.21 | -13.00 | -18.21 | H        |
| 1695.40                                                                                       | -27.15           | 7.40     | 9.72  | -29.47 | -13.00 | -16.47 | V        |
| 2542.12                                                                                       | -28.59           | 8.30     | 10.86 | -31.15 | -13.00 | -18.15 | V        |
| 3389.89                                                                                       | -30.13           | 7.20     | 11.57 | -34.50 | -13.00 | -21.50 | V        |

| LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest |                  |          |       |        |        |        |          |
|----------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                               | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                              |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1652.68                                                                                      | -26.99           | 7.40     | 9.72  | -29.31 | -13.00 | -16.31 | H        |
| 2479.29                                                                                      | -30.82           | 8.30     | 10.86 | -33.38 | -13.00 | -20.38 | H        |
| 3306.71                                                                                      | -24.80           | 7.20     | 11.57 | -29.17 | -13.00 | -16.17 | H        |
| 1652.68                                                                                      | -27.14           | 7.40     | 9.72  | -29.46 | -13.00 | -16.46 | V        |
| 2479.29                                                                                      | -29.56           | 8.30     | 10.86 | -32.12 | -13.00 | -19.12 | V        |
| 3306.71                                                                                      | -28.27           | 7.20     | 11.57 | -32.64 | -13.00 | -19.64 | V        |

| LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle |                  |          |       |        |        |        |          |
|----------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                               | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                              |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1673.10                                                                                      | -30.88           | 7.40     | 9.72  | -33.20 | -13.00 | -20.20 | H        |
| 2508.92                                                                                      | -28.63           | 8.30     | 10.86 | -31.19 | -13.00 | -18.19 | H        |
| 3346.12                                                                                      | -25.40           | 7.20     | 11.57 | -29.77 | -13.00 | -16.77 | H        |
| 1673.10                                                                                      | -30.13           | 7.40     | 9.72  | -32.45 | -13.00 | -19.45 | V        |
| 2508.92                                                                                      | -31.06           | 8.30     | 10.86 | -33.62 | -13.00 | -20.62 | V        |
| 3346.12                                                                                      | -29.60           | 7.20     | 11.57 | -33.97 | -13.00 | -20.97 | V        |

| LTE Band 26(814-824MHz)/ 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
|-----------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                               |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1693.46                                                                                       | -28.65           | 7.40     | 9.72  | -30.97 | -13.00 | -17.97 | H        |
| 2539.33                                                                                       | -26.98           | 8.30     | 10.86 | -29.54 | -13.00 | -16.54 | H        |
| 3386.06                                                                                       | -29.60           | 7.20     | 11.57 | -33.97 | -13.00 | -20.97 | H        |
| 1693.46                                                                                       | -29.96           | 7.40     | 9.72  | -32.28 | -13.00 | -19.28 | V        |
| 2539.33                                                                                       | -30.29           | 8.30     | 10.86 | -32.85 | -13.00 | -19.85 | V        |
| 3386.06                                                                                       | -29.21           | 7.20     | 11.57 | -33.58 | -13.00 | -20.58 | V        |

| LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle |                  |          |       |        |        |        |          |
|-----------------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                                | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                               |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1673.16                                                                                       | -30.19           | 7.40     | 9.72  | -32.51 | -13.00 | -19.51 | H        |
| 2508.86                                                                                       | -28.72           | 8.30     | 10.86 | -31.28 | -13.00 | -18.28 | H        |
| 3346.09                                                                                       | -25.08           | 7.20     | 11.57 | -29.45 | -13.00 | -16.45 | H        |
| 1673.16                                                                                       | -30.15           | 7.40     | 9.72  | -32.47 | -13.00 | -19.47 | V        |
| 2508.86                                                                                       | -27.39           | 8.30     | 10.86 | -29.95 | -13.00 | -16.95 | V        |
| 3346.09                                                                                       | -28.93           | 7.20     | 11.57 | -33.30 | -13.00 | -20.30 | V        |

| LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 4997.06                                                                            | -30.06           | 7.90     | 15.86 | -38.02 | -25.00 | -13.02 | H        |
| 7495.73                                                                            | -30.50           | 9.00     | 19.28 | -40.78 | -25.00 | -15.78 | H        |
| 9993.89                                                                            | -30.01           | 8.70     | 23.19 | -44.50 | -25.00 | -19.50 | H        |
| 4997.06                                                                            | -34.47           | 7.90     | 15.86 | -42.43 | -25.00 | -17.43 | V        |
| 7495.73                                                                            | -31.66           | 9.00     | 19.28 | -41.94 | -25.00 | -16.94 | V        |
| 9993.89                                                                            | -31.45           | 8.70     | 23.19 | -45.94 | -25.00 | -20.94 | V        |
| LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5185.89                                                                            | -30.84           | 7.90     | 15.86 | -38.80 | -25.00 | -13.80 | H        |
| 7779.29                                                                            | -32.85           | 9.00     | 19.28 | -43.13 | -25.00 | -18.13 | H        |
| 10372.33                                                                           | -29.60           | 8.70     | 23.19 | -44.09 | -25.00 | -19.09 | H        |
| 5185.89                                                                            | -32.10           | 7.90     | 15.86 | -40.06 | -25.00 | -15.06 | V        |
| 7779.29                                                                            | -30.89           | 9.00     | 19.28 | -41.17 | -25.00 | -16.17 | V        |
| 10372.33                                                                           | -32.78           | 8.70     | 23.19 | -47.27 | -25.00 | -22.27 | V        |
| LTE Band 41 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5375.01                                                                            | -31.27           | 7.90     | 15.86 | -39.23 | -25.00 | -14.23 | H        |
| 8062.79                                                                            | -31.15           | 9.00     | 19.28 | -41.43 | -25.00 | -16.43 | H        |
| 10749.92                                                                           | -32.26           | 8.70     | 23.19 | -46.75 | -25.00 | -21.75 | H        |
| 5375.01                                                                            | -34.06           | 7.90     | 15.86 | -42.02 | -25.00 | -17.02 | V        |
| 8062.79                                                                            | -34.63           | 9.00     | 19.28 | -44.91 | -25.00 | -19.91 | V        |
| 10749.92                                                                           | -30.62           | 8.70     | 23.19 | -45.11 | -25.00 | -20.11 | V        |

| LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5002.01                                                                             | -32.14           | 7.90     | 15.86 | -40.10 | -25.00 | -15.10 | H        |
| 7502.97                                                                             | -33.45           | 9.00     | 19.28 | -43.73 | -25.00 | -18.73 | H        |
| 10004.16                                                                            | -29.78           | 8.70     | 23.19 | -44.27 | -25.00 | -19.27 | H        |
| 5002.01                                                                             | -34.80           | 7.90     | 15.86 | -42.76 | -25.00 | -17.76 | V        |
| 7502.97                                                                             | -33.59           | 9.00     | 19.28 | -43.87 | -25.00 | -18.87 | V        |
| 10004.16                                                                            | -30.03           | 8.70     | 23.19 | -44.52 | -25.00 | -19.52 | V        |
| LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5185.93                                                                             | -34.57           | 7.90     | 15.86 | -42.53 | -25.00 | -17.53 | H        |
| 7779.31                                                                             | -35.06           | 9.00     | 19.28 | -45.34 | -25.00 | -20.34 | H        |
| 10372.00                                                                            | -32.11           | 8.70     | 23.19 | -46.60 | -25.00 | -21.60 | H        |
| 5185.93                                                                             | -32.89           | 7.90     | 15.86 | -40.85 | -25.00 | -15.85 | V        |
| 7779.31                                                                             | -35.12           | 9.00     | 19.28 | -45.40 | -25.00 | -20.40 | V        |
| 10372.00                                                                            | -30.85           | 8.70     | 23.19 | -45.34 | -25.00 | -20.34 | V        |
| LTE Band 41 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5369.91                                                                             | -32.51           | 7.90     | 15.86 | -40.47 | -25.00 | -15.47 | H        |
| 8054.94                                                                             | -35.47           | 9.00     | 19.28 | -45.75 | -25.00 | -20.75 | H        |
| 10739.74                                                                            | -32.68           | 8.70     | 23.19 | -47.17 | -25.00 | -22.17 | H        |
| 5369.91                                                                             | -35.57           | 7.90     | 15.86 | -43.53 | -25.00 | -18.53 | V        |
| 8054.94                                                                             | -34.70           | 9.00     | 19.28 | -44.98 | -25.00 | -19.98 | V        |
| 10739.74                                                                            | -30.67           | 8.70     | 23.19 | -45.16 | -25.00 | -20.16 | V        |

| LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5006.83                                                                             | -30.14           | 7.90     | 15.86 | -38.10 | -25.00 | -13.10 | H        |
| 7510.57                                                                             | -33.12           | 9.00     | 19.28 | -43.40 | -25.00 | -18.40 | H        |
| 10014.37                                                                            | -33.58           | 8.70     | 23.19 | -48.07 | -25.00 | -23.07 | H        |
| 5006.83                                                                             | -33.97           | 7.90     | 15.86 | -41.93 | -25.00 | -16.93 | V        |
| 7510.57                                                                             | -34.28           | 9.00     | 19.28 | -44.56 | -25.00 | -19.56 | V        |
| 10014.37                                                                            | -32.37           | 8.70     | 23.19 | -46.86 | -25.00 | -21.86 | V        |
| LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5185.95                                                                             | -30.25           | 7.90     | 15.86 | -38.21 | -25.00 | -13.21 | H        |
| 7778.93                                                                             | -35.12           | 9.00     | 19.28 | -45.40 | -25.00 | -20.40 | H        |
| 10371.88                                                                            | -31.87           | 8.70     | 23.19 | -46.36 | -25.00 | -21.36 | H        |
| 5185.95                                                                             | -32.33           | 7.90     | 15.86 | -40.29 | -25.00 | -15.29 | V        |
| 7778.93                                                                             | -35.06           | 9.00     | 19.28 | -45.34 | -25.00 | -20.34 | V        |
| 10371.88                                                                            | -32.42           | 8.70     | 23.19 | -46.91 | -25.00 | -21.91 | V        |
| LTE Band 41 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5365.03                                                                             | -29.95           | 7.90     | 15.86 | -37.91 | -25.00 | -12.91 | H        |
| 8047.47                                                                             | -33.77           | 9.00     | 19.28 | -44.05 | -25.00 | -19.05 | H        |
| 10730.19                                                                            | -33.31           | 8.70     | 23.19 | -47.80 | -25.00 | -22.80 | H        |
| 5365.03                                                                             | -32.74           | 7.90     | 15.86 | -40.70 | -25.00 | -15.70 | V        |
| 8047.47                                                                             | -31.44           | 9.00     | 19.28 | -41.72 | -25.00 | -16.72 | V        |
| 10730.19                                                                            | -30.82           | 8.70     | 23.19 | -45.31 | -25.00 | -20.31 | V        |

| LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5012.16                                                                             | -32.05           | 7.90     | 15.86 | -40.01 | -25.00 | -15.01 | H        |
| 7517.95                                                                             | -33.80           | 9.00     | 19.28 | -44.08 | -25.00 | -19.08 | H        |
| 10024.23                                                                            | -29.82           | 8.70     | 23.19 | -44.31 | -25.00 | -19.31 | H        |
| 5012.16                                                                             | -33.32           | 7.90     | 15.86 | -41.28 | -25.00 | -16.28 | V        |
| 7517.95                                                                             | -30.74           | 9.00     | 19.28 | -41.02 | -25.00 | -16.02 | V        |
| 10024.23                                                                            | -31.80           | 8.70     | 23.19 | -46.29 | -25.00 | -21.29 | V        |
| LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle   |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5185.86                                                                             | -33.97           | 7.90     | 15.86 | -41.93 | -25.00 | -16.93 | H        |
| 7779.28                                                                             | -35.22           | 9.00     | 19.28 | -45.50 | -25.00 | -20.50 | H        |
| 10372.20                                                                            | -33.48           | 8.70     | 23.19 | -47.97 | -25.00 | -22.97 | H        |
| 5185.86                                                                             | -35.14           | 7.90     | 15.86 | -43.10 | -25.00 | -18.10 | V        |
| 7779.28                                                                             | -32.93           | 9.00     | 19.28 | -43.21 | -25.00 | -18.21 | V        |
| 10372.20                                                                            | -32.25           | 8.70     | 23.19 | -46.74 | -25.00 | -21.74 | V        |
| LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 5360.04                                                                             | -32.46           | 7.90     | 15.86 | -40.42 | -25.00 | -15.42 | H        |
| 8039.95                                                                             | -34.69           | 9.00     | 19.28 | -44.97 | -25.00 | -19.97 | H        |
| 10720.00                                                                            | -33.07           | 8.70     | 23.19 | -47.56 | -25.00 | -22.56 | H        |
| 5360.04                                                                             | -31.07           | 7.90     | 15.86 | -39.03 | -25.00 | -14.03 | V        |
| 8039.95                                                                             | -34.86           | 9.00     | 19.28 | -45.14 | -25.00 | -20.14 | V        |
| 10720.00                                                                            | -29.98           | 8.70     | 23.19 | -44.47 | -25.00 | -19.47 | V        |

| LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|--------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                       | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                      |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3421.13                                                                              | -25.17           | 7.20     | 12.56 | -30.53 | -13.00 | -17.53 | H        |
| 5131.93                                                                              | -26.93           | 8.10     | 16.32 | -35.15 | -13.00 | -22.15 | H        |
| 6842.37                                                                              | -25.05           | 8.30     | 21.13 | -37.88 | -13.00 | -24.88 | H        |
| 3421.13                                                                              | -27.16           | 7.20     | 12.56 | -32.52 | -13.00 | -19.52 | V        |
| 5131.93                                                                              | -28.57           | 8.10     | 16.32 | -36.79 | -13.00 | -23.79 | V        |
| 6842.37                                                                              | -26.06           | 8.30     | 21.13 | -38.89 | -13.00 | -25.89 | V        |
| LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                       | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                      |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3489.85                                                                              | -24.69           | 7.20     | 12.56 | -30.05 | -13.00 | -17.05 | H        |
| 5235.13                                                                              | -28.74           | 8.10     | 16.32 | -36.96 | -13.00 | -23.96 | H        |
| 6980.18                                                                              | -23.23           | 8.30     | 21.13 | -36.06 | -13.00 | -23.06 | H        |
| 3489.85                                                                              | -29.30           | 7.20     | 12.56 | -34.66 | -13.00 | -21.66 | V        |
| 5235.13                                                                              | -28.34           | 8.10     | 16.32 | -36.56 | -13.00 | -23.56 | V        |
| 6980.18                                                                              | -23.53           | 8.30     | 21.13 | -36.36 | -13.00 | -23.36 | V        |
| LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                       | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                      |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3558.05                                                                              | -27.34           | 7.20     | 12.56 | -32.70 | -13.00 | -19.70 | H        |
| 5336.98                                                                              | -26.24           | 8.10     | 16.32 | -34.46 | -13.00 | -21.46 | H        |
| 7117.00                                                                              | -27.35           | 8.30     | 21.13 | -40.18 | -13.00 | -27.18 | H        |
| 3558.05                                                                              | -26.84           | 7.20     | 12.56 | -32.20 | -13.00 | -19.20 | V        |
| 5336.98                                                                              | -28.98           | 8.10     | 16.32 | -37.20 | -13.00 | -24.20 | V        |
| 7117.00                                                                              | -24.23           | 8.30     | 21.13 | -37.06 | -13.00 | -24.06 | V        |

| LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3422.97                                                                            | -27.41           | 7.20     | 12.56 | -32.77 | -13.00 | -19.77 | H        |
| 5134.22                                                                            | -27.58           | 8.10     | 16.32 | -35.80 | -13.00 | -22.80 | H        |
| 6846.19                                                                            | -24.29           | 8.30     | 21.13 | -37.12 | -13.00 | -24.12 | H        |
| 3422.97                                                                            | -25.13           | 7.20     | 12.56 | -30.49 | -13.00 | -17.49 | V        |
| 5134.22                                                                            | -26.46           | 8.10     | 16.32 | -34.68 | -13.00 | -21.68 | V        |
| 6846.19                                                                            | -27.09           | 8.30     | 21.13 | -39.92 | -13.00 | -26.92 | V        |
| LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3490.18                                                                            | -28.59           | 7.20     | 12.56 | -33.95 | -13.00 | -20.95 | H        |
| 5235.05                                                                            | -28.65           | 8.10     | 16.32 | -36.87 | -13.00 | -23.87 | H        |
| 6980.29                                                                            | -26.45           | 8.30     | 21.13 | -39.28 | -13.00 | -26.28 | H        |
| 3490.18                                                                            | -28.32           | 7.20     | 12.56 | -33.68 | -13.00 | -20.68 | V        |
| 5235.05                                                                            | -24.88           | 8.10     | 16.32 | -33.10 | -13.00 | -20.10 | V        |
| 6980.29                                                                            | -27.09           | 8.30     | 21.13 | -39.92 | -13.00 | -26.92 | V        |
| LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3556.99                                                                            | -23.98           | 7.20     | 12.56 | -29.34 | -13.00 | -16.34 | H        |
| 5262.19                                                                            | -26.10           | 8.10     | 16.32 | -34.32 | -13.00 | -21.32 | H        |
| 7114.20                                                                            | -24.31           | 8.30     | 21.13 | -37.14 | -13.00 | -24.14 | H        |
| 3556.99                                                                            | -28.93           | 7.20     | 12.56 | -34.29 | -13.00 | -21.29 | V        |
| 5262.19                                                                            | -24.91           | 8.10     | 16.32 | -33.13 | -13.00 | -20.13 | V        |

| LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3425.18                                                                            | -26.91           | 7.20     | 12.56 | -32.27 | -13.00 | -19.27 | H        |
| 5137.27                                                                            | -29.02           | 8.10     | 16.32 | -37.24 | -13.00 | -24.24 | H        |
| 6850.05                                                                            | -24.05           | 8.30     | 21.13 | -36.88 | -13.00 | -23.88 | H        |
| 3425.18                                                                            | -27.17           | 7.20     | 12.56 | -32.53 | -13.00 | -19.53 | V        |
| 5137.27                                                                            | -25.69           | 8.10     | 16.32 | -33.91 | -13.00 | -20.91 | V        |
| 6850.05                                                                            | -23.76           | 8.30     | 21.13 | -36.59 | -13.00 | -23.59 | V        |
| LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3490.24                                                                            | -26.96           | 7.20     | 12.56 | -32.32 | -13.00 | -19.32 | H        |
| 5234.84                                                                            | -27.64           | 8.10     | 16.32 | -35.86 | -13.00 | -22.86 | H        |
| 6979.93                                                                            | -25.55           | 8.30     | 21.13 | -38.38 | -13.00 | -25.38 | H        |
| 3490.24                                                                            | -28.35           | 7.20     | 12.56 | -33.71 | -13.00 | -20.71 | V        |
| 5234.84                                                                            | -26.22           | 8.10     | 16.32 | -34.44 | -13.00 | -21.44 | V        |
| 6979.93                                                                            | -25.02           | 8.30     | 21.13 | -37.85 | -13.00 | -24.85 | V        |
| LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3557.74                                                                            | -26.10           | 7.20     | 12.56 | -31.46 | -13.00 | -18.46 | H        |
| 5234.97                                                                            | -28.54           | 8.10     | 16.32 | -36.76 | -13.00 | -23.76 | H        |
| 7109.91                                                                            | -23.00           | 8.30     | 21.13 | -35.83 | -13.00 | -22.83 | H        |
| 3557.74                                                                            | -26.03           | 7.20     | 12.56 | -31.39 | -13.00 | -18.39 | V        |
| 5234.97                                                                            | -24.71           | 8.10     | 16.32 | -32.93 | -13.00 | -19.93 | V        |
| 7109.91                                                                            | -26.41           | 8.30     | 21.13 | -39.24 | -13.00 | -26.24 | V        |

| LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3430.06                                                                             | -24.34           | 7.20     | 12.56 | -29.70 | -13.00 | -16.70 | H        |
| 5145.25                                                                             | -24.49           | 8.10     | 16.32 | -32.71 | -13.00 | -19.71 | H        |
| 6879.85                                                                             | -26.10           | 8.30     | 21.13 | -38.93 | -13.00 | -25.93 | H        |
| 3430.06                                                                             | -26.18           | 7.20     | 12.56 | -31.54 | -13.00 | -18.54 | V        |
| 5145.25                                                                             | -25.10           | 8.10     | 16.32 | -33.32 | -13.00 | -20.32 | V        |
| 6879.85                                                                             | -24.18           | 8.30     | 21.13 | -37.01 | -13.00 | -24.01 | V        |
| LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3490.12                                                                             | -26.93           | 7.20     | 12.56 | -32.29 | -13.00 | -19.29 | H        |
| 5235.19                                                                             | -25.02           | 8.10     | 16.32 | -33.24 | -13.00 | -20.24 | H        |
| 6979.91                                                                             | -25.73           | 8.30     | 21.13 | -38.56 | -13.00 | -25.56 | H        |
| 3490.12                                                                             | -28.14           | 7.20     | 12.56 | -33.50 | -13.00 | -20.50 | V        |
| 5235.19                                                                             | -26.85           | 8.10     | 16.32 | -35.07 | -13.00 | -22.07 | V        |
| 6979.91                                                                             | -25.58           | 8.30     | 21.13 | -38.41 | -13.00 | -25.41 | V        |
| LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3550.41                                                                             | -28.88           | 7.20     | 12.56 | -34.24 | -13.00 | -21.24 | H        |
| 5235.13                                                                             | -26.52           | 8.10     | 16.32 | -34.74 | -13.00 | -21.74 | H        |
| 7099.96                                                                             | -24.69           | 8.30     | 21.13 | -37.52 | -13.00 | -24.52 | H        |
| 3550.41                                                                             | -28.16           | 7.20     | 12.56 | -33.52 | -13.00 | -20.52 | V        |
| 5235.13                                                                             | -28.06           | 8.10     | 16.32 | -36.28 | -13.00 | -23.28 | V        |
| 7099.96                                                                             | -25.28           | 8.30     | 21.13 | -38.11 | -13.00 | -25.11 | V        |

| LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3435.24                                                                             | -25.09           | 7.20     | 12.56 | -30.45 | -13.00 | -17.45 | H        |
| 5152.26                                                                             | -25.42           | 8.10     | 16.32 | -33.64 | -13.00 | -20.64 | H        |
| 6869.92                                                                             | -23.20           | 8.30     | 21.13 | -36.03 | -13.00 | -23.03 | H        |
| 3435.24                                                                             | -25.94           | 7.20     | 12.56 | -31.30 | -13.00 | -18.30 | V        |
| 5152.26                                                                             | -24.88           | 8.10     | 16.32 | -33.10 | -13.00 | -20.10 | V        |
| 6869.92                                                                             | -27.96           | 8.30     | 21.13 | -40.79 | -13.00 | -27.79 | V        |
| LTE Band 66 /15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle   |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3490.01                                                                             | -28.23           | 7.20     | 12.56 | -33.59 | -13.00 | -20.59 | H        |
| 5234.80                                                                             | -28.40           | 8.10     | 16.32 | -36.62 | -13.00 | -23.62 | H        |
| 6980.15                                                                             | -23.49           | 8.30     | 21.13 | -36.32 | -13.00 | -23.32 | H        |
| 3490.01                                                                             | -26.88           | 7.20     | 12.56 | -32.24 | -13.00 | -19.24 | V        |
| 5234.80                                                                             | -27.38           | 8.10     | 16.32 | -35.60 | -13.00 | -22.60 | V        |
| 6980.15                                                                             | -24.45           | 8.30     | 21.13 | -37.28 | -13.00 | -24.28 | V        |
| LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3544.77                                                                             | -28.16           | 7.20     | 12.56 | -33.52 | -13.00 | -20.52 | H        |
| 5332.36                                                                             | -26.48           | 8.10     | 16.32 | -34.70 | -13.00 | -21.70 | H        |
| 7090.16                                                                             | -26.23           | 8.30     | 21.13 | -39.06 | -13.00 | -26.06 | H        |
| 3544.77                                                                             | -27.78           | 7.20     | 12.56 | -33.14 | -13.00 | -20.14 | V        |
| 5332.36                                                                             | -26.47           | 8.10     | 16.32 | -34.69 | -13.00 | -21.69 | V        |
| 7090.16                                                                             | -24.75           | 8.30     | 21.13 | -37.58 | -13.00 | -24.58 | V        |

| LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3439.85                                                                             | -25.00           | 7.20     | 12.56 | -30.36 | -13.00 | -17.36 | H        |
| 5160.13                                                                             | -29.30           | 8.10     | 16.32 | -37.52 | -13.00 | -24.52 | H        |
| 6880.16                                                                             | -26.86           | 8.30     | 21.13 | -39.69 | -13.00 | -26.69 | H        |
| 3439.85                                                                             | -29.94           | 7.20     | 12.56 | -35.30 | -13.00 | -22.30 | V        |
| 5160.13                                                                             | -26.14           | 8.10     | 16.32 | -34.36 | -13.00 | -21.36 | V        |
| 6880.16                                                                             | -24.38           | 8.30     | 21.13 | -37.21 | -13.00 | -24.21 | V        |
| LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3489.77                                                                             | -24.31           | 7.20     | 12.56 | -29.67 | -13.00 | -16.67 | H        |
| 5234.90                                                                             | -28.76           | 8.10     | 16.32 | -36.98 | -13.00 | -23.98 | H        |
| 6980.00                                                                             | -27.29           | 8.30     | 21.13 | -40.12 | -13.00 | -27.12 | H        |
| 3489.77                                                                             | -25.92           | 7.20     | 12.56 | -31.28 | -13.00 | -18.28 | V        |
| 5234.90                                                                             | -26.63           | 8.10     | 16.32 | -34.85 | -13.00 | -21.85 | V        |
| 6980.00                                                                             | -24.92           | 8.30     | 21.13 | -37.75 | -13.00 | -24.75 | V        |
| LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 3540.14                                                                             | -27.39           | 7.20     | 12.56 | -32.75 | -13.00 | -19.75 | H        |
| 5310.16                                                                             | -26.50           | 8.10     | 16.32 | -34.72 | -13.00 | -21.72 | H        |
| 7080.62                                                                             | -23.59           | 8.30     | 21.13 | -36.42 | -13.00 | -23.42 | H        |
| 3540.14                                                                             | -29.01           | 7.20     | 12.56 | -34.37 | -13.00 | -21.37 | V        |
| 5310.16                                                                             | -28.34           | 8.10     | 16.32 | -36.56 | -13.00 | -23.56 | V        |
| 7080.62                                                                             | -26.02           | 8.30     | 21.13 | -38.85 | -13.00 | -25.85 | V        |

| LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1330.93                                                                            | -29.89           | 6.50     | 9.34  | -32.73 | -13.00 | -19.73 | H        |
| 1966.51                                                                            | -28.96           | 7.70     | 10.42 | -31.68 | -13.00 | -18.68 | H        |
| 2661.88                                                                            | -29.48           | 7.90     | 11.12 | -32.70 | -13.00 | -19.70 | H        |
| 1330.93                                                                            | -31.63           | 6.50     | 9.34  | -34.47 | -13.00 | -21.47 | V        |
| 1966.51                                                                            | -28.19           | 7.70     | 10.42 | -30.91 | -13.00 | -17.91 | V        |
| 2661.88                                                                            | -27.74           | 7.90     | 11.12 | -30.96 | -13.00 | -17.96 | V        |
| LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1361.09                                                                            | -26.76           | 6.50     | 9.34  | -29.60 | -13.00 | -16.60 | H        |
| 2041.22                                                                            | -28.84           | 7.70     | 10.42 | -31.56 | -13.00 | -18.56 | H        |
| 2722.03                                                                            | -25.29           | 7.90     | 11.12 | -28.51 | -13.00 | -15.51 | H        |
| 1361.09                                                                            | -31.96           | 6.50     | 9.34  | -34.80 | -13.00 | -21.80 | V        |
| 2041.22                                                                            | -28.39           | 7.70     | 10.42 | -31.11 | -13.00 | -18.11 | V        |
| 2722.03                                                                            | -29.81           | 7.90     | 11.12 | -33.03 | -13.00 | -20.03 | V        |
| LTE Band 71 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                     | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                    |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1391.16                                                                            | -29.42           | 6.50     | 9.34  | -32.26 | -13.00 | -19.26 | H        |
| 2085.82                                                                            | -26.96           | 7.70     | 10.42 | -29.68 | -13.00 | -16.68 | H        |
| 2781.74                                                                            | -26.30           | 7.90     | 11.12 | -29.52 | -13.00 | -16.52 | H        |
| 1391.16                                                                            | -29.04           | 6.50     | 9.34  | -31.88 | -13.00 | -18.88 | V        |
| 2085.82                                                                            | -28.20           | 7.70     | 10.42 | -30.92 | -13.00 | -17.92 | V        |
| 2781.74                                                                            | -27.03           | 7.90     | 11.12 | -30.25 | -13.00 | -17.25 | V        |

| LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1336.03                                                                             | -28.52           | 6.50     | 9.34  | -31.36 | -13.00 | -18.36 | H        |
| 2004.00                                                                             | -31.32           | 7.70     | 10.42 | -34.04 | -13.00 | -21.04 | H        |
| 2671.72                                                                             | -27.42           | 7.90     | 11.12 | -30.64 | -13.00 | -17.64 | H        |
| 1336.03                                                                             | -30.67           | 6.50     | 9.34  | -33.51 | -13.00 | -20.51 | V        |
| 2004.00                                                                             | -26.46           | 7.70     | 10.42 | -29.18 | -13.00 | -16.18 | V        |
| 2671.72                                                                             | -25.73           | 7.90     | 11.12 | -28.95 | -13.00 | -15.95 | V        |
| LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1361.26                                                                             | -27.67           | 6.50     | 9.34  | -30.51 | -13.00 | -17.51 | H        |
| 2041.25                                                                             | -29.92           | 7.70     | 10.42 | -32.64 | -13.00 | -19.64 | H        |
| 2722.07                                                                             | -25.16           | 7.90     | 11.12 | -28.38 | -13.00 | -15.38 | H        |
| 1361.26                                                                             | -29.26           | 6.50     | 9.34  | -32.10 | -13.00 | -19.10 | V        |
| 2041.25                                                                             | -26.66           | 7.70     | 10.42 | -29.38 | -13.00 | -16.38 | V        |
| 2722.07                                                                             | -28.84           | 7.90     | 11.12 | -32.06 | -13.00 | -19.06 | V        |
| LTE Band 71 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1386.13                                                                             | -29.38           | 6.50     | 9.34  | -32.22 | -13.00 | -19.22 | H        |
| 2078.88                                                                             | -29.78           | 7.70     | 10.42 | -32.50 | -13.00 | -19.50 | H        |
| 2722.15                                                                             | -27.52           | 7.90     | 11.12 | -30.74 | -13.00 | -17.74 | H        |
| 1386.13                                                                             | -31.12           | 6.50     | 9.34  | -33.96 | -13.00 | -20.96 | V        |
| 2078.88                                                                             | -28.05           | 7.70     | 10.42 | -30.77 | -13.00 | -17.77 | V        |
| 2722.15                                                                             | -28.41           | 7.90     | 11.12 | -31.63 | -13.00 | -18.63 | V        |

| LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1341.06                                                                             | -27.29           | 6.50     | 9.34  | -30.13 | -13.00 | -17.13 | H        |
| 2010.87                                                                             | -31.41           | 7.70     | 10.42 | -34.13 | -13.00 | -21.13 | H        |
| 2681.93                                                                             | -27.22           | 7.90     | 11.12 | -30.44 | -13.00 | -17.44 | H        |
| 1341.06                                                                             | -29.25           | 6.50     | 9.34  | -32.09 | -13.00 | -19.09 | V        |
| 2010.87                                                                             | -31.02           | 7.70     | 10.42 | -33.74 | -13.00 | -20.74 | V        |
| 2681.93                                                                             | -27.94           | 7.90     | 11.12 | -31.16 | -13.00 | -18.16 | V        |
| LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1361.29                                                                             | -29.22           | 6.50     | 9.34  | -32.06 | -13.00 | -19.06 | H        |
| 2041.35                                                                             | -27.71           | 7.70     | 10.42 | -30.43 | -13.00 | -17.43 | H        |
| 2721.75                                                                             | -29.25           | 7.90     | 11.12 | -32.47 | -13.00 | -19.47 | H        |
| 1361.29                                                                             | -27.71           | 6.50     | 9.34  | -30.55 | -13.00 | -17.55 | V        |
| 2041.35                                                                             | -26.76           | 7.70     | 10.42 | -29.48 | -13.00 | -16.48 | V        |
| 2721.75                                                                             | -26.07           | 7.90     | 11.12 | -29.29 | -13.00 | -16.29 | V        |
| LTE Band 71 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1381.10                                                                             | -27.73           | 6.50     | 9.34  | -30.57 | -13.00 | -17.57 | H        |
| 2070.71                                                                             | -29.98           | 7.70     | 10.42 | -32.70 | -13.00 | -19.70 | H        |
| 2762.02                                                                             | -27.93           | 7.90     | 11.12 | -31.15 | -13.00 | -18.15 | H        |
| 1381.10                                                                             | -30.31           | 6.50     | 9.34  | -33.15 | -13.00 | -20.15 | V        |
| 2070.71                                                                             | -27.46           | 7.70     | 10.42 | -30.18 | -13.00 | -17.18 | V        |
| 2762.02                                                                             | -28.34           | 7.90     | 11.12 | -31.56 | -13.00 | -18.56 | V        |

| LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest  |                  |          |       |        |        |        |          |
|-------------------------------------------------------------------------------------|------------------|----------|-------|--------|--------|--------|----------|
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1346.14                                                                             | -29.51           | 6.50     | 9.34  | -32.35 | -13.00 | -19.35 | H        |
| 2018.72                                                                             | -29.51           | 7.70     | 10.42 | -32.23 | -13.00 | -19.23 | H        |
| 2692.14                                                                             | -29.19           | 7.90     | 11.12 | -32.41 | -13.00 | -19.41 | H        |
| 1346.14                                                                             | -28.58           | 6.50     | 9.34  | -31.42 | -13.00 | -18.42 | V        |
| 2018.72                                                                             | -29.53           | 7.70     | 10.42 | -32.25 | -13.00 | -19.25 | V        |
| 2692.14                                                                             | -28.53           | 7.90     | 11.12 | -31.75 | -13.00 | -18.75 | V        |
| LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle  |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1361.15                                                                             | -26.73           | 6.50     | 9.34  | -29.57 | -13.00 | -16.57 | H        |
| 2041.24                                                                             | -29.49           | 7.70     | 10.42 | -32.21 | -13.00 | -19.21 | H        |
| 2721.82                                                                             | -26.37           | 7.90     | 11.12 | -29.59 | -13.00 | -16.59 | H        |
| 1361.15                                                                             | -31.33           | 6.50     | 9.34  | -34.17 | -13.00 | -21.17 | V        |
| 2041.24                                                                             | -26.96           | 7.70     | 10.42 | -29.68 | -13.00 | -16.68 | V        |
| 2721.82                                                                             | -29.50           | 7.90     | 11.12 | -32.72 | -13.00 | -19.72 | V        |
| LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest |                  |          |       |        |        |        |          |
| Frequency(MHz)                                                                      | S G.Lev<br>(dBm) | Ant(dBi) | Loss  | PMea   | Limit  | Margin | Polarity |
|                                                                                     |                  |          |       | (dBm)  | (dBm)  | (dBm)  |          |
| 1375.89                                                                             | -30.71           | 6.50     | 9.34  | -33.55 | -13.00 | -20.55 | H        |
| 2064.16                                                                             | -31.23           | 7.70     | 10.42 | -33.95 | -13.00 | -20.95 | H        |
| 2751.90                                                                             | -26.87           | 7.90     | 11.12 | -30.09 | -13.00 | -17.09 | H        |
| 1375.89                                                                             | -31.62           | 6.50     | 9.34  | -34.46 | -13.00 | -21.46 | V        |
| 2064.16                                                                             | -26.42           | 7.70     | 10.42 | -29.14 | -13.00 | -16.14 | V        |
| 2751.90                                                                             | -29.19           | 7.90     | 11.12 | -32.41 | -13.00 | -19.41 | V        |

\*\*\*\*\*END OF THE REPORT\*\*\*\*\*