




## Appendix B. SAR Test Plots

Plot 1:

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-03                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 5x5x7, dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                   |
| Device Position       | Cheek                       |
| Band                  | GSM850                      |
| Signal                | TDMA (GSM)                  |
| Frequency             | 836.6                       |
| SAR 10g (W/Kg)        | 0.201                       |
| SAR 1g (W/Kg)         | 0.296                       |
| ConvF                 | 1.71                        |
| Relative permittivity | 42.24                       |
| Conductivity (S/m)    | 0.86                        |

Maximum location: X=-49.00, Y=-25.00 ; SAR Peak: 0.50 W/kg






**Plot 2:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-14                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | GSM1900                    |
| Signal                | TDMA (GSM)                 |
| Frequency             | 1850.2                     |
| SAR 10g (W/Kg)        | 0.163                      |
| SAR 1g (W/Kg)         | 0.276                      |
| ConvF                 | 2.21                       |
| Relative permittivity | 40.56                      |
| Conductivity (S/m)    | 1.43                       |

Maximum location: X=-14.00, Y=8.00 ; SAR Peak: 0.51 W/kg






**Plot 3:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-01                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | Band 2 (1900)              |
| Signal                | WCDMA                      |
| Frequency             | 1907.6                     |
| SAR 10g (W/Kg)        | 0.211                      |
| SAR 1g (W/Kg)         | 0.370                      |
| ConvF                 | 2.21                       |
| Relative permittivity | 40.61                      |
| Conductivity (S/m)    | 1.38                       |

Maximum location: X=-16.00, Y=-6.00 ; SAR Peak: 0.58 W/kg






**Plot 4:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-29                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | Band 4 (1700)              |
| Signal                | WCDMA                      |
| Frequency             | 1712.6                     |
| SAR 10g (W/Kg)        | 0.277                      |
| SAR 1g (W/Kg)         | 0.471                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.89                      |
| Conductivity (S/m)    | 1.44                       |


Maximum location: X=-22.00, Y=0.00 ; SAR Peak: 0.77 W/kg



**Plot 5:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-19                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | Band 5 (850)               |
| Signal                | WCDMA                      |
| Frequency             | 826.4                      |
| SAR 10g (W/Kg)        | 0.112                      |
| SAR 1g (W/Kg)         | 0.165                      |
| ConvF                 | 1.71                       |
| Relative permittivity | 41.89                      |
| Conductivity (S/m)    | 0.91                       |

Maximum location: X=-55.00, Y=-31.00 ; SAR Peak: 0.26 W/kg






**Plot 6:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-18                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Tilt                       |
| Band                  | ISM                        |
| Signal                | IEEE 802.11b               |
| Frequency             | 2412                       |
| SAR 10g (W/Kg)        | 0.108                      |
| SAR 1g (W/Kg)         | 0.252                      |
| ConvF                 | 2.26                       |
| Relative permittivity | 40.10                      |
| Conductivity (S/m)    | 1.79                       |

Maximum location: X=-16.00, Y=-7.00 ; SAR Peak: 0.54 W/kg






**Plot 7:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-19                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Left head                   |
| Device Position       | Tilt                        |
| Band                  | U-NII-1                     |
| Signal                | IEEE 802.11a                |
| Frequency             | 5200                        |
| SAR 10g (W/Kg)        | 0.104                       |
| SAR 1g (W/Kg)         | 0.292                       |
| ConvF                 | 1.93                        |
| Relative permittivity | 37.49                       |
| Conductivity (S/m)    | 4.63                        |

Maximum location: X=-58.00, Y=-59.00 ; SAR Peak: 3.46 W/kg






**Plot 8:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-19                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Left head                   |
| Device Position       | Tilt                        |
| Band                  | U-NII-2a                    |
| Signal                | IEEE 802.11a                |
| Frequency             | 5260                        |
| SAR 10g (W/Kg)        | 0.164                       |
| SAR 1g (W/Kg)         | 0.291                       |
| ConvF                 | 1.83                        |
| Relative permittivity | 36.49                       |
| Conductivity (S/m)    | 4.83                        |

Maximum location: X=-2.00, Y=6.00 ; SAR Peak: 4.16 W/kg






**Plot 9:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-20                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Left head                   |
| Device Position       | Tilt                        |
| Band                  | U-NII-2c                    |
| Signal                | IEEE 802.11a                |
| Frequency             | 5500                        |
| SAR 10g (W/Kg)        | 0.122                       |
| SAR 1g (W/Kg)         | 0.386                       |
| ConvF                 | 1.74                        |
| Relative permittivity | 36.85                       |
| Conductivity (S/m)    | 5.01                        |

Maximum location: X=-10.00, Y=7.00 ; SAR Peak: 3.06 W/kg






**Plot 10:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-20                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Left head                   |
| Device Position       | Tilt                        |
| Band                  | U-NII-3 ANT 1               |
| Signal                | IEEE 802.11a                |
| Frequency             | 5825                        |
| SAR 10g (W/Kg)        | 0.116                       |
| SAR 1g (W/Kg)         | 0.220                       |
| ConvF                 | 1.73                        |
| Relative permittivity | 36.11                       |
| Conductivity (S/m)    | 5.26                        |

Maximum location: X=-45.00, Y=-32.00 ; SAR Peak: 3.67 W/kg






**Plot 11:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-12                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 2                 |
| Signal                | LTE FDD                    |
| Frequency             | 1900                       |
| SAR 10g (W/Kg)        | 0.303                      |
| SAR 1g (W/Kg)         | 0.550                      |
| ConvF                 | 2.21                       |
| Relative permittivity | 40.83                      |
| Conductivity (S/m)    | 1.45                       |


Maximum location: X=-17.00, Y=-3.00 ; SAR Peak: 0.90 W/kg



**Plot 12:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-29                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 4                 |
| Signal                | LTE FDD                    |
| Frequency             | 1720                       |
| SAR 10g (W/Kg)        | 0.309                      |
| SAR 1g (W/Kg)         | 0.528                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.89                      |
| Conductivity (S/m)    | 1.44                       |


Maximum location: X=-22.00, Y=-5.00 ; SAR Peak: 0.88 W/kg



**Plot 13:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-03                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 5                 |
| Signal                | LTE FDD                    |
| Frequency             | 836.5                      |
| SAR 10g (W/Kg)        | 0.214                      |
| SAR 1g (W/Kg)         | 0.298                      |
| ConvF                 | 1.71                       |
| Relative permittivity | 42.24                      |
| Conductivity (S/m)    | 0.86                       |

Maximum location: X=-50.00, Y=-27.00 ; SAR Peak: 0.47 W/kg






**Plot 14:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-04                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Right head                 |
| Device Position       | Cheek                      |
| Band                  | LTE band 7                 |
| Signal                | LTE FDD                    |
| Frequency             | 2510                       |
| SAR 10g (W/Kg)        | 0.383                      |
| SAR 1g (W/Kg)         | 0.830                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.81                      |
| Conductivity (S/m)    | 1.94                       |

Maximum location: X=-11.00, Y=0.00 ; SAR Peak: 1.57 W/kg






**Plot 15:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-11                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 12                |
| Signal                | LTE FDD                    |
| Frequency             | 707.5                      |
| SAR 10g (W/Kg)        | 0.133                      |
| SAR 1g (W/Kg)         | 0.195                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.40                      |
| Conductivity (S/m)    | 0.90                       |

Maximum location: X=-41.00, Y=-30.00 ; SAR Peak: 0.39 W/kg






**Plot 16:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-07                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 14                |
| Signal                | LTE FDD                    |
| Frequency             | 793                        |
| SAR 10g (W/Kg)        | 0.143                      |
| SAR 1g (W/Kg)         | 0.232                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 41.92                      |
| Conductivity (S/m)    | 0.85                       |

Maximum location: X=-48.00, Y=-35.00 ; SAR Peak: 0.48 W/kg






**Plot 17:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-15                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 17                |
| Signal                | LTE FDD                    |
| Frequency             | 711                        |
| SAR 10g (W/Kg)        | 0.151                      |
| SAR 1g (W/Kg)         | 0.252                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.17                      |
| Conductivity (S/m)    | 0.86                       |


Maximum location: X=-47.00, Y=-32.00 ; SAR Peak: 0.48 W/kg



**Plot 18:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-02                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 30                |
| Signal                | LTE FDD                    |
| Frequency             | 2310                       |
| SAR 10g (W/Kg)        | 0.335                      |
| SAR 1g (W/Kg)         | 0.723                      |
| ConvF                 | 2.45                       |
| Relative permittivity | 40.64                      |
| Conductivity (S/m)    | 1.64                       |

Maximum location: X=-39.00, Y=-24.00 ; SAR Peak: 1.42 W/kg






**Plot 19:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-10                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 38                |
| Signal                | LTE TDD                    |
| Frequency             | 2610                       |
| SAR 10g (W/Kg)        | 0.465                      |
| SAR 1g (W/Kg)         | 1.027                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.55                      |
| Conductivity (S/m)    | 1.95                       |

Maximum location: X=-24.00, Y=-24.00 ; SAR Peak: 2.14 W/kg






**Plot 20:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-17                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 41                |
| Signal                | LTE TDD                    |
| Frequency             | 2680                       |
| SAR 10g (W/Kg)        | 0.334                      |
| SAR 1g (W/Kg)         | 0.626                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 40.13                      |
| Conductivity (S/m)    | 1.90                       |

Maximum location: X=-17.00, Y=-22.00 ; SAR Peak: 1.05 W/kg






**Plot 21:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-03-29                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 5x5x7, dx=8mm dy=8mm dz=5mm |
| Phantom               | Right head                  |
| Device Position       | Cheek                       |
| Band                  | LTE band 66                 |
| Signal                | LTE FDD                     |
| Frequency             | 1720                        |
| SAR 10g (W/Kg)        | 0.380                       |
| SAR 1g (W/Kg)         | 0.710                       |
| ConvF                 | 2.01                        |
| Relative permittivity | 40.89                       |
| Conductivity (S/m)    | 1.44                        |


Maximum location: X=-30.00, Y=-5.00 ; SAR Peak: 1.24 W/kg



**Plot 22:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-22                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | LTE band 71                |
| Signal                | LTE FDD                    |
| Frequency             | 673                        |
| SAR 10g (W/Kg)        | 0.153                      |
| SAR 1g (W/Kg)         | 0.230                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.11                      |
| Conductivity (S/m)    | 0.87                       |

Maximum location: X=-48.00, Y=-39.00 ; SAR Peak: 0.42 W/kg






**Plot 23:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-01                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NR band 2                  |
| Signal                | NR FDD                     |
| Frequency             | 1880                       |
| SAR 10g (W/Kg)        | 0.064                      |
| SAR 1g (W/Kg)         | 0.139                      |
| ConvF                 | 2.21                       |
| Relative permittivity | 40.61                      |
| Conductivity (S/m)    | 1.38                       |

Maximum location: X=-8.00, Y=-9.00 ; SAR Peak: 0.32 W/kg






**Plot 24:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-19                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NR band 5                  |
| Signal                | NR FDD                     |
| Frequency             | 834                        |
| SAR 10g (W/Kg)        | 0.137                      |
| SAR 1g (W/Kg)         | 0.238                      |
| ConvF                 | 1.71                       |
| Relative permittivity | 41.89                      |
| Conductivity (S/m)    | 0.91                       |

Maximum location: X=-64.00, Y=-31.00 ; SAR Peak: 0.39 W/kg






**Plot 25:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-04                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NR band 7                  |
| Signal                | NR FDD                     |
| Frequency             | 2510                       |
| SAR 10g (W/Kg)        | 0.051                      |
| SAR 1g (W/Kg)         | 0.118                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.81                      |
| Conductivity (S/m)    | 1.94                       |


Maximum location: X=-8.00, Y=0.00 ; SAR Peak: 0.26 W/kg



**Plot 26:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-11                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NR band 12                 |
| Signal                | NR FDD                     |
| Frequency             | 707.5                      |
| SAR 10g (W/Kg)        | 0.101                      |
| SAR 1g (W/Kg)         | 0.165                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.40                      |
| Conductivity (S/m)    | 0.90                       |

Maximum location: X=-47.00, Y=-17.00 ; SAR Peak: 0.26 W/kg






**Plot 27:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-09                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NR band 41                 |
| Signal                | NR TDD                     |
| Frequency             | 2640                       |
| SAR 10g (W/Kg)        | 0.075                      |
| SAR 1g (W/Kg)         | 0.138                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.48                      |
| Conductivity (S/m)    | 1.99                       |

Maximum location: X=-9.00, Y=-8.00 ; SAR Peak: 0.25 W/kg






**Plot 28:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-31                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NR band 66                 |
| Signal                | NR FDD                     |
| Frequency             | 1760                       |
| SAR 10g (W/Kg)        | 0.107                      |
| SAR 1g (W/Kg)         | 0.190                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.71                      |
| Conductivity (S/m)    | 1.43                       |

Maximum location: X=-23.00, Y=-16.00 ; SAR Peak: 0.39 W/kg






**Plot 29:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-11                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NR band 71                 |
| Signal                | NR FDD                     |
| Frequency             | 680.5                      |
| SAR 10g (W/Kg)        | 0.141                      |
| SAR 1g (W/Kg)         | 0.227                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.40                      |
| Conductivity (S/m)    | 0.90                       |

Maximum location: X=-49.00, Y=-26.00 ; SAR Peak: 0.34 W/kg






**Plot 30:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-13                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Right head                  |
| Device Position       | Cheek                       |
| Band                  | NR band 78                  |
| Signal                | NR TDD                      |
| Frequency             | 3750                        |
| SAR 10g (W/Kg)        | 0.227                       |
| SAR 1g (W/Kg)         | 0.581                       |
| ConvF                 | 1.95                        |
| Relative permittivity | 37.89                       |
| Conductivity (S/m)    | 3.14                        |

Maximum location: X=0.00, Y=-15.00 ; SAR Peak: 1.79 W/kg






**Plot 31:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-31                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NSA NR band 66 ANT4        |
| Signal                | NR FDD                     |
| Frequency             | 1760                       |
| SAR 10g (W/Kg)        | 0.084                      |
| SAR 1g (W/Kg)         | 0.176                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.71                      |
| Conductivity (S/m)    | 1.43                       |

Maximum location: X=-54.00, Y=-53.00 ; SAR Peak: 0.49 W/kg






**Plot 32:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-29                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NSA LTE band 4 ANT4        |
| Signal                | NR FDD                     |
| Frequency             | 1720                       |
| SAR 10g (W/Kg)        | 0.110                      |
| SAR 1g (W/Kg)         | 0.242                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.89                      |
| Conductivity (S/m)    | 1.44                       |

Maximum location: X=-57.00, Y=-48.00 ; SAR Peak: 0.63 W/kg






**Plot 33:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-04                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Right head                 |
| Device Position       | Cheek                      |
| Band                  | NSA LTE band 7             |
| Signal                | NR FDD                     |
| Frequency             | 2510                       |
| SAR 10g (W/Kg)        | 0.286                      |
| SAR 1g (W/Kg)         | 0.675                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.81                      |
| Conductivity (S/m)    | 1.94                       |

Maximum location: X=-23.00, Y=-8.00 ; SAR Peak: 1.35 W/kg






**Plot 34:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-02                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NSA LTE band 30            |
| Signal                | NR FDD                     |
| Frequency             | 2310                       |
| SAR 10g (W/Kg)        | 0.229                      |
| SAR 1g (W/Kg)         | 0.481                      |
| ConvF                 | 2.45                       |
| Relative permittivity | 40.64                      |
| Conductivity (S/m)    | 1.64                       |

Maximum location: X=-37.00, Y=-23.00 ; SAR Peak: 1.03 W/kg






**Plot 35:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-29                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NSA LTE band 66 ANT2       |
| Signal                | NR FDD                     |
| Frequency             | 1720                       |
| SAR 10g (W/Kg)        | 0.175                      |
| SAR 1g (W/Kg)         | 0.361                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.89                      |
| Conductivity (S/m)    | 1.44                       |


Maximum location: X=-9.00, Y=0.00 ; SAR Peak: 0.76 W/kg



**Plot 36:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-31                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Left head                  |
| Device Position       | Cheek                      |
| Band                  | NSA LTE band 66 ANT4       |
| Signal                | NR FDD                     |
| Frequency             | 1760                       |
| SAR 10g (W/Kg)        | 0.130                      |
| SAR 1g (W/Kg)         | 0.270                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.71                      |
| Conductivity (S/m)    | 1.43                       |

Maximum location: X=-57.00, Y=-57.00 ; SAR Peak: 0.65 W/kg






**Plot 37:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-03                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | GSM850                     |
| Signal                | TDMA (GSM)                 |
| Frequency             | 836.6                      |
| SAR 10g (W/Kg)        | 0.319                      |
| SAR 1g (W/Kg)         | 0.648                      |
| ConvF                 | 1.71                       |
| Relative permittivity | 42.24                      |
| Conductivity (S/m)    | 0.86                       |

Maximum location: X=7.00, Y=-40.00 ; SAR Peak: 1.24 W/kg






**Plot 38:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-01                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | GSM1900                    |
| Signal                | TDMA (GSM)                 |
| Frequency             | 1880                       |
| SAR 10g (W/Kg)        | 0.559                      |
| SAR 1g (W/Kg)         | 1.022                      |
| ConvF                 | 2.21                       |
| Relative permittivity | 40.61                      |
| Conductivity (S/m)    | 1.38                       |

Maximum location: X=16.00, Y=24.00 ; SAR Peak: 1.73 W/kg






**Plot 39:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-01                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | Band 2 (1900)              |
| Signal                | WCDMA                      |
| Frequency             | 1907.6                     |
| SAR 10g (W/Kg)        | 0.370                      |
| SAR 1g (W/Kg)         | 0.743                      |
| ConvF                 | 2.21                       |
| Relative permittivity | 40.61                      |
| Conductivity (S/m)    | 1.38                       |

Maximum location: X=1.00, Y=14.00 ; SAR Peak: 1.43 W/kg






**Plot 40:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-31                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | Band 4 (1700)              |
| Signal                | WCDMA                      |
| Frequency             | 1740                       |
| SAR 10g (W/Kg)        | 0.383                      |
| SAR 1g (W/Kg)         | 0.677                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.71                      |
| Conductivity (S/m)    | 1.43                       |

Maximum location: X=17.00, Y=25.00 ; SAR Peak: 1.25 W/kg






**Plot 41:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-19                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | Band 5 (850)               |
| Signal                | WCDMA                      |
| Frequency             | 826.4                      |
| SAR 10g (W/Kg)        | 0.300                      |
| SAR 1g (W/Kg)         | 0.564                      |
| ConvF                 | 1.71                       |
| Relative permittivity | 41.89                      |
| Conductivity (S/m)    | 0.91                       |

Maximum location: X=9.00, Y=-14.00 ; SAR Peak: 1.04 W/kg






**Plot 42:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-18                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Top Side                   |
| Band                  | ISM                        |
| Signal                | IEEE 802.11b               |
| Frequency             | 2437                       |
| SAR 10g (W/Kg)        | 0.205                      |
| SAR 1g (W/Kg)         | 0.404                      |
| ConvF                 | 2.26                       |
| Relative permittivity | 40.10                      |
| Conductivity (S/m)    | 1.79                       |

Maximum location: X=-1.00, Y=1.00 ; SAR Peak: 1.21 W/kg






**Plot 43:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-19                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-1                     |
| Signal                | IEEE 802.11a                |
| Frequency             | 5200                        |
| SAR 10g (W/Kg)        | 0.142                       |
| SAR 1g (W/Kg)         | 0.358                       |
| ConvF                 | 1.93                        |
| Relative permittivity | 37.49                       |
| Conductivity (S/m)    | 4.63                        |

Maximum location: X=7.00, Y=-17.00 ; SAR Peak: 1.61 W/kg






**Plot 44:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-19                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-2a                    |
| Signal                | IEEE 802.11a                |
| Frequency             | 5260                        |
| SAR 10g (W/Kg)        | 0.156                       |
| SAR 1g (W/Kg)         | 0.435                       |
| ConvF                 | 1.83                        |
| Relative permittivity | 36.49                       |
| Conductivity (S/m)    | 4.83                        |

Maximum location: X=6.00, Y=-14.00 ; SAR Peak: 1.85 W/kg






**Plot 45:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-20                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-2c                    |
| Signal                | IEEE 802.11a                |
| Frequency             | 5700                        |
| SAR 10g (W/Kg)        | 0.123                       |
| SAR 1g (W/Kg)         | 0.374                       |
| ConvF                 | 1.84                        |
| Relative permittivity | 36.85                       |
| Conductivity (S/m)    | 5.01                        |

Maximum location: X=8.00, Y=-16.00 ; SAR Peak: 1.87 W/kg






**Plot 46:**

|                       |                             |
|-----------------------|-----------------------------|
| Test Date             | 2025-04-20                  |
| Area Scan             | dx=8mm dy=8mm               |
| Zoom Scan             | 7x7x12,dx=4mm dy=4mm dz=2mm |
| Phantom               | Validation plane            |
| Device Position       | Top Side                    |
| Band                  | U-NII-3                     |
| Signal                | IEEE 802.11a                |
| Frequency             | 5745                        |
| SAR 10g (W/Kg)        | 0.122                       |
| SAR 1g (W/Kg)         | 0.309                       |
| ConvF                 | 1.73                        |
| Relative permittivity | 36.11                       |
| Conductivity (S/m)    | 5.26                        |

Maximum location: X=7.00, Y=-32.00 ; SAR Peak: 1.75 W/kg






**Plot 47:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-14                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 2                 |
| Signal                | LTE FDD                    |
| Frequency             | 1800                       |
| SAR 10g (W/Kg)        | 0.435                      |
| SAR 1g (W/Kg)         | 0.950                      |
| ConvF                 | 2.21                       |
| Relative permittivity | 40.56                      |
| Conductivity (S/m)    | 1.43                       |

Maximum location: X=-1.00, Y=15.00 ; SAR Peak: 1.81 W/kg






**Plot 48:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-29                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 4                 |
| Signal                | LTE FDD                    |
| Frequency             | 1720                       |
| SAR 10g (W/Kg)        | 0.445                      |
| SAR 1g (W/Kg)         | 0.884                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.89                      |
| Conductivity (S/m)    | 1.44                       |

Maximum location: X=0.00, Y=16.00 ; SAR Peak: 1.71 W/kg






**Plot 49:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-03                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 5                 |
| Signal                | LTE FDD                    |
| Frequency             | 836.5                      |
| SAR 10g (W/Kg)        | 0.317                      |
| SAR 1g (W/Kg)         | 0.681                      |
| ConvF                 | 1.71                       |
| Relative permittivity | 42.24                      |
| Conductivity (S/m)    | 0.86                       |

Maximum location: X=2.00, Y=-23.00 ; SAR Peak: 1.24 W/kg






**Plot 50:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-04                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 7                 |
| Signal                | LTE FDD                    |
| Frequency             | 2510                       |
| SAR 10g (W/Kg)        | 0.362                      |
| SAR 1g (W/Kg)         | 0.810                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.81                      |
| Conductivity (S/m)    | 1.94                       |

Maximum location: X=-1.00, Y=30.00 ; SAR Peak: 1.48 W/kg






**Plot 51:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-24                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 12                |
| Signal                | LTE FDD                    |
| Frequency             | 707.5                      |
| SAR 10g (W/Kg)        | 0.329                      |
| SAR 1g (W/Kg)         | 0.635                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.90                      |
| Conductivity (S/m)    | 0.92                       |

Maximum location: X=7.00, Y=-22.00 ; SAR Peak: 1.09 W/kg






**Plot 52:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-07                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 14                |
| Signal                | LTE FDD                    |
| Frequency             | 793                        |
| SAR 10g (W/Kg)        | 0.231                      |
| SAR 1g (W/Kg)         | 0.428                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 41.92                      |
| Conductivity (S/m)    | 0.85                       |

Maximum location: X=8.00, Y=-24.00 ; SAR Peak: 0.80 W/kg






**Plot 53:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-15                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 17                |
| Signal                | LTE FDD                    |
| Frequency             | 711                        |
| SAR 10g (W/Kg)        | 0.386                      |
| SAR 1g (W/Kg)         | 0.726                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.17                      |
| Conductivity (S/m)    | 0.86                       |

Maximum location: X=14.00, Y=-15.00 ; SAR Peak: 1.17 W/kg






**Plot 54:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-02                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Bottom Side                |
| Band                  | LTE band 30                |
| Signal                | LTE FDD                    |
| Frequency             | 2310                       |
| SAR 10g (W/Kg)        | 0.428                      |
| SAR 1g (W/Kg)         | 0.868                      |
| ConvF                 | 2.45                       |
| Relative permittivity | 40.64                      |
| Conductivity (S/m)    | 1.64                       |

Maximum location: X=7.00, Y=34.00 ; SAR Peak: 1.53 W/kg






**Plot 55:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-10                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 38                |
| Signal                | LTE TDD                    |
| Frequency             | 2610                       |
| SAR 10g (W/Kg)        | 0.412                      |
| SAR 1g (W/Kg)         | 0.815                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.55                      |
| Conductivity (S/m)    | 1.95                       |

Maximum location: X=-22.00, Y=31.00 ; SAR Peak: 1.50 W/kg






**Plot 56:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-17                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 41                |
| Signal                | LTE TDD                    |
| Frequency             | 2680                       |
| SAR 10g (W/Kg)        | 0.266                      |
| SAR 1g (W/Kg)         | 0.573                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 40.13                      |
| Conductivity (S/m)    | 1.90                       |

Maximum location: X=-19.00, Y=31.00 ; SAR Peak: 1.16 W/kg






**Plot 57:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-29                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 66                |
| Signal                | LTE FDD                    |
| Frequency             | 1720                       |
| SAR 10g (W/Kg)        | 0.496                      |
| SAR 1g (W/Kg)         | 0.914                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.89                      |
| Conductivity (S/m)    | 1.44                       |

Maximum location: X=0.00, Y=14.00 ; SAR Peak: 1.53 W/kg






**Plot 58:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-22                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | LTE band 71                |
| Signal                | LTE FDD                    |
| Frequency             | 673                        |
| SAR 10g (W/Kg)        | 0.287                      |
| SAR 1g (W/Kg)         | 0.584                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.11                      |
| Conductivity (S/m)    | 0.87                       |

Maximum location: X=0.00, Y=-24.00 ; SAR Peak: 1.02 W/kg






**Plot 59:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-01                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | NR band 2                  |
| Signal                | NR FDD                     |
| Frequency             | 1880                       |
| SAR 10g (W/Kg)        | 0.465                      |
| SAR 1g (W/Kg)         | 0.925                      |
| ConvF                 | 2.21                       |
| Relative permittivity | 40.61                      |
| Conductivity (S/m)    | 1.38                       |

Maximum location: X=-8.00, Y=32.00 ; SAR Peak: 1.63 W/kg






**Plot 60:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-19                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | NR band 5                  |
| Signal                | NR FDD                     |
| Frequency             | 834                        |
| SAR 10g (W/Kg)        | 0.266                      |
| SAR 1g (W/Kg)         | 0.520                      |
| ConvF                 | 1.71                       |
| Relative permittivity | 41.89                      |
| Conductivity (S/m)    | 0.91                       |

Maximum location: X=15.00, Y=-23.00 ; SAR Peak: 0.97 W/kg






**Plot 61:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-06                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | NR band 7                  |
| Signal                | NR FDD                     |
| Frequency             | 2510                       |
| SAR 10g (W/Kg)        | 0.568                      |
| SAR 1g (W/Kg)         | 1.410                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.14                      |
| Conductivity (S/m)    | 1.93                       |

Maximum location: X=16.00, Y=24.00 ; SAR Peak: 3.16 W/kg






**Plot 62:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-03-24                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | NR band 12                 |
| Signal                | NR FDD                     |
| Frequency             | 707.5                      |
| SAR 10g (W/Kg)        | 0.185                      |
| SAR 1g (W/Kg)         | 0.311                      |
| ConvF                 | 1.70                       |
| Relative permittivity | 42.90                      |
| Conductivity (S/m)    | 0.92                       |

Maximum location: X=8.00, Y=40.00 ; SAR Peak: 0.55 W/kg






**Plot 63:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-09                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Front side                 |
| Band                  | NR band 41                 |
| Signal                | NR TDD                     |
| Frequency             | 2640                       |
| SAR 10g (W/Kg)        | 0.220                      |
| SAR 1g (W/Kg)         | 0.527                      |
| ConvF                 | 2.10                       |
| Relative permittivity | 39.48                      |
| Conductivity (S/m)    | 1.99                       |

Maximum location: X=-15.00, Y=-8.00 ; SAR Peak: 2.53 W/kg





**Plot 64:**

|                       |                            |
|-----------------------|----------------------------|
| Test Date             | 2025-04-08                 |
| Area Scan             | dx=8mm dy=8mm              |
| Zoom Scan             | 5x5x7,dx=8mm dy=8mm dz=5mm |
| Phantom               | Validation plane           |
| Device Position       | Back Side                  |
| Band                  | NR band 66                 |
| Signal                | SA NR FDD ANT2             |
| Frequency             | 1730                       |
| SAR 10g (W/Kg)        | 0.518                      |
| SAR 1g (W/Kg)         | 0.958                      |
| ConvF                 | 2.01                       |
| Relative permittivity | 40.73                      |
| Conductivity (S/m)    | 1.39                       |

Maximum location: X=16.00, Y=23.00 ; SAR Peak: 1.71 W/kg

