



## Report

# Contents

|                              |    |
|------------------------------|----|
| Conducted output power ..... | 2  |
| Frequency stability .....    | 4  |
| Peak-to-Average Ratio.....   | 7  |
| Occupied bandwidth.....      | 14 |
| Band edge.....               | 21 |
| Out-of-band emissions.....   | 26 |



## Report

### Conducted output power

| Band            | Channel | Frequency (MHz) | Power (dBm) | Gain (dB) | ERP (dBm) | ERP Limit (dBm) | Verdict |
|-----------------|---------|-----------------|-------------|-----------|-----------|-----------------|---------|
| GSM850          | 128     | 824.2           | 30.16       | -1.32     | 26.69     | 38.45           | PASS    |
| GSM850          | 190     | 836.6           | 30.00       | -1.32     | 26.53     | 38.45           | PASS    |
| GSM850          | 251     | 848.8           | 29.74       | -1.32     | 26.27     | 38.45           | PASS    |
| GPRS850 1 Slot  | 128     | 824.2           | 30.18       | -1.32     | 26.71     | 38.45           | PASS    |
| GPRS850 1 Slot  | 190     | 836.6           | 30.00       | -1.32     | 26.53     | 38.45           | PASS    |
| GPRS850 1 Slot  | 251     | 848.8           | 29.73       | -1.32     | 26.26     | 38.45           | PASS    |
| GPRS850 2 Slot  | 128     | 824.2           | 28.00       | -1.32     | 24.53     | 38.45           | PASS    |
| GPRS850 2 Slot  | 190     | 836.6           | 27.88       | -1.32     | 24.41     | 38.45           | PASS    |
| GPRS850 2 Slot  | 251     | 848.8           | 27.50       | -1.32     | 24.03     | 38.45           | PASS    |
| GPRS850 3 Slot  | 128     | 824.2           | 25.60       | -1.32     | 22.13     | 38.45           | PASS    |
| GPRS850 3 Slot  | 190     | 836.6           | 25.50       | -1.32     | 22.03     | 38.45           | PASS    |
| GPRS850 3 Slot  | 251     | 848.8           | 25.16       | -1.32     | 21.69     | 38.45           | PASS    |
| GPRS850 4 Slot  | 128     | 824.2           | 23.32       | -1.32     | 19.85     | 38.45           | PASS    |
| GPRS850 4 Slot  | 190     | 836.6           | 23.30       | -1.32     | 19.83     | 38.45           | PASS    |
| GPRS850 4 Slot  | 251     | 848.8           | 23.10       | -1.32     | 19.63     | 38.45           | PASS    |
| EGPRS850 1 Slot | 128     | 824.2           | 28.65       | -1.32     | 25.18     | 38.45           | PASS    |
| EGPRS850 1 Slot | 190     | 836.6           | 28.30       | -1.32     | 24.83     | 38.45           | PASS    |
| EGPRS850 1 Slot | 251     | 848.8           | 28.56       | -1.32     | 25.09     | 38.45           | PASS    |
| EGPRS850 2 Slot | 128     | 824.2           | 27.52       | -1.32     | 24.05     | 38.45           | PASS    |
| EGPRS850 2 Slot | 190     | 836.6           | 27.42       | -1.32     | 23.95     | 38.45           | PASS    |
| EGPRS850 2 Slot | 251     | 848.8           | 27.71       | -1.32     | 24.24     | 38.45           | PASS    |
| EGPRS850 3 Slot | 128     | 824.2           | 24.46       | -1.32     | 20.99     | 38.45           | PASS    |
| EGPRS850 3 Slot | 190     | 836.6           | 24.45       | -1.32     | 20.98     | 38.45           | PASS    |
| EGPRS850 3 Slot | 251     | 848.8           | 24.99       | -1.32     | 21.52     | 38.45           | PASS    |
| EGPRS850 4 Slot | 128     | 824.2           | 22.31       | -1.32     | 18.84     | 38.45           | PASS    |
| EGPRS850 4 Slot | 190     | 836.6           | 22.11       | -1.32     | 18.64     | 38.45           | PASS    |
| EGPRS850 4 Slot | 251     | 848.8           | 22.19       | -1.32     | 18.72     | 38.45           | PASS    |



## Report

| Band             | Channel | Frequency (MHz) | Power (dBm) | Gain (dB) | EIRP (dBm) | EIRP Limit (dBm) | Verdict |
|------------------|---------|-----------------|-------------|-----------|------------|------------------|---------|
| GSM1900          | 512     | 1850.2          | 30.50       | -0.4      | 30.10      | 33.01            | PASS    |
| GSM1900          | 661     | 1880            | 30.46       | -0.4      | 30.06      | 33.01            | PASS    |
| GSM1900          | 810     | 1909.8          | 30.09       | -0.4      | 29.69      | 33.01            | PASS    |
| GPRS1900 1 Slot  | 512     | 1850.2          | 30.60       | -0.4      | 30.20      | 33.01            | PASS    |
| GPRS1900 1 Slot  | 661     | 1880            | 30.58       | -0.4      | 30.18      | 33.01            | PASS    |
| GPRS1900 1 Slot  | 810     | 1909.8          | 30.21       | -0.4      | 29.81      | 33.01            | PASS    |
| GPRS1900 2 Slot  | 512     | 1850.2          | 28.39       | -0.4      | 27.99      | 33.01            | PASS    |
| GPRS1900 2 Slot  | 661     | 1880            | 28.11       | -0.4      | 27.71      | 33.01            | PASS    |
| GPRS1900 2 Slot  | 810     | 1909.8          | 27.36       | -0.4      | 26.96      | 33.01            | PASS    |
| GPRS1900 3 Slot  | 512     | 1850.2          | 26.72       | -0.4      | 26.32      | 33.01            | PASS    |
| GPRS1900 3 Slot  | 661     | 1880            | 26.35       | -0.4      | 25.95      | 33.01            | PASS    |
| GPRS1900 3 Slot  | 810     | 1909.8          | 25.68       | -0.4      | 25.28      | 33.01            | PASS    |
| GPRS1900 4 Slot  | 512     | 1850.2          | 24.53       | -0.4      | 24.13      | 33.01            | PASS    |
| GPRS1900 4 Slot  | 661     | 1880            | 24.25       | -0.4      | 23.85      | 33.01            | PASS    |
| GPRS1900 4 Slot  | 810     | 1909.8          | 23.45       | -0.4      | 23.05      | 33.01            | PASS    |
| EGPRS1900 1 Slot | 512     | 1850.2          | 27.79       | -0.4      | 27.39      | 33.01            | PASS    |
| EGPRS1900 1 Slot | 661     | 1880            | 27.53       | -0.4      | 27.13      | 33.01            | PASS    |
| EGPRS1900 1 Slot | 810     | 1909.8          | 27.43       | -0.4      | 27.03      | 33.01            | PASS    |
| EGPRS1900 2 Slot | 512     | 1850.2          | 26.98       | -0.4      | 26.58      | 33.01            | PASS    |
| EGPRS1900 2 Slot | 661     | 1880            | 26.16       | -0.4      | 25.76      | 33.01            | PASS    |
| EGPRS1900 2 Slot | 810     | 1909.8          | 25.63       | -0.4      | 25.23      | 33.01            | PASS    |
| EGPRS1900 3 Slot | 512     | 1850.2          | 24.99       | -0.4      | 24.59      | 33.01            | PASS    |
| EGPRS1900 3 Slot | 661     | 1880            | 24.58       | -0.4      | 24.18      | 33.01            | PASS    |
| EGPRS1900 3 Slot | 810     | 1909.8          | 24.71       | -0.4      | 24.31      | 33.01            | PASS    |
| EGPRS1900 4 Slot | 512     | 1850.2          | 21.58       | -0.4      | 21.18      | 33.01            | PASS    |
| EGPRS1900 4 Slot | 661     | 1880            | 21.77       | -0.4      | 21.37      | 33.01            | PASS    |
| EGPRS1900 4 Slot | 810     | 1909.8          | 20.99       | -0.4      | 20.59      | 33.01            | PASS    |



## Report

### Frequency stability

| GSM 850 /836.6MHz |                 |            |            |        |        |
|-------------------|-----------------|------------|------------|--------|--------|
| Temperature (°C)  | Voltage         | Freq. Dev. | Freq. Dev. | Limit  | Result |
|                   | (Volt)          | (Hz)       | (ppm)      |        |        |
| 50                | Normal Voltage  | -4.71      | -0.006     | 2.5ppm | PASS   |
| 40                |                 | -4.20      | -0.005     |        |        |
| 30                |                 | 4.49       | 0.005      |        |        |
| 20                |                 | 7.23       | 0.009      |        |        |
| 10                |                 | 4.65       | 0.006      |        |        |
| 0                 |                 | 4.66       | 0.006      |        |        |
| -10               |                 | 4.56       | 0.005      |        |        |
| -20               |                 | -4.63      | -0.006     |        |        |
| -30               |                 | 4.72       | 0.006      |        |        |
| 20                | Maximum Voltage | 4.32       | 0.005      | 2.5ppm | PASS   |
| 20                | BEP             | 4.69       | 0.006      |        |        |

| GPRS 850 /836.6MHz |                 |            |            |        |        |
|--------------------|-----------------|------------|------------|--------|--------|
| Temperature (°C)   | Voltage         | Freq. Dev. | Freq. Dev. | Limit  | Result |
|                    | (Volt)          | (Hz)       | (ppm)      |        |        |
| 50                 | Normal Voltage  | 8.15       | 0.010      | 2.5ppm | PASS   |
| 40                 |                 | -8.33      | -0.010     |        |        |
| 30                 |                 | 8.22       | 0.010      |        |        |
| 20                 |                 | 15.17      | 0.018      |        |        |
| 10                 |                 | 8.58       | 0.010      |        |        |
| 0                  |                 | 8.56       | 0.010      |        |        |
| -10                |                 | -8.60      | -0.010     |        |        |
| -20                |                 | 8.14       | 0.010      |        |        |
| -30                |                 | 8.46       | 0.010      |        |        |
| 20                 | Maximum Voltage | 8.45       | 0.010      | 2.5ppm | PASS   |
| 20                 | BEP             | 8.33       | 0.010      |        |        |



## Report

| EGPRS 850 / 836.6MHz |                 |            |            |        |        |
|----------------------|-----------------|------------|------------|--------|--------|
| Temperature (°C)     | Voltage         | Freq. Dev. | Freq. Dev. | Limit  | Result |
|                      | (Volt)          | (Hz)       | (ppm)      |        |        |
| 50                   | Normal Voltage  | -8.80      | -0.011     | 2.5ppm | PASS   |
| 40                   |                 | -9.05      | -0.011     |        |        |
| 30                   |                 | -8.76      | -0.010     |        |        |
| 20                   |                 | 16.05      | 0.019      |        |        |
| 10                   |                 | 8.84       | 0.011      |        |        |
| 0                    |                 | 9.01       | 0.011      |        |        |
| -10                  |                 | 8.74       | 0.010      |        |        |
| -20                  |                 | 8.79       | 0.011      |        |        |
| -30                  |                 | -8.56      | -0.010     |        |        |
| 20                   | Maximum Voltage | 8.86       | 0.011      |        |        |
| 20                   | BEP             | 8.91       | 0.011      |        |        |

| GSM 1900 / 1880MHz |                 |            |            |                        |        |
|--------------------|-----------------|------------|------------|------------------------|--------|
| Temperature (°C)   | Voltage         | Freq. Dev. | Freq. Dev. | Limit                  | Result |
|                    | (Volt)          | (Hz)       | (ppm)      |                        |        |
| 50                 | Normal Voltage  | 10.85      | 0.006      | Within Authorized Band | PASS   |
| 40                 |                 | 10.82      | 0.006      |                        |        |
| 30                 |                 | -10.68     | -0.006     |                        |        |
| 20                 |                 | 19.60      | 0.010      |                        |        |
| 10                 |                 | 10.73      | 0.006      |                        |        |
| 0                  |                 | -10.79     | -0.006     |                        |        |
| -10                |                 | -10.34     | -0.005     |                        |        |
| -20                |                 | 10.49      | 0.006      |                        |        |
| -30                |                 | 10.83      | 0.006      |                        |        |
| 20                 | Maximum Voltage | -10.51     | -0.006     |                        |        |
| 20                 | BEP             | -10.79     | -0.006     |                        |        |



## Report

| GPRS 1900 / 1880MHz |                 |            |            |                        |        |
|---------------------|-----------------|------------|------------|------------------------|--------|
| Temperature (°C)    | Voltage         | Freq. Dev. | Freq. Dev. | Limit                  | Result |
|                     | (Volt)          | (Hz)       | (ppm)      |                        |        |
| 50                  | Normal Voltage  | -2.10      | -0.001     | Within Authorized Band | PASS   |
| 40                  |                 | -2.03      | -0.001     |                        |        |
| 30                  |                 | 2.61       | 0.001      |                        |        |
| 20                  |                 | -6.30      | -0.003     |                        |        |
| 10                  |                 | -2.28      | -0.001     |                        |        |
| 0                   |                 | -2.38      | -0.001     |                        |        |
| -10                 |                 | 2.06       | 0.001      |                        |        |
| -20                 |                 | -2.29      | -0.001     |                        |        |
| -30                 |                 | 2.04       | 0.001      |                        |        |
| 20                  | Maximum Voltage | 2.42       | 0.001      |                        |        |
| 20                  | BEP             | 2.34       | 0.001      |                        |        |

| EGPRS 1900 / 1880MHz |                 |            |            |                        |        |
|----------------------|-----------------|------------|------------|------------------------|--------|
| Temperature (°C)     | Voltage         | Freq. Dev. | Freq. Dev. | Limit                  | Result |
|                      | (Volt)          | (Hz)       | (ppm)      |                        |        |
| 50                   | Normal Voltage  | 4.29       | 0.002      | Within Authorized Band | PASS   |
| 40                   |                 | 4.36       | 0.002      |                        |        |
| 30                   |                 | 4.84       | 0.003      |                        |        |
| 20                   |                 | 7.43       | 0.004      |                        |        |
| 10                   |                 | 4.28       | 0.002      |                        |        |
| 0                    |                 | -4.68      | -0.002     |                        |        |
| -10                  |                 | -4.74      | -0.003     |                        |        |
| -20                  |                 | -4.67      | -0.002     |                        |        |
| -30                  |                 | -4.73      | -0.003     |                        |        |
| 20                   | Maximum Voltage | 4.62       | 0.002      |                        |        |
| 20                   | BEP             | -4.39      | -0.002     |                        |        |




## Report

### Peak-to-Average Ratio

| Band      | Channel | Frequency (MHz) | Result (dB) | high Limit (dB) | Verdict |
|-----------|---------|-----------------|-------------|-----------------|---------|
| GSM850    | 128     | 824.2           | 2.77        | 13              | PASS    |
| GSM850    | 190     | 836.6           | 2.85        | 13              | PASS    |
| GSM850    | 251     | 848.8           | 2.84        | 13              | PASS    |
| GPRS850   | 128     | 824.2           | 2.81        | 13              | PASS    |
| GPRS850   | 190     | 836.6           | 2.81        | 13              | PASS    |
| GPRS850   | 251     | 848.8           | 2.83        | 13              | PASS    |
| EGPRS850  | 128     | 824.2           | 7.46        | 13              | PASS    |
| EGPRS850  | 190     | 836.6           | 7.87        | 13              | PASS    |
| EGPRS850  | 251     | 848.8           | 7.40        | 13              | PASS    |
| GSM1900   | 512     | 1850.2          | 2.76        | 13              | PASS    |
| GSM1900   | 661     | 1880            | 2.76        | 13              | PASS    |
| GSM1900   | 810     | 1909.8          | 2.77        | 13              | PASS    |
| GPRS1900  | 512     | 1850.2          | 2.79        | 13              | PASS    |
| GPRS1900  | 661     | 1880            | 2.78        | 13              | PASS    |
| GPRS1900  | 810     | 1909.8          | 2.79        | 13              | PASS    |
| EGPRS1900 | 512     | 1850.2          | 5.65        | 13              | PASS    |
| EGPRS1900 | 661     | 1880            | 5.72        | 13              | PASS    |
| EGPRS1900 | 810     | 1909.8          | 5.98        | 13              | PASS    |


GSM850 Channel=128




GSM850 Channel=190




## Report



GSM850 Channel=251




GPRS850 Channel=128





## Report


GPRS850 Channel=190



GPRS850 Channel=251




EGPRS850 Channel=128






## Report


### EGPRS850 Channel=190



### EGPRS850 Channel=251




### GSM1900 Channel=512






## Report


### GSM1900 Channel=661



### GSM1900 Channel=810




### GPRS1900 Channel=512






## Report


GPRS1900 Channel=661



GPRS1900 Channel=810




EGPRS1900 Channel=512






## Report

### EGPRS1900 Channel=661



### EGPRS1900 Channel=810






## Report

### Occupied bandwidth

| Band      | Channel | Frequency (MHz) | 99% OBW (kHz) | -26dB EBW (kHz) | Verdict |
|-----------|---------|-----------------|---------------|-----------------|---------|
| GSM850    | 128     | 824.2           | 243.923       | 301.861         | PASS    |
| GSM850    | 190     | 836.6           | 239.825       | 298.573         | PASS    |
| GSM850    | 251     | 848.8           | 241.561       | 304.253         | PASS    |
| GPRS850   | 128     | 824.2           | 245.827       | 314.395         | PASS    |
| GPRS850   | 190     | 836.6           | 246.567       | 304.375         | PASS    |
| GPRS850   | 251     | 848.8           | 245.044       | 319.677         | PASS    |
| EGPRS850  | 128     | 824.2           | 245.463       | 305.961         | PASS    |
| EGPRS850  | 190     | 836.6           | 233.068       | 291.071         | PASS    |
| EGPRS850  | 251     | 848.8           | 235.888       | 310.110         | PASS    |
| GSM1900   | 512     | 1850.2          | 242.160       | 303.641         | PASS    |
| GSM1900   | 661     | 1880            | 239.938       | 311.833         | PASS    |
| GSM1900   | 810     | 1909.8          | 239.377       | 302.397         | PASS    |
| GPRS1900  | 512     | 1850.2          | 242.050       | 316.650         | PASS    |
| GPRS1900  | 661     | 1880            | 236.763       | 311.618         | PASS    |
| GPRS1900  | 810     | 1909.8          | 241.044       | 313.407         | PASS    |
| EGPRS1900 | 512     | 1850.2          | 244.906       | 318.208         | PASS    |
| EGPRS1900 | 661     | 1880            | 243.229       | 313.184         | PASS    |
| EGPRS1900 | 810     | 1909.8          | 237.978       | 304.768         | PASS    |


GSM850 Channel=128




GSM850 Channel=190




## Report



GSM850 Channel=251




GPRS850 Channel=128






## Report


### GPRS850 Channel=190



### GPRS850 Channel=251




### EGPRS850 Channel=128






## Report


### EGPRS850 Channel=190



### EGPRS850 Channel=251




### GSM1900 Channel=512






## Report


### GSM1900 Channel=661



### GSM1900 Channel=810




### GPRS1900 Channel=512






## Report


GPRS1900 Channel=661



GPRS1900 Channel=810




EGPRS1900 Channel=512






## Report

### EGPRS1900 Channel=661



### EGPRS1900 Channel=810





## Report


### Band edge

| Band      | Channel | Frequency (MHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) | Verdict |
|-----------|---------|-----------------|-----------------|------------------|-------------|---------|
| GSM850    | 128     | 824.2           | 824.00          | -27.74           | -13         | PASS    |
| GSM850    | 251     | 848.8           | 849.02          | -26.55           | -13         | PASS    |
| GPRS850   | 128     | 824.2           | 823.98          | -30.25           | -13         | PASS    |
| GPRS850   | 251     | 848.8           | 849.03          | -29.09           | -13         | PASS    |
| EGPRS850  | 128     | 824.2           | 823.99          | -34.55           | -13         | PASS    |
| EGPRS850  | 251     | 848.8           | 849.01          | -34.83           | -13         | PASS    |
| GSM1900   | 512     | 1850.2          | 1850.00         | -29.73           | -13         | PASS    |
| GSM1900   | 810     | 1909.8          | 1910.02         | -29.20           | -13         | PASS    |
| GPRS1900  | 512     | 1850.2          | 1849.98         | -31.70           | -13         | PASS    |
| GPRS1900  | 810     | 1909.8          | 1910.02         | -31.22           | -13         | PASS    |
| EGPRS1900 | 512     | 1850.2          | 1849.96         | -36.56           | -13         | PASS    |
| EGPRS1900 | 810     | 1909.8          | 1910.00         | -34.70           | -13         | PASS    |

GSM850 Channel=128




GSM850 Channel=251






## Report


GPRS850 Channel=128



GPRS850 Channel=251




EGPRS850 Channel=128






## Report


EGPRS850 Channel=251



GSM1900 Channel=512




GSM1900 Channel=810






## Report


GPRS1900 Channel=512



GPRS1900 Channel=810




EGPRS1900 Channel=512





# Report

EGPRS1900 Channel=810






## Report

### Out-of-band emissions

| Band      | Channel | Frequency (MHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) | Verdict |
|-----------|---------|-----------------|-----------------|------------------|-------------|---------|
| GSM850    | 128     | 824.2           | 3136.65         | -29.40           | -13         | PASS    |
| GSM850    | 190     | 836.6           | 2993.58         | -29.38           | -13         | PASS    |
| GSM850    | 251     | 848.8           | 2624.69         | -27.81           | -13         | PASS    |
| GPRS850   | 128     | 824.2           | 2780.72         | -27.59           | -13         | PASS    |
| GPRS850   | 190     | 836.6           | 3483.86         | -29.30           | -13         | PASS    |
| GPRS850   | 251     | 848.8           | 3172.05         | -28.84           | -13         | PASS    |
| EGPRS850  | 128     | 824.2           | 2700.71         | -29.13           | -13         | PASS    |
| EGPRS850  | 190     | 836.6           | 3107.49         | -28.39           | -13         | PASS    |
| EGPRS850  | 251     | 848.8           | 3127.43         | -29.06           | -13         | PASS    |
| GSM1900   | 512     | 1850.2          | 19874.69        | -24.13           | -13         | PASS    |
| GSM1900   | 661     | 1880            | 19758.86        | -24.03           | -13         | PASS    |
| GSM1900   | 810     | 1909.8          | 16651.03        | -24.32           | -13         | PASS    |
| GPRS1900  | 512     | 1850.2          | 18949.08        | -24.37           | -13         | PASS    |
| GPRS1900  | 661     | 1880            | 19763.36        | -23.83           | -13         | PASS    |
| GPRS1900  | 810     | 1909.8          | 19594.61        | -23.53           | -13         | PASS    |
| EGPRS1900 | 512     | 1850.2          | 19392.91        | -24.23           | -13         | PASS    |
| EGPRS1900 | 661     | 1880            | 19759.86        | -22.77           | -13         | PASS    |
| EGPRS1900 | 810     | 1909.8          | 19519.22        | -22.76           | -13         | PASS    |


GSM850 Channel=128




GSM850 Channel=190




## Report



GSM850 Channel=251




GPRS850 Channel=128






## Report


### GPRS850 Channel=190



### GPRS850 Channel=251




### EGPRS850 Channel=128






## Report


### EGPRS850 Channel=190



### EGPRS850 Channel=251




### GSM1900 Channel=512






## Report


GSM1900 Channel=661



GSM1900 Channel=810




GPRS1900 Channel=512






## Report


GPRS1900 Channel=661



GPRS1900 Channel=810




EGPRS1900 Channel=512





## Report

### EGPRS1900 Channel=661



### EGPRS1900 Channel=810

